JESS Thermodynamic Database v8.9

Barium

24-Jan-23

Reaction No. 2609							
F-1 + Ba+2 = Ba+2_F-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	100	0	P=500 Inf. Dilution	lgK:0.75(2SF)	4	EOD	6495
2	150	0	P=500 Inf. Dilution	lgK:1.16(3SF)	4	EOD	6495
3	200	0	P=500 Inf. Dilution	lgK:1.61(3SF)	4	EOD	6495
4	250	0	P=500 Inf. Dilution	lgK:2.12(3SF)	3	EOD	6495
5	300	0	P=500 Inf. Dilution	lgK:2.71(3SF)	3	EOD	6495
6	100	0	P=1000 Inf. Dilution	lgK:0.73(2SF)	4	EOD	6495
7	150	0	P=1000 Inf. Dilution	lgK:1.11(3SF)	4	EOD	6495
8	200	0	P=1000 Inf. Dilution	lgK:1.53(3SF)	4	EOD	6495
9	250	0	P=1000 Inf. Dilution	lgK:1.98(3SF)	3	EOD	6495
10	300	0	P=1000 Inf. Dilution	lgK:2.47(3SF)	3	EOD	6495
11	100	0	P=2000 Inf. Dilution	lgK:0.71(2SF)	4	EOD	6495
12	150	0	P=2000 Inf. Dilution	lgK:1.06(3SF)	4	EOD	6495
13	200	0	P=2000 Inf. Dilution	lgK:1.43(3SF)	4	EOD	6495
14	250	0	P=2000 Inf. Dilution	lgK:1.81(3SF)	3	EOD	6495
15	300	0	P=2000 Inf. Dilution	lgK:2.21(3SF)	3	EOD	6495
16	100	0	P=3000 Inf. Dilution	lgK:0.72(2SF)	4	EOD	6495
17	150	0	P=3000 Inf. Dilution	lgK:1.05(3SF)	4	EOD	6495
18	200	0	P=3000 Inf. Dilution	lgK:1.38(3SF)	4	EOD	6495

doi: 10.5281/zenodo.7700024

19	250	0	P=3000 Inf. Dilution	lgK:1.72(3SF)	3	EOD	6495
20	300	0	P=3000 Inf. Dilution	lgK:2.07(3SF)	3	EOD	6495
21	100	0	P=4000 Inf. Dilution	lgK:0.76(2SF)	4	EOD	6495
22	150	0	P=4000 Inf. Dilution	lgK:1.06(3SF)	4	EOD	6495
23	200	0	P=4000 Inf. Dilution	lgK:1.37(3SF)	4	EOD	6495
24	250	0	P=4000 Inf. Dilution	lgK:1.67(3SF)	3	EOD	6495
25	300	0	P=4000 Inf. Dilution	lgK:1.98(3SF)	3	EOD	6495
26	100	0	P=5000 Inf. Dilution	lgK:0.81(2SF)	4	EOD	6495
27	150	0	P=5000 Inf. Dilution	lgK:1.09(3SF)	4	EOD	6495
28	200	0	P=5000 Inf. Dilution	lgK:1.37(3SF)	4	EOD	6495
29	250	0	P=5000 Inf. Dilution	lgK:1.66(3SF)	3	EOD	6495
30	300	0	P=5000 Inf. Dilution	lgK:1.93(3SF)	3	EOD	6495
31	0	0	Inf. Dilution	lgK:0.25(2SF)	4	EOD	6495
32	2	1	NaClO4	lgK:-0.30(2SF)	4	MIS	310
33	25	0	Inf. Dilution	lgK:0.45(2SF)	3	MRX	140
34	25	0	Inf. Dilution	lgK:0.32(2SF)	5	EOD	6495
35	25	0	UCT_Sea	lgK:0.49(0.01SD)	4	EDH	5390
36	25	0.1	UCT_Sea	lgK:-0.07(0.01SD)	4	EDH	5390
37	25	0.2	UCT_Sea	lgK:-0.14(0.01SD)	4	EDH	5390
38	25	0.3	UCT_Sea	lgK:-0.17(0.01SD)	4	EDH	5390
39	25	0.4	UCT_Sea	lgK:-0.18(0.01SD)	4	EDH	5390
40	25	0.5	NaClO4	lgK:-0.09(1SF)	3	MRX	140
41	25	0.5	UCT_Sea	lgK:-0.19(0.01SD)	4	EDH	5390
42	25	0.6	UCT_Sea	lgK:-0.19(0.01SD)	4	EDH	5390
43	25	0.7	UCT_Sea	lgK:-0.19(0.01SD)	4	EDH	5390
44	25	1	NaClO4	lgK:-0.22(2SF)	5	MIS	310
45	25	1	NaClO4	lgK:-0.15(2SF)	5	MIS	312
46	25	1	NaNO3	lgK:-0.38(2SF)	4	MIS	5398
47	35	1	NaClO4	lgK:0.18(2SF)	4	MIS	312

48	35	1	NaNO3	lgK:-0.29(2SF)	4	MIS	5398
49	39	1	NaClO4	lgK:-0.30(2SF)	4	MIS	310
50	50	0	Inf. Dilution	lgK:0.45(2SF)	5	EOD	6495
51	75	0	Inf. Dilution	lgK:0.61(2SF)	5	EOD	6495
52	100	0	Inf. Dilution	lgK:0.8(1SF)	4	EOD	6495
53	125	0	Inf. Dilution	lgK:1.01(3SF)	4	EOD	6495
54	150	0	Inf. Dilution	lgK:1.23(3SF)	4	EOD	6495
55	175	0	Inf. Dilution	lgK:1.47(3SF)	4	EOD	6495
56	200	0	Inf. Dilution	lgK:1.74(3SF)	4	EOD	6495
57	225	0	Inf. Dilution	lgK:2.02(3SF)	3	EOD	6495
58	250	0	Inf. Dilution	lgK:2.33(3SF)	3	EOD	6495
59	275	0	Inf. Dilution	lgK:2.69(3SF)	3	EOD	6495
60	300	0	Inf. Dilution	lgK:3.1(2SF)	3	EOD	6495
61	0:60	1	Unknown	dH:4.(1SF)	6	CRV	552
62	25	1	NaClO4	dH:0.0(1SF)	3	MTD	310
63	25	1	NaNO3	dH:4.087(4SF)	0	MTD	437

Reaction No. 2844							
Ba+2 + CrO4-2 = Ba+2_CrO4-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:9.66(3SF)	1	CRV	
Note (1): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
2	25	0	Inf. Dilution	lgK:9.7(0.05SD)	3	MSL	571
3	25	0	Inf. Dilution	lgK:9.67(3SF)	2	ENS	773
4	25	0	Inf. Dilution	lgK:10.1(3SF)	3	ENS	5648
5	25	0	Inf. Dilution	lgK:9.93(3SF)	4	CRV	6330
Note (5): p. 8-58							
6	25	0	Inf. Dilution	lgK:9.64(3SF)	0	ENS	7694
7	25	0	Inf. Dilution	lgK:10.30(4SF)	5	CRV	22551
8	25	0	Inf. Dilution	lgK:9.93(3SF)	4	CRV	32224
9	25	0.1	KCl	lgK:9.3(0.05SD)	5	MSL	571
10	25	0.1	Unknown	lgK:8.96(3SF)	4	ENS	773
11	25	0.4	KCl	lgK:8.7(0.05SD)	5	MSL	571
12	25	0.6	KCl	lgK:8.4(0.05SD)	5	MSL	571
13	25	1	KCl	lgK:8.1(0.05SD)	5	MSL	571
14	25	1	Unknown	lgK:8.39(3SF)	4	ENS	773

15	25	0	Inf. Dilution	dH:-6.4(0.1SD)	4	ENS	766

Reaction No. 3091

NTA-3 + Ba+2 = Ba+2_NTA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0	Inf. Dilution	lgK:5.968(4SF)	4	MHY	140
2	0.5	0.1	KNO3	lgK:4.87(3SF)	5	MGL	1118
3	10	0	Inf. Dilution	lgK:5.914(4SF)	4	MHY	140
4	20	0	Inf. Dilution	lgK:5.875(4SF)	4	MHY	140
5	20	0	Inf. Dilution	lgK:6.41(3SF)	4	MHY	1118
6	20	0	Unknown	lgK:5.875(4SF)	5	ENS	773
7	20	0.1	KCl	lgK:4.85(3SF)	6	CMN	1118
8	20	0.1	KCl	lgK:4.8(0.03SD)	6	MGL	2595
9	20	0.1	KCl	lgK:4.82(3SF)	6	MGL	3486
10	20	0.1	KNO3	lgK:4.85(3SF)	5	MGL	11516
Note (10): Stary I, Radiokhim., 1966, 8, 504							
11	20	0.1	Unknown	lgK:4.82(3SF)	5	ENS	773
12	25	0	Inf. Dilution	lgK:5.875(4SF)	4	CRV	552
13	25	0.1	Unknown	lgK:4.81(0.02SD)	6	CRV	552
14	25	0.1	Unknown	lgK:4.80(3SF)	5	ENS	773
15	25.3	0.1	KNO3	lgK:4.72(3SF)	5	MGL	1118
16	30	0	Inf. Dilution	lgK:5.587(4SF)	4	MHY	140
17	42.4	0.1	KNO3	lgK:4.66(3SF)	5	MGL	1118
18	20	0.1	KNO3	dH:-1.4(2SF)	6	CMN	1118
19	20	0.1	KNO3	dH:-1.44(3SF)	5	MCL	1118
20	20:40	0.1	KNO3	dH:-2.(1SF)	5	MCL	3201
21	25	0.1	KNO3	dH:-1.41(3SF)	5	MTD	6627
22	25	0.1	Unknown	dH:-1.44(3SF)	6	CRV	552

Reaction No. 3152

HOEDTA-3 + Ba+2 = Ba+2_HOEDTA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:5.54(3SF)	0	MGL	999
2	20	0.1	Unknown	lgK:6.3(2SF)	4	ENS	773
3	25	0.1	Unknown	lgK:6.2(0.2SD)	6	CRV	552
4	29.6	0.1	KCl	lgK:6.2(2SF)	4	MEF	999

5	30	0.1	NaClO4	lgK:6.05(3SF)	4	MGL	2261
6	25	0.1	KNO3	dH:-5.4(2SF)	5	MCL	139

Reaction No. 3429

Oxine-1 + Ba+2 = Ba+2_Oxine-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:2.07(3SF)	6	MGL	999
2	20	0.1	Unknown	lgK:1.62(3SF)	6	ENS	773
3	20	1	Unknown	lgK:1.26(3SF)	6	ENS	773
4	25	0	Unknown	lgK:2.07(3SF)	6	ENS	773

Reaction No. 3462

Sulfox-2 + Ba+2 = Ba+2_Sulfox-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.31(3SF)	6	MSP	999
2	25	0.1	Unknown	lgK:1.56(3SF)	6	ENS	773

Reaction No. 3706

Oxalic-2 + Ba+2 = Ba+2_Oxalic-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0	Inf. Dilution	lgK:2.33(3SF)	6	MCN	8670
2	25	0	Inf. Dilution	lgK:2.33(3SF)	4	MCN	5851
3	25	0	Inf. Dilution	lgK:2.328(4SF)	4	EOD	12002
4	25	1	NaClO4	lgK:0.58(2SF)	0	MDS	931

Reaction No. 4036

Phthalic-2 + Ba+2 = Ba+2_Phthalic-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.33(3SF)	4	MCN	999
2	25	0	UCT_Sea	lgK:2.33(0.01SD)	4	EDH	5390
3	25	0.1	NaCl	lgK:2.28(3SF)	3	MGL	11516
Note (3): Skorik N et al., Zhur. Neorg. Khim., 1989, 34, 2276							
4	25	0.1	UCT_Sea	lgK:1.52(0.01SD)	4	EDH	5390
5	25	0.1	Unknown	lgK:0.92(2SF)	5	ENS	773
6	25	0.15	Unknown	lgK:0.92(2SF)	5	MEF	999
7	25	0.2	UCT_Sea	lgK:1.34(0.01SD)	4	EDH	5390
8	25	0.3	UCT_Sea	lgK:1.24(0.01SD)	4	EDH	5390

9	25	0.4	UCT_Sea	lgK:1.16(0.01SD)	4	EDH	5390
10	25	0.493	Unknown	lgK:2.58(3SF)	3	MGL	11516
Note (10): Parthasarathy S et al., Electrochim. Acta, 1975, 20, 887							
11	25	0.5	UCT_Sea	lgK:1.11(0.01SD)	4	EDH	5390
12	25	0.6	UCT_Sea	lgK:1.07(0.01SD)	4	EDH	5390
13	25	0.7	UCT_Sea	lgK:1.04(0.01SD)	4	EDH	5390

Reaction No. 4058							
Mandelic-1 + Ba+2 = Ba+2_Mandelic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.77(2SF)	6	MCN	999
2	25	0	Inf. Dilution	lgK:0.70(2SF)	5	MKN	11516
Note (2): Bell R et al., J. Chem. Soc., 1951, 2357							

Reaction No. 4184							
EDTA-4 + Ba+2 = Ba+2_EDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:7.78(3SF)	0	MHY	140
2	20	0.1	KCl	lgK:7.76(3SF)	6	MHY	1947
3	20	0.1	KNO3	lgK:7.73(3SF)	8	EIU	903
4	20	0.1	KNO3	lgK:7.69(3SF)	4	MGL	903
5	20	0.1	KNO3	lgK:7.76(3SF)	5	MGL	1978
6	20	0.1	KNO3	lgK:8.(1SF)	3	MEP	11516
Note (6): Jokl V et al., Chem. Zvesti, 1965, 19 ,249							
7	20	0.1	Unknown	lgK:7.86(3SF)	4	ENS	773
8	25	0	Inf. Dilution	lgK:9.6(2SF)	4	ENS	6405
9	25	0	Inf. Dilution	lgK:9.86(0.09SD)	3	EDH	29889
10	25	0	Inf. Dilution	lgK:9.88(0.11SD)	4	MIX	31801
11	25	0	NaCl/m	lgK:9.88(0.11SD)	2	EDH	29889
Note (11): Strangely, different from Inf Dil value in abstract							
12	25	0.1	KNO3	lgK:7.63(3SF)	3	MGL	11516
Note (12): Bohigian T et al., US Comm. Con. no AT(30-1), 1960, 1823							
13	25	0.1	NaClO4	lgK:7.9(2SF)	3	MEF	140
14	25	0.1	Unknown	lgK:7.80(3SF)	4	ENS	2016
15	25	0.22	NaCl	lgK:7.61(0.08SD)	4	MIX	31801
16	25	0.22	NaCl/m	lgK:7.70(0.08SD)	2	MIX	29889

17	25	0.51	NaCl	lgK:7.32(0.10SD)	4	MIX	31801
18	25	0.51	NaCl/m	lgK:7.38(0.08SD)	2	MIX	29889
19	25	1	Unknown	lgK:6.93(3SF)	4	CRV	552
20	25	1.02	NaCl	lgK:7.00(0.11SD)	4	MIX	31801
21	25	1.02	NaCl/m	lgK:6.99(0.12SD)	3	MIX	29889
22	25	2.09	NaCl	lgK:7.02(0.14SD)	4	MIX	31801
23	25	2.09	NaCl/m	lgK:7.10(0.08SD)	5	MIX	29889
24	25	2.64	NaCl	lgK:6.99(0.18SD)	4	MIX	31801
25	25	2.64	NaCl/m	lgK:7.16(0.08SD)	5	MIX	29889
26	20	0	Inf. Dilution	dH:-4.1(2SF)	4	MHY	140
27	20	0.1	KNO3	dH:-4.93(3SF)	5	MCL	1963
28	20	0.1	KNO3	dH:-4.84(3SF)	5	MDG	2603
29	20	0.17	Unknown	dH:-4.83(3SF)	4	MGL	140
30	20:40	0.1	KNO3	dH:-5.1(2SF)	5	MCL	3201
31	25	0.05	Unknown	dH:-5.1(2SF)	4	MCL	931
32	25	0.1	KNO3	dH:-5.3(2SF)	5	MCL	139
33	25	0.1	Me4N+ salt	dH:-5.1(2SF)	5	MCL	2558
34	25	0.1	NaNO3	dH:-4.93(3SF)	5	MCL	1379
35	25	1	Unknown	dH:-6.0(2SF)	6	CRV	552

Reaction No. 4185							
Ba+2_EDTA-4 + H+1 = Ba+2_H+1_EDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.6(2SF)	4	MGL	1957
2	20	0.1	Unknown	lgK:4.57(3SF)	4	ENS	773
3	25	0	Inf. Dilution	lgK:5.01(3SF)	2	EAE	

Reaction No. 4263							
DTPA-5 + Ba+2 = Ba+2_DTPA-5							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:8.63(3SF)	6	MGL	999
2	25	0.1	KNO3	lgK:8.8(0.1SD)	5	CRV	13242
3	25	0.1	Unknown	lgK:8.78(3SF)	6	ENS	773
4	25	0.1	Unknown	lgK:8.62(3SF)	5	MGL	24382
5	25	0.1	KNO3	dH:-7.3(2SF)	5	MCL	139
6	25	0.1	NaNO3	dH:-7.3(2SF)	5	MCL	1379

7	27	0.1	Unknown	dH:-6.9(2SF)	5	MCL	999

Reaction No. 4264							
Ba+2_DTPA-5 + H+1 = Ba+2_H+1_DTPA-5							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:5.55(3SF)	6	ENS	773
2	25	0.1	Unknown	lgK:5.34(3SF)	6	ENS	773

Reaction No. 4316							
EGTA-4 + Ba+2 = Ba+2_EGTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:8.41(3SF)	6	MHY	1957
2	20	0.1	Unknown	lgK:8.50(3SF)	6	ENS	1539
3	25	0.1	Unknown	lgK:8.0(2SF)	4	MGL	999
4	25	0.1	KCl	dH:-9.0(2SF)	5	MCL	999
5	25	0.1	KNO3	dH:-8.8(2SF)	5	MCL	139

Reaction No. 4317							
Ba+2_EGTA-4 + H+1 = Ba+2_H+1_EGTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:5.4(2SF)	4	MGL	1957
2	20	0.1	Unknown	lgK:5.31(3SF)	6	ENS	773
3	25	0	Inf. Dilution	lgK:5.5(2SF)	1	ESC	

Reaction No. 4362							
TTHA-6 + Ba+2 = Ba+2_TTHA-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KCl	lgK:8.2(0.1SD)	5	CRV	13242
2	30	0.1	KCl	lgK:8.22(3SF)	6	MGL	999

Reaction No. 4363							
Ba+2_TTHA-6 + H+1 = Ba+2_H+1_TTHA-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:8.0(2SF)	1	EES	
2	25	0.1	KCl	lgK:7.7(0.1SD)	5	CRV	13242
3	30	0.1	Unknown	lgK:7.66(3SF)	6	ENS	773

Reaction No. 4364							
Ba+2_TTHA-6 + Ba+2 = Ba+2(2)_TTHA-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:3.5(2SF)	1	EES	
2	25	0.1	KCl	lgK:3.4(0.1SD)	5	CRV	13242
3	30	0.1	KCl	lgK:3.41(3SF)	6	MGL	999

Reaction No. 4729							
Ba+2 + 2<e-1> = Ba(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-98.25(4SF)	4	CRV	32224
2	25	0	Inf. Dilution	dG:134.0(0.05SD)	0	ENS	802
3	25	0	Inf. Dilution	dG:134.03(5SF)	1	CRV	6488
4	25	0	Inf. Dilution	dG:-555.4(4SF)kJ	0	CRV	6494
5	25	0	Inf. Dilution	dG:560.77(5SF)kJ	0	EFE	7275
6	25	0	Inf. Dilution	dG:560.8(4SF)kJ	3	CRV	7421
7	25	0	Inf. Dilution	dG:134.020(6SF)	1	CRV	8875
8	25	0	Inf. Dilution	dG:134.030(6SF)	1	CRV	9029
9	25	0	Inf. Dilution	dG:134.03(5SF)	1	CRV	10174
10	25	0	Inf. Dilution	dG:557.660(1.3SD)kJ	2	CRV	27292
11	25	0	Inf. Dilution	dG:560.77(5SF)kJ	3	CRV	28172
12	25	0	Inf. Dilution	dG:560.8(4SF)kJ	3	EOD	29025
13	25	0	Inf. Dilution	dG:555.36(5SF)kJ	0	CRV	29556
14	25	0	Inf. Dilution	dG:560.8(4SF)kJ	4	EFE	32151
15	50	0	Inf. Dilution	dG:134.08(5SF)	1	CRV	10174
16	75	0	Inf. Dilution	dG:134.10(5SF)	1	CRV	10174
17	100	0	Inf. Dilution	dG:134.11(5SF)	1	CRV	10174
18	125	0	Inf. Dilution	dG:134.10(5SF)	1	CRV	10174
19	150	0	Inf. Dilution	dG:134.07(5SF)	0	CRV	10174
20	175	0	Inf. Dilution	dG:134.01(5SF)	0	CRV	10174
21	200	0	Inf. Dilution	dG:133.92(5SF)	0	CRV	10174
22	225	0	Inf. Dilution	dG:133.80(5SF)	0	CRV	10174
23	250	0	Inf. Dilution	dG:133.63(5SF)	0	CRV	10174
24	300	0	Inf. Dilution	dG:133.13(5SF)	0	CRV	10174
25	23	0	Inf. Dilution	E:-2.90(3SF)	0	ENS	7276
Note (25): Low wgt for internal consistency							

26	25	0	Inf. Dilution	E:-2.912(4SF)	0	CRV	6330
27	25	0	Inf. Dilution	E:-2.90(3SF)	0	MEF	7273
28	25	0	Inf. Dilution	E:-2.90(3SF)	0	CRV	7372
29	25	0	Inf. Dilution	E:-2.912(4SF)	0	ENS	7381
30	25	0	Inf. Dilution	E:-2.906(4SF)	2	CRV	7761
31	25	0	Inf. Dilution	E:-2.92(0.01SD)	0	CRV	22551
32	25	0	Inf. Dilution	dH:128.5(0.1SD)	2	ENS	802
33	25	0	Inf. Dilution	dH:128.5(4SF)	2	CRV	6488
34	25	0	Inf. Dilution	dH:537.64(5SF)kJ	0	EFE	7275
35	25	0	Inf. Dilution	dH:537.7(4SF)kJ	2	CRV	7761
36	25	0	Inf. Dilution	dH:128.500(6SF)	2	CRV	8875
37	25	0	Inf. Dilution	dH:128.500(6SF)	1	CRV	9029
38	25	0	Inf. Dilution	dH:534.800(1.25SD)kJ	0	CRV	27292
39	25	0	Inf. Dilution	dH:537.64(5SF)kJ	5	CRV	28172
40	25	0	Inf. Dilution	dH:537.6(4SF)kJ	4	EOD	29025
41	25	0	Inf. Dilution	dH:532.50(5SF)kJ	2	CRV	29556
42	25	0	Inf. Dilution	dH:537.6(4SF)kJ	4	EFE	32151
43	25	0	GAMSPATH	dH:537.650(6SF)kJ	0	CRV	12638
44	25	0	Inf. Dilution	Cp:51.5(3SF)J/K	4	EOD	29025

Reaction No. 4917

IDA-2 + Ba+2 = Ba+2_IDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:1.67(3SF)	2	MHY	2699
2	20	0.1	KCl	lgK:1.67(3SF)	5	MHY	999
3	20	0.1	KNO3	lgK:1.67(3SF)	6	MGL	1956
4	20	0.1	KNO3	lgK:1.67(0.05SD)	5	CRV	13242
5	20	0.1	NaNO3	lgK:1.67(3SF)	4	MGL	1506
6	25	0	Inf. Dilution	lgK:2.5(2SF)	4	ENS	6405
7	25	0.1	Unknown	lgK:1.67(3SF)	6	ENS	773
8	20	0.1	KNO3	dH:0.1(1SF)	5	MCL	1956
9	20	0.1	NaNO3	dH:0.1(1SF)	5	MCL	1506

Reaction No. 5216

MIDA-2 + Ba+2 = Ba+2_MIDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	20	0	Inf. Dilution	lgK:3.45(3SF)	4	MHY	2699
2	20	0.1	KCl	lgK:2.59(3SF)	6	MGL	3486
3	20	0.1	KCl	lgK:2.6(2SF)	5	CRV	13242
4	20	0.1	KNO3	lgK:2.59(3SF)	6	MGL	2040
5	25	0	Inf. Dilution	lgK:3.45(3SF)	4	CRV	552
6	25	0.1	KCl	lgK:2.61(3SF)	4	MGL	999
7	25	0.1	NaClO4	lgK:2.6(0.1SD)	5	CRV	13242
8	25	0.1	Unknown	lgK:2.60(3SF)	5	ENS	7168
9	20	0.1	KNO3	dG:-3.47(3SF)	6	MGL	2040
10	20	0.1	KNO3	dH:-0.79(2SF)	6	MCL	2040
11	25	0.1	KCl	dH:-1.1(0.1SD)	5	MCL	3215
12	25	0.1	Unknown	dH:-0.9(1SF)	6	CRV	552
13	20	0.1	KNO3	dS:9.17(3SF)	6	EFE	2040

Reaction No. 6809							
Glycolic-1 + Ba+2 = Ba+2_Glycolic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.2	KCl	lgK:0.66(2SF)	5	MHY	4920
2	25	0	Inf. Dilution	lgK:1.1(2SF)	4	ENS	2152
3	25	0	Inf. Dilution	lgK:1.04(3SF)	5	MSL	7703
4	25	0	Inf. Dilution	lgK:0.98(2SF)	5	MHY	7703

Reaction No. 6903							
Gly-1 + Ba+2 = Ba+2_Gly-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.8(1SF)	4	ENS	2152
2	25	0.1	NaNO3	lgK:3.50(3SF)	0	MPT	1069
3	25	1	Me4NCl	lgK:-0.4(0.03SD)	4	MSP	1529
4	25	1	Unknown	lgK:1.40(3SF)	0	MSP	1529

Reaction No. 7060							
Malonic-2 + Ba+2 = Ba+2_Malonic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	15	0	Inf. Dilution	lgK:2.228(4SF)	5	MCO	4861
2	20	0.1	NaClO4	lgK:1.34(3SF)	5	MGL	154
3	23	0.035	KCl	lgK:1.85(3SF)	0	MSP	5748
4	25	0	Inf. Dilution	lgK:2.276(4SF)	4	MCO	4861

5	25	0	Inf. Dilution	lgK:2.13(3SF)	4	MCN	5851
6	25	0	Inf. Dilution	lgK:2.07(3SF)	3	CRV	7271
7	25	0	Inf. Dilution	lgK:1.708(4SF)	4	EOD	12002
8	25	0.04	Unknown	lgK:1.71(3SF)w	6	MPH	999
9	25	0.1	NaClO4	lgK:1.22(3SF)	4	MGL	476
10	25	0.2	KCl	lgK:1.23(3SF)	5	MHY	999
11	30	0	Inf. Dilution	lgK:2.283(4SF)	4	MCO	4861
12	35	0	Inf. Dilution	lgK:2.314(4SF)	4	MCO	4861
13	25	0	Inf. Dilution	dH:7.(2.SD)kJ	4	MCO	4861

Reaction No. 7245							
Propanoic-1 + Ba+2 = Ba+2_Propanoic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.2	KCl	lgK:0.34(2SF)	5	MHY	4920
2	25	0	Inf. Dilution	lgK:0.15(2SF)	6	MSL	999
3	25	0	Inf. Dilution	lgK:2.46(3SF)	5	MSC	4482
4	25	0	NaClO4	lgK:0.67(2SF)	5	MSL	11516
Note (4): Hohlova A et al., Zhur. Neorg. Khim., 1977, 22, 3167							
5	25	0	UCT_Sea	lgK:0.85(0.01SD)	4	EDH	5390
6	25	0.1	UCT_Sea	lgK:0.43(0.01SD)	4	EDH	5390
7	25	0.2	UCT_Sea	lgK:0.34(0.01SD)	4	EDH	5390
8	25	0.3	UCT_Sea	lgK:0.29(0.01SD)	4	EDH	5390
9	25	0.4	UCT_Sea	lgK:0.26(0.01SD)	4	EDH	5390
10	25	0.5	UCT_Sea	lgK:0.23(0.01SD)	4	EDH	5390
11	25	0.6	UCT_Sea	lgK:0.21(0.01SD)	4	EDH	5390
12	25	0.7	UCT_Sea	lgK:0.20(0.01SD)	4	EDH	5390

Reaction No. 7422							
Lactic-1 + Ba+2 = Ba+2_Lactic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.2	KCl	lgK:0.55(2SF)	5	MHY	4920
2	25	0	Inf. Dilution	lgK:0.77(2SF)	6	MSL	999
3	25	0	Inf. Dilution	lgK:0.64(2SF)	5	MHY	11516
Note (3): Davies C et al., Trans. Faraday Society, 1954, 50, 132							
4	25	1	Unknown	lgK:0.34(2SF)	6	MGL	999

Reaction No. 7423

2<Lactic-1> + Ba+2 = Ba+2_Lactic-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	Unknown	lgK:0.42(2SF)	6	MGL	999

Reaction No. 9231							
Ba(s) + 0.5<F2(g)> - e-1 = Ba+2_F-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:147.5(4SF)	1	ELC	
2	25	0	Inf. Dilution	dG:-201.12(5SF)	0	CRV	10174
3	50	0	Inf. Dilution	dG:-201.27(5SF)	0	CRV	10174
4	75	0	Inf. Dilution	dG:-201.44(5SF)	0	CRV	10174
5	100	0	Inf. Dilution	dG:-201.62(5SF)	0	CRV	10174
6	125	0	Inf. Dilution	dG:-201.82(5SF)	0	CRV	10174
7	150	0	Inf. Dilution	dG:-202.04(5SF)	0	CRV	10174
8	175	0	Inf. Dilution	dG:-202.26(5SF)	0	CRV	10174
9	200	0	Inf. Dilution	dG:-202.49(5SF)	0	CRV	10174
10	225	0	Inf. Dilution	dG:-202.72(5SF)	0	CRV	10174
11	250	0	Inf. Dilution	dG:-202.95(5SF)	0	CRV	10174
12	300	0	Inf. Dilution	dG:-203.38(5SF)	0	CRV	10174

Reaction No. 9232							
Ba(s) + 0.5<Cl2(g)> - e-1 = Ba+2_Cl-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-164.73(5SF)	3	CRV	10174
2	50	0	Inf. Dilution	dG:-165.30(5SF)	2	CRV	10174
3	75	0	Inf. Dilution	dG:-165.88(5SF)	2	CRV	10174
4	100	0	Inf. Dilution	dG:-166.48(5SF)	1	CRV	10174
5	125	0	Inf. Dilution	dG:-167.09(5SF)	1	CRV	10174
6	150	0	Inf. Dilution	dG:-167.71(5SF)	1	CRV	10174
7	175	0	Inf. Dilution	dG:-168.34(5SF)	0	CRV	10174
8	200	0	Inf. Dilution	dG:-168.98(5SF)	0	CRV	10174
9	225	0	Inf. Dilution	dG:-169.63(5SF)	0	CRV	10174
10	250	0	Inf. Dilution	dG:-170.27(5SF)	0	CRV	10174
11	300	0	Inf. Dilution	dG:-171.55(5SF)	0	CRV	10174

Reaction No. 9783
Ba+2 + H+1_Succinic-2 = Ba+2_H+1_Succinic-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.2	KCl	lgK:0.45(2SF)	6	MHY	999

Reaction No. 9784

Succinic-2 + Ba+2 = Ba+2_Succinic-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.08(3SF)	6	MCN	5851
2	25	0	Inf. Dilution	lgK:1.57(3SF)	5	MCN	11516
Note (2): Topp N et al., J. Chem. Soc., 1940, 87							
3	25	0	UCT_Sea	lgK:2.02(0.01SD)	4	EDH	5390
4	25	0.1	UCT_Sea	lgK:1.18(0.01SD)	4	EDH	5390
5	25	0.15	Unknown	lgK:0.97(2SF)	6	MEF	999
6	25	0.16	Unknown	lgK:1.21(3SF)	5	MIX	108
7	25	0.2	KCl	lgK:1.03(3SF)	6	MHY	999
8	25	0.2	UCT_Sea	lgK:0.99(0.01SD)	4	EDH	5390
9	25	0.3	UCT_Sea	lgK:0.88(0.01SD)	4	EDH	5390
10	25	0.4	UCT_Sea	lgK:0.80(0.01SD)	4	EDH	5390
11	25	0.5	UCT_Sea	lgK:0.74(0.01SD)	4	EDH	5390
12	25	0.6	UCT_Sea	lgK:0.69(0.01SD)	4	EDH	5390
13	25	0.7	UCT_Sea	lgK:0.65(0.01SD)	4	EDH	5390

Reaction No. 10294

Ala-1 + Ba+2 = Ba+2_Ala-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.77(2SF)	4	CRV	552
2	25	0	Inf. Dilution	lgK:0.80(2SF)	4	MSL	999
3	25	0	Inf. Dilution	lgK:0.77(2SF)	4	MSL	2392
4	25	0	UCT_Sea	lgK:0.77(0.01SD)	4	EDH	5390
5	25	0.1	UCT_Sea	lgK:0.36(0.01SD)	4	EDH	5390
6	25	0.2	UCT_Sea	lgK:0.26(0.01SD)	4	EDH	5390
7	25	0.3	UCT_Sea	lgK:0.21(0.01SD)	4	EDH	5390
8	25	0.4	UCT_Sea	lgK:0.18(0.01SD)	4	EDH	5390
9	25	0.5	UCT_Sea	lgK:0.15(0.01SD)	4	EDH	5390
10	25	0.6	UCT_Sea	lgK:0.14(0.01SD)	4	EDH	5390
11	25	0.7	UCT_Sea	lgK:0.12(0.01SD)	4	EDH	5390

Reaction No. 10435

Maleic-2 + Ba+2 = Ba+2_Maleic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.26(3SF)	6	MCN	999
2	25	0	Inf. Dilution	lgK:2.350(4SF)	5	MCO	4861

Reaction No. 10451							
Fumaric-2 + Ba+2 = Ba+2_Fumaric-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.59(3SF)	6	MCN	999

Reaction No. 10506							
MeMalon-2 + Ba+2 = Ba+2_MeMalon-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaClO4	lgK:1.42(3SF)	6	MGL	476

Reaction No. 10610							
Malic-2 + Ba+2 = Ba+2_Malic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:1.38(3SF)	6	MGL	999
2	25	0	Inf. Dilution	lgK:2.20(3SF)	6	MCN	999
3	25	0	Inf. Dilution	lgK:1.32(3SF)	5	MKN	11516
Note (3): Bell R et al., J. Chem. Soc., 1951, , 2357							
4	25	0	UCT_Sea	lgK:2.20(0.01SD)	4	EDH	5390
5	25	0.078	Unknown	lgK:1.48(3SF)	6	MIX	108
6	25	0.1	UCT_Sea	lgK:1.42(0.01SD)	4	EDH	5390
7	25	0.16	Unknown	lgK:1.36(3SF)	6	MIX	108
8	25	0.2	KCl	lgK:1.30(3SF)	6	MHY	999
9	25	0.2	UCT_Sea	lgK:1.27(0.01SD)	4	EDH	5390
10	25	0.3	UCT_Sea	lgK:1.20(0.01SD)	4	EDH	5390
11	25	0.4	UCT_Sea	lgK:1.16(0.01SD)	4	EDH	5390
12	25	0.5	UCT_Sea	lgK:1.14(0.01SD)	4	EDH	5390
13	25	0.6	UCT_Sea	lgK:1.14(0.01SD)	4	EDH	5390
14	25	0.7	UCT_Sea	lgK:1.14(0.01SD)	4	EDH	5390
15	25	1	NaNO3	lgK:1.17(3SF)	6	MGL	1506
16	25	1	NaNO3	dH:0.39(0.01SD)	5	MCL	1506

Reaction No. 10611

Ba+2 + H+1_Malic-2 = Ba+2_H+1_Malic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:0.67(2SF)	5	MGL	154
2	25	0.2	KCl	lgK:0.67(2SF)	5	MHY	999

Reaction No. 10646							
Tartaric-2 + Ba+2 = Ba+2_Tartaric-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KClO4	lgK:2.0(2SF)	5	MGL	999
2	25	0	Inf. Dilution	lgK:2.54(3SF)	6	MCN	999
3	25	0.078	Unknown	lgK:1.76(3SF)	6	MIX	108
4	25	0.15	Unknown	lgK:1.95(3SF)	6	MEF	999
5	25	0.16	Unknown	lgK:1.67(3SF)	5	MIX	108
6	25	0.2	KCl	lgK:1.62(3SF)	4	MHY	999
7	37	0.2	NaClO4	lgK:2.19(3SF)	6	MGL	999

Reaction No. 10647							
Ba+2 + H+1_Tartaric-2 = Ba+2_H+1_Tartaric-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.2	KCl	lgK:0.88(2SF)	6	MHY	999

Reaction No. 10682							
Butanoic-1 + Ba+2 = Ba+2_Butanoic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.0(2SF)	6	MSL	999
2	25	0	Inf. Dilution	lgK:2.47(3SF)	1	MSC	4482
3	25	0	NaClO4	lgK:0.61(2SF)	3	MSL	11516
Note (3): Hohlova A et al., Zhur. Neorg. Khim., 1977, 22, 3167							
4	25	0.2	KCl	lgK:0.31(2SF)	5	MHY	4920

Reaction No. 10788							
3OHButan-1 + Ba+2 = Ba+2_3OHButan-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:0.94(0.01SD)	4	EDH	5390
2	25	0.1	UCT_Sea	lgK:0.52(0.01SD)	4	EDH	5390
3	25	0.2	KCl	lgK:0.43(2SF)	5	MHY	4920
4	25	0.2	UCT_Sea	lgK:0.43(0.01SD)	4	EDH	5390

5	25	0.3	UCT_Sea	lgK:0.38(0.01SD)	4	EDH	5390
6	25	0.4	UCT_Sea	lgK:0.38(0.01SD)	4	EDH	5390
7	25	0.5	UCT_Sea	lgK:0.37(0.01SD)	4	EDH	5390
8	25	0.6	UCT_Sea	lgK:0.32(0.01SD)	4	EDH	5390
9	25	0.7	UCT_Sea	lgK:0.30(0.01SD)	4	EDH	5390

Reaction No. 10811

2OH2MePropan-1 + Ba+2 = Ba+2_2OH2MePropan-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:1.03(0.01SD)	4	EDH	5390
2	25	0.1	UCT_Sea	lgK:0.62(0.01SD)	4	EDH	5390
3	25	0.2	UCT_Sea	lgK:0.53(0.01SD)	4	EDH	5390
4	25	0.3	UCT_Sea	lgK:0.47(0.01SD)	4	EDH	5390
5	25	0.4	UCT_Sea	lgK:0.44(0.01SD)	4	EDH	5390
6	25	0.5	UCT_Sea	lgK:0.41(0.01SD)	4	EDH	5390
7	25	0.6	UCT_Sea	lgK:0.40(0.01SD)	4	EDH	5390
8	25	0.7	UCT_Sea	lgK:0.38(0.01SD)	4	EDH	5390
9	25	1	NaClO4	lgK:0.36(0.01SD)	6	MQH	999

Reaction No. 10812

2<2OH2MePropan-1> + Ba+2 = Ba+2_2OH2MePropan-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:1.47(0.01SD)	4	EDH	5390
2	25	0.1	UCT_Sea	lgK:0.85(0.01SD)	4	EDH	5390
3	25	0.2	UCT_Sea	lgK:0.72(0.01SD)	4	EDH	5390
4	25	0.3	UCT_Sea	lgK:0.65(0.01SD)	4	EDH	5390
5	25	0.4	UCT_Sea	lgK:0.60(0.01SD)	4	EDH	5390
6	25	0.5	UCT_Sea	lgK:0.57(0.01SD)	4	EDH	5390
7	25	0.6	UCT_Sea	lgK:0.54(0.01SD)	4	EDH	5390
8	25	0.7	UCT_Sea	lgK:0.53(0.01SD)	4	EDH	5390
9	25	1	NaClO4	lgK:0.51(0.02SD)	6	MQH	999

Reaction No. 11163

Asp-2 + Ba+2 = Ba+2_Asp-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:1.95(0.01SD)	4	EDH	5390
2	25	0.1	KCl	lgK:1.14(3SF)	5	MGL	6710

3	25	0.1	UCT_Sea	lgK:1.14(0.01SD)	4	EDH	5390
4	25	0.2	UCT_Sea	lgK:0.96(0.01SD)	4	EDH	5390
5	25	0.3	UCT_Sea	lgK:0.86(0.01SD)	4	EDH	5390
6	25	0.4	UCT_Sea	lgK:0.79(0.01SD)	4	EDH	5390
7	25	0.5	UCT_Sea	lgK:0.73(0.01SD)	4	EDH	5390
8	25	0.6	UCT_Sea	lgK:0.69(0.01SD)	4	EDH	5390
9	25	0.7	UCT_Sea	lgK:0.66(0.01SD)	4	EDH	5390

Reaction No. 11453

DiMeMalon-2 + Ba+2 = Ba+2_DiMeMalon-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaClO4	lgK:1.35(3SF)	6	MGL	476

Reaction No. 11470

EtMalon-2 + Ba+2 = Ba+2_EtMalon-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	15	0	Inf. Dilution	lgK:2.204(4SF)	5	MCO	4861
2	25	0	Inf. Dilution	lgK:2.255(4SF)	5	MCO	4861
3	25	0.1	NaClO4	lgK:1.39(3SF)	6	MGL	476
4	30	0	Inf. Dilution	lgK:2.269(4SF)	5	MCO	4861
5	35	0	Inf. Dilution	lgK:2.292(4SF)	5	MCO	4861
6	25	0	Inf. Dilution	dH:8.(2.SD)kJ	4	MCO	4861

Reaction No. 11498

Glutaric-2 + Ba+2 = Ba+2_Glutaric-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.04(3SF)	6	MGL	5851

Reaction No. 11592

Pivalic-1 + Ba+2 = Ba+2_Pivalic-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.080(2SF)	6	MSL	999

Reaction No. 11658

Glu-2 + Ba+2 = Ba+2_Glu-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.2(2SF)	4	ENS	2152

2	25	0.1	KCl	lgK:1.28(3SF)	5	MGL	6710

Reaction No. 11678							
Ba+2_MIDA-2 + MIDA-2 = Ba+2_MIDA-2(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KCl	lgK:2.33(3SF)	4	MGL	999

Reaction No. 12099							
Tricarballylic-3 + Ba+2 = Ba+2_Tricarballylic-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:1.95(3SF)	5	MGL	154
2	25	0	Inf. Dilution	lgK:2.1(2SF)	1	ESC	

Reaction No. 12100							
Ba+2 + H+1_Tricarballylic-3 = Ba+2_H+1_Tricarballylic-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:1.15(3SF)	5	MGL	154
2	25	0	Inf. Dilution	lgK:1.3(2SF)	1	ESC	

Reaction No. 12101							
Ba+2 + H+1(2)_Tricarballylic-3 = Ba+2_H+1(2)_Tricarballylic-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:0.73(2SF)	5	MGL	154
2	25	0	Inf. Dilution	lgK:0.8(1SF)	1	ESC	

Reaction No. 12193							
Citric-3 + Ba+2 = Ba+2_Citric-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:2.89(3SF)	5	MGL	154
2	25	0	Inf. Dilution	lgK:4.1(2SF)	4	ENS	2152
3	25	0.078	Unknown	lgK:2.84(3SF)	5	MIX	999
4	25	0.1	Cl-1 salt	lgK:2.95(3SF)	5	MGL	2804
5	25	0.15	Unknown	lgK:2.98(3SF)	5	MEF	999
6	25	0.16	Unknown	lgK:2.54(3SF)	5	MIX	108
7	25	0.165	NH4Cl	lgK:2.30(3SF)	5	MIX	999
8	25	1.05	Unknown	lgK:1.8(2SF)	4	MIX	999
9	32	0.1	Unknown	lgK:3.6(2SF)	4	MGL	999

Reaction No. 12194							
Ba+2 + H+1_Citric-3 = Ba+2_H+1_Citric-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:1.75(3SF)	5	MGL	154
2	25	0.1	Cl-1 salt	lgK:1.48(3SF)	5	MGL	2804

Reaction No. 12195							
Ba+2 + H+1(2)_Citric-3 = Ba+2_H+1(2)_Citric-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:0.79(2SF)	5	MGL	154
2	25	0.1	Cl-1 salt	lgK:0.6(1SF)	5	MGL	2804

Reaction No. 12250							
Adipic-2 + Ba+2 = Ba+2_Adipic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.92(3SF)	6	MGL	5851
2	25	0	Inf. Dilution	lgK:1.85(3SF)	5	MCN	11516
Note (2): Topp N et al., J. Chem. Soc., 1940, 87							

Reaction No. 12296							
Gluconic-1 + Ba+2 = Ba+2_Gluconic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.2	KCl	lgK:0.95(2SF)	5	MHY	4920
2	25	0	Inf. Dilution	lgK:1.0(2SF)	1	ESC	

Reaction No. 12396							
Picolinic-1 + Ba+2 = Ba+2_Picolinic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaNO3	lgK:1.65(3SF)	6	MGL	999
2	25	0	Inf. Dilution	lgK:1.63(3SF)	4	MGL	999
3	25	0	Inf. Dilution	lgK:1.6(2SF)	4	ENS	6405

Reaction No. 12501							
Tiron-4 + Ba+2 = Ba+2_Tiron-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.10(3SF)	6	MGL	999

2	25	0	Inf. Dilution	lgK:4.3(2SF)	1	ESC	

Reaction No. 12502

Ba+2 + H+1_Tiron-4 = Ba+2_H+1_Tiron-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.0(2SF)	4	MGL	999
2	25	0	Inf. Dilution	lgK:2.2(2SF)	1	ESC	

Reaction No. 12775

HIMDA-2 + Ba+2 = Ba+2_HIMDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:3.42(3SF)	6	MGL	3486
2	25	0.1	Unknown	lgK:3.37(3SF)	6	CRV	552
3	25	0.1	Unknown	dH:-3.3(2SF)	6	CRV	552

Reaction No. 12998

Ba+2 + H+1_Salicylic-2 = Ba+2_H+1_Salicylic-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.21(2SF)	4	MKN	140

Reaction No. 13209

23PyridineDiCOO-2 + Ba+2 = Ba+2_23PyridineDiCOO-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.1(2SF)	4	MGL	999

Reaction No. 13225

24PyridineDiCOO-2 + Ba+2 = Ba+2_24PyridineDiCOO-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.1(2SF)	4	MGL	999

Reaction No. 13244

26PyridineDiCOO-2 + Ba+2 = Ba+2_26PyridineDiCOO-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaNO3	lgK:3.46(3SF)	6	MGL	999
2	25	0.1	KNO3	lgK:3.4(2SF)	4	MGL	999
3	25	0.1	Unknown	lgK:3.43(3SF)	6	MGL	999

Reaction No. 13314

Ba+2_26PyridineDiCOO-2 + 26PyridineDiCOO-2 = Ba+2_26PyridineDiCOO-2(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.4(2SF)	1	ELC	
2	25	0.1	Unknown	lgK:0.5(1SF)	0	MIX	999

Reaction No. 13395

2AmBenz-1 + Ba+2 = Ba+2_2AmBenz-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.23(2SF)	6	MGL	999

Reaction No. 13557

EDDM-4 + Ba+2 = Ba+2_EDDM-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:3.92(3SF)	6	CRV	552
2	25	0.1	KNO3	lgK:3.3(0.08SD)	4	MGL	999

Reaction No. 13558

Ba+2 + H+1_EDDM-4 = Ba+2_H+1_EDDM-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:1.8(2SF)	6	CRV	552
2	25	0.1	KNO3	lgK:1.85(3SF)	6	MGL	999

Reaction No. 13559

Ba+2 + Ba+2_EDDM-4 = Ba+2(2)_EDDM-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:1.94(3SF)	6	MGL	999

Reaction No. 13924

2QuinCOO-1 + Ba+2 = Ba+2_2QuinCOO-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.20(3SF)	6	MGL	999

Reaction No. 13958

8QuinCOO-1 + Ba+2 = Ba+2_8QuinCOO-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.22(3SF)	6	MGL	999

Reaction No. 13959

Ba+2_8QuinCOO-1 + 8QuinCOO-1 = Ba+2_8QuinCOO-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:3.70(3SF)	6	MGL	999

Reaction No. 14062							
Ba+2 + H+1_EDTA-4 = Ba+2_H+1_EDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.1(2SF)	4	MGL	1957
2	20	0.1	Unknown	lgK:2.10(3SF)	6	ENS	1539
3	25	0	Inf. Dilution	lgK:3.34(3SF)	2	EAE	

Reaction No. 14077							
EDDS-4 + Ba+2 = Ba+2_EDDS-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.10(3SF)	4	MGL	2006
2	20	0.1	KNO3	lgK:3.8(2SF)	0	MEP	2006
3	25	0.1	KNO3	lgK:2.1(0.08SD)	0	MSC	906
4	25	0.1	Unknown	lgK:3.(0.6SD)	4	CRV	552

Reaction No. 14078							
Ba+2 + H+1_EDDS-4 = Ba+2_H+1_EDDS-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:1.30(3SF)	4	MGL	999
2	25	0.1	KNO3	lgK:1.5(0.04SD)	3	MGL	999
3	25	0.1	Unknown	lgK:1.0(2SF)	4	CRV	552

Reaction No. 14079							
Ba+2 + Ba+2_EDDS-4 = Ba+2(2)_EDDS-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:0.9(0.1SD)	4	MGL	999

Reaction No. 14188							
5ATP-4 + Ba+2 = Ba+2_5ATP-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0.1	KNO3	lgK:3.58(0.02SD)	5	MGL	3482
2	12	0.1	KNO3	lgK:3.42(0.02SD)	5	MGL	3482
3	25	0.1	Et4NBr	lgK:3.37(3SF)	4	MGL	1437

4	25	0.1	KNO3	lgK:3.29(0.02SD)	5	MGL	3482
5	25	0.1	Me4N+ salt	lgK:3.6(0.07SD)	7	CIU	1437
6	40	0.1	KNO3	lgK:3.12(0.02SD)	5	MGL	3482
7	0:40	0.1	KNO3	dH:-3.9(2SF)	4	MTD	3482

Reaction No. 14189

Ba+2 + H+1_5ATP-4 = Ba+2_H+1_5ATP-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0.1	KNO3	lgK:2.02(0.02SD)	5	MGL	3482
2	12	0.1	KNO3	lgK:1.92(0.02SD)	5	MGL	3482
3	25	0.1	KNO3	lgK:1.85(0.02SD)	5	MGL	3482
4	25	0.1	Me4N+ salt	lgK:1.9(0.1SD)	7	CIU	1437
5	40	0.1	KNO3	lgK:1.75(0.02SD)	5	MGL	3482
6	0:40	0.1	KNO3	dH:-2.1(2SF)	4	MCL	3482

Reaction No. 14327

TriMDTA-4 + Ba+2 = Ba+2_TriMDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.24(3SF)	6	MGL	1957
2	20	0.1	KNO3	lgK:3.95(3SF)	6	MGL	2043
3	25	0	Inf. Dilution	lgK:4.3(2SF)	1	ESC	

Reaction No. 14328

Ba+2 + H+1_TriMDTA-4 = Ba+2_H+1_TriMDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.11(3SF)	6	MGL	1957
2	20	0.1	KNO3	lgK:2.21(3SF)	6	MGL	2043
3	25	0	Inf. Dilution	lgK:2.3(2SF)	1	ESC	

Reaction No. 14386

MeEDTA-4 + Ba+2 = Ba+2_MeEDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:8.40(3SF)	6	MPL	1978
2	25	0.1	KCl	lgK:8.48(3SF)	6	MGL	2015
3	30	0.1	KCl	lgK:8.48(3SF)	5	MGL	2019
4	20	1	KCl	dH:-1.94(3SF)	5	MCL	2018

Reaction No. 14424							
2OHTriMDTA-4 + Ba+2 = Ba+2_2OHTriMDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.92(3SF)	6	MGL	999
2	20	0.1	KNO3	lgK:5.(1SF)	3	MSC	999
3	25	0.1	KNO3	lgK:4.91(0.02SD)	4	MGL	999
4	30	0.1	KCl	lgK:4.65(3SF)	6	MGL	2019

Reaction No. 14425							
Ba+2_2OHTriMDTA-4 + H+1 = Ba+2_H+1_2OHTriMDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:7.3(0.03SD)	4	MGL	999

Reaction No. 14448							
Ba+2 + H+1_2OHTriMDTA-4 = Ba+2_H+1_2OHTriMDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.06(3SF)	6	MGL	999
2	25	0	Inf. Dilution	lgK:2.3(2SF)	1	ESC	

Reaction No. 14487							
dlBDTA-4 + Ba+2 = Ba+2_dlBDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:8.49(3SF)	6	MGL	1947
2	20	0.1	KCl	lgK:8.53(3SF)	6	MGL	2000
3	25	0.1	KCl	lgK:8.53(0.02SD)	6	MGL	128

Reaction No. 14545							
mBDTA-4 + Ba+2 = Ba+2_mBDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:6.45(3SF)	6	MGL	999
2	20	0.1	KCl	lgK:6.53(3SF)	6	MGL	2000
3	25	0	Inf. Dilution	lgK:6.8(2SF)	1	ESC	

Reaction No. 14546							
Ba+2 + H+1_mBDTA-4 = Ba+2_H+1_mBDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:1.83(3SF)	6	MGL	999

2	25	0	Inf. Dilution	lgK:1.9(2SF)	1	ESC	

Reaction No. 14559							
EDDG-4 + Ba+2 = Ba+2_EDDG-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:1.80(3SF)	6	CRV	552
2	25	0.1	KNO3	lgK:2.5(0.09SD)	4	MGL	999

Reaction No. 14560							
Ba+2 + H+1_EDDG-4 = Ba+2_H+1_EDDG-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:1.7(0.05SD)	3	MGL	999

Reaction No. 14561							
Ba+2_EDDG-4 + Ba+2 = Ba+2(2)_EDDG-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.7(0.09SD)	4	MGL	999

Reaction No. 14644							
CDTA-4 + Ba+2 = Ba+2_CDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:7.99(3SF)	4	MHY	1947
2	20	0.1	KNO3	lgK:7.99(3SF)	4	MPT	197
3	20	0.1	KNO3	lgK:8.64(3SF)	0	MGL	1963
4	20	0.1	Unknown	lgK:8.69(3SF)	0	ENS	773
5	25	0	Inf. Dilution	lgK:10.5(3SF)	0	ENS	6405
6	25	0.1	Unknown	lgK:8.6(2SF)	3	ENS	2016
7	20	0.1	KNO3	dH:0.33(2SF)	3	MCL	1963
8	20	1	KCl	dH:-0.91(2SF)	5	MCL	2018
9	25	0.1	KNO3	dH:-2.2(2SF)	0	MCL	139

Reaction No. 14672							
Ba+2 + H+1_CDTA-4 = Ba+2_H+1_CDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:3.15(3SF)	6	MHY	999
2	25	0	Inf. Dilution	lgK:3.3(2SF)	1	ESC	

Reaction No. 14868

HexMDTA-4 + Ba+2 = Ba+2_HexMDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.8(0.08SD)	4	MGL	999

Reaction No. 14869

Ba+2 + H+1_HexMDTA-4 = Ba+2_H+1_HexMDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.1(0.08SD)	3	MGL	999

Reaction No. 14870

2<Ba+2> + HexMDTA-4 = Ba+2(2)_HexMDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:1.3(0.09SD)	3	MGL	999

Reaction No. 14926

Ba+2 + H+1_EGTA-4 = Ba+2_H+1_EGTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.26(3SF)	6	MHY	1957
2	20	0.1	Unknown	lgK:4.40(3SF)	6	ENS	1539
3	25	0	Inf. Dilution	lgK:4.5(2SF)	1	ESC	

Reaction No. 14983

Ba+2 + H+1(2)_TTHA-6 = Ba+2_H+1(2)_TTHA-6

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.1(2SF)	1	ELC	
2	30	0.1	KCl	lgK:1.7(2SF)	0	MGL	999

Reaction No. 14984

Ba+2 + H+1_TTHA-6 = Ba+2_H+1_TTHA-6

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:5.8(2SF)	1	ESC	
2	30	0.1	KCl	lgK:5.55(3SF)	6	MGL	999

Reaction No. 15145

Ba+2 + [18]N2O4:DiPyrid = Ba+2_[18]N2O4:DiPyrid

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0.1	Unknown	lgK:4.99(0.01SD)	4	MGL	1350

Reaction No. 15261							
Ba+2 + NTMP-6 = Ba+2_NTMP-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:6.34(0.02SD)	6	MGL	1338
2	25	0.1	KNO3	dH:-1.96(3SF)	5	MCL	2876

Reaction No. 15262							
Ba+2_NTMP-6 + H+1 = Ba+2_H+1_NTMP-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:9.72(0.02SD)	5	MGL	1338
2	25	0.1	KNO3	dH:-5.38(3SF)	5	MCL	2876

Reaction No. 15263							
Ba+2_H+1_NTMP-6 + H+1 = Ba+2_H+1(2)_NTMP-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:6.2(0.04SD)	4	MGL	1338
2	25	0.1	KNO3	dH:2.96(3SF)	5	MCL	2876

Reaction No. 15264							
Ba+2_H+1(2)_NTMP-6 + H+1 = Ba+2_H+1(3)_NTMP-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:5.1(0.1SD)	4	MGL	1338

Reaction No. 16890							
PhenEDTA-4 + Ba+2 = Ba+2_PhenEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:8.39(0.02SD)	5	MGL	2010
2	25	0.1	KCl	lgK:8.060(0.001SD)	6	MGL	999

Reaction No. 16905							
mDiPhenEDTA-4 + Ba+2 = Ba+2_mDiPhenEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.20(0.01SD)	6	MGL	1274
2	25	0	Inf. Dilution	lgK:3.4(2SF)	1	ESC	

Reaction No. 16919

DiPhenEDTA-4 + Ba+2 = Ba+2_DiPhenEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:8.36(0.02SD)	6	MGL	1274
2	25	0.1	Unknown	lgK:9.11(3SF)	6	CRV	552

Reaction No. 17109							
5ADP-3 + Ba+2 = Ba+2_5ADP-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0.1	KNO3	lgK:2.50(0.02SD)	4	MGL	3481
2	12	0.1	KNO3	lgK:2.45(0.02SD)	5	MGL	3481
3	25	0.1	KNO3	lgK:2.36(0.02SD)	5	MGL	3481
4	25	0.1	Me4N+ salt	lgK:2.6(0.08SD)	7	CIU	1437
5	40	0.1	KNO3	lgK:2.25(0.02SD)	4	MGL	3481
6	0:40	0.1	KNO3	dH:-2.9(2SF)	4	MTD	234
7	25	0.1	KNO3	dH:-2.9(0.4SD)	0	MCL	3481

Reaction No. 17110							
Ba+2 + H+1_5ADP-3 = Ba+2_H+1_5ADP-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0.1	KNO3	lgK:1.55(0.02SD)	4	MGL	3481
2	12	0.1	KNO3	lgK:1.50(0.02SD)	5	MGL	3481
3	25	0.1	KNO3	lgK:1.44(0.02SD)	5	MGL	3481
4	25	0.1	Me4N+ salt	lgK:1.5(0.1SD)	7	CIU	1437
5	40	0.1	KNO3	lgK:1.37(0.02SD)	4	MGL	3481
6	25	0.1	KNO3	dH:-1.8(0.3SD)	0	MCL	3481

Reaction No. 17130							
5AMP-2 + Ba+2 = Ba+2_5AMP-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0.1	KNO3	lgK:1.85(0.02SD)	0	MGL	3481
2	12	0.1	KNO3	lgK:1.80(0.02SD)	0	MGL	3481
3	25	0.1	KNO3	lgK:1.73(0.01SD)	0	MGL	3481
4	25	0.1	Me4N+ salt	lgK:1.8(0.1SD)	3	CIU	1437
5	25	0.1	NaClO4	lgK:1.14(3SF)	6	MGL	999
6	25	0.1	NaClO4	lgK:1.14(3SF)	5	MGL	6055
7	25	0.1	NaNO3	lgK:1.17(0.02SD)	6	MGL	2906
8	25	0.1	NaNO3	lgK:1.17(0.02MD)	6	MGL	6104

9	40	0.1	KNO3	lgK:1.66(0.02SD)	0	MGL	3481
10	0:40	0.1	KNO3	dH:-2.0(2SF)	4	MTD	3482

Reaction No. 17140

3AMP-2 + Ba+2 = Ba+2_3AMP-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0.1	KNO3	lgK:1.81(0.02SD)	4	MGL	3481
2	12	0.1	KNO3	lgK:1.75(0.02SD)	5	MGL	3481
3	25	0	Inf. Dilution	lgK:2.4(2SF)	1	EDH	
4	25	0.1	KNO3	lgK:1.69(0.02SD)	5	MGL	3481
5	25	0.1	Me4N+ salt	lgK:1.7(0.1SD)	3	CIU	1437
6	25	0.1	NaNO3	lgK:1.08(0.04MD)	0	MGL	6104
7	40	0.1	KNO3	lgK:1.62(0.02SD)	4	MGL	3481
8	0:40	0.1	KNO3	dH:-1.9(2SF)	4	MTD	234
9	0:40	0.1	KNO3	dH:-1.9(0.2SD)	0	MCL	3481

Reaction No. 17151

2AMP-2 + Ba+2 = Ba+2_2AMP-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0.1	KNO3	lgK:1.82(0.02SD)	4	MGL	3481
2	12	0.1	KNO3	lgK:1.77(0.02SD)	5	MGL	3481
3	25	0	Inf. Dilution	lgK:2.5(2SF)	1	EDH	
4	25	0.1	KNO3	lgK:1.71(0.02SD)	5	MGL	3481
5	25	0.1	Me4N+ salt	lgK:1.8(0.1SD)	4	CIU	1437
6	25	0.1	NaNO3	lgK:1.12(0.03MD)	0	MGL	6104
7	40	0.1	KNO3	lgK:1.64(0.02SD)	4	MGL	3481
8	0:40	0.1	KNO3	dH:-2.0(0.2SD)	0	MCL	3481

Reaction No. 17172

5CMP-2 + Ba+2 = Ba+2_5CMP-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4N+ salt	lgK:1.7(0.1SD)	7	CIU	1437
2	25	0.1	NaNO3	lgK:1.11(0.03MD)	3	MGL	1345

Reaction No. 17188

5UMP-2 + Ba+2 = Ba+2_5UMP-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0.1	Me4N+ salt	lgK:1.7(0.1SD)	7	CMN	1437
2	25	0.1	NaNO3	lgK:1.13(0.06MD)	3	MGL	1345

Reaction No. 17198

5TMP-2 + Ba+2 = Ba+2_5TMP-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4N+ salt	lgK:1.7(0.1SD)	7	CIU	1437
2	25	0.1	NaNO3	lgK:1.11(0.04MD)	3	MGL	1345

Reaction No. 17750

Ba+2 + Phenanth = Ba+2_Phenanth

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	10	0	Inf. Dilution	lgK:0.5(0.2MD)	5	MGL	7090
2	10	0.25	Inert	lgK:0.66(2SF)	6	MGL	1520
3	10	0.5	KCl	lgK:0.6(0.2MD)	5	MGL	7090
4	25	0	Inf. Dilution	lgK:0.2(0.1MD)	5	MGL	7090
5	25	0.25	Inert	lgK:0.57(2SF)	6	MGL	1520
6	25	0.5	KCl	lgK:0.3(0.1MD)	5	MGL	7090
7	40	0	Inf. Dilution	lgK:0.4(0.1MD)	5	MGL	7090
8	40	0.25	Inert	lgK:0.48(2SF)	6	MGL	1520
9	40	0.5	KCl	lgK:0.4(0.1MD)	5	MGL	7090
10	25	0.25	Inert	dH:-2.4(2SF)	5	MCL	1520

Reaction No. 17753

Ba+2 + Bipy = Ba+2_Bipy

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	5	0.2	Unknown	lgK:-0.61(2SF)	3	MGL	6125
2	5	0.5	Unknown	lgK:-0.62(2SF)	3	MGL	6125
3	5	0.75	Unknown	lgK:-0.63(2SF)	3	MGL	6125
4	10	0.25	Inert	lgK:-0.10(2SF)	0	MGL	1520
5	15	0.2	Unknown	lgK:-0.47(2SF)	3	MGL	6125
6	15	0.5	Unknown	lgK:-0.46(2SF)	3	MGL	6125
7	15	0.75	Unknown	lgK:-0.45(2SF)	3	MGL	6125
8	25	0.2	Unknown	lgK:-0.33(2SF)	3	MGL	6125
9	25	0.25	Inert	lgK:-0.24(2SF)	3	MGL	1520
10	25	0.5	Unknown	lgK:-0.30(2SF)	3	MGL	6125
11	25	0.75	Unknown	lgK:-0.27(2SF)	3	MGL	6125

12	35	0.2	Unknown	lgK:-0.19(2SF)	3	MGL	6125
13	35	0.5	Unknown	lgK:-0.14(2SF)	3	MGL	6125
14	35	0.75	Unknown	lgK:-0.10(2SF)	3	MGL	6125
15	40	0.25	Inert	lgK:-0.38(2SF)	3	MGL	1520
16	45	0.2	Unknown	lgK:-0.05(1SF)	3	MGL	6125
17	45	0.5	Unknown	lgK:0.02(1SF)	3	MGL	6125
18	45	0.75	Unknown	lgK:0.08(1SF)	3	MGL	6125
19	5	0.2	Unknown	dH:20.(2SF)kJ	3	MTD	6125
20	5	0.5	Unknown	dH:24.(2SF)kJ	3	MTD	6125
21	5	0.75	Unknown	dH:26.(2SF)kJ	3	MTD	6125
22	15	0.2	Unknown	dH:22.(2SF)kJ	3	MTD	6125
23	15	0.5	Unknown	dH:25.(2SF)kJ	3	MTD	6125
24	15	0.75	Unknown	dH:28.(2SF)kJ	3	MTD	6125
25	25	0.2	Unknown	dH:23.(2SF)kJ	3	MTD	6125
26	25	0.25	Inert	dH:-3.9(2SF)	3	MCL	1520
27	25	0.5	Unknown	dH:27.(2SF)kJ	3	MTD	6125
28	25	0.75	Unknown	dH:30.(2SF)kJ	3	MTD	6125
29	35	0.2	Unknown	dH:25.(2SF)kJ	3	MTD	6125
30	35	0.5	Unknown	dH:29.(2SF)kJ	3	MTD	6125
31	35	0.75	Unknown	dH:32.(2SF)kJ	3	MTD	6125
32	45	0.2	Unknown	dH:27.(2SF)kJ	3	MTD	6125
33	45	0.5	Unknown	dH:31.(2SF)kJ	3	MTD	6125
34	45	0.75	Unknown	dH:34.(2SF)kJ	3	MTD	6125

Reaction No. 17760

4NitrPhenOPO3-2 + Ba+2 = Ba+2_4NitrPhenOPO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.06(0.02MD)	3	MGL	1345

Reaction No. 17767

PhenOPO3-2 + Ba+2 = Ba+2_PhenOPO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.19(0.02MD)	6	MGL	1345

Reaction No. 17775

nBuOPO3-2 + Ba+2 = Ba+2_nBuOPO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0.1	NaNO3	lgK:1.22(0.02MD)	6	MGL	1345

Reaction No. 17785							
RibosePO3-2 + Ba+2 = Ba+2_RibosePO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.17(0.03MD)	6	MGL	1345

Reaction No. 18086							
Ba+2 + H+1_DTPA-5 = Ba+2_H+1_DTPA-5							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:3.87(3SF)	4	ENS	1539
2	25	0	Inf. Dilution	lgK:5.52(3SF)	2	EAE	

Reaction No. 18223							
2<26PyridineDiCOO-2> + Ba+2 = Ba+2_26PyridineDiCOO-2(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:4.90(3SF)	6	ENS	1539
2	25	0	Inf. Dilution	lgK:5.1(2SF)	1	ESC	

Reaction No. 18624							
[9]N3:Acet*3-3 + Ba+2 = Ba+2_[9]N3:Acet*3-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	15	0.1	Unknown	lgK:5.12(0.01SD)	4	MGL	1379
2	25	0.1	NaNO3	lgK:5.10(0.01SD)	5	CRV	13242
3	25	0.1	Unknown	lgK:5.10(0.01SD)	5	MGL	1379
4	35	0.1	NaNO3	lgK:5.06(3SF)	5	CRV	13242
5	35	0.1	Unknown	lgK:5.06(0.01SD)	4	MGL	1379
6	45	0.1	Unknown	lgK:5.02(0.01SD)	4	MGL	1379
7	55	0.1	Unknown	lgK:5.00(0.01SD)	4	MGL	1379
8	10:60	0.1	Unknown	dH:-1.(1SF)	6	CRV	552
9	25	0.1	NaNO3	dH:-1.4(0.1SD)	5	MCL	1379

Reaction No. 18720							
Ba+2 + H+1_[12]N3O:Acet*3-3 = Ba+2_H+1_[12]N3O:Acet*3-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:4.34(0.02SD)	6	MGL	1467

Reaction No. 18721							
[12]N3O:Acet*3-3 + Ba+2 = Ba+2_[12]N3O:Acet*3-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:9.92(0.007SD)	3	MGL	1467
2	25	0.1	Me4NNO3	dH:-8.1(2SF)	5	MCL	1467

Reaction No. 18742							
Ba+2 + H+1_[12]N4:Acet*4-4 = Ba+2_H+1_[12]N4:Acet*4-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:6.42(0.005SD)	6	MGL	2016

Reaction No. 18743							
[12]N4:Acet*4-4 + Ba+2 = Ba+2_[12]N4:Acet*4-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:11.3(3SF)	0	MGL	2016
Note (1): Low wgt for internal consistency (Na+1 salt?)							
2	25	0.1	KCl	lgK:11.75(0.01SD)	6	MGL	2527
3	25	0.1	Me4NNO3	lgK:12.873(0.002SD)	0	MGL	2016
4	25	0.1	Me4NNO3	lgK:12.9(0.1SD)	0	CRV	13242
5	25	0.1	Unknown	lgK:12.1(3SF)	3	ENS	1384
6	25	0.1	Me4NNO3	dH:-8.51(3SF)	6	MCL	6927

Reaction No. 18777							
[18]N2O4:2OH[Hex]*2 + Ba+2 = Ba+2_[18]N2O4:2OH[Hex]*2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:4.59(0.01SD)	6	MGL	1711

Reaction No. 18806							
[18]N2O4 + Ba+2 = Ba+2_[18]N2O4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NCl	lgK:2.65(3SF)	6	MGL	1572
2	25	0.1	NaNO3	lgK:2.97(3SF)	6	MGL	1711
3	25	0.1	Me4NCl	dH:-3.0(2SF)	5	MCL	1572
4	25		Acetone	lgK:5.(1SF)	2	MCL	3005
5	25		DMF	lgK:4.3(0.09SD)	4	MPS	3910
6	25		DMSO	lgK:3.5(0.08SD)	4	MPS	3910

7	25	0.05	MeCN Et4NClO4	lgK:8.(1SF)	3	MPT	3850
8	25	0.05	MeCN Et4NClO4	dH:-54.7(3SF)kJ	4	MCL	3850
9	25	0.05	Methanol Et4NClO4	lgK:6.12(3SF)	5	MCL	3930
10	25		Methanol	lgK:5.9(2SF)	5	MAG	3857
11	25		Methanol	lgK:6.0(0.1SD)	4	MPS	3910
12	25	0.05	Methanol Et4NClO4	dH:-10.0(3SF)kJ	4	MTD	3930
13	25		Methanol	dH:-3.203(4SF)	5	MTD	3857

Reaction No. 18827

[18]N2O4:2OHEt*2 + Ba+2 = Ba+2_[18]N2O4:2OHEt*2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:5.3(2SF)	4	MGL	1711
2	25	0.5	Unknown	dH:-18.(2SF)kJ	5	MCL	1833

Reaction No. 18861

EDDA-2 + Ba+2 = Ba+2_EDDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaClO4	lgK:1.2(2SF)	4	MGL	1685
2	25	0.1	NaClO4	dH:6.8(2SF)kJ	5	MCL	1685

Reaction No. 18865

TriMDDA-2 + Ba+2 = Ba+2_TriMDDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaClO4	lgK:1.3(2SF)	4	MGL	1685
2	25	0.1	NaClO4	dH:2.5(2SF)kJ	5	MCL	1685

Reaction No. 18871

DiMeEDDA-2 + Ba+2 = Ba+2_DiMeEDDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.66(0.01SD)	6	MGL	2281
2	25	0.1	NaClO4	lgK:2.5(2SF)	6	MGL	1685
3	25	0.1	NaClO4	dH:-3.8(2SF)kJ	5	MCL	1685

Reaction No. 19814

Formic-1 + Ba+2 = Ba+2_Formic-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.38(0.01SD)	4	MGL	906
2	25	0	Inf. Dilution	lgK:0.60(2SF)	5	MSL	7730
3	25	0	NaClO4	lgK:0.88(2SF)	5	MSL	11516
Note (3): Fedorova V et al., Zhur. Neorg. Khim., 1977, 22, 3167							
4	35	0	Inf. Dilution	lgK:1.34(0.01SD)	4	MGL	906

Reaction No. 19829							
Acetic-1 + Ba+2 = Ba+2_Acetic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0.2	KCl	lgK:0.39(2SF)	3	MHY	4920
2	25	0	Inf. Dilution	lgK:0.979(3SF)	4	MGL	381
3	25	0	Inf. Dilution	lgK:1.15(0.01SD)	4	MGL	999
4	25	0	Inf. Dilution	lgK:1.75(3SF)	5	MSC	4482
5	25	0	Inf. Dilution	lgK:0.41(2SF)	5	MSL	7730
6	25	0	NaClO4	lgK:0.83(2SF)	5	MSL	11516
Note (6): Hohlova A et al., Zhur. Neorg. Khim., 1977, 22, 3167							
7	25	0.16	Unknown	lgK:0.48(2SF)	5	MGL	14764
8	35	0	Inf. Dilution	lgK:1.10(0.01SD)	3	MGL	999
9	25	0	Inf. Dilution	dH:-2.32(3SF)	4	MCL	999
10	25		Methanol	lgK:3.5(2SF)	5	MGL	4795

Reaction No. 19922							
Ba+2 + H+1_Malonic-2 = Ba+2_H+1_Malonic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:0.61(2SF)	5	MGL	154
2	25	0.2	KCl	lgK:0.44(2SF)	5	MHY	999

Reaction No. 20168							
N2COOEtIDA-3 + Ba+2 = Ba+2_N2COOEtIDA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:3.40(3SF)	5	MHY	6833
2	25	0.1	Unknown	dH:-0.1(1SF)	6	CRV	552

Reaction No. 20678							
Ba+2 + H+1_HOEDTA-3 = Ba+2_H+1_HOEDTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	20	0.1	KCl	lgK:0.65(2SF)	6	MGL	999
2	25	0	Inf. Dilution	lgK:0.7(1SF)	1	ESC	

Reaction No. 20729							
Ba+2_CDTA-4 + H+1 = Ba+2_H+1_CDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:6.86(3SF)	6	ENS	773
2	25	0	Inf. Dilution	lgK:7.0(2SF)	1	ESC	

Reaction No. 21148							
[18]N2O4:DiMe + Ba+2 = Ba+2_[18]N2O4:DiMe							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:3.8(2SF)	6	ENS	1384
2	25	0.1	NaNO3	lgK:3.54(0.01SD)	6	MGL	1786
3	25		Methanol	lgK:6.9(2SF)	5	MAG	3857
4	25		Methanol	dH:-8.27(3SF)	5	MTD	3857

Reaction No. 21380							
Glyceric-1 + Ba+2 = Ba+2_Glyceric-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.2	KCl	lgK:0.80(2SF)	5	MHY	4920
2	25	0	Inf. Dilution	lgK:0.9(1SF)	1	ESC	

Reaction No. 21623							
ClMePhos-2 + Ba+2 = Ba+2_ClMePhos-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.11(3SF)w	5	MPH	906

Reaction No. 21864							
Tartronic-2 + Ba+2 = Ba+2_Tartronic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaClO4	lgK:1.80(3SF)	5	MGL	154
2	25	0	Inf. Dilution	lgK:1.9(2SF)	1	ESC	

Reaction No. 21865							
Ba+2 + H+1_Tartronic-2 = Ba+2_H+1_Tartronic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	20	0.1	NaClO4	lgK:0.87(2SF)	5	MGL	154
2	25	0	Inf. Dilution	lgK:0.9(1SF)	1	ESC	

Reaction No. 21936							
AmMalon-2 + Ba+2 = Ba+2_AmMalon-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:0.0(3SF)	6	MHY	2699
2	25	0	Inf. Dilution	lgK:0.0(1SF)	1	ESC	

Reaction No. 22111							
[2.2.2]crypt + Ba+2 = Ba+2_[2.2.2]crypt							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	KCl	lgK:9.5(2SF)	5	MGL	3283
2	25	0.1	Me4NCl	lgK:9.7(2SF)	4	MGL	1572
3	25	0.1	Me4NCl	dH:-14.3(3SF)	5	MCL	1572
4	25	0.1	Unknown	dH:-14.101(5SF)	4	EMU	5404
5	25	0.1	Unknown	dH:-14.2(3SF)	5	ENS	5701
6	25		Acetone	lgK:5.(1SF)	2	MCL	3005
7	25		Acetone	dH:-91.7(3SF)kJ	3	MCL	3005
8	25	0.1	DMF Et4NClO4	lgK:8.39(3SF)	5	MAG	2920
9	25		DMF	lgK:7.70(3SF)	5	MAG	4773
10	25	0.1	DMSO Et4NClO4	lgK:6.50(3SF)	5	MAG	2920
11	25	0.1	DMSO Et4NClO4	lgK:6.2(0.03SD)	5	MGL	5404
12	25		DMSO	lgK:6.22(3SF)	5	MAG	4773
13	25	0.1	DMSO Et4NClO4	dH:-11.496(5SF)	5	MCL	5404
14	25	0.05	MeCN Et4NClO4	lgK:9.(1SF)	3	MPT	3850
15	25	0.05	MeCN Et4NClO4	dH:-108.8(4SF)kJ	4	MCL	3850
16	25	0.05	Methanol Et4NClO4	lgK:12.2(3SF)	3	MGL	3930
17	25		Methanol	lgK:12.9(3SF)	5	MAG	2511
18	25		Methanol	lgK:12.9(3SF)	3	MAG	4773
19	25	0.05	Methanol Et4NClO4	dH:-68.9(3SF)kJ	4	MTD	3930
20	25		PrCarbonate	lgK:17.1(3SF)	5	MAG	4773

21	25	0.01	Water:Methanol 5:95Vol KCl	lgK:12.(0.7SD)	4	MGL	3283

Reaction No. 22297

DHAP-2 + Ba+2 = Ba+2_DHAP-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.1(0.09SD)	3	MGL	1744

Reaction No. 22309

1GlycerolOPO3-2 + Ba+2 = Ba+2_1GlycerolOPO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.2(0.03SD)	3	MGL	1744

Reaction No. 22400

Ba+2_Croconic-2_(s) = Ba+2 + Croconic-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.3	KCl	lgK:-8.28(3SF)	6	MSL	999

Reaction No. 22642

Croconic-2 + Ba+2 = Ba+2_Croconic-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.3	KCl	lgK:1.6(0.03SD)	6	MSL	999

Reaction No. 23270

EBDP-4 + Ba+2 = Ba+2_EBDP-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:4.1(0.05SD)	4	MGL	1902

Reaction No. 23417

IPhth-2 + Ba+2 = Ba+2_IPhth-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.00(3SF)	6	MGL	999

Reaction No. 23971

TetMDTA-4 + Ba+2 = Ba+2_TetMDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.77(3SF)	6	MGL	999
2	25	0	Inf. Dilution	lgK:4.0(2SF)	1	ESC	

Reaction No. 23972							
Ba+2 + H+1_TetMDTA-4 = Ba+2_H+1_TetMDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.40(3SF)	6	MGL	1957
2	20	0.1	KNO3	lgK:2.58(3SF)	6	MGL	999
3	25	0	Inf. Dilution	lgK:2.7(2SF)	1	ESC	

Reaction No. 24008							
EEDTA-4 + Ba+2 = Ba+2_EEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:8.15(3SF)	6	MGL	1957
2	25	0.1	KNO3	dH:-6.5(2SF)	5	MCL	139

Reaction No. 24038							
Ba+2 + H+1_EEDTA-4 = Ba+2_H+1_EEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.0(2SF)	4	MGL	1957
2	25	0	Inf. Dilution	lgK:4.2(2SF)	1	ESC	

Reaction No. 24095							
TEDTA-4 + Ba+2 = Ba+2_TEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:5.34(3SF)	6	MGL	999
2	25	0	Inf. Dilution	lgK:5.5(2SF)	1	ESC	

Reaction No. 24096							
Ba+2 + H+1_TEDTA-4 = Ba+2_H+1_TEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.9(2SF)	4	MGL	999
2	25	0	Inf. Dilution	lgK:3.1(2SF)	1	ESC	

Reaction No. 24146							
12PhenDTA-4 + Ba+2 = Ba+2_12PhenDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.9(2SF)	1	ESC	
2	30	0.1	KCl	lgK:4.8(2SF)	4	MGL	999

Reaction No. 24147							
Ba+2 + H+1_12PhenDTA-4 = Ba+2_H+1_12PhenDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.5(2SF)	1	ESC	
2	30	0.1	KCl	lgK:2.3(2SF)	4	MGL	999

Reaction No. 24148							
Ba+2 + H+1(2)_12PhenDTA-4 = Ba+2_H+1(2)_12PhenDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.7(2SF)	1	ESC	
2	30	0.1	KCl	lgK:1.6(2SF)	4	MGL	999

Reaction No. 24351							
Ba+2 + H+1_PentMDTA-4 = Ba+2_H+1_PentMDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.4(2SF)	4	MGL	1957
2	25	0	Inf. Dilution	lgK:2.6(2SF)	1	ESC	

Reaction No. 24376							
2<IDA-2> + Ba+2 = Ba+2_IDA-2(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:1.9(2SF)	3	MGL	1956
2	25	0	Inf. Dilution	lgK:2.1(2SF)	1	ESC	

Reaction No. 24401							
Chelidam-3 + Ba+2 = Ba+2_Chelidam-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:3.9(2SF)	4	MGL	1982
2	25	0	Inf. Dilution	lgK:4.1(2SF)	1	ESC	

Reaction No. 24402							
Ba+2_Chelidam-3 + H+1 = Ba+2_H+1_Chelidam-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:7.86(3SF)	6	MGL	1982
2	25	0	Inf. Dilution	lgK:8.2(2SF)	1	ESC	

Reaction No. 24842

H+1 + Citric-3 + Ba+2 = Ba+2_H+1_Citric-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:9.0(2SF)	4	ENS	2152

Reaction No. 24843							
2<H+1> + Citric-3 + Ba+2 = Ba+2_H+1(2)_Citric-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:12.4(3SF)	4	ENS	2152

Reaction No. 25229							
[9]N2S:Acet*2-2 + Ba+2 = Ba+2_[9]N2S:Acet*2-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.87(0.08SD)	6	MGL	2281

Reaction No. 25462							
Valinomycin + Ba+2 = Ba+2_Valinomycin							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	lgK:3.34(3SF)	5	MCL	2261

Reaction No. 25546							
N2PyridMeAsp-2 + Ba+2 = Ba+2_N2PyridMeAsp-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.40(0.01SD)	5	MGL	999
2	20	0.1	NaNO3	lgK:3.40(0.05MD)	5	MPT	6937
3	20	0.1	NaNO3	dH:-1.7(0.1MD)	5	MCL	6937

Reaction No. 25574							
N2COOPhenIDA-3 + Ba+2 = Ba+2_N2COOPhenIDA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:3.57(3SF)	5	MHY	6833
2	25	0	Inf. Dilution	lgK:3.8(2SF)	1	ESC	

Reaction No. 25628							
2EtNTA-3 + Ba+2 = Ba+2_2EtNTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:4.48(3SF)	6	MGL	1979
2	25	0	Inf. Dilution	lgK:4.8(2SF)	1	ESC	

Reaction No. 25641							
2PrNTA-3 + Ba+2 = Ba+2_2PrNTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:4.41(3SF)	6	MGL	1979
2	25	0	Inf. Dilution	lgK:4.6(2SF)	1	ESC	

Reaction No. 25654							
22PrNTA-3 + Ba+2 = Ba+2_22PrNTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.19(3SF)	6	MGL	1979
2	25	0	Inf. Dilution	lgK:3.4(2SF)	1	ESC	

Reaction No. 25665							
2MeNTA-3 + Ba+2 = Ba+2_2MeNTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.9(0.03SD)	6	MGL	2591
2	20	0.1	KNO3	lgK:4.79(3SF)	6	MGL	1979
3	20	0.1	Unknown	lgK:4.83(3SF)	6	CRV	552
4	25	0	Inf. Dilution	lgK:5.1(2SF)	1	ESC	

Reaction No. 25977							
[13]N4:Acet*4-4 + Ba+2 = Ba+2_[13]N4:Acet*4-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:7.24(3SF)	0	MGL	2016
2	25	0.1	K+1 salt	lgK:8.5(0.2SD)	6	CRV	552
3	25	0.1	KCl	lgK:8.56(0.01SD)	6	MGL	2527
4	25	0.1	KNO3	lgK:8.342(0.002SD)	6	MGL	2016
5	25	0.1	KNO3	dH:-3.11(3SF)	5	MCL	6927

Reaction No. 25978							
Ba+2 + H+1_[13]N4:Acet*4-4 = Ba+2_H+1_[13]N4:Acet*4-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:3.64(0.005SD)	6	MGL	2016

Reaction No. 26001							
[14]N4:Acet*4-4 + Ba+2 = Ba+2_[14]N4:Acet*4-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	20	0.1	KCl	lgK:4.32(3SF)	0	MGL	2016
2	25	0.1	KCl	lgK:4.37(0.01SD)	2	MGL	2527
3	25	0.1	KNO3	lgK:3.85(0.004SD)	2	MGL	2016
4	25	0.1	KNO3	lgK:4.1(0.2SD)	4	CRV	13242
5	25	0.1	Unknown	lgK:4.1(2SF)	5	ENS	1384
6	25	0.1	KNO3	dH:2.51(3SF)	4	MCL	6927

Reaction No. 26002

Ba+2 + H+1_[14]N4:Acet*4-4 = Ba+2_H+1_[14]N4:Acet*4-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.52(0.005SD)	6	MGL	2016

Reaction No. 26457

OHEtDiPhos-4 + Ba+2 = Ba+2_OHEtDiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:3.35(3SF)	3	MGL	1599

Reaction No. 26458

Ba+2 + H+1_OHEtDiPhos-4 = Ba+2_H+1_OHEtDiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.72(3SF)	3	MGL	1599

Reaction No. 27016

AmPhenMeDiPhos-4 + Ba+2 = Ba+2_AmPhenMeDiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KCl	lgK:5.16(3SF)	5	MGL	999

Reaction No. 27017

Ba+2 + H+1_AmPhenMeDiPhos-4 = Ba+2_H+1_AmPhenMeDiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KCl	lgK:4.36(3SF)	5	MGL	999

Reaction No. 27289

Ba+2_CPDTA-4 + H+1 = Ba+2_H+1_CPDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:6.42(3SF)	6	CRV	552
2	25	0	Inf. Dilution	lgK:6.7(2SF)	1	ESC	

Reaction No. 27295							
Ba+2 + H+1_CPDTA-4 = Ba+2_H+1_CPDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:3.91(3SF)	5	MGL	140
2	25	0	Inf. Dilution	lgK:4.1(2SF)	1	ESC	

Reaction No. 27332							
4AmPyrid26DiCOO-2 + Ba+2 = Ba+2_4AmPyrid26DiCOO-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.68(3SF)	6	MGL	2041
2	22	0.1	NaClO4	lgK:3.76(3SF)	5	MGL	999
3	25	0	Inf. Dilution	lgK:3.9(2SF)	1	ESC	

Reaction No. 28226							
Ba+2_[13]N4:Acet*4-4 + H+1 = Ba+2_H+1_[13]N4:Acet*4-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:6.65(3SF)	2	CRV	552
2	25	0.1	KCl	lgK:8.1(0.03SD)	0	MGL	2527

Reaction No. 28664							
2HMDTMP-8 + Ba+2 = Ba+2_2HMDTMP-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:5.93(3SF)	5	CRV	2556

Reaction No. 28665							
Ba+2_2HMDTMP-8 + H+1 = Ba+2_H+1_2HMDTMP-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:10.58(4SF)	5	CRV	2556

Reaction No. 28666							
Ba+2_H+1_2HMDTMP-8 + H+1 = Ba+2_H+1(2)_2HMDTMP-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:9.79(3SF)	5	CRV	2556

Reaction No. 28667							
Ba+2_H+1(2)_2HMDTMP-8 + H+1 = Ba+2_H+1(3)_2HMDTMP-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0.1	K+1 salt	lgK:8.00(3SF)	5	CRV	2556

Reaction No. 28668

Ba+2_H+1(3)_2HMDTMP-8 + H+1 = Ba+2_H+1(4)_2HMDTMP-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:6.46(3SF)	5	CRV	2556

Reaction No. 28669

Ba+2_H+1(4)_2HMDTMP-8 + H+1 = Ba+2_H+1(5)_2HMDTMP-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:5.0(2SF)	4	CRV	2556

Reaction No. 28670

2<Ba+2> + 2HMDTMP-8 = Ba+2(2)_2HMDTMP-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:7.3(2SF)	4	CRV	2556

Reaction No. 28855

4MePhen1Bu13Dione-1 + Ba+2 = Ba+2_4MePhen1Bu13Dione-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20		Dioxan:Water 3:1Vol	lgK:7.06(3SF)	5	MGL	2261

Reaction No. 28856

2<4MePhen1Bu13Dione-1> + Ba+2 = Ba+2_4MePhen1Bu13Dione-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20		Dioxan:Water 3:1Vol	lgK:12.03(4SF)	5	MGL	2261

Reaction No. 28905

2BenzNTA-3 + Ba+2 = Ba+2_2BenzNTA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:4.40(3SF)	6	CRV	2556

Reaction No. 28972

Ba+2 + H+1_MetNNDiAcet-3 = Ba+2_H+1_MetNNDiAcet-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.5	Na+1 salt	lgK:0.55(2SF)	4	CRV	2556

Reaction No. 29000							
2AmPr13DioicN2Bu14Dioic-4 + Ba+2 = Ba+2_2AmPr13DioicN2Bu14Dioic-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.96(3SF)	5	MGL	2261

Reaction No. 29110							
Ba+2_TriMDTA-4 + H+1 = Ba+2_H+1_TriMDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:8.2(0.06SD)	6	CRV	552
2	20	0.1	Unknown	lgK:8.72(3SF)	5	ENS	2373
3	25	0	Inf. Dilution	lgK:8.8(2SF)	1	ESC	

Reaction No. 29114							
Ba+2_TetMDTA-4 + H+1 = Ba+2_H+1_TetMDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:9.47(3SF)	5	ENS	2373
2	25	0	Inf. Dilution	lgK:9.8(2SF)	1	ESC	

Reaction No. 30047							
Tris + Ba+2 = Ba+2_Tris							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:0.7(1SF)	3	MGL	6086
2	25	1	KNO3	lgK:1.2(2SF)	0	MGL	6086
3	25	1	Me4NNO3	lgK:0.02(0.02SD)	3	MGL	2542
4	25	0.25	DMSO:Water 90:10Vol Me4NNO3	lgK:0.41(0.02SD)	3	MGL	2542

Reaction No. 30053							
TriEtOlAm + Ba+2 = Ba+2_TriEtOlAm							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	Me4NNO3	lgK:0.36(0.01SD)	6	MGL	2542
2	25	0.25	DMSO:Water 90:10Vol Me4NNO3	lgK:0.6(0.04SD)	6	MGL	2542

Reaction No. 30059							
BisTris + Ba+2 = Ba+2_BisTris							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	1	KNO3	lgK:0.85(0.03SD)	5	MGL	6089
2	25	1	Me4NNO3	lgK:0.85(0.03SD)	6	MGL	2542
3	25	0.5	DMSO:Water 75:25Vol Me4NNO3	lgK:1.25(0.01SD)	6	MGL	2542
4	25	0.25	DMSO:Water 90:10Vol Me4NNO3	lgK:1.1(0.03SD)	6	MGL	2542
5	25	0.5	Dioxan:Water 50:50Vol Me4NNO3	lgK:1.33(0.01SD)	6	MGL	2542

Reaction No. 30066							
Di(2MeAc)EDDA-4 + Ba+2 = Ba+2_Di(2MeAc)EDDA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:6.66(0.02SD)	6	MPT	2004
2	25	0	Inf. Dilution	lgK:7.0(2SF)	1	ESC	
3	30	0.1	KCl	lgK:6.86(3SF)	5	MGL	2019

Reaction No. 30676							
EtEDTA-4 + Ba+2 = Ba+2_EtEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:8.50(3SF)	6	MGL	2011
2	25	0	Inf. Dilution	lgK:8.8(2SF)	1	ESC	

Reaction No. 30706							
11DiMeEDTA-4 + Ba+2 = Ba+2_11DiMeEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:6.98(3SF)	6	MPT	1978
2	25	0	Inf. Dilution	lgK:7.3(2SF)	1	ESC	

Reaction No. 30731							
HexEDTA-4 + Ba+2 = Ba+2_HexEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:8.7(0.03SD)	6	MPL	1981
2	25	0	Inf. Dilution	lgK:9.0(2SF)	1	ESC	

Reaction No. 30791							
Ba+2_mBDTA-4 + H+1 = Ba+2_H+1_mBDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	20	0.1	Unknown	lgK:6.55(3SF)	6	CRV	552
2	25	0	Inf. Dilution	lgK:6.8(2SF)	1	ESC	

Reaction No. 31060

Ba+2 + H+1(2)_Tartaric-2 + Ascorbic-2 = Ba+2_H+1(2)_Ascorbic-2_Tartaric-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	1	NaClO4	lgK:3.91(3SF)	3	MGL	2261
2	25	0	Inf. Dilution	lgK:4.1(2SF)	1	ESC	

Reaction No. 31629

EDTMP-8 + Ba+2 = Ba+2_EDTMP-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:7.88(3SF)	2	MGL	1595
2	25	0.1	KNO3	lgK:11.14(4SF)	0	MMX	2780
3	25	0.1	KNO3	lgK:7.10(0.03SD)	2	MGL	2876
4	25	0.1	KNO3	dH:-2.8(0.7SD)kJ	3	MCL	2876

Reaction No. 31630

Ba+2_EDTMP-8 + H+1 = Ba+2_H+1_EDTMP-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:9.22(3SF)	0	MMX	2780
2	25	0.1	KNO3	lgK:10.26(0.02SD)	4	MGL	2876
3	25	0.1	KNO3	dH:-20.3(0.3SD)kJ	5	MCL	2876

Reaction No. 31631

Ba+2_H+1_EDTMP-8 + H+1 = Ba+2_H+1(2)_EDTMP-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:8.41(3SF)	4	MMX	2780
2	25	0.1	KNO3	lgK:8.54(0.03SD)	5	MGL	2876
3	25	0.1	KNO3	dH:-8.6(0.4SD)kJ	5	MCL	2876

Reaction No. 31632

Ba+2_H+1(2)_EDTMP-8 + H+1 = Ba+2_H+1(3)_EDTMP-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:7.14(3SF)	4	MMX	2780
2	25	0.1	KNO3	lgK:7.05(0.04SD)	5	MGL	2876
3	25	0.1	KNO3	dH:-9.4(0.4SD)kJ	5	MCL	2876

Reaction No. 31633							
Ba+2_H+1(3)_EDTMP-8 + H+1 = Ba+2_H+1(4)_EDTMP-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:6.25(3SF)	4	MMX	2780
2	25	0.1	KNO3	lgK:5.78(0.07SD)	5	MGL	2876
3	25	0.1	KNO3	dH:2.4(0.5SD)kJ	5	MCL	2876

Reaction No. 32496							
Ba+2 + H+1_EDTMP-8 = Ba+2_H+1_EDTMP-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:6.95(3SF)	0	MGL	1595

Reaction No. 32497							
Ba+2 + H+1(2)_EDTMP-8 = Ba+2_H+1(2)_EDTMP-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:4.31(3SF)	0	MGL	1595

Reaction No. 32498							
Ba+2 + H+1(3)_EDTMP-8 = Ba+2_H+1(3)_EDTMP-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:3.53(3SF)	0	MGL	1595

Reaction No. 32632							
Acac-1 + Ba+2 = Ba+2_Acac-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.14(3SF)	5	MGL	3617
2	25	0	UCT_Sea	lgK:2.09(0.01SD)	4	EDH	5390
3	25	0.1	NaNO3	lgK:1.70(3SF)	6	MGL	3617
4	25	0.1	UCT_Sea	lgK:1.70(0.01SD)	4	EDH	5390
5	25	0.2	UCT_Sea	lgK:1.61(0.01SD)	4	EDH	5390
6	25	0.3	UCT_Sea	lgK:1.56(0.01SD)	4	EDH	5390
7	25	0.4	UCT_Sea	lgK:1.52(0.01SD)	4	EDH	5390
8	25	0.5	UCT_Sea	lgK:1.50(0.01SD)	4	EDH	5390
9	25	0.6	UCT_Sea	lgK:1.48(0.01SD)	4	EDH	5390
10	25	0.7	UCT_Sea	lgK:1.47(0.01SD)	4	EDH	5390

Reaction No. 32899							
[18]N2O4:DiMalon-4 + Ba+2 = Ba+2_[18]N2O4:DiMalon-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.15	NaCl	lgK:9.76(3SF)	5	MGL	6135
2	25	0.16	NaCl	lgK:9.76(3SF)	5	MGL	2717

Reaction No. 32909							
[18]N2O4:MeCOO*2-2 + Ba+2 = Ba+2_[18]N2O4:MeCOO*2-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:7.66(3SF)	5	CRV	552
2	25	0.1	KCl	lgK:7.63(3SF)	5	MGL	2717
3	25	0.1	Me4NCl	lgK:7.63(0.02SD)	0	MGL	6644
Note (3): Low wgt for internal consistency							
4	25	0.1	Me4NNO3	lgK:8.6(0.1SD)	0	CRV	552
5	25	0.1	NaNO3	lgK:8.46(0.01SD)	0	MGL	3898
6	25	0.1	Me4NNO3	dH:-10.3(3SF)	4	MCL	1007

Reaction No. 32951							
2PrEDTA-4 + Ba+2 = Ba+2_2PrEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:8.60(3SF)	6	MPT	2011
2	25	0	Inf. Dilution	lgK:8.9(2SF)	1	ESC	

Reaction No. 32956							
2MePrEDTA-4 + Ba+2 = Ba+2_2MePrEDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:8.75(3SF)	6	MPT	2011
2	25	0	Inf. Dilution	lgK:9.1(2SF)	1	ESC	

Reaction No. 33020							
2PhenNTA-3 + Ba+2 = Ba+2_2PhenNTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.28(0.01SD)	6	MGL	2595
2	25	0	Inf. Dilution	lgK:4.5(2SF)	1	ESC	

Reaction No. 33025
4ClPhen2NTA-3 + Ba+2 = Ba+2_4ClPhen2NTA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.21(0.01SD)	6	MGL	2595
2	25	0	Inf. Dilution	lgK:4.5(2SF)	1	ESC	

Reaction No. 33030							
24MePhenNTA-3 + Ba+2 = Ba+2_24MePhenNTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.3(0.03SD)	6	MGL	2595
2	25	0	Inf. Dilution	lgK:4.5(2SF)	1	ESC	

Reaction No. 33035							
24MeoxPhenNTA-3 + Ba+2 = Ba+2_24MeoxPhenNTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.32(0.01SD)	6	MGL	2595
2	25	0	Inf. Dilution	lgK:4.5(2SF)	1	ESC	

Reaction No. 34692							
Cysam-1 + Ba+2 = Ba+2_Cysam-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:1.78(0.01SD)	4	EDH	5390
2	25	0.1	KNO3	lgK:1.37(3SF)	5	MGL	931
3	25	0.1	UCT_Sea	lgK:1.37(0.01SD)	4	EDH	5390
4	25	0.2	UCT_Sea	lgK:1.28(0.01SD)	4	EDH	5390
5	25	0.3	UCT_Sea	lgK:1.23(0.01SD)	4	EDH	5390
6	25	0.4	UCT_Sea	lgK:1.19(0.01SD)	4	EDH	5390
7	25	0.5	UCT_Sea	lgK:1.17(0.01SD)	4	EDH	5390
8	25	0.6	UCT_Sea	lgK:1.15(0.01SD)	4	EDH	5390
9	25	0.7	UCT_Sea	lgK:1.14(0.01SD)	4	EDH	5390

Reaction No. 35805							
[2.1.1]crypt + Ba+2 = Ba+2_[2.1.1]crypt							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	KCl	lgK:2.0(2SF)	3	MGL	3283
2	25	0.1	DMF Et4NClO4	lgK:3.09(3SF)	5	MAG	2920
3	25	0.1	DMSO Et4NClO4	lgK:2.(1SF)	3	MAG	2920

4	25	0.05	MeCN Et4NClO4	lgK:6.32(3SF)	4	MPT	3850
5	25	0.05	MeCN Et4NClO4	dH:-32.4(3SF)kJ	4	MCL	3850
6	25	0.05	Methanol Et4NClO4	lgK:2.53(3SF)	5	MGL	3930
7	25	0.1	Methanol Et4NClO4	lgK:5.43(3SF)	3	MAG	2920
8	25	0.05	Methanol Et4NClO4	dH:-5.5(2SF)kJ	4	MTD	3930
9	25	0.01	Methanol:Water 95:5Vol KCl	lgK:2.0(2SF)	3	MGL	3283
10	25	0.1	PrCarbonate Et4NClO4	lgK:8.65(3SF)	5	MAG	2920

Reaction No. 35813

[2.2.1]crypt + Ba+2 = Ba+2_[2.2.1]crypt

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	KCl	lgK:6.30(3SF)	5	MGL	3283
2	25	0.1	Unknown	dH:-6.31(3SF)	4	EMU	5404
3	25	0.1	DMF Et4NClO4	lgK:6.96(3SF)	5	MAG	2920
4	25		DMF	lgK:6.60(3SF)	5	MAG	4773
5	25	0.1	DMSO Et4NClO4	lgK:5.30(3SF)	5	MAG	2920
6	25	0.1	DMSO Et4NClO4	lgK:5.0(0.03SD)	5	MGL	5404
7	25		DMSO	lgK:5.44(3SF)	5	MAG	4773
8	25	0.1	DMSO Et4NClO4	dH:-9.465(4SF)	5	MCL	5404
9	25	0.05	MeCN Et4NClO4	lgK:11.(2SF)	3	MPT	3850
10	25	0.05	MeCN Et4NClO4	dH:-78.3(3SF)kJ	4	MCL	3850
11	25	0.05	Methanol Et4NClO4	lgK:10.4(3SF)	5	MGL	3930
12	25	0.1	Methanol Et4NClO4	lgK:10.62(4SF)	5	MAG	2920
13	25		Methanol	lgK:10.43(4SF)	5	MAG	4773
14	25	0.05	Methanol Et4NClO4	dH:-38.2(3SF)kJ	4	MTD	3930

15	25	0.01	Methanol:Water 95:5Vol KCl	lgK:9.70(3SF)	5	MGL	3283
16	25		PrCarbonate	lgK:13.54(4SF)	5	MAG	4773

Reaction No. 35869

2<H+1> + 13FDDS-4 + Ba+2 = Ba+2_H+1(2)_13FDDS-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.5	NaCl	lgK:10.8(0.03SD)	5	MGL	3802

Reaction No. 35870

H+1 + 13FDDS-4 + Ba+2 = Ba+2_H+1_13FDDS-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.5	NaCl	lgK:6.60(0.01SD)	5	MGL	3802

Reaction No. 35871

13FDDS-4 + Ba+2 = Ba+2_13FDDS-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.5	NaCl	lgK:1.40(0.01SD)	5	MGL	3802

Reaction No. 36245

UramilIDA-3 + Ba+2 = Ba+2_UramilIDA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:6.14(0.01SD)	5	MGL	3201
2	20	0.1	Unknown	lgK:6.13(3SF)	6	CRV	552
3	25	0.1	KNO3	lgK:6.02(0.01SD)	5	MGL	3201
4	25	0.1	Me4N+ salt	lgK:6.16(3SF)	6	CRV	552
5	25	0.1	Unknown	lgK:6.1(0.04SD)	6	CRV	552
6	30	0.1	KNO3	lgK:5.95(0.02SD)	5	MGL	3201
7	35	0.1	KNO3	lgK:5.86(0.01SD)	5	MGL	3201
8	40	0.1	KNO3	lgK:5.80(0.02SD)	5	MGL	3201
9	20	0.1	Me4N+ salt	dH:-2.7(2SF)	6	CRV	552
10	20:40	0.1	KNO3	dH:-7.(0.4SD)	0	MCL	3201
11	25	0.1	KNO3	dH:-2.99(3SF)	5	MTD	6627

Reaction No. 37189

DiBenzoylmethane-1 + Ba+2 = Ba+2_DiBenzoylmethane-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	30		Dioxan:Water 75:25Wgt	lgK:6.10(3SF)	5	MGL	140

Reaction No. 37190

Ba+2_DiBenzoylmethane-1 + DiBenzoylmethane-1 = Ba+2_DiBenzoylmethane-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30		Dioxan:Water 75:25Wgt	lgK:5.40(3SF)	5	MGL	140

Reaction No. 37282

Ba+2 + H+1_Salicylaldoxime-2 = Ba+2_H+1_Salicylaldoxime-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.53(2SF)	3	MGL	140

Reaction No. 37283

Ba+2 + 2<H+1_Salicylaldoxime-2> = Ba+2_H+1(2)_Salicylaldoxime-2(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:3.72(3SF)	3	MGL	140

Reaction No. 37313

6MePicol-1 + Ba+2 = Ba+2_6MePicol-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaNO3	lgK:2.05(3SF)	5	MGL	140
2	25	0	Inf. Dilution	lgK:2.3(2SF)	1	ESC	

Reaction No. 37371

2<Benzoylacetone-1> + Ba+2 = Ba+2_Benzoylacetone-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30		Dioxan:Water 75:25Wgt	lgK:9.4(2SF)	5	MGL	140

Reaction No. 37482

12PhenDioxDiacet-2 + Ba+2 = Ba+2_12PhenDioxDiacet-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaClO4	lgK:2.0(2SF)	5	MGL	931

Reaction No. 37555

CNMeIDA-2 + Ba+2 = Ba+2_CNMeIDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	20	0.1	KCl	lgK:1.98(3SF)	6	MGL	3486
2	25	0	Inf. Dilution	lgK:2.0(2SF)	1	ESC	

Reaction No. 37621

SulfSal-3 + Ba+2 = Ba+2_SulfSal-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.00(3SF)	4	MGL	3617
2	25	0.1	NaNO3	lgK:2.68(3SF)	6	MGL	3617

Reaction No. 37722

CarbMeIDA-2 + Ba+2 = Ba+2_CarbMeIDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.88(3SF)	6	MGL	3486
2	25	0.1	Unknown	lgK:2.81(3SF)	6	CRV	552
3	10:40	0.1	Unknown	dH:-1.(1SF)	6	CRV	552

Reaction No. 38158

Ba+2 + H+1(2)_Purpur-3 = Ba+2_H+1(2)_Purpur-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.2(2SF)	1	ESC	
2	25			lgK:2.14(3SF)	0	MPS	3819
3	25		DMF	lgK:4.4(0.07SD)	5	MPS	3819
4	25		DMSO	lgK:4.1(0.07SD)	5	MPS	3819
5	25		Methanol	lgK:5.4(0.1SD)	5	MPS	3819

Reaction No. 38303

[12]N4:2OHPr*4 + Ba+2 = Ba+2_[12]N4:2OHPr*4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:3.74(0.01SD)	5	MGL	3898

Reaction No. 38313

[12]N3O:2OHPr*3 + Ba+2 = Ba+2_[12]N3O:2OHPr*3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:3.30(0.01SD)	5	MGL	3898

Reaction No. 38323

N33DiMeBuIDA-2 + Ba+2 = Ba+2_N33DiMeBuIDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.41(3SF)	6	MGL	3486
2	25	0	Inf. Dilution	lgK:2.6(2SF)	1	ESC	

Reaction No. 38357							
N2MeoxEtIDA-2 + Ba+2 = Ba+2_N2MeoxEtIDA-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:3.56(3SF)	6	MGL	3486
2	25	0	Inf. Dilution	lgK:3.8(2SF)	1	ESC	

Reaction No. 38394							
N2SHEtIDA-2 + Ba+2 = Ba+2_N2SHEtIDA-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:3.55(3SF)	6	MGL	3486
2	25	0	Inf. Dilution	lgK:3.8(2SF)	1	ESC	

Reaction No. 38395							
Ba+2 + H+1_N2SHEtIDA-2 = Ba+2_H+1_N2SHEtIDA-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.16(3SF)	6	MGL	3486
2	25	0	Inf. Dilution	lgK:2.4(2SF)	1	ESC	

Reaction No. 38418							
N2MeSEtIDA-2 + Ba+2 = Ba+2_N2MeSEtIDA-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.62(3SF)	6	MGL	3486
2	25	0	Inf. Dilution	lgK:2.8(2SF)	1	ESC	

Reaction No. 38446							
UEDDA-2 + Ba+2 = Ba+2_UEDDA-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:3.19(3SF)	6	MGL	3486
2	25	0	Inf. Dilution	lgK:3.4(2SF)	1	ESC	

Reaction No. 38488							
2BisCarboxMeAmEtTriMeAm-1 + Ba+2 = Ba+2_2BisCarboxMeAmEtTriMeAm-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	20	0.1	KCl	lgK:1.34(3SF)	4	MGL	3486
2	25	0	Inf. Dilution	lgK:1.5(2SF)	1	ESC	

Reaction No. 38508							
N2EtoxFormAmEtIDA-2 + Ba+2 = Ba+2_N2EtoxFormAmEtIDA-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.00(3SF)	6	MGL	3486
2	25	0	Inf. Dilution	lgK:2.2(2SF)	1	ESC	

Reaction No. 38580							
[2.2.2]crypt:DiLactam + Ba+2 = Ba+2_[2.2.2]crypt:DiLactam							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	MeCN Et4NClO4	lgK:5.(1SF)	3	MPT	3850
2	25	0.05	MeCN Et4NClO4	dH:-32.2(3SF)kJ	4	MCL	3850
3	25	0.05	Methanol Et4NClO4	lgK:2.90(3SF)	4	MPT	3850
4	25	0.05	Methanol Et4NClO4	dH:-14.5(3SF)kJ	4	MCL	3850

Reaction No. 38582							
[15]N2O3 + Ba+2 = Ba+2_[15]N2O3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	MeCN Et4NClO4	lgK:6.5(2SF)	3	MPT	3850
2	25	0.05	MeCN Et4NClO4	dH:-35.0(3SF)kJ	4	MCL	3850
3	25	0.05	Methanol Et4NClO4	lgK:2.72(3SF)	5	MGL	3930
4	25	0.05	Methanol Et4NClO4	dH:4.1(2SF)kJ	4	MTD	3930

Reaction No. 38585							
[2.2.1]crypt:DiLactam + Ba+2 = Ba+2_[2.2.1]crypt:DiLactam							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	MeCN Et4NClO4	lgK:5.(1SF)	3	MPT	3850
2	25	0.05	MeCN Et4NClO4	dH:-36.7(3SF)kJ	4	MCL	3850

Reaction No. 38591							
[2.2.2]crypt:56Benz + Ba+2 = Ba+2_[2.2.2]crypt:56Benz							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Et4NClO4	lgK:7.91(3SF)	5	MAG	2920
2	25	0.1	DMF Et4NClO4	lgK:6.46(3SF)	5	MAG	2920
3	25	0.1	DMSO Et4NClO4	lgK:5.10(3SF)	5	MAG	2920
4	25	0.1	Methanol Et4NClO4	lgK:11.05(4SF)	5	MAG	2920

Reaction No. 38594							
[2.2.2]crypt:DiBenz + Ba+2 = Ba+2_[2.2.2]crypt:DiBenz							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Et4NClO4	lgK:5.65(3SF)	5	MAG	2920
2	25	0.1	DMF Et4NClO4	lgK:4.67(3SF)	5	MAG	2920
3	25		DMF	lgK:4.32(3SF)	5	MAG	4773
4	25	0.1	DMSO Et4NClO4	lgK:3.46(3SF)	5	MAG	2920
5	25		DMSO	lgK:3.48(3SF)	5	MAG	4773
6	25	0.1	Methanol Et4NClO4	lgK:8.85(3SF)	5	MAG	2920
7	25		Methanol	lgK:8.87(3SF)	5	MAG	4773
8	25		PrCarbonate	lgK:13.5(3SF)	5	MAG	4773

Reaction No. 38650							
Lasalocid-1 + Ba+2 = Ba+2_Lasalocid-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	DMF Inf. Dilution	lgK:4.2(0.2SD)	5	MPT	4763
2	25	0	Ethanol Inf. Dilution	lgK:6.5(0.2SD)	3	MPT	4763
3	25	0	Methanol Inf. Dilution	lgK:5.6(0.2SD)	3	MPT	4763
4	25	1	Methanol Tris buffer	lgK:6.46(3SF)	4	MPH	5674
5	25		Methanol	lgK:6.74(3SF)	5	MPT	2599
6	25		Methanol	lgK:6.58(3SF)	4	MPT	2604
7	25		Methanol	dH:-5.9(2SF)kJ	5	MCL	4795

8	25	0	PrCarbonate Inf. Dilution	lgK:9.1(0.2SD)	3	MPT	4763

Reaction No. 38731

[18]O6 + Ba+2 = Ba+2_[18]O6

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Many Media	lgK:3.79(0.05SD)	8	CIU	13297
2	50	0	KNO3	lgK:3.46(0.01SD)	4	MCL	5777
3	75	0	KNO3	lgK:3.12(0.01SD)	4	MCL	5777
4	100	0	KNO3	lgK:2.83(0.01SD)	4	MCL	5777
5	125	0	KNO3	lgK:2.57(0.01SD)	4	MCL	5777
6	25	0.1	Many Media	dH:-31.7(0.8SD)kJ	8	CIU	13297
7	50	0	KNO3	dH:-29.4(0.1SD)kJ	4	MCL	5777
8	75	0	KNO3	dH:-28.7(0.2SD)kJ	4	MCL	5777
9	100	0	KNO3	dH:-29.3(0.4SD)kJ	4	MCL	5777
10	125	0	KNO3	dH:-31.3(0.6SD)kJ	4	MCL	5777
11	25	0.1	Acetone Unknown	lgK:7.35(0.05SD)	6	CIU	13297
12	25		Acetone	lgK:7.35(3SF)	3	MCL	3005
13	25	0.1	Acetone Unknown	dH:-61.(1.SD)kJ	6	CIU	13297
14	25		Acetone	dH:-61.0(3SF)kJ	3	MCL	3005
15	25	0.1	DMF Many Media	lgK:3.9(0.18SD)	6	CIU	13297
16	25		DMF	lgK:5.3(0.1SD)	4	MPS	3910
17	25	0.1	DMF Many Media	dH:-44.4(0.1SD)kJ	7	CIU	13297
18	25		DMSO	lgK:4.7(0.1SD)	4	MPS	3910
19	25	0.05	MeCN Et4NClO4	lgK:5.(1SF)	3	MAG	5758
20	25	0.05	MeCN Et4NClO4	dH:-19.8(3SF)kJ	5	MCL	5758
21	25	0.05	Methanol Et4NClO4	lgK:7.38(3SF)	5	MCL	3930
22	25	0.1	Methanol Many Media	lgK:7.2(0.1SD)	7	CIU	13297
23	25		Methanol	lgK:7.345(4SF)	5	MDG	2511
24	25		Methanol	lgK:7.04(0.08SD)	5	MCL	2944
25	25		Methanol	lgK:7.2(0.1SD)	4	MPS	3910

26	25	0.05	Methanol Et4NClO4	dH:-48.5(3SF)kJ	4	MTD	3930
27	25	0.1	Methanol Many Media	dH:-47.(1.9SD)kJ	7	CIU	13297
28	25		Methanol	dH:-10.41(0.06SD)	5	MCL	2944
29	25	0.1	Methanol:Water 50:50Wgt Unknown	lgK:4.96(0.05SD)	6	CIU	13297
30	25	0.1	Methanol:Water 50:50Wgt Unknown	dH:-38.45(0.16SD)kJ	6	CIU	13297
31	25	0.1	Methanol:Water 70:30Wgt Unknown	lgK:6.0(2SF)	3	EES	4522
32	25	0.1	Methanol:Water 70:30Wgt Unknown	dH:-44.7(0.2SD)kJ	8	CIU	13297
33	25	0.1	Methanol:Water 90:10Wgt Many Media	lgK:6.56(0.09SD)	7	CIU	13297
34	25	0.1	Methanol:Water 90:10Wgt Many Media	dH:-43.1(0.5SD)kJ	8	CIU	13297

Reaction No. 38734

[18]O6:DiBenzo + Ba+2 = Ba+2_[18]O6:DiBenzo

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.954(4SF)	5	MSP	3303
2	25		DMF	lgK:3.2(0.07SD)	4	MPS	3910
3	25		DMSO	lgK:2.6(0.09SD)	4	MPS	3910
4	25	0.05	MeCN Et4NClO4	lgK:5.(1SF)	3	MAG	5758
5	25	0.05	MeCN Et4NClO4	dH:-24.4(3SF)kJ	5	MCL	5758
6	25		Methanol	lgK:4.4(0.09SD)	4	MPS	3910

Reaction No. 39345

Tetraglyme + Ba+2 = Ba+2_Tetraglyme

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Acetone	lgK:3.27(3SF)	3	MCL	3005
2	25		Acetone	dH:-27.8(3SF)kJ	3	MCL	3005
3	25	0.05	MeCN Et4NClO4	lgK:3.(1SF)	3	MGL	5758

4	25	0.05	MeCN Et4NClO4	dH:-39.1(3SF)kJ	5	MCL	5758
5	25		Methanol	lgK:1.74(3SF)	4	MCL	2522

Reaction No. 39348

Hexaglyme + Ba+2 = Ba+2_Hexaglyme

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Acetone	lgK:4.28(3SF)	3	MCL	3005
2	25		Acetone	dH:-40.1(3SF)kJ	3	MCL	3005
3	25	0.05	MeCN Et4NClO4	lgK:3.(1SF)	3	MGL	5758
4	25	0.05	MeCN Et4NClO4	dH:-51.5(3SF)kJ	5	MCL	5758
5	25		Methanol	lgK:2.65(3SF)	4	MCL	2522

Reaction No. 39349

Pentaglyme + Ba+2 = Ba+2_Pentaglyme

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Acetone	lgK:3.97(3SF)	3	MCL	3005
2	25		Acetone	dH:-39.9(3SF)kJ	3	MCL	3005
3	25	0.05	MeCN Et4NClO4	lgK:3.(1SF)	3	MGL	5758
4	25	0.05	MeCN Et4NClO4	dH:-48.7(3SF)kJ	5	MCL	5758
5	25		Methanol	lgK:2.59(3SF)	5	MCL	2511
6	25		Methanol	lgK:2.31(3SF)	5	MCN	2511
7	25		Methanol	lgK:2.1(2SF)	4	MCL	2522

Reaction No. 39520

2<DiBenzoylmethane-1> + Ba+2 = Ba+2_DiBenzoylmethane-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Dioxan:Water 75:25Vol	lgK:11.9(3SF)	5	MGL	2360

Reaction No. 39629

NNDiMeAmMePhos-2 + Ba+2 = Ba+2_NNDiMeAmMePhos-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:1.5(0.2SD)	5	MGL	2131

Reaction No. 39672

CPDTA-4 + Ba+2 = Ba+2_CPDTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:7.75(3SF)	5	MGL	140
2	20	0.1	Unknown	lgK:7.75(3SF)	5	MGL	931
3	20	1	Unknown	lgK:8.62(3SF)	6	CRV	552
4	25	0.1	Unknown	lgK:8.54(3SF)	6	CRV	552
5	20	1	KCl	dH:-2.63(3SF)	5	MCL	2018

Reaction No. 39889							
[14]N2O3:MeCOO*2-2 + Ba+2 = Ba+2_[14]N2O3:MeCOO*2-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:6.74(3SF)	3	CRV	552
2	25	0.1	Me4NCl	lgK:7.3(0.04SD)	2	MGL	1491
3	25	0.1	Me4NNO3	lgK:7.41(0.003SD)	2	MGL	1176
4	25	0.1	Me4NNO3	dH:-5.9(2SF)	2	MCL	1007

Reaction No. 39957							
[12]N4:MePhos*4-8 + Ba+2 = Ba+2_[12]N4:MePhos*4-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:10.65(0.02SD)	5	MGL	1318
2	25	1	KNO3	lgK:8.8(2SF)	5	ENS	1318

Reaction No. 39958							
H+1 + [12]N4:MePhos*4-8 + Ba+2 = Ba+2_H+1_[12]N4:MePhos*4-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	KNO3	lgK:18.22(4SF)	5	ENS	1318

Reaction No. 39959							
2<H+1> + [12]N4:MePhos*4-8 + Ba+2 = Ba+2_H+1(2)_[12]N4:MePhos*4-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	KNO3	lgK:25.54(4SF)	5	ENS	1318

Reaction No. 39960							
3<H+1> + [12]N4:MePhos*4-8 + Ba+2 = Ba+2_H+1(3)_[12]N4:MePhos*4-8							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:38.13(0.02SD)	5	MGL	1318

Reaction No. 39961

[12]N4:MePhos*4-8 + 2<Ba+2> = Ba+2(2)_[12]N4:MePhos*4-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:17.12(0.02SD)	5	MGL	1318

Reaction No. 39962

H+1 + [12]N4:MePhos*4-8 + 2<Ba+2> = Ba+2(2)_H+1_[12]N4:MePhos*4-8

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:25.78(0.02SD)	5	MGL	1318

Reaction No. 40199

[Bu]11DiCOO-2 + Ba+2 = Ba+2_[Bu]11DiCOO-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaClO4	lgK:1.46(3SF)	5	MGL	931

Reaction No. 40380

Ba+2_Oxalic-2_(s) = Ba+2 + Oxalic-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KClO4	lgK:-6.0(2SF)	4	MDS	931
2	25	0	Inf. Dilution	lgK:-7.64(3SF)	1	CRV	
Note (2): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
3	25	0	Inf. Dilution	lgK:-7.8(2SF)	3	ENS	5648
4	30	0	Inf. Dilution	lgK:-6.77(3SF)	0	MCE	8375

Reaction No. 40381

2<Oxalic-2> + Ba+2 = Ba+2_Oxalic-2(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:3.95(4SF)	1	ELC	
2	25	1	NaClO4	lgK:2.20(3SF)	0	MDS	931

Reaction No. 40425

Pr12DiPhos-4 + Ba+2 = Ba+2_Pr12DiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.20(3SF)	5	MGL	931

Reaction No. 40426

Ba+2 + H+1_Pr12DiPhos-4 = Ba+2_H+1_Pr12DiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:1.3(2SF)	5	MGL	931
2	25	0	Inf. Dilution	lgK:1.4(2SF)	1	ESC	

Reaction No. 40435

Pr13DiPhos-4 + Ba+2 = Ba+2_Pr13DiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.34(3SF)	5	MGL	931
2	25	0	Inf. Dilution	lgK:2.5(2SF)	1	ESC	

Reaction No. 40436

Ba+2 + H+1_Pr13DiPhos-4 = Ba+2_H+1_Pr13DiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:1.6(2SF)	5	MGL	931
2	25	0	Inf. Dilution	lgK:1.7(2SF)	1	ESC	

Reaction No. 40629

4ClPyrid26DiCOO-2 + Ba+2 = Ba+2_4ClPyrid26DiCOO-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	0.1	NaClO4	lgK:3.19(3SF)	5	MGL	931
2	25	0	Inf. Dilution	lgK:3.4(2SF)	1	ESC	

Reaction No. 40687

26DiCOOPiperNAcet-3 + Ba+2 = Ba+2_26DiCOOPiperNAcet-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:3.40(0.01SD)	6	MGL	931

Reaction No. 40751

N1COO[Hept]IDA-3 + Ba+2 = Ba+2_N1COO[Hept]IDA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:5.5(0.04SD)	6	MGL	2591
2	25	0	Inf. Dilution	lgK:5.8(2SF)	1	ESC	

Reaction No. 40825

[Hex]IDA-2 + Ba+2 = Ba+2_[Hex]IDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:2.37(0.02SD)	6	MGL	931

2	25	0	Inf. Dilution	lgK:2.5(2SF)	1	ESC	

Reaction No. 40843

[2OHHex]IDA-2 + Ba+2 = Ba+2_[2OHHex]IDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.26(0.01SD)	5	MGL	931
2	25	0	Inf. Dilution	lgK:3.5(2SF)	1	ESC	

Reaction No. 40851

NTetrHyPyran2MeIDA-2 + Ba+2 = Ba+2_NTetrHyPyran2MeIDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.61(0.01SD)	6	MGL	931
2	25	0	Inf. Dilution	lgK:3.8(2SF)	1	ESC	

Reaction No. 40966

N1COO[Hex]IDA-3 + Ba+2 = Ba+2_N1COO[Hex]IDA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:5.1(0.04SD)	6	MGL	2591
2	25	0	Inf. Dilution	lgK:5.3(2SF)	1	ESC	

Reaction No. 41145

N1COO[Pent]IDA-3 + Ba+2 = Ba+2_N1COO[Pent]IDA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:5.5(0.04SD)	6	MGL	2591
2	25	0	Inf. Dilution	lgK:5.8(2SF)	1	ESC	

Reaction No. 41213

1COOPrAmMalon-3 + Ba+2 = Ba+2_1COOPrAmMalon-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:1.90(3SF)	6	ENS	233

Reaction No. 41366

[15]O5 + Ba+2 = Ba+2_[15]O5

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:1.69(0.06SD)	7	CIU	13297
2	25	0.1	Unknown	dH:-4.6(0.4SD)kJ	8	CIU	13297
3	25		Acetone	dH:-31.9(3SF)kJ	3	MCL	3005

4	25	0.05	MeCN Et4NClO4	lgK:5.(1SF)	3	MAG	5758
5	25	0.05	MeCN Et4NClO4	dH:-40.8(3SF)kJ	5	MCL	5758
6	25	0.05	Methanol Et4NClO4	lgK:4.09(3SF)	5	ENS	3930
7	25	0.05	Methanol Et4NClO4	dH:-20.9(3SF)kJ	4	ENS	3930

Reaction No. 41367

[18]N2O4:DiDec + Ba+2 = Ba+2_[18]N2O4:DiDec

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	Methanol Et4NClO4	lgK:5.84(3SF)	5	MCL	3930
2	25	0.05	Methanol Et4NClO4	lgK:5.79(3SF)	5	MPT	3930
3	25	0.05	Methanol Et4NClO4	dH:-32.9(3SF)kJ	4	MTD	3930

Reaction No. 41368

[21]N2O5 + Ba+2 = Ba+2_[21]N2O5

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	Methanol Et4NClO4	lgK:5.39(3SF)	5	MPT	3930
2	25	0.05	Methanol Et4NClO4	dH:-8.5(2SF)kJ	4	MTD	3930

Reaction No. 41384

Tetracycline-2 + Ba+2 = Ba+2_Tetracycline-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:4.00(3SF)	0	MPT	1069

Reaction No. 41615

Ba+2_Tetracycline-2 + Gly-1 = Ba+2_Gly-1_Tetracycline-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:3.80(3SF)	3	MPT	1069

Reaction No. 41616

Tetracycline-2 + Ba+2 + Gly-1 = Ba+2_Gly-1_Tetracycline-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:7.80(3SF)	3	MPT	1069

Reaction No. 41741							
Piperazine14DiAcet-2 + Ba+2 = Ba+2_Piperazine14DiAcet-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:1.6(2SF)	5	MHY	931
2	25	0	Inf. Dilution	lgK:1.7(2SF)	1	ESC	

Reaction No. 41947							
NMeDTTA-4 + Ba+2 = Ba+2_NMeDTTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:7.21(3SF)	5	MHY	140
2	25	0	Inf. Dilution	lgK:7.5(2SF)	1	ESC	

Reaction No. 41948							
Ba+2 + H+1_NMeDTTA-4 = Ba+2_H+1_NMeDTTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.61(3SF)	5	MHY	140
2	25	0	Inf. Dilution	lgK:2.7(2SF)	1	ESC	

Reaction No. 41961							
N3COOPhenIDA-3 + Ba+2 = Ba+2_N3COOPhenIDA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:1.(1SF)	4	MHG	140
2	25	0	Inf. Dilution	lgK:1.0(2SF)	1	ESC	

Reaction No. 41968							
N4COOPhenIDA-3 + Ba+2 = Ba+2_N4COOPhenIDA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:1.(1SF)	4	MHG	140
2	25	0	Inf. Dilution	lgK:1.0(2SF)	1	ESC	

Reaction No. 42175							
2<F*3Acac-1> + Ba+2 = Ba+2_F*3Acac-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Dioxan:Water 75:25Vol Inf. Dilution	lgK:8.8(2SF)	5	MGL	2360

Reaction No. 42176

2<Acac-1> + Ba+2 = Ba+2_Acac-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Dioxan:Water 75:25Vol Inf. Dilution	lgK:9.0(2SF)	5	MGL	2360

Reaction No. 42180							
2<Lasalocid-1> + Ba+2 = Ba+2_Lasalocid-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	lgK:8.8(2SF)	5	MPT	2599
2	25		Methanol	dH:-13.3(3SF)kJ	5	MCL	4795

Reaction No. 42187							
5BrLasalocid-1 + Ba+2 = Ba+2_5BrLasalocid-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	lgK:6.62(3SF)	5	MPT	2599

Reaction No. 42188							
2<5BrLasalocid-1> + Ba+2 = Ba+2_5BrLasalocid-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	lgK:8.7(2SF)	5	MPT	2599

Reaction No. 42190							
Salicylic-2 + Ba+2 = Ba+2_Salicylic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.2(1SF)	0	ENS	6405
2	25		Methanol	lgK:3.5(2SF)	5	MPT	2599
3	25		Methanol	dH:-24.3(3SF)kJ	5	MCL	4795

Reaction No. 42191							
2<Salicylic-2> + Ba+2 = Ba+2_Salicylic-2(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	lgK:5.8(2SF)	5	MPT	2599
2	25		Methanol	dH:-3.7(2SF)kJ	5	MCL	4795

Reaction No. 42196							
oAnisic-1 + Ba+2 = Ba+2_oAnisic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25		Methanol	lgK:3.7(2SF)	5	MPT	2599

Reaction No. 42197							
2<oAnisic-1> + Ba+2 = Ba+2_oAnisic-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	lgK:5.5(2SF)	5	MPT	2599

Reaction No. 42845							
Co+3_Oxalic-2(3) + Ba+2 = Co+3_Ba+2_Oxalic-2(3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.95(3SF)	4	MPL	906
2	25	0.1	NH4NO3	lgK:1.74(3SF)	4	MPL	906

Reaction No. 43547							
5IMP-2 + Ba+2 = Ba+2_5IMP-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.28(0.02MD)	6	MGL	4460

Reaction No. 43554							
5GMP-2 + Ba+2 = Ba+2_5GMP-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.32(0.02MD)	6	MGL	4460

Reaction No. 43563							
Ba+2_5IMP-2 = Ba+2_H+1(-1)_5IMP-2 + H+1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:8.6(0.07MD)	6	MGL	4460

Reaction No. 43573							
Ba+2_5GMP-2 = Ba+2_H+1(-1)_5GMP-2 + H+1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:9.0(0.2MD)	6	MGL	4460

Reaction No. 43807							
NPhosMeIDA-4 + Ba+2 = Ba+2_NPhosMeIDA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:5.35(3SF)	6	MHY	140
2	25	0	Inf. Dilution	lgK:5.5(2SF)	1	ESC	

3	30	0.1	KCl	lgK:5.1(2SF)	6	MGL	140

Reaction No. 43808

Ba+2 + H+1_NPhosMeIDA-4 = Ba+2_H+1_NPhosMeIDA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:1.69(3SF)	6	MHY	140
2	25	0	Inf. Dilution	lgK:1.8(2SF)	1	ESC	

Reaction No. 44819

Guanosine-1 + Ba+2 = Ba+2_Guanosine-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	21		DMSO	lgK:1.70(3SF)	4	MMR	906

Reaction No. 45173

22DiMeNTA-3 + Ba+2 = Ba+2_22DiMeNTA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:5.6(0.03SD)	6	MGL	2591
2	25	0	Inf. Dilution	lgK:5.8(2SF)	1	ESC	

Reaction No. 45181

2Me2PhenNTA-3 + Ba+2 = Ba+2_2Me2PhenNTA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:4.93(0.02SD)	6	MGL	2591
2	25	0	Inf. Dilution	lgK:5.1(2SF)	1	ESC	

Reaction No. 45448

1Phenazo2naphthol-1 + Ba+2 = Ba+2_1Phenazo2naphthol-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Acetone:Water 75:25Wgt KNO3	lgK:6.4(0.07SD)	4	MGL	906

Reaction No. 45472

Ba+2 + H+1_12OHPhenazo2naphthol-2 = Ba+2_H+1_12OHPhenazo2naphthol-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Acetone:Water 75:25Wgt KNO3	lgK:6.4(0.07SD)	4	MGL	906

Reaction No. 45499							
EDD3Me2BuDA-4 + Ba+2 = Ba+2_EDD3Me2BuDA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.3(0.04SD)	5	MPT	2008
2	25	0	Inf. Dilution	lgK:3.4(2SF)	1	ESC	

Reaction No. 45526							
EDDPentDA-4 + Ba+2 = Ba+2_EDDPentDA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:5.97(0.02SD)	5	MGL	2008
2	25	0	Inf. Dilution	lgK:6.2(2SF)	1	ESC	

Reaction No. 45558							
Ba+2 + H+1_Arsenazo1-6 = Ba+2_H+1_Arsenazo1-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:4.15(3SF)	4	MGL	906

Reaction No. 45559							
Arsenazo1-6 + Ba+2 = Ba+2_Arsenazo1-6							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:4.22(3SF)	4	MGL	906

Reaction No. 45621							
[18]O6:[Hex]*2 + Ba+2 = Ba+2_[18]O6:[Hex]*2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	10	0	Inf. Dilution	lgK:3.8(0.03SD)	3	MCL	6727
2	25	0	Inf. Dilution	lgK:3.57(0.02SD)	4	MCL	6727
3	40	0	Inf. Dilution	lgK:3.47(0.01SD)	3	MCL	6727
4	10	0	Inf. Dilution	dH:-4.97(0.02SD)	3	MCL	6747
5	25	0	Inf. Dilution	dH:-4.92(3SF)	4	MCL	6727
6	40	0	Inf. Dilution	dH:-4.8(0.1SD)	3	MCL	6747
7	25	0.05	MeCN Et4NClO4	lgK:5.(1SF)	3	MAG	5758
8	25	0.05	MeCN Et4NClO4	dH:-48.1(3SF)kJ	5	MCL	5758

Reaction No. 45786
[12]O4 + Ba+2 = Ba+2_[12]O4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	MeCN Unknown	lgK:4.12(0.05SD)	6	CIU	13297
2	25	0.1	MeCN Unknown	dH:-42.5(1.SD)kJ	6	CIU	13297
3	25		Methanol	lgK:2.56(3SF)	5	MCL	2251
4	25		Methanol	dH:-21.4(3SF)kJ	4	MCL	2251

Reaction No. 45787

2<[12]O4> + Ba+2 = Ba+2_[12]O4(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	dH:-27.3(3SF)kJ	4	MCL	2251

Reaction No. 45839

Monensin-1 + Ba+2 = Ba+2_Monensin-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	DMF Inf. Dilution	lgK:7.0(0.2SD)	5	MPT	4763
2	25	0	DMSO Inf. Dilution	lgK:5.1(0.2SD)	5	MPT	4763
3	25	0	Ethanol Inf. Dilution	lgK:9.9(0.2SD)	5	MPT	4763
4	25	0	Methanol Inf. Dilution	lgK:7.1(0.2SD)	5	MPT	4763
5	25	0	PrCarbonate Inf. Dilution	lgK:14.1(0.2SD)	5	MPT	4763

Reaction No. 45922

BuMalon-2 + Ba+2 = Ba+2_BuMalon-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	15	0	Inf. Dilution	lgK:2.204(4SF)	5	MCO	4861
2	25	0	Inf. Dilution	lgK:2.236(4SF)	5	MCO	4861
3	30	0	Inf. Dilution	lgK:2.250(4SF)	5	MCO	4861
4	35	0	Inf. Dilution	lgK:2.305(4SF)	5	MCO	4861
5	25	0	Inf. Dilution	dH:7.(2.SD)kJ	4	MCO	4861

Reaction No. 45925

DiEtMalon-2 + Ba+2 = Ba+2_DiEtMalon-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	15	0	Inf. Dilution	lgK:2.38(3SF)	5	MCO	4861

2	25	0	Inf. Dilution	lgK:2.411(4SF)	5	MCO	4861
3	25	0	UCT_Sea	lgK:2.41(0.01SD)	4	EDH	5390
4	25	0.1	UCT_Sea	lgK:1.60(0.01SD)	4	EDH	5390
5	25	0.2	UCT_Sea	lgK:1.42(0.01SD)	4	EDH	5390
6	25	0.3	UCT_Sea	lgK:1.32(0.01SD)	4	EDH	5390
7	25	0.4	UCT_Sea	lgK:1.24(0.01SD)	4	EDH	5390
8	25	0.5	UCT_Sea	lgK:1.19(0.01SD)	4	EDH	5390
9	25	0.6	UCT_Sea	lgK:1.15(0.01SD)	4	EDH	5390
10	25	0.7	UCT_Sea	lgK:1.12(0.01SD)	4	EDH	5390
11	30	0	Inf. Dilution	lgK:2.453(4SF)	5	MCO	4861
12	35	0	Inf. Dilution	lgK:2.477(4SF)	5	MCO	4861
13	25	0	Inf. Dilution	dH:8.(2.SD)kJ	4	MCO	4861

Reaction No. 46062

Bu14DiPhos-4 + Ba+2 = Ba+2_Bu14DiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:2.28(3SF)	5	MGL	931
2	25	0	Inf. Dilution	lgK:2.4(2SF)	1	ESC	

Reaction No. 46063

Ba+2 + H+1_Bu14DiPhos-4 = Ba+2_H+1_Bu14DiPhos-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KCl	lgK:1.5(2SF)	5	MGL	931
2	25	0	Inf. Dilution	lgK:1.6(2SF)	1	ESC	

Reaction No. 46257

AmMePhos-2 + Ba+2 = Ba+2_AmMePhos-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.17(0.05MD)w	5	MPH	4478
2	25	0.1	Unknown	lgK:1.17(0.05SD)	6	CIU	7242

Reaction No. 46258

Ba+2 + H+1_AmMePhos-2 = Ba+2_H+1_AmMePhos-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:0.67(0.04MD)w	5	MPH	4478

Reaction No. 46277

PhosForm-3 + Ba+2 = Ba+2_PhosForm-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:2.73(0.05MD)w	5	MPH	4478

Reaction No. 46278							
Ba+2 + H+1_PhosForm-3 = Ba+2_H+1_PhosForm-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.4(0.1MD)w	5	MPH	4478

Reaction No. 46359							
Ba+2_[15]N2O3 + [15]N2O3 = Ba+2_[15]N2O3(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23		Methanol	lgK:2.42(3SF)	4	MCL	4772
2	23		Methanol	dH:-2.7(2SF)	4	MCL	4772

Reaction No. 46373							
2<Acetic-1> + Ba+2 = Ba+2_Acetic-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	NaClO4	lgK:1.25(3SF)	5	MSL	11516
Note (1): Hohlova A et al., Zhur. Neorg. Khim., 1977, 22, 3167							
2	25		Methanol	lgK:5.5(2SF)	5	MGL	4795

Reaction No. 46376							
Benzoic-1 + Ba+2 = Ba+2_Benzoic-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	lgK:3.7(2SF)	5	MGL	4795

Reaction No. 46377							
2<Benzoic-1> + Ba+2 = Ba+2_Benzoic-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Methanol	lgK:5.9(2SF)	5	MGL	4795

Reaction No. 47628							
B(s) + Ba(s) + 2<H2(g)> + 2<O2(g)> - e-1 = Ba+2_B(OH)4-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-411.620(6SF)	5	CRV	406

Reaction No. 52289

H+1 + Ba+2 + Malic-2 = Ba+2_H+1_Malic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:6.18(0.01SD)	4	EDH	5390
2	25	0.1	UCT_Sea	lgK:5.35(0.01SD)	4	EDH	5390
3	25	0.2	UCT_Sea	lgK:5.20(0.01SD)	4	EDH	5390
4	25	0.3	UCT_Sea	lgK:5.10(0.01SD)	4	EDH	5390
5	25	0.4	UCT_Sea	lgK:5.01(0.01SD)	4	EDH	5390
6	25	0.5	UCT_Sea	lgK:4.97(0.01SD)	4	EDH	5390
7	25	0.6	UCT_Sea	lgK:4.93(0.01SD)	4	EDH	5390
8	25	0.7	UCT_Sea	lgK:4.91(0.01SD)	4	EDH	5390

Reaction No. 52290							
Ba+2 + 23DiOH2MeButan-1 = Ba+2_23DiOH2MeButan-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:1.31(0.01SD)	4	EDH	5390
2	25	0.1	UCT_Sea	lgK:0.89(0.01SD)	4	EDH	5390
3	25	0.2	UCT_Sea	lgK:0.80(0.01SD)	4	EDH	5390
4	25	0.3	UCT_Sea	lgK:0.75(0.01SD)	4	EDH	5390
5	25	0.4	UCT_Sea	lgK:0.71(0.01SD)	4	EDH	5390
6	25	0.5	UCT_Sea	lgK:0.69(0.01SD)	4	EDH	5390
7	25	0.6	UCT_Sea	lgK:0.67(0.01SD)	4	EDH	5390
8	25	0.7	UCT_Sea	lgK:0.66(0.01SD)	4	EDH	5390

Reaction No. 52291							
H+1 + Ba+2 + Salicylic-2 = Ba+2_H+1_Salicylic-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:13.95(0.01SD)	4	EDH	5390
2	25	0.1	UCT_Sea	lgK:13.20(0.01SD)	4	EDH	5390
3	25	0.2	UCT_Sea	lgK:13.01(0.01SD)	4	EDH	5390
4	25	0.3	UCT_Sea	lgK:12.93(0.01SD)	4	EDH	5390
5	25	0.4	UCT_Sea	lgK:12.86(0.01SD)	4	EDH	5390
6	25	0.5	UCT_Sea	lgK:12.82(0.01SD)	4	EDH	5390
7	25	0.6	UCT_Sea	lgK:12.78(0.01SD)	4	EDH	5390
8	25	0.7	UCT_Sea	lgK:12.76(0.01SD)	4	EDH	5390

Reaction No. 52536
[18]O6:Benzo + Ba+2 = Ba+2_[18]O6:Benzo

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Acetone	lgK:5.80(3SF)	3	MCL	3005
2	25		Acetone	dH:-49.3(3SF)kJ	3	MCL	3005
3	23		D2O	lgK:3.699(4SF)	4	MMR	4532
4	25	0.05	MeCN Et4NClO4	lgK:5.(1SF)	3	MAG	5758
5	25	0.05	MeCN Et4NClO4	dH:-25.9(3SF)kJ	5	MCL	5758

Reaction No. 52969							
Cl-1 + Ba+2 = Ba+2_Cl-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	15	0	NaNO3	lgK:-0.6(0.05SD)	5	MIS	5019
2	15	1	NaNO3/m	lgK:0.46(2SF)	2	MIS	12227
3	15	1	NaNO3/m	lgK:0.33(2SF)	5	MAG	12227
4	18	0	Inf. Dilution	lgK:-0.13(2SF)	3	MCN	140
5	23	1	LiClO4	lgK:-0.7(1SF)	0	MCE	5398
6	23	1	NaClO4	lgK:-0.7(1SF)	0	MCE	5398
7	25	0	Inf. Dilution	lgK:-0.13(2SF)	4	CRV	32224
8	25	0	NaNO3	lgK:-0.5(0.05SD)	5	MIS	5019
9	25	1	NaNO3/m	lgK:0.40(2SF)	5	MIS	12227
10	25	1	NaNO3/m	lgK:0.36(2SF)	5	MAG	12227
11	25	1	Unknown	lgK:-0.44(2SF)	2	CRV	2556
12	35	1	NaNO3/m	lgK:0.51(2SF)	5	MIS	12227
13	35	1	NaNO3/m	lgK:0.47(2SF)	5	MAG	12227
14	45	0	NaNO3	lgK:-0.2(0.05SD)	5	MIS	5019
15	45	1	NaNO3/m	lgK:0.66(2SF)	5	MIS	12227
16	45	1	NaNO3/m	lgK:0.65(2SF)	5	MAG	12227
17	60	1	NaNO3/m	lgK:0.75(2SF)	5	MIS	12227
18	60	1	NaNO3/m	lgK:0.75(2SF)	5	MAG	12227
19	65	0	NaNO3	lgK:-0.2(0.05SD)	2	MIS	5019
20	85	0	NaNO3	lgK:-0.2(0.05SD)	0	MIS	5019
21	300	0	Inf. Dilution/m	lgK:3.43(3SF)	4	MCL	12628
22	10:50	1	Unknown	dH:5.(1SF)	5	CRV	2556
23	25	1	NaNO3/m	dH:-2.708(4SF)	0	MTD	12227
24	300	0	Inf. Dilution/m	dH:127.(3SF)kJ	5	MCL	12628
25	25	1	NaNO3/m	dS:-11.1(6.4SD)	5	EFE	12227

Reaction No. 53154							
2<P3O10-5> + Ba+2 = Ba+2_P3O10-5(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.5(2SF)	1	ESC	
2	25			lgK:4.5(2SF)w	0	MPH	140

Reaction No. 53452							
P3O10-5 + Ba+2 = Ba+2_P3O10-5							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0.1	(K,NH4)Cl	lgK:3.0(2SF)	0	MGL	140
2	25	0	Inf. Dilution	lgK:6.3(0.05SD)	3	MGL	267
3	25	0.1	KCl	lgK:3.50(3SF)	0	MGL	277
4	40	0	Inf. Dilution	lgK:6.1(2SF)	3	MGL	267
5	45	0.1	KNO3	lgK:3.95(3SF)	0	MGL	5398

Reaction No. 53453							
Ba+2 + H+1_P3O10-5 = Ba+2_H+1_P3O10-5							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0.1	NH4Cl	lgK:2.7(2SF)	4	MGL	140
2	25	0.1	KCl	lgK:1.77(3SF)	0	MGL	277
3	45	0.1	KNO3	lgK:2.65(3SF)	5	MGL	5398

Reaction No. 53515							
Ba+2 + H+1_CO3-2 = Ba+2_H+1_CO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	5	0	Inf. Dilution	lgK:0.708(3SF)	5	CRV	9203
2	25	0	Inf. Dilution	lgK:1.52(3SF)	2	MGL	5398
3	25	0	Inf. Dilution	lgK:1.(0.05SD)	4	ENS	5484
4	25	0	Inf. Dilution	lgK:0.982(3SF)	4	ENS	6496
5	25	0	Inf. Dilution	lgK:0.982(3SF)	5	CRV	9203
6	45	0	Inf. Dilution	lgK:1.255(4SF)	5	CRV	9203
7	60	0	Inf. Dilution	lgK:1.460(4SF)	5	CRV	9203
8	80	0	Inf. Dilution	lgK:1.733(4SF)	5	CRV	9203
9	25	0	Inf. Dilution	dG:-5.606(4SF)kJ	5	CRV	9203
10	0:80	0	Inf. Dilution	dH:6.(1SF)	4	CRV	552
11	25	0	Inf. Dilution	dH:5.6(0.1SD)	4	ENS	5484

12	25	0	Inf. Dilution	dH:5.56(3SF)	4	ENS	6496
13	25	0	Inf. Dilution	dH:23.262(5SF)kJ	5	CRV	9203

Reaction No. 53620

NO3-1 + Ba+2 = Ba+2_NO3-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0	Inf. Dilution	lgK:0.92(2SF)	4	MCN	140
2	18	0	Inf. Dilution	lgK:0.98(2SF)	4	MCN	931
3	18	0	Inf. Dilution	lgK:0.917(3SF)	3	MCN	11989
4	23	1	LiClO4	lgK:0.15(2SF)	5	MCE	5398
5	23	1	NaClO4	lgK:0.15(2SF)	5	MCE	5398
6	25	0	Inf. Dilution	lgK:1.1(2SF)	3	MAC	931
7	25	0	Inf. Dilution	lgK:0.94(2SF)	4	MCN	931
8	25	0	Inf. Dilution	lgK:0.84(0.05SD)	4	MSL	5055
9	25	0	Inf. Dilution	lgK:0.84(2SF)	5	CRV	8789
10	25	0	Inf. Dilution	lgK:0.73(2SF)	2	EMS	12547
11	25	0	Inf. Dilution	lgK:0.114(0.1SD)	3	MMR	31218
12	25	0	Inf. Dilution	lgK:0.97(2SF)	4	CRV	32224
13	25	0	UCT_Sea	lgK:0.90(0.01SD)	4	EDH	5390
14	25	0.1	UCT_Sea	lgK:0.47(0.01SD)	4	EDH	5390
15	25	0.2	UCT_Sea	lgK:0.37(0.01SD)	4	EDH	5390
16	25	0.3	UCT_Sea	lgK:0.31(0.01SD)	4	EDH	5390
17	25	0.4	UCT_Sea	lgK:0.27(0.01SD)	4	EDH	5390
18	25	0.5	LiClO4	lgK:0.18(0.05SD)	5	MSL	5055
19	25	0.5	UCT_Sea	lgK:0.24(0.01SD)	4	EDH	5390
20	25	0.6	UCT_Sea	lgK:0.22(0.01SD)	4	EDH	5390
21	25	0.7	UCT_Sea	lgK:0.20(0.01SD)	4	EDH	5390
22	25	1	LiClO4	lgK:0.16(0.05SD)	5	MSL	5055
23	25	2	LiClO4	lgK:0.14(0.05SD)	5	MSL	5055
24	25	3	LiClO4	lgK:0.2(0.05SD)	5	MSL	5055
25	25	4	LiClO4	lgK:0.24(0.05SD)	5	MSL	5055
26	18:25	0	Inf. Dilution	dH:-2.3(2SF)	4	MTD	931
27	25	0.5	Unknown	dH:-3.2(2SF)	4	CRV	552

Reaction No. 53959

Ba+2_P3O10-5 + H+1 = Ba+2_H+1_P3O10-5

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KCl	lgK:6.33(3SF)	0	MGL	277

Reaction No. 54024							
SO4-2 + Ba+2 = Ba+2_SO4-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:2.3(2SF)	4	MSL	931
2	25	0	Inf. Dilution	lgK:2.13(3SF)	0	ENS	356
3	25	0	Inf. Dilution	lgK:2.7(0.05SD)	3	ENS	5484
4	25	0	Inf. Dilution	lgK:2.7(2SF)	3	ENS	6496
5	25	0	Inf. Dilution	lgK:2.30(0.05SD)	4	CMN	7391
6	25	0	Inf. Dilution	lgK:2.49(0.03SD)	3	EOD	22958
7	25	0	Inf. Dilution	lgK:2.72(0.045SD)	3	EOD	31301
8	25	0	Inf. Dilution	lgK:2.7(2SF)	3	CRV	32224
9	25	0	UCT_Sea	lgK:2.20(0.01SD)	4	EDH	5390
10	25	0.1	UCT_Sea	lgK:1.33(0.01SD)	4	EDH	5390
11	25	0.2	UCT_Sea	lgK:1.12(0.01SD)	4	EDH	5390
12	25	0.3	UCT_Sea	lgK:1.00(0.01SD)	4	EDH	5390
13	25	0.4	UCT_Sea	lgK:0.91(0.01SD)	4	EDH	5390
14	25	0.5	UCT_Sea	lgK:0.84(0.01SD)	4	EDH	5390
15	25	0.6	UCT_Sea	lgK:0.79(0.01SD)	4	EDH	5390
16	25	0.7	UCT_Sea	lgK:0.75(0.01SD)	4	EDH	5390
17	25	0.7	Unknown	lgK:0.98(0.05SD)	3	EES	7391
18	25	1	NaClO4	lgK:0.7(0.05SD)	5	MIX	931

Reaction No. 54025							
2<SO4-2> + Ba+2 = Ba+2_SO4-2(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:3.07(0.01SD)	4	EDH	5390
2	25	0.1	UCT_Sea	lgK:2.15(0.01SD)	4	EDH	5390
3	25	0.2	UCT_Sea	lgK:1.92(0.01SD)	4	EDH	5390
4	25	0.3	UCT_Sea	lgK:1.78(0.01SD)	4	EDH	5390
5	25	0.4	UCT_Sea	lgK:1.68(0.01SD)	4	EDH	5390
6	25	0.5	UCT_Sea	lgK:1.61(0.01SD)	4	EDH	5390
7	25	0.6	UCT_Sea	lgK:1.55(0.01SD)	4	EDH	5390
8	25	0.7	UCT_Sea	lgK:1.51(0.01SD)	4	EDH	5390

9	25	1	NaClO4	lgK:1.42(3SF)	5	MDS	931

Reaction No. 54521

Ba(s) + Mo(s) + 2<O2(g)> = Ba+2_MoO4-2_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:254.9(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:252.2(4SF)	0	ENS	6422
3	27	0	Inf. Dilution	lgK:250.6(4SF)	0	ENS	6422
4	127	0	Inf. Dilution	lgK:183.2(4SF)	0	ENS	6422
5	227	0	Inf. Dilution	lgK:142.8(4SF)	0	ENS	6422
6	327	0	Inf. Dilution	lgK:115.9(4SF)	0	ENS	6422
7	25	0	Inf. Dilution	dG:-344.1(0.05SD)	0	ENS	802
8	25	0	Inf. Dilution	dG:-344.1(4SF)	0	EFE	6422
9	25	0	Inf. Dilution	dH:-370.0(0.1SD)	0	ENS	802
10	25	0	Inf. Dilution	dH:-370.0(4SF)	0	MTD	6422
11	25	0	Inf. Dilution	dH:-369.41(0.46SD)	4	MCL	30759
12	127	0	Inf. Dilution	dH:-369.8(4SF)	0	MTD	6422
13	227	0	Inf. Dilution	dH:-369.6(4SF)	0	MTD	6422
14	327	0	Inf. Dilution	dH:-369.5(4SF)	0	MTD	6422

Reaction No. 54524

Ba(s) + Mn(s) + 2<O2(g)> = Ba+2_MnO4-2_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-267.5(0.05SD)	5	ENS	802

Reaction No. 54532

Ba+2 + B(OH)4-1 = Ba+2_B(OH)4-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.933(4SF)	1	EOR	
2	25	0	Inf. Dilution	lgK:1.49(3SF)	4	CRV	406
3	25	0	Inf. Dilution	lgK:1.49(0.03SD)	4	CMN	7391
4	25	0	UCT_Sea	lgK:1.49(0.01SD)	4	EDH	5390
5	25	0.1	UCT_Sea	lgK:1.02(0.01SD)	4	EDH	5390
6	25	0.15	Cl-1 salt	lgK:1.5(0.05SD)w	5	MPH	373
7	25	0.2	UCT_Sea	lgK:0.88(0.01SD)	4	EDH	5390
8	25	0.3	UCT_Sea	lgK:0.78(0.01SD)	4	EDH	5390
9	25	0.4	UCT_Sea	lgK:0.69(0.01SD)	4	EDH	5390

10	25	0.5	UCT_Sea	lgK:0.61(0.01SD)	4	EDH	5390
11	25	0.6	UCT_Sea	lgK:0.55(0.01SD)	4	EDH	5390
12	25	0.7	UCT_Sea	lgK:0.48(0.01SD)	4	EDH	5390
13	25	0.7	Unknown	lgK:0.73(0.03SD)	3	EES	7391
14	10:50	0.14	Cl-1 salt	dH:-0.7(1.SD)	5	MPH	373

Reaction No. 54583

Ba(s) + H2(g) + O2(g) = Ba+2_OH-1(2)_(beta,s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:150.6(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:149.6(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:108.4(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:83.76(4SF)	4	ENS	6422
5	248	0	Inf. Dilution	lgK:79.79(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-204.(0.7SD)	4	MCL	5049
7	25	0	Inf. Dilution	dG:-205.4(4SF)	4	EFE	6422
8	80	0	Inf. Dilution	dG:-200.(0.7SD)	4	EIE	5049
9	25	0	Inf. Dilution	dH:-225.(0.5SD)	4	MCL	5049
10	25	0	Inf. Dilution	dH:-226.2(4SF)	4	MTD	6422
11	80	0	Inf. Dilution	dH:-225.(0.5SD)	4	EIE	5049
12	127	0	Inf. Dilution	dH:-225.7(4SF)	4	MTD	6422
13	227	0	Inf. Dilution	dH:-225.3(4SF)	4	MTD	6422
14	248	0	Inf. Dilution	dH:-225.2(4SF)	4	MTD	6422

Reaction No. 54715

Ba+2(3)_AsO4-3(2)_(s) = 3<Ba+2> + 2<AsO4-3>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:-20.13(0.05SD)	0	ENS	5468
2	25	0	Inf. Dilution	lgK:-21.66(4SF)	1	ELC	

Reaction No. 55143

2<NO3-1> + Ba+2 = Ba+2_NO3-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.04(0.1SD)	4	MSL	5055
2	25	0	Inf. Dilution	lgK:1.00(3SF)	5	CRV	8789
3	25	0	Inf. Dilution	lgK:1.0(2SF)	4	CRV	32224
4	25	0	UCT_Sea	lgK:1.04(0.01SD)	4	EDH	5390

5	25	0.1	UCT_Sea	lgK:0.41(0.01SD)	4	EDH	5390
6	25	0.2	UCT_Sea	lgK:0.26(0.01SD)	4	EDH	5390
7	25	0.3	UCT_Sea	lgK:0.18(0.01SD)	4	EDH	5390
8	25	0.4	UCT_Sea	lgK:0.12(0.01SD)	4	EDH	5390
9	25	0.5	LiClO4	lgK:0.11(0.05SD)	5	MSL	5055
10	25	0.5	UCT_Sea	lgK:0.08(0.01SD)	4	EDH	5390
11	25	0.6	UCT_Sea	lgK:0.05(0.01SD)	4	EDH	5390
12	25	0.7	UCT_Sea	lgK:0.03(0.01SD)	4	EDH	5390
13	25	1	LiClO4	lgK:-0.03(0.05SD)	5	MSL	5055
14	25	2	LiClO4	lgK:0.01(0.05SD)	2	MSL	5055
15	25	3	LiClO4	lgK:-0.15(0.05SD)	2	MSL	5055
16	25	4	LiClO4	lgK:0.03(0.05SD)	5	MSL	5055

Reaction No. 55144

3<NO3-1> + Ba+2 = Ba+2_NO3-1(3)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	LiClO4	lgK:-1.52(0.05SD)	2	MSL	5055
2	25	4	LiClO4	lgK:-0.57(0.05SD)	2	MSL	5055

Reaction No. 55145

4<NO3-1> + Ba+2 = Ba+2_NO3-1(4)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	LiClO4	lgK:-1.05(0.05SD)	2	MSL	5055
2	25	4	LiClO4	lgK:-1.39(0.05SD)	2	MSL	5055

Reaction No. 55221

Ba(s) + 9<H2(g)> + 5<O2(g)> = Ba+2_OH-1(2)_H2O(8)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:488.1(4SF)	1	ELC	
2	25	0	Inf. Dilution	dG:-667.6(0.1SD)	0	ENS	802
3	25	0	Inf. Dilution	dG:-2792.5(5SF)kJ	0	EOD	29025
4	25	0	Inf. Dilution	dH:-798.8(0.1SD)	0	ENS	802
5	25	0	Inf. Dilution	dH:-3359.9(5SF)kJ	3	EOD	29025

Reaction No. 55222

Ba(s) + F2(g) = Ba+2_F-1(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0	Inf. Dilution	lgK:202.3(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:203.0(4SF)	0	ENS	6422
3	27	0	Inf. Dilution	lgK:201.6(4SF)	0	ENS	6422
4	127	0	Inf. Dilution	lgK:149.1(4SF)	0	ENS	6422
5	227	0	Inf. Dilution	lgK:117.5(4SF)	0	ENS	6422
6	327	0	Inf. Dilution	lgK:96.51(4SF)	0	ENS	6422
7	25	0	Inf. Dilution	dG:-276.5(0.05SD)	0	ENS	802
8	25	0	Inf. Dilution	dG:-1156.8(5SF)kJ	0	CRV	6330
9	25	0	Inf. Dilution	dG:-276.5(4SF)	0	EFE	6422
10	25	0	Inf. Dilution	dG:-1156.8(5SF)kJ	0	CRV	10802
11	25	0	Inf. Dilution	dH:-288.5(0.1SD)	0	ENS	802
12	25	0	Inf. Dilution	dH:-1207.1(5SF)kJ	0	CRV	6330
13	25	0	Inf. Dilution	dH:-288.9(4SF)	0	MTD	6422
14	25	0	Inf. Dilution	dH:-1207.1(5SF)kJ	0	CRV	10802
15	127	0	Inf. Dilution	dH:-288.6(4SF)	0	MTD	6422
16	227	0	Inf. Dilution	dH:-288.5(4SF)	0	MTD	6422
17	327	0	Inf. Dilution	dH:-288.6(4SF)	0	MTD	6422

Reaction No. 55223							
Ba(s) + F2(g) = Ba+2_F-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-267.3(0.05SD)	4	ENS	802
2	25	0	Inf. Dilution	dH:-287.5(0.1SD)	4	ENS	802

Reaction No. 55224							
Ba(s) + F2(g) = Ba+2_F-1(2)_(g)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:142.6(4SF)	1	EDH	
2	25	0	Inf. Dilution	lgK:142.7(4SF)	4	ENS	6422
3	27	0	Inf. Dilution	lgK:141.8(4SF)	4	ENS	6422
4	127	0	Inf. Dilution	lgK:106.8(4SF)	4	ENS	6422
5	227	0	Inf. Dilution	lgK:85.80(4SF)	4	ENS	6422
6	327	0	Inf. Dilution	lgK:71.75(4SF)	4	ENS	6422
7	25	0	Inf. Dilution	dG:-198.0(0.1SD)	0	ENS	802
8	25	0	Inf. Dilution	dG:-194.9(4SF)	4	EFE	6422
9	25	0	Inf. Dilution	dH:-195.5(0.1SD)	4	ENS	802

10	25	0	Inf. Dilution	dH:-192.1(4SF)	0	MTD	6422
11	127	0	Inf. Dilution	dH:-192.3(4SF)	4	MTD	6422
12	227	0	Inf. Dilution	dH:-192.6(4SF)	4	MTD	6422
13	327	0	Inf. Dilution	dH:-193.3(4SF)	4	MTD	6422

Reaction No. 55225

Ba(s) + Cl2(g) = Ba+2_Cl-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-196.8(0.05SD)	5	ENS	802
2	25	0	Inf. Dilution	dH:-208.4(0.1SD)	5	ENS	802

Reaction No. 55226

Ba(s) + Cl2(g) = Ba+2_Cl-1(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:142.0(4SF)	2	ENS	6422
2	27	0	Inf. Dilution	lgK:141.0(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:103.7(4SF)	2	ENS	6422
4	227	0	Inf. Dilution	lgK:81.30(4SF)	2	ENS	6422
5	327	0	Inf. Dilution	lgK:66.379(5SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-193.7(0.1SD)	2	ENS	802
7	25	0	Inf. Dilution	dG:-810.4(4SF)kJ	2	CRV	6330
8	25	0	Inf. Dilution	dG:-193.7(4SF)	2	EFE	6422
9	25	0	Inf. Dilution	dG:-810.4(4SF)kJ	2	EFE	7275
10	25	0	Inf. Dilution	dG:-806.950(1.3SD)kJ	4	CRV	27292
11	25	0	Inf. Dilution	dG:-810.9(4SF)kJ	4	EOD	29025
12	25	0	Inf. Dilution	dH:-205.2(0.1SD)	2	ENS	802
13	25	0	Inf. Dilution	dH:-858.6(4SF)kJ	3	CRV	6330
14	25	0	Inf. Dilution	dH:-205.2(4SF)	2	MTD	6422
15	25	0	Inf. Dilution	dH:-858.6(4SF)kJ	5	MTD	7275
16	25	0	Inf. Dilution	dH:-855.200(1.3SD)kJ	5	CRV	27292
17	25	0	Inf. Dilution	dH:-860.1(4SF)kJ	4	EOD	29025
18	127	0	Inf. Dilution	dH:-204.9(4SF)	2	MTD	6422
19	227	0	Inf. Dilution	dH:-204.8(4SF)	0	MTD	6422
20	327	0	Inf. Dilution	dH:-204.9(4SF)	0	MTD	6422
21	25	0	Inf. Dilution	Cp:75.1(3SF)J/K	3	EOD	29025

Reaction No. 55227

Ba(s) + Cl2(g) = Ba+2_Cl-1(2)_(g)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-128.5(0.1SD)	5	ENS	802
2	25	0	Inf. Dilution	dH:-125.7(0.1SD)	5	ENS	802

Reaction No. 55228							
Ba(s) + Cl2(g) + H2(g) + 0.5<O2(g)> = Ba+2_Cl-1(2)_H2O_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-252.3(0.05SD)	3	ENS	802
2	25	0	Inf. Dilution	dG:-1059.0(5SF)kJ	4	EOD	29025
3	25	0	Inf. Dilution	dH:-277.4(0.1SD)	3	ENS	802
4	25	0	Inf. Dilution	dH:-1164.8(5SF)kJ	4	EOD	29025
5	25	0	Inf. Dilution	Cp:116.8(4SF)J/K	3	EOD	29025

Reaction No. 55229							
Ba(s) + Cl2(g) + 2<H2(g)> + O2(g) = Ba+2_Cl-1(2)_H2O(2)_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-309.9(0.05SD)	5	ENS	802
2	25	0	Inf. Dilution	dG:-1296.30(6SF)kJ	5	CRV	24003
3	25	0	Inf. Dilution	dG:-1295.8(5SF)kJ	4	EOD	29025
4	25	0	Inf. Dilution	dH:-349.0(0.1SD)	5	ENS	802
5	25	0	Inf. Dilution	dH:-1461.7(5SF)kJ	4	EOD	29025
6	25	0	Inf. Dilution	Cp:158.5(4SF)J/K	3	EOD	29025

Reaction No. 55230							
Ba(s) + Cl2(g) + 5.5<O2(g)> + 3<H2(g)> = Ba+2_ClO4-1(2)_H2O(3)_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-303.7(0.1SD)	5	ENS	802
2	25	0	Inf. Dilution	dH:-404.3(0.1SD)	5	ENS	802

Reaction No. 55231							
Ba(s) + S(s) = Ba+2_S-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:79.78(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:79.29(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:59.24(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:47.12(4SF)	3	ENS	6422

5	327	0	Inf. Dilution	lgK:38.99(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-109.0(0.1SD)	4	ENS	802
7	25	0	Inf. Dilution	dG:-456.0(4SF)kJ	3	CRV	6330
8	25	0	Inf. Dilution	dG:-108.8(4SF)	4	EFE	6422
9	25	0	Inf. Dilution	dH:-110.(1.SD)	4	ENS	802
10	25	0	Inf. Dilution	dH:-460.0(4SF)kJ	3	CRV	6330
11	25	0	Inf. Dilution	dH:-110.0(4SF)	4	MTD	6422
12	127	0	Inf. Dilution	dH:-110.6(4SF)	4	MTD	6422
13	227	0	Inf. Dilution	dH:-111.3(4SF)	3	MTD	6422
14	327	0	Inf. Dilution	dH:-112.1(4SF)	0	MTD	6422

Reaction No. 55232							
Ba(s) + 2<O2(g)> + S(s) = Ba+2_SO4-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:238.7(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:238.6(4SF)	4	ENS	6422
3	25	0	Inf. Dilution	lgK:238.7(4SF)	4	ENS	6494
4	27	0	Inf. Dilution	lgK:237.0(4SF)	0	ENS	6422
5	27	0	Inf. Dilution	lgK:237.1(4SF)	0	ENS	6494
6	127	0	Inf. Dilution	lgK:172.9(4SF)	4	ENS	6422
7	127	0	Inf. Dilution	lgK:173.0(4SF)	4	ENS	6494
8	227	0	Inf. Dilution	lgK:134.4(4SF)	3	ENS	6422
9	227	0	Inf. Dilution	lgK:134.4(4SF)	3	ENS	6494
10	327	0	Inf. Dilution	lgK:108.6(4SF)	0	ENS	6422
11	327	0	Inf. Dilution	lgK:108.7(4SF)	0	ENS	6494
12	25	0	Inf. Dilution	dG:-325.6(0.1SD)	4	ENS	802
13	25	0	Inf. Dilution	dG:-1362.2(5SF)kJ	3	CRV	6330
14	25	0	Inf. Dilution	dG:-325.6(4SF)	4	EFE	6422
15	25	0	Inf. Dilution	dG:-325.6(4SF)	4	EFE	6494
16	25	0	Inf. Dilution	dG:-1362.2(5SF)kJ	4	CRV	10802
17	25	0	Inf. Dilution	dG:-1362.2(5SF)kJ	4	EOD	29025
18	25	0	Inf. Dilution	dG:-1352.4(5SF)kJ	0	CRV	29556
19	25	0	GAMSPATH	dG:-1362.(4SF)kJ	3	CRV	12638
20	25	0	Inf. Dilution	dH:-352.1(0.1SD)	2	ENS	802
21	25	0	Inf. Dilution	dH:-1473.2(5SF)kJ	2	CRV	6330
22	25	0	Inf. Dilution	dH:-352.1(4SF)	2	MTD	6422

23	25	0	Inf. Dilution	dH:-352.2(4SF)	2	MTD	6494
24	25	0	Inf. Dilution	dH:-1473.2(5SF)kJ	2	CRV	10802
25	25	0	Inf. Dilution	dH:-1473.2(5SF)kJ	2	EOD	29025
26	25	0	Inf. Dilution	dH:-1464.5(5SF)kJ	2	CRV	29556
27	25	0	Inf. Dilution	dH:-1464.5(5SF)kJ	4	MCL	29612
Note (27): Average of two values							
28	25	0	GAMSPATH	dH:-1473.20(6SF)kJ	0	CRV	12638
29	127	0	Inf. Dilution	dH:-352.6(4SF)	1	MTD	6422
30	127	0	Inf. Dilution	dH:-352.8(4SF)	0	MTD	6494
31	227	0	Inf. Dilution	dH:-352.9(4SF)	0	MTD	6422
32	227	0	Inf. Dilution	dH:-353.1(4SF)	0	MTD	6494
33	327	0	Inf. Dilution	dH:-353.4(4SF)	0	MTD	6422
34	327	0	Inf. Dilution	dH:-353.5(4SF)	0	MTD	6494
35	25	0	Inf. Dilution	Cp:101.8(4SF)J/K	3	EOD	29025

Reaction No. 55242

Ba(s) + N2(g) + 3<O2(g)> = Ba+2_NO3-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:138.1(4SF)	1	ELC	
2	25	0	Inf. Dilution	dG:-187.2(0.05SD)	0	ENS	802
3	25	0	Inf. Dilution	dH:-227.6(0.1SD)	2	ENS	802

Reaction No. 55243

Ba(s) + N2(g) + 3<O2(g)> = Ba+2_NO3-1(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:139.6(4SF)	4	ENS	6422
2	25	0	Inf. Dilution	lgK:139.6(4SF)	4	ENS	6494
3	27	0	Inf. Dilution	lgK:138.5(4SF)	0	ENS	6422
4	27	0	Inf. Dilution	lgK:138.5(4SF)	0	ENS	6494
5	127	0	Inf. Dilution	lgK:95.33(4SF)	4	ENS	6422
6	127	0	Inf. Dilution	lgK:95.33(4SF)	4	ENS	6494
7	227	0	Inf. Dilution	lgK:69.49(4SF)	3	ENS	6422
8	227	0	Inf. Dilution	lgK:69.49(4SF)	3	ENS	6494
9	327	0	Inf. Dilution	lgK:52.31(4SF)	0	ENS	6422
10	327	0	Inf. Dilution	lgK:52.31(4SF)	0	ENS	6494
11	25	0	Inf. Dilution	dG:-190.4(0.05SD)	4	ENS	802

12	25	0	Inf. Dilution	dG:-796.6(4SF)kJ	3	CRV	6330
13	25	0	Inf. Dilution	dG:-190.4(4SF)	4	EFE	6422
14	25	0	Inf. Dilution	dG:-190.4(4SF)	4	EFE	6494
15	25	0	Inf. Dilution	dH:-237.1(0.1SD)	4	ENS	802
16	25	0	Inf. Dilution	dH:-992.1(4SF)kJ	3	CRV	6330
17	25	0	Inf. Dilution	dH:-237.1(4SF)	4	MTD	6422
18	25	0	Inf. Dilution	dH:-237.1(4SF)	4	MTD	6494
19	127	0	Inf. Dilution	dH:-236.7(4SF)	4	MTD	6422
20	127	0	Inf. Dilution	dH:-236.7(4SF)	4	MTD	6494
21	227	0	Inf. Dilution	dH:-236.1(4SF)	3	MTD	6422
22	227	0	Inf. Dilution	dH:-236.1(4SF)	3	MTD	6494
23	327	0	Inf. Dilution	dH:-235.4(4SF)	0	MTD	6422
24	327	0	Inf. Dilution	dH:-235.4(4SF)	0	MTD	6494

Reaction No. 55244

Ba(s) + C(s) + 1.5<O2(g)> = Ba+2_CO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-263.83(5SF)	3	CRV	10174
2	50	0	Inf. Dilution	dG:-264.20(5SF)	2	CRV	10174
3	75	0	Inf. Dilution	dG:-264.53(5SF)	2	CRV	10174
4	100	0	Inf. Dilution	dG:-264.82(5SF)	1	CRV	10174
5	125	0	Inf. Dilution	dG:-265.08(5SF)	1	CRV	10174
6	150	0	Inf. Dilution	dG:-265.32(5SF)	1	CRV	10174
7	175	0	Inf. Dilution	dG:-265.54(5SF)	1	CRV	10174
8	200	0	Inf. Dilution	dG:-265.74(5SF)	1	CRV	10174
9	225	0	Inf. Dilution	dG:-265.92(5SF)	0	CRV	10174
10	250	0	Inf. Dilution	dG:-266.09(5SF)	0	CRV	10174
11	300	0	Inf. Dilution	dG:-266.39(5SF)	0	CRV	10174
12	25	0	Inf. Dilution	dH:-290.3(0.1SD)	5	ENS	802

Reaction No. 55245

C(s) + Ba(s) + 1.5<O2(g)> = Ba+2_CO3-2_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:199.3(4SF)	4	ENS	6422
2	25	0	Inf. Dilution	lgK:198.4(4SF)	2	ENS	6494
3	27	0	Inf. Dilution	lgK:198.0(4SF)	0	ENS	6422

4	27	0	Inf. Dilution	lgK:197.0(4SF)	0	ENS	6494
5	127	0	Inf. Dilution	lgK:145.1(4SF)	2	ENS	6422
6	127	0	Inf. Dilution	lgK:144.4(4SF)	2	ENS	6494
7	227	0	Inf. Dilution	lgK:113.3(4SF)	1	ENS	6422
8	227	0	Inf. Dilution	lgK:112.8(4SF)	1	ENS	6494
9	327	0	Inf. Dilution	lgK:92.18(4SF)	0	ENS	6422
10	327	0	Inf. Dilution	lgK:91.71(4SF)	0	ENS	6494
11	25	0	Inf. Dilution	dG:-271.9(0.1SD)	4	ENS	802
12	25	0	Inf. Dilution	dG:-1137.6(5SF)kJ	4	CRV	6330
13	25	0	Inf. Dilution	dG:-271.9(4SF)	4	EFE	6422
14	25	0	Inf. Dilution	dG:-270.6(4SF)	0	EFE	6494
15	25	0	Inf. Dilution	dG:-1137.6(5SF)kJ	4	CRV	10802
16	25	0	Inf. Dilution	dG:-1132.2(5SF)kJ	2	EOD	29025
17	25	0	Inf. Dilution	dG:-1132.2(5SF)kJ	2	CRV	29556
18	25	0	GAMSPATH	dG:-1166.(4SF)kJ	0	CRV	12638
19	25	0	Inf. Dilution	dH:-290.7(0.1SD)	4	ENS	802
20	25	0	Inf. Dilution	dH:-1216.3(5SF)kJ	4	CRV	6330
21	25	0	Inf. Dilution	dH:-290.7(4SF)	4	MTD	6422
22	25	0	Inf. Dilution	dH:-289.4(4SF)	2	MTD	6494
23	25	0	Inf. Dilution	dH:-1216.3(5SF)kJ	4	CRV	10802
24	25	0	Inf. Dilution	dH:-1210.9(5SF)kJ	4	EOD	29025
25	25	0	Inf. Dilution	dH:-1210.9(5SF)kJ	5	CRV	29556
26	25	0	GAMSPATH	dH:-1244.70(6SF)kJ	0	CRV	12638
27	127	0	Inf. Dilution	dH:-290.5(4SF)	0	MTD	6422
28	127	0	Inf. Dilution	dH:-289.2(4SF)	1	MTD	6494
29	227	0	Inf. Dilution	dH:-290.4(4SF)	0	MTD	6422
30	227	0	Inf. Dilution	dH:-289.0(4SF)	0	MTD	6494
31	327	0	Inf. Dilution	dH:-290.4(4SF)	0	MTD	6422
32	327	0	Inf. Dilution	dH:-289.0(4SF)	0	MTD	6494
33	25	0	Inf. Dilution	Cp:86.0(3SF)J/K	3	EOD	29025

Reaction No. 55246

Ba(s) + H2(g) + 2<C(s)> + 3<O2(g)> = Ba+2_H+1(2)_CO3-2(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-414.5(0.05SD)	1	ENS	802

Note (1): poss refers to the solid

2	25	0	Inf. Dilution	dH:-459.3(0.1SD)	1	ENS	802

Reaction No. 55247							
Ba+2 + OH-1 = Ba+2_OH-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	5	0	Inf. Dilution	lgK:0.62(2SF)	4	MHY	5078
2	15	0	Inf. Dilution	lgK:0.60(2SF)	4	MHY	5078
3	25	0	Inf. Dilution	lgK:0.6(0.05SD)	4	ENS	68
4	25	0	Inf. Dilution	lgK:0.64(2SF)	4	MHY	5078
5	25	0	Inf. Dilution	lgK:0.64(0.1SD)	4	CMN	7391
6	25	0	Inf. Dilution	lgK:0.64(2SF)	3	MCN	11989
7	25	0	Inf. Dilution	lgK:0.41(2SF)	2	EMS	12547
8	25	0	Inf. Dilution	lgK:0.55(2SF)	3	EOD	16981
9	25	0	Inf. Dilution	lgK:0.64(2SF)	3	EOD	26195
10	25	0.1	Unknown	lgK:0.4(1SF)	3	CRV	2556
11	25	0.7	Unknown	lgK:0.01(0.05SD)	3	EES	7391
12	25	3	NaClO4	lgK:0.004(0.05SD)	5	MIS	5066
13	35	0	Inf. Dilution	lgK:0.69(2SF)	4	MHY	5078
14	45	0	Inf. Dilution	lgK:0.72(2SF)	4	MHY	5078
15	25	0	Inf. Dilution	dH:1.2(0.1SD)	4	MHG	931

Reaction No. 55248							
Ba+2 + H+1_PO4-3 = Ba+2_H+1_PO4-3_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:7.4(0.05SD)	4	MSL	931
2	25	0	Inf. Dilution	lgK:7.46(3SF)	2	EAE	
3	38	0	Inf. Dilution	lgK:7.6(0.05SD)	4	MSL	140

Reaction No. 55249							
P4O12-4 + Ba+2 = Ba+2_P4O12-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.99(0.05SD)	4	MCN	386

Reaction No. 55306							
CO3-2 + Ba+2 = Ba+2_CO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	5	0	Inf. Dilution	lgK:2.536(4SF)	5	CRV	9203

2	25	0	Inf. Dilution	lgK:2.7(0.07SD)	4	CRV	552
3	25	0	Inf. Dilution	lgK:2.2(0.05SD)	0	MAC	5104
4	25	0	Inf. Dilution	lgK:2.8(2SF)	4	ENS	6405
5	25	0	Inf. Dilution	lgK:2.71(3SF)	4	ENS	6496
6	25	0	Inf. Dilution	lgK:2.710(4SF)	5	CRV	9203
7	25	0	Inf. Dilution	lgK:2.78(3SF)	4	CRV	32224
8	25	0	UCT_Sea	lgK:2.22(0.01SD)	0	EDH	5390
9	25	0.1	UCT_Sea	lgK:1.37(0.01SD)	3	EDH	5390
10	25	0.2	UCT_Sea	lgK:1.17(0.01SD)	3	EDH	5390
11	25	0.3	UCT_Sea	lgK:1.05(0.01SD)	4	EDH	5390
12	25	0.4	UCT_Sea	lgK:0.96(0.01SD)	4	EDH	5390
13	25	0.5	UCT_Sea	lgK:0.90(0.01SD)	4	EDH	5390
14	25	0.6	UCT_Sea	lgK:0.85(0.01SD)	4	EDH	5390
15	25	0.7	UCT_Sea	lgK:0.81(0.01SD)	4	EDH	5390
16	25			lgK:3.78(3SF)	0	ENS	5181
17	40	0	Inf. Dilution	lgK:2.841(4SF)	5	CRV	9203
18	60	0	Inf. Dilution	lgK:3.016(4SF)	5	CRV	9203
19	80	0	Inf. Dilution	lgK:3.190(4SF)	5	CRV	9203
20	25	0	Inf. Dilution	dG:-15.486(5SF)kJ	5	CRV	9203
21	0:80	0	Inf. Dilution	dH:4.(1SF)	4	CRV	552
22	25	0	Inf. Dilution	dH:3.55(3SF)	4	ENS	6496
23	25	0	Inf. Dilution	dH:14.841(5SF)kJ	5	CRV	9203

Reaction No. 55371							
NH3 + Ba+2 = Ba+2_NH3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.2459(4SF)	1	EOR	
2	25	0	Inf. Dilution	lgK:-0.1(0.05SD)	4	MDS	5084
3	25	0.5	NH4ClO4	lgK:-0.2(0.05SD)	5	MDS	5084
4	25	1	NH4ClO4	lgK:-0.3(0.05SD)	5	MDS	5084
5	25	1.5	NH4ClO4	lgK:-0.4(0.05SD)	5	MDS	5084
6	25	5	Unknown	lgK:-0.15(2SF)	4	EES	1548

Reaction No. 55372							
Ba+2_NH3 + NH3 = Ba+2_NH3(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0	Inf. Dilution	lgK:-0.5(0.05SD)	4	MDS	5084
2	25	0.5	NH4ClO4	lgK:-0.6(0.05SD)	5	MDS	5084
3	25	1	NH4ClO4	lgK:-0.7(0.05SD)	5	MDS	5084
4	25	1.5	NH4ClO4	lgK:-0.7(0.05SD)	5	MDS	5084

Reaction No. 55373							
Ba+2_NH3(2) + NH3 = Ba+2_NH3(3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.8(0.05SD)	4	MDS	5084
2	25	0.5	NH4ClO4	lgK:-0.8(0.05SD)	5	MDS	5084
3	25	1	NH4ClO4	lgK:-0.9(0.05SD)	5	MDS	5084
4	25	1.5	NH4ClO4	lgK:-1.0(0.05SD)	5	MDS	5084

Reaction No. 55502							
Ba+2 + Fe+3_CN-1(6) = Fe+3_Ba+2_CN-1(6)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.9(0.03SD)	4	MCN	222
2	25	0.1	NO3-1 salt	lgK:1.53(0.01SD)	6	MCL	5304
3	25	0.1	NO3-1 salt	dH:0.42(0.02SD)	6	MCL	5304
4	25	3	LiCl	dH:-3.7(0.1SD)	5	MIS	5306

Reaction No. 55599							
Ba+2_H+1(4)_AsO4-3(2)_H2O_(s) + 2<H+1> = Ba+2 + 2<H+1(3)_AsO4-3> + H2O							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.7(0.1SD)	4	ENS	5522

Reaction No. 55600							
Ba+2_H+1_AsO4-3_H2O_(s) + H+1 = Ba+2 + H+1(2)_AsO4-3 + H2O							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.7(0.1SD)	4	ENS	5522

Reaction No. 55601							
Ba+2(3)_AsO4-3(2)_(s) + 2<H+1> = 3<Ba+2> + 2<H+1_AsO4-3>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:3.2(0.1SD)	0	ENS	5522
Note (1): Low wgt for inter-reaction consistency							

Reaction No. 55711							
Ba+2_CO3-2_(s) = Ba+2 + CO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	P=400 Inf. Dilution	lgK:-8.085(4SF)	3	CRV	11928
Note (1): with lgK0=-8.488 & Kp/K=2.53							
2	25	0	P=1000 Inf. Dilution	lgK:-7.554(4SF)	3	CRV	11928
Note (2): with lgK0=-8.488 & Kp/K=8.60							
3	0	0	Inf. Dilution	lgK:-8.70(3SF)	4	EFE	31803
4	5	0	Inf. Dilution	lgK:-8.678(4SF)	5	CRV	9203
5	10	0	Inf. Dilution	lgK:-8.632(4SF)	5	CRV	9203
6	15	0	Inf. Dilution	lgK:-8.598(4SF)	5	CRV	9203
7	25	0	Inf. Dilution	lgK:-7.99(3SF)	1	CRV	
Note (7): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
8	25	0	Inf. Dilution	lgK:-8.2(0.05SD)	2	ENS	5398
9	25	0	Inf. Dilution	lgK:-8.59(3SF)	0	CRV	6330
Note (9): p. 8-58							
10	25	0	Inf. Dilution	lgK:-8.3(2SF)	2	ENS	6405
11	25	0	Inf. Dilution	lgK:-8.562(4SF)	0	ENS	6496
12	25	0	Inf. Dilution	lgK:-8.72(3SF)	0	ENS	7694
13	25	0	Inf. Dilution	lgK:-8.562(4SF)	5	CRV	9203
14	25	0	Inf. Dilution	lgK:-8.31(3SF)	3	EOD	12584
15	25	0	Inf. Dilution	lgK:-8.09(3SF)	0	CRV	22551
16	25	0	Inf. Dilution	lgK:-8.31(3SF)	3	CRV	28992
17	25	0	Inf. Dilution	lgK:-8.54(0.015SD)	4	EOD	31301
18	25	0	Inf. Dilution	lgK:-8.58(3SF)	4	EFE	31803
19	25	0	Inf. Dilution	lgK:-8.30(3SF)	3	CRV	32224
20	30	0	Inf. Dilution	lgK:-8.09(3SF)	0	MCE	8375
21	35	0	Inf. Dilution	lgK:-8.561(4SF)	5	CRV	9203
22	45	0	Inf. Dilution	lgK:-8.589(4SF)	5	CRV	9203
23	50	0	Inf. Dilution	lgK:-8.3(0.05SD)	3	ENS	5398
24	50	0	Inf. Dilution	lgK:-8.26(3SF)	3	CRV	28992
25	50	0	Inf. Dilution	lgK:-8.62(3SF)	4	EFE	31803
26	65	0	Inf. Dilution	lgK:-8.709(4SF)	5	CRV	9203
27	75	0	Inf. Dilution	lgK:-8.78(3SF)	4	EFE	31803
28	90	0	Inf. Dilution	lgK:-8.933(4SF)	4	CRV	9203

29	100	0	Inf. Dilution	lgK:-8.6(0.05SD)	2	ENS	5398
30	100	0	Inf. Dilution	lgK:-8.79(3SF)	3	CRV	28992
31	100	0	Inf. Dilution	lgK:-9.03(3SF)	4	EFE	31803
32	125	0	Inf. Dilution	lgK:-9.34(3SF)	3	EFE	31803
33	150	0	Inf. Dilution	lgK:-9.2(0.05SD)	2	ENS	5398
34	150	0	Inf. Dilution	lgK:-9.46(3SF)	2	CRV	28992
35	150	0	Inf. Dilution	lgK:-9.70(3SF)	2	EFE	31803
36	175	0	Inf. Dilution	lgK:-10.08(4SF)	2	EFE	31803
37	200	0	Inf. Dilution	lgK:-10.0(0.05SD)	4	ENS	5398
38	200	0	Inf. Dilution	lgK:-10.34(4SF)	2	CRV	28992
39	200	0	Inf. Dilution	lgK:-10.50(4SF)	2	EFE	31803
40	225	0	Inf. Dilution	lgK:-10.53(4SF)	4	EFE	31803
41	250	0	Inf. Dilution	lgK:-11.0(0.05SD)	4	ENS	5398
42	250	0	Inf. Dilution	lgK:-11.33(4SF)	2	CRV	28992
43	250	0	Inf. Dilution	lgK:-11.37(4SF)	1	EFE	31803
44	275	0	Inf. Dilution	lgK:-11.82(4SF)	0	EFE	31803
45	300	0	Inf. Dilution	lgK:-12.28(4SF)	0	EFE	31803
46	25	0	Inf. Dilution	dG:48.869(5SF)kJ	5	CRV	9203
47	25	0	Inf. Dilution	dH:0.703(3SF)	4	ENS	6496
48	25	0	Inf. Dilution	dH:2.940(4SF)kJ	5	CRV	9203

Reaction No. 55718

Ba+2_SO3-2_(s) + CO3-2 = Ba+2_CO3-2_(s) + SO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-9.3(0.05SD)	4	ENS	5552

Reaction No. 55721

S2O3-2 + Ba+2 = Ba+2_S2O3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.27(0.02SD)	5	CMN	140
2	25	0	Inf. Dilution	lgK:2.33(3SF)	4	MCN	140
3	25	0	Inf. Dilution	lgK:2.21(3SF)	4	MSL	140
4	25	0	Inf. Dilution	lgK:2.328(4SF)	4	EOD	12002
5	35	0	Inf. Dilution	lgK:2.28(3SF)	4	MSL	140
6	25:35	0	Inf. Dilution	dH:3.(0.5SD)	4	EVH	140

Reaction No. 55725

Ba+2_S2O3-2_(s) = Ba+2 + S2O3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-4.8(2SF)	1	CRV	
Note (1): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
2	25	0	Inf. Dilution	lgK:-4.8(0.05SD)	4	MSL	140

Reaction No. 55743							
Ba(s) + H2(g) = BaH2(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:26.50(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:26.30(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:18.00(4SF)	3	ENS	6422
4	227	0	Inf. Dilution	lgK:12.99(4SF)	3	ENS	6422
5	327	0	Inf. Dilution	lgK:9.610(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-31.6(0.1SD)	0	ENS	5551
7	25	0	Inf. Dilution	dG:-36.16(4SF)	4	EFE	6422
8	25	0	Inf. Dilution	dH:-42.7(0.1SD)	4	ENS	3006
9	25	0	Inf. Dilution	dH:-178.7(4SF)kJ	3	CRV	6330
10	25	0	Inf. Dilution	dH:-45.43(4SF)	4	MTD	6422
11	127	0	Inf. Dilution	dH:-45.70(4SF)	3	MTD	6422
12	227	0	Inf. Dilution	dH:-46.11(4SF)	3	MTD	6422
13	327	0	Inf. Dilution	dH:-46.70(4SF)	0	MTD	6422

Reaction No. 56041							
Ba+2 + H2O = Ba+2_OH-1 + H+1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-13.47(4SF)	5	CRV	6478
2	25	0	Inf. Dilution	lgK:-13.47(4SF)	4	ENS	6496
3	25	0	Inf. Dilution	lgK:-13.498(5SF)	4	CRV	8789
4	25	0	Inf. Dilution	lgK:-13.47(0.25SD)	4	EOD	31301
5	25	0	Inf. Dilution	lgK:-13.32(0.07SD)	4	EFE	31799
6	25	0	Inf. Dilution	lgK:-13.39(4SF)	4	CRV	32224
7	25	0	CHEMVAL4	lgK:-13.20(0.01SD)	0	ENS	5156
Note (7): Low wgt for internal consistency							
8	25	0	UCT_Sea	lgK:-13.36(0.01SD)	4	EDH	5390
9	25	0.1	UCT_Sea	lgK:-13.57(0.01SD)	4	EDH	5390

10	25	0.2	UCT_Sea	lgK:-13.63(0.01SD)	4	EDH	5390
11	25	0.3	UCT_Sea	lgK:-13.68(0.01SD)	4	EDH	5390
12	25	0.4	UCT_Sea	lgK:-13.70(0.01SD)	4	EDH	5390
13	25	0.5	UCT_Sea	lgK:-13.73(0.01SD)	4	EDH	5390
14	25	0.6	UCT_Sea	lgK:-13.77(0.01SD)	4	EDH	5390
15	25	0.7	UCT_Sea	lgK:-13.78(0.01SD)	4	EDH	5390
16	25	0	Inf. Dilution	dH:15.4(3SF)	3	CRV	6478

Reaction No. 56101							
Ba+2_SO4-2_(s) = Ba+2 + SO4-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0	Inf. Dilution	lgK:-10.5170(6SF)	4	CRV	31793
2	0	0	Inf. Dilution	lgK:-10.46(4SF)	4	EFE	31806
3	10	0	Inf. Dilution	lgK:-10.2120(6SF)	4	CRV	31793
4	20	0	Inf. Dilution	lgK:-10.0160(6SF)	4	CRV	31793
5	25	0	Inf. Dilution	lgK:-9.96(3SF)	1	CRV	
Note (5): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
6	25	0	Inf. Dilution	lgK:-10.1(3SF)	0	ENS	5648
7	25	0	Inf. Dilution	lgK:-9.97(3SF)	3	CRV	6330
Note (7): p. 8-58							
8	25	0	Inf. Dilution	lgK:-9.96(3SF)	4	ENS	6405
9	25	0	Inf. Dilution	lgK:-9.96(3SF)	2	CRV	6405
10	25	0	Inf. Dilution	lgK:-9.97(3SF)	4	ENS	6496
11	25	0	Inf. Dilution	lgK:-9.92(3SF)	4	ENS	7694
12	25	0	Inf. Dilution	lgK:-9.96(3SF)	2	CRV	22551
13	25	0	Inf. Dilution	lgK:-9.97(3SF)	2	EOD	23102
14	25	0	Inf. Dilution	lgK:-9.98(3SF)	3	MSL	27538
15	25	0	Inf. Dilution	lgK:-9.74(3SF)	4	CRV	28992
16	25	0	Inf. Dilution	lgK:-10.02(4SF)	3	EOD	29160
17	25	0	Inf. Dilution	lgK:-9.97(3SF)	4	EOD	29487
18	25	0	Inf. Dilution	lgK:-10.05(0.025SD)	4	EOD	31301
19	25	0	Inf. Dilution	lgK:-9.9423(5SF)	4	CRV	31793
20	25	0	Inf. Dilution	lgK:-9.96(3SF)	4	EFE	31806
21	25	0	Inf. Dilution	lgK:-9.95(3SF)	4	CRV	32224
22	25	0	CHEMVAL4	lgK:-9.95(0.01SD)	4	ENS	5156
23	25	0	Inf. Dilution/m	lgK:-10.008(5SF)	2	MSL	12860

24	25	0	Inf. Dilution/m	lgK:-9.96(3SF)	2	MSL	16142
25	25	0.4	NaCl/m	lgK:-8.35(3SF)	2	MSL	16142
26	25	1	NaCl/m	lgK:-8.04(3SF)	3	MSL	16142
27	25	2	NaCl/m	lgK:-7.81(3SF)	3	MSL	16142
28	25	3	NaCl/m	lgK:-7.68(3SF)	3	MSL	16142
29	25	4	NaCl/m	lgK:-7.59(3SF)	3	MSL	16142
30	25	5	NaCl/m	lgK:-7.50(3SF)	2	MSL	16142
31	30	0	Inf. Dilution	lgK:-9.92(3SF)	3	MCE	8375
32	30	0	Inf. Dilution	lgK:-9.8798(5SF)	4	CRV	31793
33	35	0	Inf. Dilution/m	lgK:-9.83(3SF)	2	MSL	16142
34	35	0.4	NaCl/m	lgK:-8.25(3SF)	3	MSL	16142
35	35	1	NaCl/m	lgK:-7.95(3SF)	3	MSL	16142
36	35	2	NaCl/m	lgK:-7.72(3SF)	3	MSL	16142
37	35	3	NaCl/m	lgK:-7.61(3SF)	3	MSL	16142
38	35	4	NaCl/m	lgK:-7.51(3SF)	3	MSL	16142
39	35	5	NaCl/m	lgK:-7.42(3SF)	3	MSL	16142
40	40	0	Inf. Dilution	lgK:-9.7809(5SF)	4	CRV	31793
41	50	0	Inf. Dilution	lgK:-9.41(3SF)	4	CRV	28992
42	50	0	Inf. Dilution	lgK:-9.7080(5SF)	4	CRV	31793
43	50	0	Inf. Dilution	lgK:-9.67(3SF)	4	EFE	31806
44	50	0	Inf. Dilution/m	lgK:-9.71(3SF)	2	MSL	16142
45	50	0.4	NaCl/m	lgK:-8.10(3SF)	3	MSL	16142
46	50	1	NaCl/m	lgK:-7.79(3SF)	3	MSL	16142
47	50	2	NaCl/m	lgK:-7.57(3SF)	3	MSL	16142
48	50	3	NaCl/m	lgK:-7.46(3SF)	2	MSL	16142
49	50	4	NaCl/m	lgK:-7.37(3SF)	3	MSL	16142
50	50	5	NaCl/m	lgK:-7.31(3SF)	3	MSL	16142
51	60	0	Inf. Dilution	lgK:-9.67(3SF)	3	MSL	27538
52	60	0	Inf. Dilution	lgK:-9.6544(5SF)	4	CRV	31793
53	65	0	Inf. Dilution/m	lgK:-9.66(3SF)	2	MSL	16142
54	65	0.4	NaCl/m	lgK:-7.97(3SF)	3	MSL	16142
55	65	1	NaCl/m	lgK:-7.62(3SF)	3	MSL	16142
56	65	2	NaCl/m	lgK:-7.40(3SF)	3	MSL	16142
57	65	3	NaCl/m	lgK:-7.30(3SF)	3	MSL	16142
58	65	4	NaCl/m	lgK:-7.24(3SF)	3	MSL	16142
59	65	5	NaCl/m	lgK:-7.17(3SF)	3	MSL	16142

60	70	0	Inf. Dilution	lgK:-9.6156(5SF)	4	CRV	31793
61	75	0	Inf. Dilution	lgK:-9.55(3SF)	4	EFE	31806
62	80	0	Inf. Dilution	lgK:-9.61(3SF)	3	MSL	27538
63	80	0	Inf. Dilution	lgK:-9.5885(5SF)	4	CRV	31793
64	80	0	Inf. Dilution/m	lgK:-9.62(3SF)	2	MSL	16142
65	80	0.4	NaCl/m	lgK:-7.86(3SF)	3	MSL	16142
66	80	1	NaCl/m	lgK:-7.48(3SF)	3	MSL	16142
67	80	2	NaCl/m	lgK:-7.25(3SF)	3	MSL	16142
68	80	3	NaCl/m	lgK:-7.15(3SF)	3	MSL	16142
69	80	4	NaCl/m	lgK:-7.08(3SF)	3	MSL	16142
70	80	5	NaCl/m	lgK:-7.02(3SF)	3	MSL	16142
71	90	0	Inf. Dilution	lgK:-9.94(3SF)	0	EOD	29487
72	90	0	Inf. Dilution	lgK:-9.5709(5SF)	4	CRV	31793
73	95	0	Inf. Dilution/m	lgK:-9.59(3SF)	2	MSL	16142
74	95	0.4	NaCl/m	lgK:-7.79(3SF)	2	MSL	16142
75	95	1	NaCl/m	lgK:-7.38(3SF)	2	MSL	16142
76	95	2	NaCl/m	lgK:-7.10(3SF)	2	MSL	16142
77	95	3	NaCl/m	lgK:-6.97(3SF)	2	MSL	16142
78	95	4	NaCl/m	lgK:-6.88(3SF)	2	MSL	16142
79	95	5	NaCl/m	lgK:-6.80(3SF)	1	MSL	16142
80	100	0	Inf. Dilution	lgK:-9.59(3SF)	2	MSL	27538
81	100	0	Inf. Dilution	lgK:-9.29(3SF)	3	CRV	28992
82	100	0	Inf. Dilution	lgK:-9.5610(5SF)	4	CRV	31793
83	100	0	Inf. Dilution	lgK:-9.55(3SF)	4	EFE	31806
84	125	0	Inf. Dilution	lgK:-9.60(3SF)	4	MSL	27538
85	125	0	Inf. Dilution	lgK:-9.65(3SF)	4	EFE	31803
86	150	0	Inf. Dilution	lgK:-9.73(3SF)	4	MSL	27538
87	150	0	Inf. Dilution	lgK:-9.62(3SF)	3	CRV	28992
88	150	0	Inf. Dilution	lgK:-9.81(3SF)	4	EFE	31803
89	175	0	Inf. Dilution	lgK:-9.94(3SF)	4	MSL	27538
90	175	0	Inf. Dilution	lgK:-10.03(4SF)	4	EFE	31803
91	200	0	Inf. Dilution	lgK:-10.22(4SF)	3	MSL	27538
92	200	0	Inf. Dilution	lgK:-10.32(4SF)	3	CRV	28992
93	200	0	Inf. Dilution	lgK:-10.30(4SF)	4	EFE	31803
94	225	0	Inf. Dilution	lgK:-10.53(4SF)	3	MSL	27538
95	225	0	Inf. Dilution	lgK:-10.59(4SF)	4	EFE	31803

96	250	0	Inf. Dilution	lgK:-10.80(4SF)	3	MSL	27538
97	250	0	Inf. Dilution	lgK:-11.01(4SF)	3	CRV	28992
98	250	0	Inf. Dilution	lgK:-10.91(4SF)	4	EFE	31803
99	275	0	Inf. Dilution	lgK:-11.12(4SF)	0	MSL	27538
100	275	0	Inf. Dilution	lgK:-11.25(4SF)	2	EFE	31803
101	300	0	Inf. Dilution	lgK:-11.44(4SF)	0	MSL	27538
102	300	0	Inf. Dilution	lgK:-11.60(4SF)	0	EFE	31803
103	25	0	Inf. Dilution	dG:56.900(5SF)kJ	3	CRV	31209
104	50	0	Inf. Dilution	dG:59.956(5SF)kJ	4	ETR	31209
105	75	0	Inf. Dilution	dG:63.739(5SF)kJ	4	ETR	31209
106	100	0	Inf. Dilution	dG:68.172(5SF)kJ	4	ETR	31209
107	125	0	Inf. Dilution	dG:73.268(5SF)kJ	4	ETR	31209
108	150	0	Inf. Dilution	dG:79.133(5SF)kJ	3	ETR	31209
109	175	0	Inf. Dilution	dG:85.964(5SF)kJ	3	ETR	31209
110	200	0	Inf. Dilution	dG:94.038(5SF)kJ	3	ETR	31209
111	225	0	Inf. Dilution	dG:103.730(6SF)kJ	3	ETR	31209
112	250	0	Inf. Dilution	dG:115.500(6SF)kJ	2	ETR	31209
113	275	0	Inf. Dilution	dG:129.950(6SF)kJ	1	ETR	31209
114	25	0	Inf. Dilution	dH:5.5(2SF)	0	CRV	2556
115	25	0	Inf. Dilution	dH:6.35(3SF)	0	ENS	6496
116	25	0	Inf. Dilution	dH:26.575(5SF)kJ	4	EOD	29487
117	25	0	Inf. Dilution	dH:26.290(5SF)kJ	5	CRV	31209
118	50	0	Inf. Dilution	dH:18.360(5SF)kJ	4	ETR	31209
119	75	0	Inf. Dilution	dH:11.365(5SF)kJ	3	ETR	31209
120	100	0	Inf. Dilution	dH:4.138(4SF)kJ	3	ETR	31209
121	125	0	Inf. Dilution	dH:-4.722(4SF)kJ	3	ETR	31209
122	150	0	Inf. Dilution	dH:-16.878(5SF)kJ	3	ETR	31209
123	175	0	Inf. Dilution	dH:-34.267(5SF)kJ	4	ETR	31209
124	200	0	Inf. Dilution	dH:-58.977(5SF)kJ	3	ETR	31209
125	225	0	Inf. Dilution	dH:-94.527(5SF)kJ	0	ETR	31209
126	250	0	Inf. Dilution	dH:-134.150(6SF)kJ	1	ETR	31209
127	275	0	Inf. Dilution	dH:-207.400(6SF)kJ	0	ETR	31209

Reaction No. 56349

Ba(s) + Si(s) + 1.5<O2(g)> = BaO.SiO2(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0	Inf. Dilution	lgK:269.9(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:268.1(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:197.4(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:155.0(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:126.8(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-368.1(0.05SD)	4	ENS	802
7	25	0	Inf. Dilution	dG:-368.1(4SF)	4	EFE	6422
8	25	0	Inf. Dilution	dH:-388.0(0.1SD)	4	ENS	802
9	25	0	Inf. Dilution	dH:-388.0(4SF)	4	MTD	6422
10	127	0	Inf. Dilution	dH:-388.0(4SF)	4	MTD	6422
11	227	0	Inf. Dilution	dH:-387.9(4SF)	4	MTD	6422
12	327	0	Inf. Dilution	dH:-388.1(4SF)	4	MTD	6422

Reaction No. 56350

Ba(s) + 2<Si(s)> + 2.5<O2(g)> = BaO.2SiO2(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:422.4(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:419.6(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:308.720(6SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:242.2(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:197.8(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-576.2(0.05SD)	4	ENS	802
7	25	0	Inf. Dilution	dG:-576.2(4SF)	4	EFE	6422
8	25	0	Inf. Dilution	dH:-609.0(0.1SD)	4	ENS	802
9	25	0	Inf. Dilution	dH:-609.0(4SF)	4	MTD	6422
10	127	0	Inf. Dilution	dH:-608.9(4SF)	4	MTD	6422
11	227	0	Inf. Dilution	dH:-608.9(4SF)	4	MTD	6422

Reaction No. 56351

2<Ba(s)> + 2<O2(g)> + Si(s) = 2BaO.SiO2(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:381.1(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:378.6(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:279.0(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:219.3(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:179.5(4SF)	4	ENS	6422

6	25	0	Inf. Dilution	dG:-519.8(0.05SD)	4	ENS	802
7	25	0	Inf. Dilution	dG:-519.9(4SF)	4	EFE	6422
8	25	0	Inf. Dilution	dH:-546.8(0.1SD)	4	ENS	802
9	25	0	Inf. Dilution	dH:-546.8(4SF)	4	MTD	6422
10	127	0	Inf. Dilution	dH:-546.7(4SF)	4	MTD	6422
11	227	0	Inf. Dilution	dH:-546.7(4SF)	4	MTD	6422
12	327	0	Inf. Dilution	dH:-547.1(4SF)	4	MTD	6422

Reaction No. 56352

2<Ba(s)> + 4<O2(g)> + 3<Si(s)> = 2BaO.3SiO2(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:694.3(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:689.8(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:507.6(4SF)	3	ENS	6422
4	227	0	Inf. Dilution	lgK:398.4(4SF)	2	ENS	6422
5	327	0	Inf. Dilution	lgK:325.5(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-947.2(0.05SD)	4	ENS	802
7	25	0	Inf. Dilution	dG:-947.2(4SF)	4	EFE	6422
8	25	0	Inf. Dilution	dH:-1000.2(0.1SD)	4	ENS	802
9	25	0	Inf. Dilution	dH:-1000.(4SF)	4	MTD	6422
10	127	0	Inf. Dilution	dH:-1000.(4SF)	3	MTD	6422
11	227	0	Inf. Dilution	dH:-1000.(4SF)	2	MTD	6422
12	327	0	Inf. Dilution	dH:-1000.(4SF)	0	MTD	6422

Reaction No. 56353

Ba(s) + Ti(s) + 1.5<O2(g)> = BaTiO3(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:282.6(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:275.5(4SF)	0	ENS	6422
3	27	0	Inf. Dilution	lgK:273.7(4SF)	0	ENS	6422
4	121.6	0	Inf. Dilution	lgK:204.4(4SF)	0	ENS	6422
5	25	0	Inf. Dilution	dG:-375.8(0.05SD)	0	ENS	802
6	25	0	Inf. Dilution	dG:-375.8(4SF)	0	EFE	6422
7	25	0	Inf. Dilution	dH:-396.7(0.1SD)	0	ENS	802
8	25	0	Inf. Dilution	dH:-396.7(4SF)	0	MTD	6422
9	121.6	0	Inf. Dilution	dH:-396.5(4SF)	0	MTD	6422

Reaction No. 56354

Ba(s) + Zr(s) + 1.5<O2(g)> = BaZrO3(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:287.4(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:296.9(4SF)	0	ENS	6422
3	27	0	Inf. Dilution	lgK:295.0(4SF)	0	ENS	6422
4	127	0	Inf. Dilution	lgK:217.5(4SF)	0	ENS	6422
5	227	0	Inf. Dilution	lgK:171.1(4SF)	0	ENS	6422
6	327	0	Inf. Dilution	lgK:140.1(4SF)	0	ENS	6422
7	25	0	Inf. Dilution	dG:-405.0(0.05SD)	0	ENS	802
8	25	0	Inf. Dilution	dG:-405.0(4SF)	0	EFE	6422
9	25	0	Inf. Dilution	dH:-425.3(0.1SD)	0	ENS	802
10	25	0	Inf. Dilution	dH:-425.3(4SF)	0	MTD	6422
11	127	0	Inf. Dilution	dH:-425.1(4SF)	0	MTD	6422
12	227	0	Inf. Dilution	dH:-425.0(4SF)	0	MTD	6422
13	327	0	Inf. Dilution	dH:-425.0(4SF)	0	MTD	6422

Reaction No. 56428

Ba+2 + 2<VO3-1> + H2O = Ba+2_VO3-1(2)_H2O_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	1	NaCl	lgK:12.0(0.2SD)	6	MSP	5147
2	22	3	NaCl	lgK:11.0(0.2SD)	5	MSP	5147
3	25	0	Inf. Dilution	lgK:13.6(3SF)	2	EAE	

Reaction No. 56429

3<Ba+2> + 2<VO4-3> = Ba+2(3)_VO4-3(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	1	NaCl	lgK:24.4(0.08SD)	5	MSP	5147
2	22	3	NaCl	lgK:24.1(0.05SD)	5	MSP	5147
3	25	0	Inf. Dilution	lgK:30.0(3SF)	2	EAE	

Reaction No. 56430

2<Ba+2> + V2O7-4 + 0.5<H2O> = Ba+2(2)_V2O7-4_H2O(0.5)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	1	NaCl	lgK:12.9(0.2SD)	5	MSP	5147
2	22	3	NaCl	lgK:12.7(0.2SD)	5	MSP	5147
3	25	0	Inf. Dilution	lgK:17.4(3SF)	2	EAE	

Reaction No. 56431

3<Ba+2> + V10O28-6 = Ba+2(3)_V10O28-6_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	1	Cl-1 salt	lgK:13.0(0.1SD)	5	MSL	5150
2	25	0	Inf. Dilution	lgK:20.1(3SF)	2	EAE	

Reaction No. 56432

Ba+2 + V12O31-2 = Ba+2_V12O31-2_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	1	Cl-1 salt	lgK:4.7(0.2SD)	5	MSL	5150
2	25	0	Inf. Dilution	lgK:5.89(3SF)	2	EAE	

Reaction No. 56433

Ba+2_V6O16-2_(s) + 8<H+1> = 6<VO2+1> + Ba+2 + 4<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	1	Cl-1 salt	lgK:-0.7(0.2SD)	6	MSL	5150
2	25	0	Inf. Dilution	lgK:-0.998(3SF)	2	EAE	

Reaction No. 56776

Ba+2_V12O31-2_(s) + 14<H+1> = 12<VO2+1> + Ba+2 + 7<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	0.01:0.5	HNO3	lgK:-7.0(0.1SD)	0	MSL	5167
2	25	0	Inf. Dilution	lgK:-5.0(2SF)	1	ELC	

Reaction No. 56777

H+1(2)_V12O31-2_(s) + Ba+2 = Ba+2_V12O31-2_(s) + 2<H+1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	0.01:0.5	HNO3	lgK:2.1(0.1SD)	0	MSL	5167
2	25	0	Inf. Dilution	lgK:-3.2(2SF)	1	ELC	

Reaction No. 57674

Ba+2_SeO3-2_(s) = Ba+2 + SeO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0.01	Unknown	lgK:-5.21(0.04SD)	0	MSL	12931
2	25	0	Inf. Dilution	lgK:-6.57(0.05SD)	2	MSL	931
3	25	0	Inf. Dilution	lgK:-6.57(3SF)	2	EOD	32222

4	25	0	Inf. Dilution	lgK:-6.58(3SF)	4	CRV	32224
5	25	0	Inf. Dilution	dH:-3.393(2.504SD)kJ	3	EOD	32222

Reaction No. 57687

Ba+2_SeO4-2_(s) = Ba+2 + SeO4-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-7.40(0.02SD)	5	CMN	931
2	25	0	Inf. Dilution	lgK:-7.46(3SF)	4	MCL	12931
3	25	0	Inf. Dilution	lgK:-7.3(2SF)	4	MPL	12931
4	25	0	Inf. Dilution	lgK:-7.3(2SF)	5	MSL	26195
5	25	0	Inf. Dilution	lgK:-7.38(0.08SD)	3	EOD	32222
6	25	0	Inf. Dilution	dH:5.4(0.03SD)	4	MCL	140
7	25	0	Inf. Dilution	dH:12.45(2.504SD)kJ	3	EOD	32222

Reaction No. 57821

Ba+2 + Ir+3_Cl-1(6) = Ir+3_Ba+2_Cl-1(6)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-2.0(2SF)	1	ESC	
2	30	0.1	HClO4	lgK:-2.2(0.05SD)	5	MEF	5398
3	35	0.1	HClO4	lgK:-2.2(0.05SD)	5	MEF	5398
4	42	0.1	HClO4	lgK:-2.1(0.05SD)	5	MEF	5398

Reaction No. 57838

Ir+3_Br-1(6) + Ba+2 = Ir+3_Ba+2_Br-1(6)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	HClO4	lgK:2.8(0.04SD)	5	MEF	5398

Reaction No. 57840

Ba+2 + Ir+4_Br-1(6) = Ir+4_Ba+2_Br-1(6)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	HClO4	lgK:2.3(0.1SD)	5	MEF	5398

Reaction No. 57918

Ba+2 + Fe+2_CN-1(6) = Ba+2_Fe+2_CN-1(6)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	4.8	0	Inf. Dilution	lgK:3.7(0.05SD)	5	MPT	5593
2	15.2	0	Inf. Dilution	lgK:3.7(0.05SD)	5	MPT	5593

3	24.8	0	Inf. Dilution	lgK:3.78(0.02SD)	5	MPT	5593
4	25	0	Inf. Dilution	dH:4.2(0.05SD)	5	MAC	5593

Reaction No. 58060

H+1 + Ba+2 + CO3-2 = Ba+2_H+1_CO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	UCT_Sea	lgK:11.85(0.01SD)	4	EDH	5390
2	25	0.1	UCT_Sea	lgK:11.04(0.01SD)	4	EDH	5390
3	25	0.2	UCT_Sea	lgK:10.85(0.01SD)	4	EDH	5390
4	25	0.3	UCT_Sea	lgK:10.71(0.01SD)	4	EDH	5390
5	25	0.4	UCT_Sea	lgK:10.61(0.01SD)	4	EDH	5390
6	25	0.5	UCT_Sea	lgK:10.53(0.01SD)	4	EDH	5390
7	25	0.6	UCT_Sea	lgK:10.47(0.01SD)	4	EDH	5390
8	25	0.7	UCT_Sea	lgK:10.42(0.01SD)	4	EDH	5390

Reaction No. 58062

Ba+2 + IO3-1 = Ba+2_IO3-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.1(2SF)	4	MCN	140
2	25	0	Inf. Dilution	lgK:0.27(2SF)	0	EBU	6372
3	25	0	UCT_Sea	lgK:1.10(0.01SD)	4	EDH	5390
4	25	0.1	UCT_Sea	lgK:0.69(0.01SD)	4	EDH	5390
5	25	0.2	UCT_Sea	lgK:0.60(0.01SD)	4	EDH	5390
6	25	0.3	UCT_Sea	lgK:0.55(0.01SD)	4	EDH	5390
7	25	0.4	UCT_Sea	lgK:0.51(0.01SD)	4	EDH	5390
8	25	0.5	UCT_Sea	lgK:0.49(0.01SD)	4	EDH	5390
9	25	0.6	UCT_Sea	lgK:0.47(0.01SD)	4	EDH	5390
10	25	0.7	UCT_Sea	lgK:0.46(0.01SD)	4	EDH	5390

Reaction No. 58285

Ba+2_F-1(2)_(s) = Ba+2 + 2<F-1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-6.00(3SF)	0	CRV	
Note (1): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
2	25	0	Inf. Dilution	lgK:-5.76(3SF)	4	ENS	773
3	25	0	Inf. Dilution	lgK:-5.82(3SF)	4	CRV	2556
4	25	0	Inf. Dilution	lgK:-7.0(2SF)	0	ENS	5648

5	25	0	Inf. Dilution	lgK:-6.74(3SF)	0	CRV	6330
Note (5): p. 8-58							
6	25	0	Inf. Dilution	lgK:-5.77(3SF)	4	ENS	7694
7	25	0	Inf. Dilution	lgK:-5.77(3SF)	5	CRV	22551
8	25	0	Inf. Dilution	lgK:-6.00(3SF)	3	CRV	28992
9	25	0	Inf. Dilution	lgK:-5.97(3SF)	4	CRV	32224
10	50	0	Inf. Dilution	lgK:-6.03(3SF)	4	CRV	28992
11	100	0	Inf. Dilution	lgK:-6.38(3SF)	3	CRV	28992
12	150	0	Inf. Dilution	lgK:-6.91(3SF)	3	CRV	28992
13	200	0	Inf. Dilution	lgK:-7.73(3SF)	3	CRV	28992
14	250	0	Inf. Dilution	lgK:-8.82(3SF)	3	CRV	28992
15	0:40	0	Inf. Dilution	dH:1.(1SF)	4	CRV	2556

Reaction No. 58306

Ba+2(3)_PO4-3(2)_(s) = 3<Ba+2> + 2<PO4-3>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-29.3(3SF)	3	ENS	773
2	25	0	Inf. Dilution	lgK:-22.5(3SF)	0	ENS	5648

Reaction No. 58314

Ba+2_SO3-2_(s) = Ba+2 + SO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-17.6(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-6.1(2SF)	0	CRV	
Note (2): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
3	25	0	Inf. Dilution	lgK:-8.0(2SF)	0	ENS	5648
Note (3): Low wgt for inter-reaction consstency							

Reaction No. 58418

P2O7-4 + Ba+2 = Ba+2_P2O7-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	19			lgK:4.64(3SF)	0	MCO	140
2	25	0	Inf. Dilution	lgK:4.7(2SF)	1	ESC	

Reaction No. 58419

2<P2O7-4> + Ba+2 = Ba+2_P2O7-4(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25			lgK:4.5(2SF)w	0	MPH	140

Reaction No. 58437							
P3O9-3 + Ba+2 = Ba+2_P3O9-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0.1	NH4Cl	lgK:0.08(1SF)	0	MSP	140
2	25	0	Inf. Dilution	lgK:3.35(3SF)	4	MCN	140

Reaction No. 58521							
2<SO4-2> + UO2+2 + Ba+2 = Ba+2_UO2+2_SO4-2(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:9.01(3SF)	1	EAE	
2	250	0	Inf. Dilution	lgK:9.3(2SF)	2	MSL	140

Reaction No. 58753							
ClO3-1 + Ba+2 = Ba+2_ClO3-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.7(1SF)	4	MSL	140

Reaction No. 58802							
BrO3-1 + Ba+2 = Ba+2_BrO3-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0	Inf. Dilution	lgK:-0.88(2SF)	3	MCN	140
2	25	0	Inf. Dilution	lgK:-0.879(3SF)	2	EAE	

Reaction No. 60326							
Ba+2_S-2_(s) + 2<H+1> = Ba+2 + H+1(2)_S-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:23.2(3SF)	4	CRV	2556

Reaction No. 60374							
Ba+2_OH-1(2)_H2O(8)_(s) = Ba+2 + 2<OH-1> + 8<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-3.6(2SF)	1	CRV	2556
2	25	0	Inf. Dilution	lgK:-3.59(3SF)	1	CRV	6330
Note (2): p. 8-58							
3	25	0	Inf. Dilution	lgK:-2.3(2SF)	3	CRV	22551

4	25	0	Inf. Dilution	dH:13.7(3SF)	5	CRV	2556

Reaction No. 61484

Ba+2_NTA-3 + NTA-3 = Ba+2_NTA-3(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:2.(1SF)	3	MGL	1118
2	25	0	Inf. Dilution	lgK:2.0(2SF)	1	ESC	

Reaction No. 61533

Ba+2 + H+1_Lys-1 = Ba+2_H+1_Lys-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0.1	Unknown	lgK:7.664(4SF)	0	MGL	6000
2	25	0	Inf. Dilution	lgK:8.0(2SF)	1	EES	

Reaction No. 62442

Ba+2_[12]N3O:Acet*3-3 + H+1 = Ba+2_H+1_[12]N3O:Acet*3-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:6.03(3SF)	6	CRV	552

Reaction No. 62454

Ba+2_[12]N4:Acet*4-4 + H+1 = Ba+2_H+1_[12]N4:Acet*4-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Me4NNO3	lgK:5.63(3SF)	6	CRV	552

Reaction No. 62473

Ba+2_[14]N4:Acet*4-4 + H+1 = Ba+2_H+1_[14]N4:Acet*4-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:9.35(3SF)	6	CRV	552

Reaction No. 62527

CarbMeAsp-3 + Ba+2 = Ba+2_CarbMeAsp-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:3.21(3SF)	6	CRV	552

Reaction No. 62562

IDS-4 + Ba+2 = Ba+2_IDS-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:2.18(3SF)	6	CRV	552

Reaction No. 62569							
2<MIDA-2> + Ba+2 = Ba+2_MIDA-2(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaClO4	lgK:4.9(2SF)	5	CRV	13242
2	25	0.1	Unknown	lgK:4.94(3SF)	4	CRV	552

Reaction No. 62636							
NBenzIDA-2 + Ba+2 = Ba+2_NBenzIDA-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:2.23(3SF)	6	CRV	552

Reaction No. 62837							
2HexNTA-3 + Ba+2 = Ba+2_2HexNTA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	K+1 salt	lgK:4.40(3SF)	6	CRV	552
2	25	0	Inf. Dilution	lgK:4.6(2SF)	1	ESC	

Reaction No. 62856							
Ba+2_2BenzNTA-3 + 2BenzNTA-3 = Ba+2_2BenzNTA-3(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:9.84(3SF)	4	CRV	552

Reaction No. 62867							
2COONTA-4 + Ba+2 = Ba+2_2COONTA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:5.50(3SF)	6	CRV	552

Reaction No. 62872							
Ba+2_NPhosMeIDA-4 + H+1 = Ba+2_H+1_NPhosMeIDA-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:7.10(3SF)	6	CRV	552

Reaction No. 62878							
N2OHBenzIDA-3 + Ba+2 = Ba+2_N2OHBenzIDA-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	K+1 salt	lgK:4.40(3SF)	6	CRV	552
2	25	0	Inf. Dilution	lgK:4.6(2SF)	1	ESC	

Reaction No. 62879

Ba+2_N2OHBenzIDA-3 + H+1 = Ba+2_H+1_N2OHBenzIDA-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	K+1 salt	lgK:9.34(3SF)	6	CRV	552
2	25	0	Inf. Dilution	lgK:9.6(2SF)	1	ESC	

Reaction No. 63056

N2PrAmidoIDA-2 + Ba+2 = Ba+2_N2PrAmidoIDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:2.90(3SF)	6	CRV	552
2	25	0.1	Unknown	lgK:2.89(3SF)	6	CRV	552
3	10:40	0.1	Unknown	dH:-1.(1SF)	6	CRV	552

Reaction No. 63073

2<UramilIDA-3> + Ba+2 = Ba+2_UramilIDA-3(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:9.81(3SF)	6	CRV	552
2	25	0	Inf. Dilution	lgK:10.1(3SF)	1	ESC	

Reaction No. 63091

Ba+2_N2SHEtIDA-2 + H+1 = Ba+2_H+1_N2SHEtIDA-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:9.40(3SF)	6	CRV	552
2	25	0	Inf. Dilution	lgK:9.7(2SF)	1	ESC	

Reaction No. 65542

I-1 + Ba+2 = Ba+2_I-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.13(2SF)	0	EBU	6372

Reaction No. 65543

2<I-1> + Ba+2 = Ba+2_I-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.05(1SF)	0	EBU	6372

Reaction No. 65544

3<I-1> + Ba+2 = Ba+2_I-1(3)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.42(2SF)	0	EBU	6372

Reaction No. 65545							
4<I-1> + Ba+2 = Ba+2_I-1(4)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.91(2SF)	0	EBU	6372

Reaction No. 65546							
5<I-1> + Ba+2 = Ba+2_I-1(5)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-1.51(3SF)	0	EBU	6372

Reaction No. 65547							
6<I-1> + Ba+2 = Ba+2_I-1(6)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-2.20(3SF)	0	EBU	6372

Reaction No. 65548							
2<IO3-1> + Ba+2 = Ba+2_IO3-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.61(2SF)	0	EBU	6372

Reaction No. 65549							
3<IO3-1> + Ba+2 = Ba+2_IO3-1(3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-2.39(3SF)	0	EBU	6372

Reaction No. 65550							
4<IO3-1> + Ba+2 = Ba+2_IO3-1(4)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-4.96(3SF)	0	EBU	6372

Reaction No. 65674							
Ba+2 + B(OH)3 = Ba+2_B(OH)3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.49(4SF)	1	EOR	
2	25	0	Inf. Dilution	lgK:1.49(3SF)	4	CRV	552

3	10:50	0	Inf. Dilution	dH:1.(1SF)	4	CRV	552

Reaction No. 65850							
Ba+2(2)_P3O10-5_(s) = Ba+2 + Ba+2_P3O10-5							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-9.8(2SF)	0	CRV	552
Note (1): Solid has -1 charge							

Reaction No. 65906							
Ba+2_V6O16-2_(s) = Ba+2 + V6O16-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	1	Unknown	lgK:-0.7(1SF)	0	CRV	552
2	25	0	Inf. Dilution	lgK:-0.7(1SF)	1	ESC	

Reaction No. 65980							
Ba+2_BrO3-1(2)_H2O_(s) = Ba+2 + 2<BrO3-1> + H2O							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.5	Unknown	lgK:-5.11(3SF)	6	CRV	552

Reaction No. 65993							
Ba+2_IO3-1(2)_(s) = Ba+2 + 2<IO3-1>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-8.82(3SF)	1	CRV	
Note (1): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
2	25	0	Inf. Dilution	lgK:-8.81(0.01SD)	4	CRV	552
3	25	0	Inf. Dilution	lgK:-7.60(3SF)	0	ENS	773
4	25	0	Inf. Dilution	lgK:-8.84(3SF)	4	MGL	5055
5	25	0	Inf. Dilution	lgK:-8.40(3SF)	3	CRV	6330
Note (5): p. 8-58							
6	25	0	LiClO4	lgK:-8.93(3SF)	4	MGL	5055
7	25	0	LiNO3	lgK:-8.81(3SF)	4	MGL	5055
8	25	0.003	KCl	lgK:-8.42(3SF)	5	MSL	7343
9	25	0.104	KCl	lgK:-7.94(3SF)	5	MSL	7343
10	25	0.205	KCl	lgK:-7.78(3SF)	5	MSL	7343
11	25	0.305	KCl	lgK:-7.68(3SF)	5	MSL	7343
12	25	0.405	KCl	lgK:-7.64(3SF)	5	MSL	7343
13	25	0.5	Unknown	lgK:-7.76(3SF)	6	CRV	552

14	25	0.505	KCl	lgK:-7.64(3SF)	5	MSL	7343
15	25	1	Unknown	lgK:-7.60(3SF)	6	CRV	552
16	25	2	Unknown	lgK:-7.43(3SF)	6	CRV	552
17	25	3	Unknown	lgK:-7.35(3SF)	6	CRV	552
18	25	4	Unknown	lgK:-7.39(3SF)	6	CRV	552
19	0:90	0	Inf. Dilution	dH:14.(2SF)	4	CRV	552

Reaction No. 66050

Ba+2_H+1_PO4-3_(s) = Ba+2 + H+1 + PO4-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:-19.71(4SF)	4	CRV	32224
2	25	0	Inf. Dilution	lgK:-19.8(3SF)	4	ENS	6405

Reaction No. 66064

H+1 + P3O10-5 + Ba+2 = Ba+2_H+1_P3O10-5

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:12.9(3SF)	4	ENS	6405

Reaction No. 66065

Ba+2(2)_P3O10-5_(s) = 2<Ba+2> + P3O10-5

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-16.1(3SF)	0	ENS	6405

Note (1): Solid has -1 charge

Reaction No. 66086

H+1 + EDTA-4 + Ba+2 = Ba+2_H+1_EDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:14.6(3SF)	4	ENS	6405

Reaction No. 66098

H+1 + CDTA-4 + Ba+2 = Ba+2_H+1_CDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:17.0(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:17.8(3SF)	0	ENS	6405

Reaction No. 66141

1PrEDTA-4 + Ba+2 = Ba+2_1PrEDTA-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:8.50(3SF)	6	MPL	2011
2	25	0	Inf. Dilution	lgK:8.8(2SF)	1	ESC	

Reaction No. 66506

3<Ba(s)> + 2<As(s)> + 4<O2(g)> = Ba+2(3)_AsO4-3(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:559.3(4SF)	0	ENS	6422
2	27	0	Inf. Dilution	lgK:555.6(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:406.6(4SF)	0	ENS	6422
4	227	0	Inf. Dilution	lgK:317.3(4SF)	0	ENS	6422
5	327	0	Inf. Dilution	lgK:257.7(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-763.0(4SF)	0	EFE	6422
7	25	0	Inf. Dilution	dG:-3095.10(6SF)kJ	5	CRV	29482
8	25	0	Inf. Dilution	dH:-817.8(4SF)	2	MTD	6422
9	127	0	Inf. Dilution	dH:-817.5(4SF)	1	MTD	6422
10	227	0	Inf. Dilution	dH:-817.6(4SF)	0	MTD	6422
11	327	0	Inf. Dilution	dH:-818.2(4SF)	0	MTD	6422

Reaction No. 66507

Ba(s) + Br2(l) = Ba+2_Br-1(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:129.3(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:128.5(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:94.69(4SF)	3	ENS	6422
4	227	0	Inf. Dilution	lgK:74.13(4SF)	2	ENS	6422
5	327	0	Inf. Dilution	lgK:60.43(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-736.8(4SF)kJ	3	CRV	6330
7	25	0	Inf. Dilution	dG:-176.4(4SF)	4	EFE	6422
8	25	0	Inf. Dilution	dG:-736.8(4SF)kJ	4	EOD	29025
9	25	0	Inf. Dilution	dH:-757.3(4SF)kJ	3	CRV	6330
10	25	0	Inf. Dilution	dH:-181.1(4SF)	4	MTD	6422
11	25	0	Inf. Dilution	dH:-757.3(4SF)kJ	4	EOD	29025
12	127	0	Inf. Dilution	dH:-188.2(4SF)	3	MTD	6422
13	227	0	Inf. Dilution	dH:-188.2(4SF)	2	MTD	6422
14	327	0	Inf. Dilution	dH:-188.1(4SF)	0	MTD	6422

Reaction No. 66508							
Ba(s) + 2<C(s)> = BaC2(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:13.86(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:13.78(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:10.56(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:8.652(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:7.380(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-18.92(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-17.9(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-17.5(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-17.4(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-17.6(3SF)	4	MTD	6422

Reaction No. 66509							
Ba(s) + Cr(s) + 2<O2(g)> = Ba+2_CrO4-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:237.0(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:235.7(4SF)	0	ENS	6422
3	27	0	Inf. Dilution	lgK:234.1(4SF)	0	ENS	6422
4	127	0	Inf. Dilution	lgK:171.2(4SF)	0	ENS	6422
5	227	0	Inf. Dilution	lgK:133.5(4SF)	0	ENS	6422
6	327	0	Inf. Dilution	lgK:108.4(4SF)	0	ENS	6422
7	25	0	Inf. Dilution	dG:-321.5(4SF)	0	EFE	6422
8	25	0	Inf. Dilution	dG:-1345.20(6SF)kJ	0	CRV	10802
9	25	0	Inf. Dilution	dH:-345.6(4SF)	0	MTD	6422
10	25	0	Inf. Dilution	dH:-1446.0(5SF)kJ	0	CRV	10802
11	127	0	Inf. Dilution	dH:-345.3(4SF)	1	MTD	6422
12	227	0	Inf. Dilution	dH:-345.0(4SF)	0	MTD	6422
13	327	0	Inf. Dilution	dH:-344.9(4SF)	0	MTD	6422

Reaction No. 66510							
Ba(s) + I2(s) = Ba+2_I-1(2)_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:105.4(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:104.7(4SF)	0	ENS	6422

3	127	0	Inf. Dilution	lgK:78.27(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:61.58(4SF)	3	ENS	6422
5	327	0	Inf. Dilution	lgK:49.98(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-143.7(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-602.1(4SF)kJ	3	CRV	6330
8	25	0	Inf. Dilution	dH:-144.7(4SF)	4	MTD	6422
9	127	0	Inf. Dilution	dH:-148.7(4SF)	4	MTD	6422
10	227	0	Inf. Dilution	dH:-159.2(4SF)	3	MTD	6422
11	327	0	Inf. Dilution	dH:-159.3(4SF)	0	MTD	6422

Reaction No. 66511							
Ba(s) + 0.5<O2(g)> = BaO(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:92.04(4SF)	0	ENS	6422
2	25	0	Inf. Dilution	lgK:91.17(4SF)	4	ENS	6494
3	27	0	Inf. Dilution	lgK:91.44(4SF)	0	ENS	6422
4	27	0	Inf. Dilution	lgK:90.58(4SF)	0	ENS	6494
5	127	0	Inf. Dilution	lgK:67.35(4SF)	2	ENS	6422
6	127	0	Inf. Dilution	lgK:66.73(4SF)	2	ENS	6494
7	227	0	Inf. Dilution	lgK:52.91(4SF)	0	ENS	6422
8	227	0	Inf. Dilution	lgK:52.42(4SF)	0	ENS	6494
9	327	0	Inf. Dilution	lgK:43.26(4SF)	0	ENS	6422
10	327	0	Inf. Dilution	lgK:42.87(4SF)	0	ENS	6494
11	25	0	Inf. Dilution	dG:-525.1(4SF)kJ	1	CRV	6330
12	25	0	Inf. Dilution	dG:-125.6(4SF)	0	EFE	6422
13	25	0	Inf. Dilution	dG:-124.4(4SF)	4	EFE	6494
14	25	0	Inf. Dilution	dG:-525.1(4SF)kJ	1	ENS	7381
15	25	0	Inf. Dilution	dG:-520.390(1.3SD)kJ	5	CRV	27292
16	25	0	Inf. Dilution	dH:-553.5(4SF)kJ	1	CRV	6330
17	25	0	Inf. Dilution	dH:-132.3(4SF)	2	MTD	6422
18	25	0	Inf. Dilution	dH:-131.0(4SF)	2	MTD	6494
19	25	0	Inf. Dilution	dH:-553.5(4SF)kJ	2	ENS	7381
20	25	0	Inf. Dilution	dH:-548.100(1.3SD)kJ	5	CRV	27292
21	127	0	Inf. Dilution	dH:-132.2(4SF)	0	MTD	6422
22	127	0	Inf. Dilution	dH:-130.9(4SF)	0	MTD	6494
23	227	0	Inf. Dilution	dH:-132.3(4SF)	0	MTD	6422

24	227	0	Inf. Dilution	dH:-131.0(4SF)	0	MTD	6494
25	327	0	Inf. Dilution	dH:-132.5(4SF)	0	MTD	6422
26	327	0	Inf. Dilution	dH:-131.2(4SF)	0	MTD	6494

Reaction No. 66512

Ba(s) + O2(g) = BaO2(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:102.0(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:101.3(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:73.74(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:57.20(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:46.17(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-139.2(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dG:-525.1(4SF)kJ	0	EFE	7275
Note (7): Low wgt for internal consistency							
8	25	0	Inf. Dilution	dH:-151.6(4SF)	4	MTD	6422
9	25	0	Inf. Dilution	dH:-553.5(4SF)kJ	0	MTD	7275
10	127	0	Inf. Dilution	dH:-151.4(4SF)	4	MTD	6422
11	227	0	Inf. Dilution	dH:-151.3(4SF)	4	MTD	6422
12	327	0	Inf. Dilution	dH:-151.4(4SF)	4	MTD	6422

Reaction No. 66513

Ba(s) + 2<Al(s)> + 2<O2(g)> = BaAl2O4(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:387.6(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:385.1(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:283.8(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:223.1(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:182.6(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-528.8(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-555.9(4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-556.0(4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-556.0(4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-556.1(4SF)	4	MTD	6422

Reaction No. 66514

3<Ba(s)> + 2<Al(s)> + 3<O2(g)> = Ba3Al2O6(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:587.4(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:583.6(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:430.4(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:338.5(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:277.2(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-801.3(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-841.1(4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-841.0(4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-841.1(4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-841.8(4SF)	4	MTD	6422

Reaction No. 66515

Ba(s) + Hf(s) + 1.5<O2(g)> = BaHfO3(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:305.8(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:303.8(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:224.1(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:176.3(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:144.4(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-417.1(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-437.9(4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-437.6(4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-437.3(4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-437.3(4SF)	4	MTD	6422

Reaction No. 66516

2<Ba(s)> + Ti(s) + 2<O2(g)> = Ba2TiO4(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:373.7(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:371.3(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:273.7(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:215.1(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:176.1(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-509.8(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-536.1(4SF)	4	MTD	6422

8	127	0	Inf. Dilution	dH:-535.6(4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-535.4(4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-535.5(4SF)	4	MTD	6422

Reaction No. 66517

Ba(s) + 2<O2(g)> + U(s) = BaUO4(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:331.4(4SF)	2	ENS	6422
2	27	0	Inf. Dilution	lgK:329.2(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:242.3(4SF)	1	ENS	6422
4	227	0	Inf. Dilution	lgK:190.2(4SF)	0	ENS	6422
5	327	0	Inf. Dilution	lgK:155.5(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-452.0(4SF)	2	EFE	6422
7	25	0	Inf. Dilution	dG:-1883.80(3.393SD)kJ	4	CRV	20827
8	25	0	Inf. Dilution	dG:-1883.80(1.7SD)kJ	5	CRV	20827
9	25	0	Inf. Dilution	dH:-477.3(4SF)	4	MTD	6422
10	25	0	Inf. Dilution	dH:-1993.80(1.7SD)kJ	5	CRV	20827
11	127	0	Inf. Dilution	dH:-476.9(4SF)	0	MTD	6422
12	227	0	Inf. Dilution	dH:-476.6(4SF)	0	MTD	6422
13	327	0	Inf. Dilution	dH:-476.7(4SF)	0	MTD	6422
14	25	0	Inf. Dilution	Cp:125.300(1.3SD)J/K	5	CRV	20827

Reaction No. 66518

Ba(s) + Te(s) = Ba+2_Te-2_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:54.25(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:53.91(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:40.23(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:31.98(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:26.43(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-74.00(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-75.0(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-75.3(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-75.8(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-76.5(3SF)	4	MTD	6422

Reaction No. 66519

Ba(s) + W(s) + 2<O2(g)> = Ba+2_WO4-2_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:280.0(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:278.2(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:204.1(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:159.7(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:130.1(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-382.1(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-407.0(4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-406.5(4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-406.1(4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-406.0(4SF)	4	MTD	6422

Reaction No. 66834

Ba+2_Oxine-1(2)_(s) = Ba+2 + 2<Oxine-1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:-7.7(2SF)	4	ENS	773

Reaction No. 67789

Ba+2_Picric-1 + Picric-1 = Ba+2_Picric-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.7(2SF)	1	ESC	
2	30	0	Inf. Dilution	lgK:1.67(3SF)	4	MCN	1926

Reaction No. 68120

N6Me2PyridMeAsp-2 + Ba+2 = Ba+2_N6Me2PyridMeAsp-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	NaNO3	lgK:2.55(0.05MD)	5	MPT	6937
2	25	0	Inf. Dilution	lgK:2.7(2SF)	1	ESC	

Reaction No. 69096

MePhos-2 + Ba+2 = Ba+2_MePhos-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.29(0.02MD)	4	MGL	1860
2	25	0.1	NaNO3	lgK:1.23(0.03MD)	5	MGL	6412
3	25	0.1	Unknown	lgK:1.3(0.1SD)	6	CIU	7242

Reaction No. 69102							
H+1_PO4-3 + Ba+2 = Ba+2_H+1_PO4-3							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.36(0.02MD)	5	MGL	6412

Reaction No. 69795							
EtPhos-2 + Ba+2 = Ba+2_EtPhos-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.30(0.03MD)	5	MGL	1860

Reaction No. 69884							
Diglycol-2 + Ba+2 = Ba+2_Diglycol-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.15(3SF)	5	MGL	2308

Reaction No. 69885							
12BisCOOMeOxEthan-2 + Ba+2 = Ba+2_12BisCOOMeOxEthan-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KNO3	lgK:2.29(3SF)	5	MGL	2308

Reaction No. 70148							
Ba(s) = Ba(g)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:146.0(4SF)kJ	0	CRV	6330
2	25	0	Inf. Dilution	dG:146.(3SF)kJ	0	EFE	7275
3	25	0	Inf. Dilution	dG:152.850(2.5SD)kJ	5	CRV	27292
4	25	0	Inf. Dilution	dH:180.0(4SF)kJ	0	CRV	6330
5	25	0	Inf. Dilution	dH:180.(3SF)kJ	0	EFE	7275
6	25	0	Inf. Dilution	dH:185.000(2.5SD)kJ	5	CRV	27292
7	25	0	Inf. Dilution	Cp:20.786(0.001SD)J/K	5	CRV	27292

Reaction No. 71170							
Ba+2_OH-1(2)_(beta,s) + 2<e-1> = Ba(s) + 2<OH-1>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:-2.99(3SF)	0	CRV	6330

Reaction No. 71293

Ba+2 + H2(g) + 2<e-1> = BaH2(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:-2.18(3SF)	0	CRV	7761
2	25	0	Inf. Dilution	dH:359.7(4SF)kJ	0	CRV	7761

Reaction No. 71294

Ba+2_OH-1 + H+1 + 2<e-1> = Ba(s) + H2O

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-84.4(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:-2.507(4SF)	0	CRV	7761

Reaction No. 71295

Ba+2_OH-1 + 2<e-1> = Ba(s) + OH-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-98.4(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:-2.921(4SF)	0	CRV	7761

Reaction No. 71296

Ba+2_OH-1(2)_H2O(8)_(s) + 2<e-1> = Ba(s) + 2<OH-1> + 8<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-100.8(4SF)	1	ELC	
2	25	0	Inf. Dilution	E:-3.00(3SF)	0	CRV	7761
3	25	0	Inf. Dilution	dH:595.6(4SF)kJ	2	CRV	7761

Reaction No. 71572

PMEDAP-2 + Ba+2 = Ba+2_PMEDAP-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:1.33(0.05MD)w	5	MPH	8309

Reaction No. 71573

Ba+2 + H+1_PMEDAP-2 = Ba+2_H+1_PMEDAP-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:0.0(0.5MD)w	5	MPH	8309

Reaction No. 72581

[18]110S2O4 + Ba+2 = Ba+2_[18]110S2O4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0.05	MeCN Et4NClO4	lgK:3.73(3SF)	5	MAG	5758
2	25	0.05	MeCN Et4NClO4	dH:-24.6(3SF)kJ	5	MCL	5758

Reaction No. 72583

Me222TetMe + Ba+2 = Ba+2_Me222TetMe

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	MeCN Et4NClO4	lgK:4.02(3SF)	5	MGL	5758
2	25	0.05	MeCN Et4NClO4	dH:-29.3(3SF)kJ	5	MCL	5758

Reaction No. 72666

Ba+2_SCN-1 + SCN-1 = Ba+2_SCN-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		MeCN	lgK:0.7(1SF)	4	MPS	5722

Reaction No. 72937

Ba+2_Se-2_(S) = Ba+2 + Se-2

Note: The Se-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:21.86(4SF)	2	ENS	12931

Reaction No. 73046

Xanthosine-1 + Ba+2 = Ba+2_Xanthosine-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	NaNO3	lgK:0.6(1SF)	0	MGL	6105

Reaction No. 73295

PhosAcet-3 + Ba+2 = Ba+2_PhosAcet-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	Unknown	lgK:3.67(0.02SD)	5	MCT	6298

Reaction No. 73296

Ba+2 + H+1_PhosAcet-3 = Ba+2_H+1_PhosAcet-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.05	Unknown	lgK:2.50(0.06SD)	5	MCT	6298

Reaction No. 73327

[15]O5:Benzo + Ba+2 = Ba+2_[15]O5:Benzo

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Acetone	dH:-18.9(3SF)kJ	3	MCL	3005

Reaction No. 73403

Ba+2_AmMePhos-2 + H+1 = Ba+2_H+1_AmMePhos-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:9.59(0.06SD)	6	CIU	7242

Reaction No. 74025

Ba+2_OH-1(2)_(s) + 2<e-1> = Ba(s) + 2<OH-1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:-2.99(3SF)	5	CRV	22551

Reaction No. 74182

Ba+2_BrO3-1(2)_(s) = Ba+2 + 2<BrO3-1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-4.48(3SF)	4	CRV	22551

Reaction No. 74427

Ba+2 + H+1(2)_PO4-3 = Ba+2_H+1(2)_PO4-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.78(0.1MD)	5	MGL	6170
2	25	3	NaClO4	lgK:-0.01(1SF)	3	MSL	6170

Reaction No. 74428

Ba+2 + 2<H+1(2)_PO4-3> = Ba+2_H+1(4)_PO4-3(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.30(0.15MD)	3	MGL	6170
2	25	3	NaClO4	lgK:0.00(2SF)	3	MSL	6170

Reaction No. 75004

CrO4-2 + Ba+2 = Ba+2_CrO4-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0.01	0	Inf. Dilution	lgK:2.8832(5SF)	4	EOD	22958
2	25	0	Inf. Dilution	lgK:2.7510(5SF)	4	EOD	22958

3	60	0	Inf. Dilution	lgK:2.6904(5SF)	4	EOD	22958
4	100	0	Inf. Dilution	lgK:2.7304(5SF)	4	EOD	22958
5	150	0	Inf. Dilution	lgK:2.9149(5SF)	4	EOD	22958
6	200	0	Inf. Dilution	lgK:3.2556(5SF)	4	EOD	22958

Reaction No. 75166

Ba(s) + 6<O2(g)> + 2<P(s)> + 2<U(s)> = Ba+2_UO2+2(2)_PO4-3(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-1137.(4SF)	5	EOD	13532
2	25	0	Inf. Dilution	dH:-1216.(4SF)	5	EOD	13532

Reaction No. 75210

3<Ba(s)> + 3<O2(g)> + U(s) = Ba3UO6(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-3045.00(9.196SD)kJ	5	CRV	20827

Reaction No. 75211

Ba(s) + 3.5<O2(g)> + 2<U(s)> = BaU2O7(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-3052.10(6.714SD)kJ	5	CRV	20827

Reaction No. 75212

2<Ba(s)> + 3.5<O2(g)> + 2<U(s)> = Ba2U2O7(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-3547.00(7.743SD)kJ	5	CRV	20827

Reaction No. 75215

Ba+2_CrO4-2(0.04)_SO4-2(0.96)_(s) = Ba+2 + 0.96<SO4-2> + 0.04<CrO4-2>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-9.79(3SF)	0	EOD	23102

Note (1): Source refers to this as a 'solid solution'

Reaction No. 75216

Ba+2_CrO4-2(0.23)_SO4-2(0.77)_(s) = Ba+2 + 0.77<SO4-2> + 0.23<CrO4-2>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-10.13(4SF)	0	EOD	23102

Note (1): Source refers to this as a 'solid solution'

Reaction No. 75217

Ba+2(0.5)_Ca+2(0.5)_SO4-2_(s) = 0.5<Ba+2> + 0.5<Ca+2> + SO4-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-7.41(3SF)	0	EOD	23102

Note (1): Source refers to this as a 'solid solution'

Reaction No. 75448

Ba+2_OH-1(2)_(s) = Ba+2 + 2<OH-1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-3.2(2SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-2.3(2SF)	0	CRV	
Note (2): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
3	25	0	Inf. Dilution	lgK:-2.66(3SF)	3	EOD	16981

Reaction No. 75556

Ba(s) + Br2(l) + 2<H2(g)> + O2(g) = Ba+2_Br-1(2)_H2O(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-1230.4(5SF)kJ	5	CRV	24003
2	25	0	Inf. Dilution	dG:-1226.0(5SF)kJ	4	EOD	29025
3	25	0	Inf. Dilution	dH:-1361.1(5SF)kJ	4	EOD	29025

Reaction No. 75913

Ba+2_Lactic-1 + Lactic-1 = Ba+2_Lactic-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	Unknown	lgK:0.08(1SF)	5	MGL	11516

Note (1): Verbeek F et al., Anal. Chim. Acta, 1965, 33, 378

Reaction No. 75931

Ba+2_Oxalic-2 + Oxalic-2 = Ba+2_Oxalic-2(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	NaClO4	lgK:1.62(3SF)	5	MDS	11516

Note (1): Sekine T et al., Bull. Chem. Soc. Jpn., 1966, 39, 2141

Reaction No. 76116

Ba+2 + PO4-3 = Ba+2_PO4-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:5.(1SF)	1	EES	

Note (1): Based on Ca+2 B110

Reaction No. 76237

Ba+2_Formic-1 + Formic-1 = Ba+2_Formic-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	NaClO4	lgK:0.51(2SF)	5	MSL	11516

Note (1): Fedorova V et al., Zhur. Neorg. Khim., 1977, 22, 3167

Reaction No. 76255

Ba+2_Acetic-1 + Acetic-1 = Ba+2_Acetic-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	NaClO4	lgK:0.42(2SF)	5	MSL	11516

Note (1): Hohlova A et al., Zhur. Neorg. Khim., 1977, 22, 3167

Reaction No. 76277

Ba+2_Propanoic-1 + Propanoic-1 = Ba+2_Propanoic-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	NaClO4	lgK:0.52(2SF)	5	MSL	11516

Note (1): Hohlova A et al., Zhur. Neorg. Khim., 1977, 22, 3167

Reaction No. 76370

Ba+2_Butanoic-1 + Butanoic-1 = Ba+2_Butanoic-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	NaClO4	lgK:0.27(2SF)	3	MSL	11516

Note (1): Hohlova A et al., Zhur. Neorg. Khim., 1977, 22, 3167

Reaction No. 76379

Ba+2 + Valeric-1 = Ba+2_Valeric-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.20(2SF)	5	MSL	7730

Reaction No. 76483

Ba(s) + 0.5<H2(g)> + 0.5<O2(g)> - e-1 = Ba+2_OH-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:126.3(4SF)	1	ELC	
2	25	0	Inf. Dilution	dG:-718.53(5SF)kJ	0	EFE	26195
3	25	0	Inf. Dilution	dG:-730.5(4SF)kJ	0	EOD	29025

4	25	0	Inf. Dilution	dH:-736.0(4SF)kJ	2	EOD	29025
5	25	0	Inf. Dilution	Cp:-93.7(3SF)J/K	2	EOD	29025

Reaction No. 76484

Ba+2_Na+1(2)_SeO4-2(2)_(s) = 2<Na+1> + Ba+2 + 2<SeO4-2>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-8.95(3SF)	5	MSL	26195

Reaction No. 76485

SeO4-2 + Ba+2 = Ba+2_SeO4-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.15(3SF)	5	MSL	26195
Note (1): < 2.15							

Reaction No. 76486

2<SeO4-2> + Ba+2 = Ba+2_SeO4-2(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:3.44(0.12SD)	5	MSL	26195

Reaction No. 76492

2<Cl-1> + Ba+2 = Ba+2_Cl-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.4221(4SF)	1	ELC	
2	300	0	Inf. Dilution/m	lgK:1.73(3SF)	0	MCL	12628
3	300	0	Inf. Dilution/m	dH:268.(3SF)kJ	0	MCL	12628

Reaction No. 76553

Ba+2_Br-1(2)_(s) = Ba+2 + 2<Br-1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:5.2(2SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:2.24(3SF)	0	CRV	
Note (2): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)							
3	25	0	Inf. Dilution	lgK:5.59(3SF)	4	CRV	32224

Reaction No. 76554

Ba+2_I-1(2)_(s) = Ba+2 + 2<I-1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0	Inf. Dilution	lgK:11.0(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:2.52(3SF)	0	CRV	

Note (2): http://www.saltlakemetals.com/SolubilityProducts.htm (15/7/14)

Reaction No. 76596

Ba+2_Oxalic-2_H2O(2)_(s) = Ba+2 + Oxalic-2 + 2<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-6.61(3SF)	3	MSL	23272

Reaction No. 76607

Ba(s) + I2(s) + 3<O2(g)> = Ba+2_IO3-1(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution/m	dG:-864.700(6SF)kJ	3	CRV	24953
2	25	0	Inf. Dilution/m	dH:-1027.20(6SF)kJ	3	CRV	24953

Reaction No. 76715

Ba(s) + 0.5<F2(g)> = BaF(g)

Note: See CaF(g) for commentary

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-349.570(3.4SD)kJ	1	CRV	27292
2	25	0	Inf. Dilution	dH:-324.990(3.4SD)kJ	1	CRV	27292

Reaction No. 76727

Ba(s) + 2<F2(g)> + Sn(s) = Ba+2_Sn+2_F-1(4)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	Cp:146.500(6SF)J/K	2	CRV	27323

Reaction No. 76944

SemiXylenolOrange-4 + Ba+2 = Ba+2_SemiXylenolOrange-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:4.75(3SF)	3	CRV	7271

Reaction No. 76945

Ba+2_SemiXylenolOrange-4 + H+1 = Ba+2_H+1_SemiXylenolOrange-4

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:7.97(3SF)	3	CRV	7271

Reaction No. 76974

SemiMethylThymolBlue-4 + Ba+2 = Ba+2_SemiMethylThymolBlue-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	K+1 salt	lgK:4.54(3SF)	3	CRV	7271

Reaction No. 76975							
Ba+2_SemiMethylThymolBlue-4 + H+1 = Ba+2_H+1_SemiMethylThymolBlue-4							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:8.87(3SF)	3	CRV	7271

Reaction No. 77412							
NO2-1 + Ba+2 = Ba+2_NO2-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-1.(1SF)	1	EES	

Reaction No. 77547							
H2O + 2<Cl-1> + Ba+2 = Ba+2_Cl-1(2)_H2O_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.4416(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-0.82(2SF)	4	CRV	32224

Reaction No. 77551							
2<H2O> + 2<Cl-1> + Ba+2 = Ba+2_Cl-1(2)_H2O(2)_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.2062(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-0.19(2SF)	4	CRV	32224

Reaction No. 77615							
3<H2O> + 2<ClO4-1> + Ba+2 = Ba+2_ClO4-1(2)_H2O(3)_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-2.68(4SF)	1	ELC	

Reaction No. 77696							
2<NH3> + Ba+2 = Ba+2_NH3(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.8031(4SF)	1	ELC	

Reaction No. 77701
2<Cl-1> + Ba+2 = Ba+2_Cl-1(2)_(g)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-49.64(4SF)	1	ELC	

Reaction No. 77702

3<NH3> + Ba+2 = Ba+2_NH3(3)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-1.517(4SF)	1	ELC	

Reaction No. 77721

H2O + H+1 + Ba+2 + AsO4-3 = Ba+2_H+1_AsO4-3_H2O_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:16.78(4SF)	1	ELC	

Reaction No. 77722

2<NO3-1> + Ba+2 = Ba+2_NO3-1(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.882(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:2.25(3SF)	4	CRV	32224

Reaction No. 77754

H2O + 4<H+1> + Ba+2 + 2<AsO4-3> = Ba+2_H+1(4)_AsO4-3(2)_H2O_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:36.74(4SF)	1	ELC	

Reaction No. 77795

S-2 + Ba+2 = Ba+2_S-2_(s)

Note: The species S-2 does not exist in aqueous solution See reaction: H+1 + S-2 = H+1_S-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-2.848(4SF)	0	ELC	

Reaction No. 77804

2<Cl-1> + Ba+2 = Ba+2_Cl-1(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-2.173(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-2.25(3SF)	4	CRV	32224
3	25	0	Inf. Dilution	dH:3.163(4SF)	5	MTD	12007

Reaction No. 77805

2<H+1> + 2<CO3-2> + Ba+2 = Ba+2_H+1(2)_CO3-2(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:21.04(4SF)	1	ELC	

Note (1): poss refers to the solid

Reaction No. 77818

MnO4-2 + Ba+2 = Ba+2_MnO4-2_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:10.15(4SF)	1	ELC	

Reaction No. 77819

2<F-1> + Ba+2 = Ba+2_F-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-0.5522(4SF)	1	ELC	

Reaction No. 77820

2<OH-1> + Ba+2 = Ba+2_OH-1(2)_(beta,s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-2.616(4SF)	1	ELC	

Reaction No. 77847

2<F-1> + Ba+2 = Ba+2_F-1(2)_(g)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-53.16(4SF)	1	ELC	

Reaction No. 78569

3<Oxalic-2> + Co+3 + Ba+2 = Co+3_Ba+2_Oxalic-2(3)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-8.919(4SF)	1	ELC	

Reaction No. 79082

PO4-3 + H+1 + Ba+2 = Ba+2_H+1_PO4-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:14.52(4SF)	1	ELC	

Reaction No. 79365

PO4-3 + 2<H+1> + Ba+2 = Ba+2_H+1(2)_PO4-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:20.3(4SF)	1	ELC	

Reaction No. 79366

2<PO4-3> + 4<H+1> + Ba+2 = Ba+2_H+1(4)_PO4-3(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:40.34(4SF)	1	ELC	

Reaction No. 79388

2<UO2+2> + 2<PO4-3> + Ba+2 = Ba+2_UO2+2(2)_PO4-3(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:41.96(4SF)	1	ELC	

Reaction No. 79412

2<Formic-1> + Ba+2 = Ba+2_Formic-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.394(4SF)	1	ELC	

Reaction No. 79425

2<H2O> + 2<Br-1> + Ba+2 = Ba+2_Br-1(2)_H2O(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-1.86(4SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-2.19(3SF)	4	CRV	32224

Reaction No. 79442

2<Propanoic-1> + Ba+2 = Ba+2_Propanoic-1(2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.304(4SF)	1	ELC	

Reaction No. 79479

Ba+2 + ClO4-1 = Ba+2_ClO4-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-8.(1SF)	1	EES	

Reaction No. 79480

Ba+2 + Br-1 = Ba+2_Br-1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-8.(1SF)	1	EES	

Reaction No. 79526

Ba+2_IO3-1(2)_H2O_(s) = Ba+2 + 2<IO3-1> + H2O

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-8.78(3SF)	3	CRV	6330

Note (1): p. 8-58

Reaction No. 79543

Ba(s) + H2(g) + O2(g) = Ba+2_OH-1(2)_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:156.2(4SF)	1	ELC	
2	25	0	Inf. Dilution	dG:-888.3(4SF)kJ	0	EOD	29025
3	25	0	Inf. Dilution	dH:-944.7(4SF)kJ	3	EOD	29025

Reaction No. 79579

Ba+2 + H+1(2)_EDTA-4 = Ba+2_EDTA-4 + 2<H+1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-8.25(3SF)	1	ELC	
2	25	0	Inf. Dilution	dH:21.5(3SF)kJ	1	ELC	

Reaction No. 79624

H+1_CO3-2 + Ba+2 = Ba+2_CO3-2 + H+1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-7.8(2SF)	1	EES	

Reaction No. 79710

Ba+2_H+1_TTHA-6 + H+1 = Ba+2_H+1(2)_TTHA-6

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.0(2SF)	1	EES	
2	25	0.1	KCl	lgK:3.7(2SF)	5	CRV	13242

Reaction No. 79781

As(s) + Ba(s) + H2(g) + 1.5<O2(g)> - e-1 = Ba+2_H+1(2)_AsO3-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-1156.10(6SF)kJ	5	CRV	29482
2	25	0	Inf. Dilution	dH:-1246.60(6SF)kJ	5	CRV	29482

Reaction No. 79787

As(s) + Ba(s) + 1.5<H2(g)> + 2.5<O2(g)> = Ba+2_H+1_AsO4-3_H2O_(s)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-1538.70(6SF)kJ	5	CRV	29482

Reaction No. 79795

2<Ba+2> + UO2+2 + 3<CO3-2> = Ba+2(2)_UO2+2_CO3-2(3)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:29.75(4SF)	2	EOD	29484
2	25	0	Inf. Dilution	lgK:29.76(4SF)	2	EOD	29484

Reaction No. 79796

Ba+2 + UO2+2 + 3<CO3-2> = Ba+2_UO2+2_CO3-2(3)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:26.16(4SF)	2	EOD	29484
2	25	0	Inf. Dilution	lgK:26.68(4SF)	2	EOD	29484

Reaction No. 79803

Ba+2_CO3-2_(s) + H+1 = Ba+2 + H+1_CO3-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.767(4SF)	4	EOD	29487
2	90	0	Inf. Dilution	lgK:1.39(3SF)	4	EOD	29487
3	25	0	Inf. Dilution	dH:-11.961(5SF)kJ	4	EOD	29487

Reaction No. 80032

Ba+2 + H+1_EDTA-4 = Ba+2_EDTA-4 + H+1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	NaCl/m	lgK:-1.41(0.12SD)	3	MIX	29889
2	25	0.22	NaCl/m	lgK:-2.63(0.06SD)	3	MIX	29889
3	25	0.51	NaCl/m	lgK:-2.80(0.08SD)	3	MIX	29889
4	25	1.02	NaCl/m	lgK:-3.21(0.08SD)	3	MIX	29889
5	25	2.09	NaCl/m	lgK:-3.49(0.08SD)	3	MIX	29889
6	25	2.64	NaCl/m	lgK:-3.75(0.08SD)	3	MIX	29889

Reaction No. 80250

AsO4-3 + Ba+2 = Ba+2_AsO4-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:3.97(3SF)	1	MPH	29969

Note (1): Data set looks systematically low cf. NaCl (should be lower but not)

Reaction No. 80251

H+1 + AsO4-3 + Ba+2 = Ba+2_H+1_AsO4-3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	KNO3	lgK:12.42(4SF)	1	MPH	29969

Note (1): Data set looks systematically low cf. NaCl (should be lower but not)

Reaction No. 80988

Ba+2 + H+1_Se-2 = Ba+2_Se-2_(S) + H+1

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-35.86(4SF)	3	EOD	32222
2	25	0	Inf. Dilution	dH:146.900(2.694SD)kJ	3	EOD	32222

Reaction No. 81325

Ba+2_S-2_(s) + 4<H2O> = Ba+2 + SO4-2 + 8<H+1> + 8<e-1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-17.39(4SF)	4	CRV	32224

Reaction No. 81326

Ba+2_H+1(2)_CO3-2(2)_(s) = Ba+2 + 2<CO3-2> + 2<H+1>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-20.66(4SF)	4	CRV	32224

Reaction No. 81327

Ba+2_Ca+2_CO3-2(2)_(tricl.,s) = Ba+2 + Ca+2 + 2<CO3-2>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-17.99(4SF)	4	CRV	32224

Reaction No. 81328

Ba+2_Ca+2_CO3-2(2)_(monocl.,s) = Ba+2 + Ca+2 + 2<CO3-2>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-17.84(4SF)	4	CRV	32224

Reaction No. 81329

BaO(s) + 2<H+1> = Ba+2 + H2O

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:48.62(4SF)	4	CRV	32224

Reaction No. 81330

Ba+2_OH-1(2)_H2O(8)_(s) + 2<H+1> = Ba+2 + 10<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:25.5(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:24.34(4SF)	0	CRV	32224

Reaction No. 81331

BaTiO3(s) + 6<H+1> + e-1 = Ba+2 + Ti+3 + 3<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.600(4SF)	4	CRV	32224

Reaction No. 81332

BaTiO4(s) + 8<H+1> + 3<e-1> = Ba+2 + Ti+3 + 4<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-55.087(5SF)	4	CRV	32224

Reaction No. 81333

BaSrTiO4(s) + 8<H+1> + e-1 = Ba+2 + Sr+2 + Ti+3 + 4<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:36.855(5SF)	4	CRV	32224

Reaction No. 81334

BaZrO3(s) + 6<H+1> = Ba+2 + Zr+4 + 3<H2O>

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:27.45(4SF)	4	CRV	32224

Reaction No. 81335

Ba+2_SeO4-2_(s) + 2<H+1> + 2<e-1> = Ba+2 + SeO3-2 + H2O

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:20.6(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:21.55(4SF)	0	CRV	32224

Reaction No. 81336

Ba+2_MoO4-2_(s) = Ba+2 + MoO4-2

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-10.09(4SF)	4	CRV	32224

Data Assessment

Weight	Assessment
9	highest accuracy
8	multi-determined; excellent dependability
7	trustworthy; outstanding single determination
6	better than average reliability
5	average single determination
4	some doubt
3	poorly known
2	guess to achieve consistency (or just as bad)
1	no information but consistent
0	problematic/inconsistent

Techniques

Abbrev	Method
CIU	Critical IUPAC publication (crit.)
CMN	Several experimental values (crit.)
CRV	Critical review
EAE	Automated extrapolation
EBU	Brown's Unified Theory
EDH	Debye-Hueckel corrections
EES	Personal estimate
EFE	Free Energy relations
EIE	Interpolation/Extrapolation (not Debye-Huekel)
EIU	Critical IUPAC review (estim.)
ELC	Linear Combination of Reactions
EMS	Mean Spherical Approximation
EMU	Method unknown
ENS	Not specified
EOD	Calculated from data of others

EOR	Other Reaction Constants
ESC	Standard conditions anchor
ETR	Thermodynamic relationships
EVH	Van't Hoff Equation (dH = constant)
MAC	Activity coefficient (not specified)
MAG	Silver electrode e.m.f.
MCE	Cation exchange
MCL	Calorimetry
MCN	Conductivity
MCO	Colorimetry (often for measuring pH)
MCT	Coulometric titration
MDG	Combination of Thermodynamic Data
MDS	Distribution between two phases
MEF	Electromotoric force, not specified
MEP	Electrophoresis
MGL	Glass electrode
MHG	Emf with amalgam electrode
MHY	Emf with hydrogen electrode
MIS	Ion selective electrode
MIX	Ion exchange
MKN	Rate of reaction
MMR	Nuclear magnetic resonance
MMX	Mixed techniques
MPH	pH method, not specified
MPL	Polarography
MPS	Potentiometry and Spectrophotometry
MPT	Potentiometry
MQH	Quinhydrone electrode
MRX	Emf with redox electrode
MSC	Miscellaneous
MSL	Solubility
MSP	Spectroscopy
MTD	Temperature difference

References

Reference No.: 68(67Hel)
J. Phys. Chem., 1967, 71, 3121 - 3136; Helgeson HC; Thermodynamics of Complex Dissociation in Aqueous Solution at Elevated Temperatures

Reference No.: 108(54Sch)
J. Am. Chem. Soc., 1954, 76, 3442 - 3444; Schubert J; Complexes of Alkaline Earth Cations Including Radium with Amino Acids and Related Compounds Complexes of Alkaline Earth Cations Including Radium with Amino Acids and Related Compounds

Reference No.: 128(70ABP)
J. Chem. Soc. (A), 1970,, 2691 Advani AT; Barnes DS; Pettit LD; Absence of Stereoselectivity in Complexes of Optically Active and Racemic 1,2-Diamines

Reference No.: 139(65WHR)
Anal. Chem., 1965, 37, 884 Wright DL; Holloway JH; Reilley CN; Heats and Entropies of Formation of Metal Chelates of Polyamine and Polyaminocarboxylate Ligands

Reference No.: 140(64SiM)
Stability Constants of Metal-ion Complexes SP17, 1964 Sillen LG; Martell AE; The Chemical Soc.,London

Reference No.: 154(64COM)
J. Inorg. Nucl. Chem., 1964, 26, 553 - 564; Campi E; Ostacoli G; Meirone M; Saini G; Stability of the Complexes of Tricarballylic and Citric Acids with Bivalent Metal Ions in Aqueous Solution

Reference No.: 197(54SGA)
Helv. Chim. Acta, 1954, 37, 937 - 957; Schwarzenbach G; Gut R; Anderegg G; Complexons. XXV. Polarographic Study of Exchange Equilibria. New Data on the Formation Constants of Metal Complexes of Ethylenediaminetetraacetic Acid and 1, 2-Diaminocyclohexanetetraacetic Acid (Komplexone XXV. Die Prographische Unterscuchung von Austauschgleichgewichten Neue Daten der Bildungskonstanten von Metallkomplexen der Athylendiamin-tetraessigsaure und der 1,2-Diaminocyclohexan-tetraessigsaure)

Reference No.: 222(87Bec)
Pure Appl. Chem., 1987, 59, 1703 - 1720; Beck MT; Critical Survey of Stability Constants of Cyano Complexes

Reference No.: 233(89SmM)
Critical Stability Constants, Vol. 6, 1989 Smith RM; Martell AE; Plenum, New York

Reference No.: 234(67SBM)
Biochim. Biophys. Acta, 1967, 148, 655 - 664; Sigel H; Becker K; McCormick DB; Ternary Complexes in Solution. Influence of 2,2'Bipyridyl on the Stability of 1:1 Complexes of Cobalt(II), Nickel(II), Copper(II), and Zinc(II) with Hydrogen Phosphate, Adenosine 5'-monophosphate and Adenosine 5'-triphosphate

Reference No.: 267(59WoO)
Recueil. Trav. Chim. Pays-Bas, 1959, 78, 759 - 782; Wolhoff JA; Overbeek JTG; Equilibrium Constants for a Number of Metal-phosphate Complexes

Reference No.: 277(64ElM)
J. Inorg. Nucl. Chem., 1964, 26, 1555 - 1560; Ellison H; Martell AE; Chelating Tendencies of Tripolyphosphate Ions

Reference No.: 310(68TWC)
J. Inorg. Nucl. Chem., 1968, 30, 2067 - 2070; Tanner SP; Walker JB; Choppin GR; Thermodynamic Parameters of the Alkaline Earth Monofluorides

Reference No.: 312(71BoH)
J. Inorg. Nucl. Chem., 1971, 33, 429 - 434; Bond AM; Hefter G; Use of the Fluoride Ion-selective Electrode for the Detection of Weak Fluoride Complexes

Reference No.: 356(71HPP)
Electrochim. Acta, 1971, 16, 677 - 686; Hanna EM; Pethybridge AD; Prue JE; Ion Association and the Analysis of Precise Conductimetric Data

Reference No.: 373(76Rea)
Chem. Geol., 1976, 18, 309 - 325; Reardon EJ; Dissociation Constants for Alkali Earth and Sodium Borate Ion Pairs from 10 to 50 degrees Celsius

Reference No.: 381(64ArM)
J. Chem. Soc., 1964,, 3117 - 3122; Archer DW; Monk CB; Ion-association Constants of Some Acetates by pH (Glass Electrode) Measurements

Reference No.: 386(50JoM)
J. Chem. Soc., 1950,, 3475 - 3478; Jones HW; Monk CB; The Condensed Phosphoric Acids and Their Salts. Part V. Dissociation Constants of Some Tetrametaphosphates

Reference No.: 406(80Bas)
Geochim. Cosmochim. Acta, 1980, 44, 1151 - 1160; Bassett RL; A Critical Evaluation of the Thermodynamic Data for Boron Ions, Ion pairs, Complexes, and Polyanions in Aqueous Solution at 298.5K and 1 bar

Reference No.: 437(80BoH)
IUPAC Chemical Data Series No. 27, 1980 Bond AM; Hefter GT; Critical Survey of Stability Constants and Related Thermodynamic Data of Fluoride Complexes in Aqueous Solution; Pergamon, Oxford, U.K.

Reference No.: 476(68OVR)
Ric. Sci., 1968, 38, 318 - 321; Ostacoli G; Vanni A; Roletto E; Complex Formation between Alkyl-substituted Malonic Acids and Bivalent Metal ions in Aqueous Solutions

Reference No.: 552(95SMM)
NIST Critical Stability Constants of Metal Complexes Database, 1995 Smith RM; Martell AE; Motekaitis RJ; Version 2.0; National Institute of Standards and Technology, Gaithersburg, USA

Reference No.: 571(72LuL)
Suomen Kemi., 1972, 45B, 6 - 10; Lukkari O; Lukkari H; Solubility of Barium Chromate in Sodium Perchlorate and Potassium Chloride Solutions

Reference No.: 766(87BrA)
Report EPA/600/3-87/012, 1987 Brown DS; Allison JD; MINTEQA1, An Equilibrium Metal Speciation Model: Users Manual; U.S. Environmental Protection Agency, Athens, Georgia 30613

Reference No.: 773(85KoS)
Handbook of Chemical Equilibria in Analytical Chemistry, 1985 Kotrly S; Sucha L; Ellis Horwood Series in Anal. Chem.; Eds. Chalmers RA & Masson M; Ellis Horwood, Chichester

Reference No.: 802(90Wea)
CRC Handbook of Chemistry and Physics, 70th Edn., 1990 Weast RC; A Ready-Reference Book of Chemical and Physical Data; CRC Press, Cleveland, Ohio

Reference No.: 903(77And)
Critical Survey of Stability Constants of EDTA Complexes, 1977 Anderegg G; IUPAC Chemical Data Series. 14; Pergamon Press, Oxford

Reference No.: 906(79Per)
IUPAC Chemical Data Series No. 22, 1979 Perrin DD; Stability Constants of Metal-Ion Complexes, First Edition Part B, Organic Ligands; Pergamon, Oxford

Reference No.: 931(71SiM)
Stability Constants of Metal-ion Complexes SP25, 1971 Sillen LG; Martell AE; Supplement No 1 to Special Publication No 25; Chemical Society, London

Reference No.: 999(91MaM)
Estimation of Constants for JESS Database, 1991 May PM; May RF

Reference No.: 1007(89DDV)
J. Chem. Soc., Dalton Trans., 1989,, 133 - 137; Delgado R; da Silva JJRF; Vaz MCTA; Paoletti P; Micheloni M; Thermodynamics of the Formation of Metal Complexes of 1,4,10-Trioxa-7,13-diazacyclopentadecane-N,N'-diacetic acid and of 1,4,10,13-Tetraoxa-7,16-diazacyclo-octadecane-N,N'-diacetic acid

Reference No.: 1069(89GAH)
Polyhedron, 1989, 8, 189 - 195; Ghandour MA; Azab HA; Hassan A; Ali AM; Potentiometric Studies on the Mixed Ligand Complexes in Solution: M II-Tetracycline-glycine Systems

Reference No.: 1118(82And)
Pure Appl. Chem., 1982, 54, 2693 - 2758; Anderegg G; Critical Survey of Stability Constants of NTA Complexes

Reference No.: 1176(87DDV)
Polyhedron, 1987, 6, 29 - 38; Delgado R; da Silva JJRF; Vaz MCTA; Metal Complexes of 1,4,10-Trioxa-7,13-Diazacyclopentadecane- N,N"-Diacetic Acid

Reference No.: 1274(89SLN)
J. Coord. Chem., 1989, 19, 359 - 369; Strasak M; Lucansky J; Novomesky P; Dvorakova E; Diastereoselectivity in Metal Complexes of some Phenyl- substituted Ethylenediamine-N,N,N,N'-Tetraacetate Derivatives

Reference No.: 1318(90DSK)
Helv. Chim. Acta, 1990, 73, 140 - 148; Delgado R; Siegfried LC; Kaden TA; Metal Complexes with Macrocyclic Ligands. Part XXXI. Protonation Studies and Complexation Properties of Tetraazamacrocyclic Methylenephosphonates with Earth-Alkali-Ions

Reference No.: 1338(87SAS)
Inorg. Chem., 1987, 26, 1199 - 1204; Sawada K; Araki T; Suzuki T; Complex Formation of Amino Polyphosphonates. 1. Potentiometric and Nuclear Magnetic Resonance Studies of Nitrilotris(methylenephosphonato) Complexes of the Alkaline-Earth-Metal Ions

Reference No.: 1345(88MaS)
Inorg. Chem., 1988, 27, 1447 - 1453; Massoud SS; Sigel H; Metal Ion Coordinating Properties of Pyrimidine-Nucleoside 5'-Monophosphates (CMP,UMP,TMP) and of Simple Phosphate Monoesters, Including D-Ribose 5'-Monophosphate. Establish- ment of Relations between Complex Stability and Phosphate Basicity

Reference No.: 1350(86DSM)
Inorg. Chem., 1986, 25, 3879 - 3883; Damu KV; Shaikjee MS; Michael JP; Howard AS; Hancock RD; Control of Metal Ion Selectivity in Ligands Containing Neutral Oxygen and Pyridyl Groups

Reference No.: 1379(87BGH)
Inorg. Chem., 1987, 26, 2699 - 2706; Bevilacqua A; Gelb RI; Hebard WB; Zompa LJ; Equilibrium and Thermodynamic Study of the Aqueous Complexation of 1,4,7-Triazacyclononane-N,N',N",- triacetic Acid with Protons, Alkaline-Earth-Metal Cations, and Copper(II)

Reference No.: 1384(89HaM)
Chem. Rev., 1989, 89, 1875 - 1914; Hancock RD; Martell AE; Ligand Design for Selective Complexation of Metal Ions in Aqueous Solution

Reference No.: 1437(91SMC)
Pure Appl. Chem., 1991, 63, 1015 - 1080; Smith RM; Martell AE; Chen YT; Critical Evaluation of Stability Constants for Nucleotide Complexes with Protons and Metal Ions

Reference No.: 1467(88ADD)
Talanta, 1988, 35, 741 - 745; Amorim MTS; Delgado R; da Silva JJRF; Vaz MCTA; Vilhena MF; Metal Complexes of 1-Oxa-4,7,10-Triazacyclododecane- N,N',N"-Triacetic Acid

Reference No.: 1491(86ChO)
Inorg. Chem., 1986, 25, 355 - 358; Chang CA; Ochaya VO; Potential Lanthanide Selective Reagants. 3. 1,2 Metal Complex Formation with 1,7-Diaza-4,10,13-trioxacyclopentadecane-N,N'-diacetic Acid

Reference No.: 1506(80Aru)
Inorg. Chem., 1980, 19, 2895 - 2896; Aruga R; Association Reactions of Magnesium(II), Calcium(II), Strontium(II), and Barium(II) with Malate Ion in Aqueous Solution. Influence of Enthalpy and Entropy Factors on the Stability Order of the Complexes

Reference No.: 1520(85CDD)
Talanta, 1985, 32, 675 - 677; Capone S; De Robertis A; De Stefano C; Scarcella R; Thermodynamics of Formation of Magnesium, Calcium, Strontium and Barium Complexes with 2,2'-Bipyridyl and 1,10-Phenanthroline at Different Ionic Strengths in Aqueous Solution

Reference No.: 1529(87Har)
Talanta, 1987, 34, 817 - 820; Harju L; Determination of Stability Constants for Alkaline- Earth and Alkali Metal Ion Complexes of Glycine by Spectrophotometry

Reference No.: 1539(78Kra)
Atlas of Metal-Ligand Equilibria in Aqueous Solution, 1978 Kragten J; Ellis Horwood, Chichester UK

Reference No.: 1548(85MMN)
Inorg. Chem., 1985, 24, 3076 - 3080; Mulla F; Marsicano F; Nakani BS; Hancock RD; Stability of Ammonia Complexes that are Unstable to Hydrolysis in Water

Reference No.: 1572(75And)
Helv. Chim. Acta, 1975, 58, 1218 - 1225; Anderegg G; Thermodynamik der Metallkomplexbildung mit Polyoxadiazamacrocyclen

Reference No.: 1595(79RiK)
Talanta, 1979, 26, 507 - 510; Rizkalla EN; Kazi MTM; Metal Chelates of Phosphonate-containing Ligands - 1 Stability of Some N,N,N',N'-Ethylenediaminetetra(methylene-phosphonic) Acid Metal Chelates

Reference No.: 1599(80RZI)
Talanta, 1980, 27, 715 - 719; Rizkalla EN; Zaki MTM; Ismail MI; Metal Chelates of Phosphonate-containing Ligands - V Stability of Some 1-Hydroxyethane-1,1-Diphosphonic Acid Metal Chelates

Reference No.: 1685(83EwH)
J. Chem. Soc., Dalton Trans., 1983,, 865 - 868; Ewin G; Hill JO; A Thermometric Titrimetric Study of the Complexation of Alkaline-earth Metals by Linear Poly(aminocarboxylic) Acids

Reference No.: 1711(91DCW)
Inorg. Chem., 1991, 30, 3525 - 3529; de Sousa A; Croft GJB; Wagner CA; Michael JP; Hancock RD; Effect of Cyclohexylene Bridges on the Metal Ion Size Selectivity of Ligands in Aqueous Solution

Reference No.: 1744(92LCB)
J. Am. Chem. Soc., 1992, 114, 7780 - 7785; Liang G; Chen D; Bastian M; Sigel H; Metal Ion Binding Properties of Dihydroxyacetone Phosphate and Glycerol 1-Phosphate

Reference No.: 1786(91DMH)
J. Chem. Soc., Dalton Trans., 1991,, 2717 - 2721; Damu KV; Maumela H; Hancock RD; Boeyens JCA; Dobson SM; Structural and Thermodynamic Study of the Effect of Sterically Hindering Alkyl Groups on Complex Stability

Reference No.: 1833(92MHM)
J. Coord. Chem., 1992, 25, 85 - 93; Marsicano F; Hancock RD; McGowan A; Thermodynamic Origin of the Cryptate Effect in Complexes Involving Cryptand-2,2,2

Reference No.: 1860(92SCC)
Helv. Chim. Acta, 1992, 75, 2634 - 2656; Sigel H; Chen D; Corfu NA; Holy A; Strasak B; Metal-Ion-Coordinating Properties of Various Phosphonate Derivatives including 9-[2-(Phosphonylmethoxy)ethyl]adenine (PMEA)- Adenosine Monophosphate (AMP) Analogue with Antiviral Properties

Reference No.: 1902(79PoB)
J. Inorg. Nucl. Chem., 1979, 41, 205 - 207; Poldoski JE; Bydalek TJ; Metal Ion Complexes of Ethylene-Bis-N,N'-(2,6-Dicarboxy)Piperdine

Reference No.: 1926(79PSJ)
J. Inorg. Nucl. Chem., 1979, 41, 1759 - 1763; Poonia NS; Sarad SK; Jayakumar A; Kumar GC; Coordination Chemistry of Alkali and Alkaline Earth Cations - 1. Lower Glycols as Ligands

Reference No.: 1947(66IrP)
J. Inorg. Nucl. Chem., 1966, 28, 1629 - 1631; Irving HMNH; Parkins R; Meso- and dl-2,3-Diaminobutane-NNN'N'-Tetra-Acetic Acid and their Metal Complexes

Reference No.: 1956(64And)
Helv. Chim. Acta, 1964, 47, 1801 - 1814; Anderegg G; Komplexone XXXVI. Reaktionsenthalpie und -entropie bei der Bildung der Metalkomplexe der hoheren EDTA-Homologen

Reference No.: 1957(57SSA)
Helv. Chim. Acta, 1957, 40, 1886 - 1900; Schwarzenbach G; Senn H; Anderegg G; Complexones. XXIX. A Large Chelation Effect of a Special Sort (Komplexone XXIX. Ein Grosser Chelateffekt besonderer Art)

Reference No.: 1963(63And)
Helv. Chim. Acta, 1963, 46, 1833 - 1842; Anderegg G; Komplexone XXXIII. Reaktionsenthalpie und -entropie bei der Bildung der Metallkomplexe von Athylendiamin-und Diaminocyclohexan-tetra-essigsaure

Reference No.: 1978(78NLM)
Chem. Zvesti, 1978, 32, 19 - 26; Novak V; Lucansky J; Majer J; Meue Komplexane. XXXII.

Synthese und Studium der Eigenschaften der 2-Methyl-1,2-diaminopropan-N,N,N',N'-tetraessigsaure

Reference No.: 1979(74RMB)
Chem. Zvesti, 1974, 28, 332 - 335; Riecanska E; Majer J; Bumbalova A; Kalina M; Neue Komplexane. XXIX. Potentiometrisches Studium chelatbildender Eigenschaften von N,N-Biskarboxymethyl-2-aminoalkansauren

Reference No.: 1981(79MBN)
Chem. Zvesti, 1979, 33, 742 - 748; Majer J; Butvin P; Novak V; Svicekova M; Fuleova E; Valaskova I; Novak J; New Complexanes. XXXV. Properties of 1,2-Diaminooctane-N,N,N',N'-tetraacetic Acid

Reference No.: 1982(63And)
Helv. Chim. Acta, 1963, 46, 1011 - 1017; Anderegg G; Pyridinderivate als Komplexbildner IV. Die Metalkomplexe der Chelidamsaure

Reference No.: 2000(63MaD)
Chem. Zvesti, 1963, 17, 402 - 410; Majer J; Dvorakova E; Nove Komplexony. (I). Komplexy mezo-kyseliny a Racemickej Kyseliny 2,3-diaminobutan-N,N,N',N'-tetraoctovej s Kovmi Alkalickych Zemin

Reference No.: 2004(66MKD)
Chem. Zvesti, 1966, 20, 242 - 251; Majer J; Kotoucek M; Dvorakova E; Nove Komplexany. (V). Komplexy Kyseliny Ethylendiamin-N,N'- dipropionove-alpha,alpha' a Kyseliny Ethylendiamin-N,N'-diprop- ionove-alpha,alpha'-N,N'-dioctove s Kationty Alkalickych Zemin a s Nekterymi Dalsimi Dvojmocnymi Kationty

Reference No.: 2006(68MJD)
Chem. Zvesti, 1968, 22, 415 - 423; Majer J; Jokl V; Dvorakova E; Jurcova M; Nove Komplexany. (XIII). Potenciometricke a Elektroforeticke Studium Kyseliny Etylendiamin-N,N'-dijantarovej a jej Kovovych Chelatov

Reference No.: 2008(69NDS)
Chem. Zvesti, 1969, 23, 861 - 868; Novak V; Dvorakova E; Svicekova M; Majer J; New Complexanes. XIX. Complex-forming Properties of Ethylenediamine- N,N'-diacetic-N,N'-(2,2'-dialkanecarboxylic) Acids

Reference No.: 2010(69NDS)
Chem. Zvesti, 1969, 23, 330 - 335; Novak V; Dvorakova E; Svicekova M; Majer J; Neue Komplexane. XVII. Studium der Chelate der Phenylathylendiamin- tetraessigsaure

Reference No.: 2011(69NDM)
Chem. Zvesti, 1969, 23, 161 - 165; Novak V; Dvorakova E; Majer J; Neue Komplexane. XVI. Acidobasische und Chelatbildende Eigenschaften der Komplexane vom Typ der 1,2-Diaminoalkan- und 1,2-Diaminoiso- alkan-N,N,N',N'-tetraessigsauren

Reference No.: 2015(70AIP)
J. Chem. Soc. (A), 1970,, 2649 - 2651; Advani AT; Irving HMNH; Pettit LD; Formation Constants of Bis- and Tris-complexes of Optically Active Bidentate Ligands

Reference No.: 2016(82DeF)
Talanta, 1982, 29, 815 - 822; Delgado R; Frausto da Silva JJR; Metal Complexes of Cyclic Tetra-azatetra-acetic Acids

Reference No.: 2018(69SSP)
J. Inorg. Nucl. Chem., 1969, 31, 2085 - 2090; Simeon Vl; Svigir B; Paulic N; Thermodynamics of Co-ordination of Alkaline-earth Cations to some C.C'-Substituted EDTA Derivatives

Reference No.: 2019(63GHW)
J. Inorg. Nucl. Chem., 1963, 25, 1225 - 1238; Grimes JH; Huggard AJ; Wilford SP; The Stabilities of the Alkaline Earth Chelates of some Polyaminopolycarboxylic Acids

Reference No.: 2040(65And)
Helv. Chim. Acta, 1965, 48, 1718 - 1721; Anderegg G; Komplexone XXXVIII. Reaktionsenthalpie und -entropie bei der Bildung der 1:1- und 1:2-Metallkomplexe von Methyliminodiessigsaure

Reference No.: 2041(65AnB)
Helv. Chim. Acta, 1965, 48, 887 - 892; Anderegg G; Bottari E; Pyridinderivate als Komplexbildner VII. Uber die Koordinationsten- denz von substituierten Dipicolinat-Ionen

Reference No.: 2043(64LeA)
Helv. Chim. Acta, 1964, 47, 1792 - 1800; L'Eplattenier F; Anderegg G; Komplexone XXXV. Die Metallkomplexe der Tri- und der Tetramethylendiamin-NN'-tetraessigsaure

Reference No.: 2131(93SKN)
J. Chem. Soc., Dalton Trans., 1993,, 2557 - 2562; Sawada K; Kanda T; Naganuma Y; Suzuki T; Formation and Protonation of Aminopolyphosphonate Complexes of Alkaline-earth and Divalent Transition-metal Ions in Aqueous Solution

Reference No.: 2152(83Mor)
Principles of Aquatic Chemistry, 1983 Morel FMM; John Wiley & Sons

Reference No.: 2251(87Bus)
J. Solution Chem., 1987, 16, 181 - 190; Buschmann H-J; Stability Constants and Thermodynamic Data for Complexes of 12-Crown-4 with Alkali Metal and Alkaline-Earth Cations in Methanol Solutions

Reference No.: 2261(93PeP)
IUPAC Stability Constants Database, 1993 Pettit LD; Powell HKJ; IUPAC (in co-operation with Academic Software), Otley, UK

Reference No.: 2281(93WLH)
J. Chem. Soc., Dalton Trans., 1993,, 2017 - 2021; Wambeke DM; Lippens W; Herman GG; Goeminne AM; Metal-ion Complexation in Aqueous Solutions of 1-Thia-4,7-diazacyclononane-, 1-Thia-4,8-diazacyclodecane- and 2,5-Diazahexane-N,N-diacetic Acid

Reference No.: 2308(74MSM)
J. Inorg. Nucl. Chem., 1974, 36, 2033 - 2038; Miyazaki M; Shimoishi Y; Miyata H; Toei K; The Reaction of Dicarboxylic Acids Containing Ether Linkages with Alkaline Earth Metals

Reference No.: 2360(83Van)
Polyhedron, 1983, 2, 285 - 289; van Uitert LG; Chelate Compound Stability Constant Calculations on Metal Diketonate Complexes

Reference No.: 2373(89And)
Comprehensive Coordination Chemistry, Vol. 2, 1989, 777 - 792; Anderegg G; Complexones

Reference No.: 2392(93SKG)
Pure Appl. Chem., 1993, 65, 1029 - 1080; Sovago I; Kiss T; Gergely A; Critical Survey of the Stability Constants of Complexes of Aliphatic Amino Acids

Reference No.: 2511(92Bus)
Inorg. Chim. Acta, 1992, 195, 51 - 61; Buschmann H-J; A Comparison of Different

Experimental Techniques for the Determination of the Stabilities of Polyether, Crown Ether and Cryptand Complexes in Solution

Reference No.: 2522(91VNS)
Inorg. Chim. Acta, 1991, 184, 59 - 65; van Truong Ng.; Norris AR; Shin HS; Buncel E; Bannard RAB; Purdon JG; Selectivities and Thermodynamic Parameters of Alkali-metal and Alkaline-earth-metal Complexes of Polyethylene Glycol Dimethyl Ethers in Methanol and Acetonitrile

Reference No.: 2527(91ClM)
Inorg. Chim. Acta, 1991, 190, 27 - 36; Clarke ET; Martell AE; Stabilities of the Alkaline Earth and Divalent Transition Metal Complexes of the Tetraazamacrocyclic Tetraacetic Acid Ligands

Reference No.: 2542(82SSP)
Inorg. Chim. Acta, 1982, 66, 147 - 155; Sigel H; Scheller KH; Prus B; Metal Ion/Buffer Interactions. Stability of Alkali and Alkaline Earth Ion Complexes with Triethanolamine (Tea), 2-Amino-2(hydroxy- methyl)-1,3-Propandiol (Tris) and 2-[Bis(2-hydroxyethyl)amino]2 (hydroxymethyl)-1,3-propanediol (Bistris) in Aqueous and Mixed Solvents

Reference No.: 2556(93MSM)
NIST Critical Stability Constants of Metal Complexes Database, 1993 Martell AE; Smith RM; Motekaitis RJ; Version 1.0; National Institute of Standards and Technology, Gaithersburg, USA

Reference No.: 2558(54Cha)
J. Am. Chem. Soc., 1954, 76, 5854 - 5858; Charles RG; Heats and Entropies of Reaction of Metal Ions with Ethylenediaminetetraacetate

Reference No.: 2591(66IrM)
J. Chem. Soc. (A), 1966,, 1268 - 1275; Irving HMNH; Miles MG; Analogues of Nitrilotriacetic Acid, and the Stabilities of their Proton and Metal Complexes

Reference No.: 2595(66IrM)
J. Chem. Soc. (A), 1966,, 727 - 732; Irving HMNH; Miles MG; Aryl Derivatives of Nitrilotriacetic Acid, and the Stability of Their Proton and Metal Complexes

Reference No.: 2599(88JTJ)
J. Chem. Soc., Faraday Trans. 1, 1988, 84, 951 - 958; Juillard J; Tissier C; Jeminet G; Interactions between Metal Cations and the Ionophore Lasalocid Part 1. Complexation of Alkaline-earth-metal Cations by Lasalocid, Bromolasalocid and Salicylic Acid in Methanol

Reference No.: 2603(56CaS)
J. Chem. Soc., 1956,, 4571 - 4579; Care RA; Staveley LAK; The Thermodynamics of the Formation of Complex Ions of Ethlenediaminetetra-acetic Acid and Bivalent Cations

Reference No.: 2604(82BDJ)
Can. J. Chem., 1982, 60, 981 - 989; Bolte J; Demuynck C; Jeminet G; Juillard J; Tissier C; Etude Comparee de Trois Antibiotiques Ionophores: X.537 A (Lasalocide), A.23187 (Calcimycine) et X.14547 A. Complexation des Cations IA et IIA, Transport de Ca++

Reference No.: 2699(45SKS)
Helv. Chim. Acta, 1945, 28, 1133 - 1143; Schwarzenbach G; Kampitsch E; Steiner R; Komplexone II. Das Komplexbildungsvermogen von Iminodiessigsaure, Methylimino-diessigsaure, Aminomalonsaure und Aminomalonsaure -diessigsaure

Reference No.: 2717(93BGE)
J. Chem. Soc., Chem. Commun., 1993,, 574 - 575; Brucher E; Gyori B; Emri J; Solymosi P;

Sztanyik LB; Varga L; 1,10-Diaza-4,7,13,16-tetraoxacyclooctadecane-1,10-bis(malonate), a Ligand With High Sr+2/Ca+2 and Pb+2/Zn+2 Selectivities in Aqueous Solution

Reference No.: 2780(80RiZ)
Talanta, 1980, 27, 769 - 770; Rizkalla EN; Zaki MTM; Metal Chelates of Phosphonate-containing Ligands - VI. Complexes of Ethylenediaminetetra(methylenephosphonic) Acid with Cd, Mg, Ca and Ba

Reference No.: 2804(80Pea)
Aust. J. Chem., 1980, 33, 1511 - 1517; Pearce KN; Formation Constants for Magnesium and Calcium Citrate Complexes

Reference No.: 2876(93SMS)
J. Chem. Soc., Dalton Trans., 1993,, 3777 - 3784; Sawada K; Miyagawa T; Sakaguchi T; Doi K; Structure and Thermodynamic Properties of Aminopolyphosphonate Complexes of the Alkaline-earth Metal Ions

Reference No.: 2906(88SMT)
J. Am. Chem. Soc., 1988, 110, 6857 - 6865; Sigel H; Massoud SS; Tribolet R; Comparison of the Metal Ion Coordinating Properties of Tubercidin 5'-Monophosphate (7-Deaza-AMP) with Those of Adenosine 5'-Monophosphate (AMP) and 1,N6-Ethenoadenosine 5'-Monophosphate (epsilon-AMP). Definite Evidence for Metal Ion-Base Backbinding to N-7 and Extent of Macrochelate Formation in M(AMP) and M(epsilon-AMP)

Reference No.: 2920(84CVS)
J. Am. Chem. Soc., 1984, 106, 1273 - 1280; Cox BG; van Truong Ng.; Schneider H; Alkaline Earth Cryptands: Dynamics and Stabilities in Different Solvents

Reference No.: 2944(80LIS)
J. Am. Chem. Soc., 1980, 102, 475 - 479; Lamb JD; Izatt RM; Swain CS; Christensen JJ; A Systematic Study of the Effect of Macrocycle Ring Size and Donor Atom Type on the Log K, delta H, and T delta S of Reactions at 25 C in Methanol of Mono- and Divalent Cations with Crown Ethers

Reference No.: 3005(93BDS)
J. Coord. Chem., 1993, 30, 311 - 316; Buschmann H-J; Dong H; Schollmyer E; Complexation of Alkaline Earth Cations by Noncyclic Polyethers, Crown Ethers, and Cryptands in Acetone

Reference No.: 3006(85BPJ)
Standard Potentials in Aqueous Solution, 1985 Bard AJ; Parsons R; Jordan J; Monographs in Electroanalytical Chemistry and Electrochemistry; Marcel Dekker Inc.,New York and Basel

Reference No.: 3201(77DCV)
J. Inorg. Nucl. Chem., 1977, 39, 613 - 619; da Silva JJRF; Candida M; Vaz TA; The Thermodynamics of Complex Formation between Uramildiacetic Acid and the Alkaline-Earth Metals

Reference No.: 3215(68NaP)
Inorg. Chem., 1968, 7, 58 - 62; Nancollas GH; Park AC; Thermodynamics of Ion Association. XVI. Bivalent Metal Complexes Involving Nitrogen and Oxygen Coordination

Reference No.: 3283(75LeS)
J. Am. Chem. Soc., 1975, 97, 6700 - 6707; Lehn J-M; Sauvage JP; [2]-Cryptates: Stability and Selectivity of Alkali and Alkaline-Earth Macrobicyclic Complexes

Reference No.: 3303(75SNJ)
J. Chem. Soc., Dalton Trans., 1975,, 2381 - 2386; Shchori E; Nae N; Jagur-Grodzinski JJ; Stability Constants of Complexes of a Series of Metal Cations with

6,7,9,10,17,18,20,21-Octahydrodibenzo[b,k][1,4,7,10,13,16]hexa-oxa- -cylo-octadecin (Dibenzo-18-crown-6) in Aqueous Solutions

Reference No.: 3481(67KhM)
J. Am. Chem. Soc., 1967, 89, 5585 - 5590; Khan MMT; Martell AE; Thermodynamic Quantities Associated with the Interaction of Adenosinediphosphoric and Adenosinemonophosphoric Acids with Metal Ions

Reference No.: 3482(66KhM)
J. Am. Chem. Soc., 1966, 88, 668 - 671; Khan MMT; Martell AE; Thermodynamic Quantities Associated with the Interaction of Adenosine Triphosphate with Metal Ions

Reference No.: 3486(55SAS)
Helv. Chim. Acta, 1955, 38, 1147 Schwarzenbach G; Anderegg G; Schneider W; Senn H; Complexons. XXVI. The Co-ordination Tendency of N-Sibstituted Iminoacetic Acids (Komplexone XXVI. Uber die Koordinationstendenz von N-Substituierten Iminodies-Sigsauren)

Reference No.: 3617(82HaN)
S. Afr. J. Chem., 1982, 35, 153 - 156; Hancock RD; Nankani BS; Linear Free Energy Relationships and the Chelate Effect in Oxygen Donor Ligands

Reference No.: 3802(89FRR)
Polyhedron, 1989, 8, 2693 - 2699; Fuentes J; Reboso R; Rodriguez A; Binary and Ternary Complexes of 1,3-Phenylenediamine-N,N'-Disuccinic Acid with Divalent Cations

Reference No.: 3819(88KGM)
Polyhedron, 1988, 7, 1227 - 1230; Kashanian S; Gholivand MB; Madaeni S; Nikrahi A; Shamsipur M; Spectrophotometric Study of the Complexation Reactions between Alkaline Earth Cations and Murexide in some Non-Aqueous Solutions

Reference No.: 3850(86Bus)
Inorg. Chim. Acta, 1986, 120, 125 - 129; Buschmann H-J; The Macrocyclic and Cryptate Effect. 7. Influence of Structural Changes on the Complexation Behaviour of Aza Crown Ethers and Cryptands in Different Solvents

Reference No.: 3857(83CFS)
Inorg. Chim. Acta, 1983, 69, 161 - 166; Cox BG; Firman P; Schneider H; Thermodynamic and Kinetic Studies on Complex Formation of Alkaline Earth Metal Ions with Diaza-Crown Ethers in Methanol

Reference No.: 3898(88HSD)
Inorg. Chim. Acta, 1988, 154, 229 - 238; Hancock RD; Shaikjee MS; Dobson SM; Boeyens JCA; The Stereochemical Activity or Non-activity of the 'Inert' Pair of Electrons on Lead(II) in Relation to its Complex Stability and Structural Properties. Some Considerations in Ligand Design

Reference No.: 3910(89KaS)
Inorg. Chim. Acta, 1989, 155, 203 - 206; Kashanian S; Shamsipur M; Complex Formation of Alkaline Earth Cations with Benzo-15-Crown-5 and some 18-Crowns in methanol, Dimethylformamide and Dimethyl sulfoxide Solutions

Reference No.: 3930(85Bus)
Inorg. Chim. Acta, 1985, 105, 59 - 62; Buschmann H-J; The Macrocyclic and Cryptate Effect. 3. Complexation of Barium(II) by Monocyclic and Bicyclic Ligands in Methanol

Reference No.: 4460(94SMC)
J. Am. Chem. Soc., 1994, 116, 2958 - 2971; Sigel H; Massoud SS; Corfu NA; Comparison of the Extent of Macrochelate Formation in Complexes of Divalent Metal Ions with Guanosine

(GMP-2), Inosine (IMP-2) and Adenosine 5'-Monophosphate (AMP-2). The Crucial Role of N-7 Basicity in Metal Ion-Nucleic Base Recognition

Reference No.: 4478(94SCB)
Helv. Chim. Acta, 1994, 77, 1738 - 1756; Song B; Chen D; Bastian M; Martin RB; Sigel H; Metal-Ion-Coordinating Properties of a Viral Inhibitor, a Pyrophosphate Analogue, and a Herbicide Metabolite, a Glycinate Analogue: The Solution Properties of the Potentially Five-Membered Chelates Derived from Phosphonoformic Acid and (Aminomethyl)phosphonic Acid

Reference No.: 4482(94She)
J. Chem. Soc., Faraday Trans., 1994, 90, 3401 - 3404; Shehata HA; Conductometric Study of Association Phenomena of Some Metal(II) Complexes in Water at Different Temperatures

Reference No.: 4522(76ITN)
J. Am. Chem. Soc., 1976, 98, 7626 - 7630; Izatt RM; Terry RE; Nelson DP; Chan Y; Eatough DJ; Bradshaw JS; Hansen LD; Christensen JJ; Calorimetric Titration Study of the Interaction of Some Uni- and Bivalent Cations with Benzo-15-crown-5, 18-Crown-6, Dibenzo-24-crown-8, and Dibenzo-27-crown-9 in Methanol-Water Solvents, at 25 C and mu = 0.1

Reference No.: 4532(76LiC)
J. Am. Chem. Soc., 1976, 98, 3769 - 3778; Live D; Chan SI; Nuclear Magnetic Resonance Study of the Solution Structures of Some Crown Ethers and Their Cation Complexes

Reference No.: 4763(84CVR)
J. Chem. Soc., Faraday Trans. 1, 1984, 80, 3275 - 3284; Cox BG; van Truong Ng.; Rzeszotarska J; Schneider H; Stability Constants of Complexes of Monensin and Lasalocid with Alkali-metal and Alkaline-earth-metal Ions in Protic and Polar Aprotic Solvents

Reference No.: 4772(86Bus)
J. Solution Chem., 1986, 15, 453 - 461; Buschmann H-J; Complex Formation of Alkaline-Earth Cations with Crown Ethers and Cryptands in Methanol Solutions

Reference No.: 4773(85ChK)
J. Solution Chem., 1985, 14, 1 - 12; Chantooni MK Jr; Kolthoff IM; Relation between Stability Constants of Metal Ion Cryptates in Two Solvents and the Transfer Activity Coefficients of the Metal Ions

Reference No.: 4795(88PPJ)
J. Chem. Soc., Faraday Trans. 1, 1988, 84, 1713 - 1722; Pointud Y; Passelaigue E; Juillard J; Interactions between Metal Cations and the Ionophore Lasalocid Part 4 deltaH and deltaS for Formation of 1-1 and 2-1 Complexes of the Lasalocid Anion and Salicylate with Alkaline-earth Metal Cations in Methanol

Reference No.: 4861(76KlO)
J. Chem. Soc., Faraday Trans. 1, 1976, 72, 513 - 525; Klaning UK; Osterby O; Hydration and Ion Pairing of Maleinates, Malonates, and Substituted Malonates in Aqueous Solution

Reference No.: 4920(38CaK)
J. Am. Chem. Soc., 1938, 60, 2314 - 2320; Cannan K; Kibrick AC; Complex Formation between Carboxylic Acids and Divalent Metal Cations

Reference No.: 5019(82MaS)
Talanta, 1982, 29, 145 - 148; Majer V; Stulik K; A Study of the Stability of Alkaline-Earth Metal Complexes with Fluoride and Chloride Ions at various Temperatures by Potentiometry with Ion-Selective Electrodes

Reference No.: 5049(90KCS)
Thermochim. Acta, 1990, 157, 307 - 314; Konings RJM; Cordfunke EHP; Shaviv R; Westrum

EF Jr; The Thermochemical and Thermophysical Functions of Solid Sr(OH)2 and beta-Ba(OH)2

Reference No.: 5055(74FRS)
Russ. J. Inorg. Chem., 1974, 19, 950 - 953; Fedorov VA; Robov AM; Shmydko II; Vorontsova NA; Mironov VE; Interaction of Alkaline Earth Element Ions with Nitrate Ions in Aqueous Solutions

Reference No.: 5066(61CaO)
Acta Chem. Scand., 1961, 15, 727 - 734; Carell B; Olin A; Studies on the Hydrolysis of Metal Ions. Part 36. An Estimate of the Formation Constants of CaOH+, SrOH+ and BaOH+ in 3M NaClO4

Reference No.: 5078(54GiM)
Trans. Faraday Soc., 1954, 50, 965 - 972; Gimblett FGR; Monk CB; EMF Studies of Electrolytic Dissociation Part 7. Some Alkali and Alkaline Earth Metal Hydroxides in Water

Reference No.: 5084(90PSI)
Russ. J. Inorg. Chem., 1990, 35, 925 - 927; Padar TG; Stupko TV; Isaev ID; Pashkov GL; Mironov VE; The Formation of Ammine Complexes of Alkaline Earth Metals in Aqueous Solution

Reference No.: 5104(39HoJ)
J. Am. Chem. Soc., 1939, 61, 2154 - 2156; Hogge E; Johnston HL; Activity Coefficients of Barium and Strontium Carbonates in Aqueous Solutions of Alkali Chlorides

Reference No.: 5147(76ICP)
Russ. J. Inorg. Chem., 1976, 21, 971 - 973; Ivakin AA; Chufarova IG; Petunina NI; Conditions of Formation of Calcium, Strontium, and Barium Meta-, Pyro-, and Ortho-Vanadates

Reference No.: 5150(77ICP)
Russ. J. Inorg. Chem., 1977, 22, 1470 - 803; Ivakin AA; Chufarova IG; Petunina NI; Conditions of Formation of Calcium, Strontium, and Barium Deca-, Hexa-, and Dodeca-vanadates

Reference No.: 5156(91ReB)
Radiochim. Acta, 1991, 52/53, 453 - 456; Read D; Broyd TW; Recent Progress in Testing Chemical Equilibrium Models: The CHEMVAL Project

Reference No.: 5167(76ICP)
Russ. J. Inorg. Chem., 1976, 21, 1759 - 1761; Ivakin AA; Chufarova IG; Petunina NI; Solubility and Ion-Exchange Properties of Alkaline Earth Element Polyvanadates of the type MV12O31

Reference No.: 5181(83PaV)
Chem. Rev., 1983, 83, 651 - 731; Palmer DA; van Eldik R; The Chemistry of Metal Carbonato and Carbon Dioxide Complexes

Reference No.: 5304(82Aru)
Can. J. Chem., 1982, 60, 1828 - 1831; Aruga R; Solute-Solvent Interactions in the Association of Hexcyanoferrate(III) with Group IIA Cations. A Calorimetric Study

Reference No.: 5306(66MiR)
Russ. J. Inorg. Chem., 1966, 11, 958 - 961; Mironov VE; Rutkovskii YI; Hexacyanoferrate(III) Associates of Sodium, Potassium, Caesium, Magnesium, Strontium, and Barium

Reference No.: 5390(95Woo)
Thesis, Univ. Cape Town, 1995 Woolard C; A Computer Simulation of the Trace Metal Speciation in Seawater; Univ. Cape Town, South Africa

Reference No.: 5398(82Hog)
IUPAC Chemical Data Series No. 21, 1982 Hogfeldt E; Stability Constants of Metal-ion Complexes, 2nd Suppl., Part A, Inorganic Ligands; Pergamon, Oxford

Reference No.: 5404(95CDP)
J. Chem. Soc., Dalton Trans., 1995,, 2689 - 2696; Cassol A; Di Bernardo P; Pilloni G; Tolazzi M; Zanonato PL; Thermodynamic and Electrocheimical Studies of Lanthanide and Alkaline-earth-metal Cryptates in Dimethyl Sulfoxide

Reference No.: 5468(77Wag)
Water Res., 1977, 12, 139 - 145; Wagemann R; Some Theoretical Aspects of Stability and Solubility of Inorganic Arsenic in the Fresh Water Environment

Reference No.: 5484(90NPL)
ACS Symp. Ser., 1990, 416, 398 - 413; Nordstrom DK; Plummer LN; Langmuir D; Busenberg E; May HM; Jones BF; Parkhurst DL; Revised Chemical Equilibrium Data for Major Water-Mineral Reactions and their Limitations

Reference No.: 5522(88NIT)
Arsenic Metallurgy Fundamentals and Applications, 1988, 77 - 98; Nishimura T; Itoh CT; Tozawa K; Stabilities and Solubilities of Metal Arsenites and Arsenates in Water and Effect of Sulfate and Carbonate Ions on their Solubilities

Reference No.: 5551(74Pou)
Atlas of Electrochemical Equilibria in Aqueous Solutions, 1974 Pourbaix M; Cebelcor, Brussels

Reference No.: 5552(86MLE)
IUPAC Solubility Data Series, Vol. 26, 1986 Masson MR; Lutz HD; Engelen B; Sulfites, Selenites and Tellurites; Pergamon Press

Reference No.: 5593(75JaL)
J. Solution Chem., 1975, 4, 1023 - 1031; Jackman FA; Lister MW; The Association of Hexacyanoferrate(II) Ions and Group IIA Cations

Reference No.: 5648(72MoO)
Ions in Aqueous Systems, 1972 Moller T; O'Connor R; An Introduction to Chemical Equilibrium and Solution Chemistry; McGraw-Hill Book Co., N.Y.

Reference No.: 5674(74DeF)
Biochemistry, 1974, 13, 5022 - 5032; Degani H; Friedman HL; Ion Binding by X-537A. Formulas, Formation Constants, and Spectra of Complexes

Reference No.: 5701(92Han)
J. Chem. Educ., 1992, 69, 615 - 621; Hancock RD; Chelate Ring Size and Metal Ion Selection. The Basis of Selectivity for Metal Ions in Open-Chain Ligands and Macrocycles

Reference No.: 5722(94GGL)
J. Chem. Soc., Faraday Trans., 1994, 90, 315 - 320; Gans P; Gill JB; Longdon PJ; Spectrochemistry of Solutions. Part 26. Alkali-metal and Alkaline-earth-metal Thiocyanates in Dimethylformamide and Acetonitrile Solutions: Hot Bands, Stability Constants and Thermicity for the Formation of Inner- and Outer-sphere Ion Pairs

Reference No.: 5748(62JoS)
J. Chem. Soc., 1962,, 306 - 311; Jones RH; Stock DI; The Dissociation Constants in Water of Some Bivalent Metal Alkanedicarboxylates

Reference No.: 5758(88Bus)
J. Solution Chem., 1988, 17, 277 - 286; Buschmann H-J; The Influence of Acetonitrile on Complex Formation of Crown Ethers Containing Different Donor Atoms

Reference No.: 5777(78PeT)
Thermochim. Acta, 1978, 27, 111 - 124; Perachon G; Thourey J; Edude Par Calorimetrie De La Solvatation Des Halogenures Alcalino-Terreux Dans Les Solutions Aqueuses D'Acides Halogenes Correspondants. I. Enthalpies De Dissolution Et De Dilution Des Halogenures Alcalino-Terreux

Reference No.: 5851(51PeJ)
J. Chem. Soc., 1951,, 2233 - 2239; Peacock JM; James JC; Ion Association in Aqueous Solutions of Metal Dicarboxylates

Reference No.: 6000(96YaO)
Pure Appl. Chem., 1996, 68, 469 - 496; Yamauchi O; Odani A; Stability Constants of Metal Complexes of Amino Acids with Charged Side Chains - Part I: Positively Charged Side Chains

Reference No.: 6055(64SiB)
Helv. Chim. Acta, 1964, 47, 1701 - 1717; Sigel H; Brintzinger H; Adenosin-5'-Monophosphat-N(1)-Oxid Ein (Ambivalentes) Ligandsystem

Reference No.: 6086(79FHT)
Eur. J. Biochem., 1979, 94, 523 - 530; Fischer BE; Haring UK; Tribolet R; Sigel H; Metal Ion/Buffer Interactions. Stability of Binary and Ternary Complexes Containing 2-Amino-2(hydroxymethyl)-1,3-Propanediol (Tris) and Adenosine 5'-Triphosphate (ATP)

Reference No.: 6089(80SAP)
Eur. J. Biochem., 1980, 107, 455 - 466; Scheller KH; Abel THJ; Polanyi PE; Wenk PK; Fischer BE; Sigel H; Metal Ion/Buffer Interactions. Stability of Binary and Ternary Complexes Containing 2-[Bis(2-Hydroxyethyl) Amino]-2(Hydroxymethyl)-1,3-Propanediol (Bistris) and Adenosine 5'-Triphosphate (ATP)

Reference No.: 6104(89MaS)
Eur. J. Biochem., 1989, 179, 451 - 458; Massoud SS; Sigel H; Evaluation of the Metal-ion-coordinating Differences between the 2'-, 3'- and 5'-Monophosphates of Adenosine

Reference No.: 6105(89KTC)
Inorg. Chem., 1989, 28, 1480 - 1489; Kinjo Y; Tribolet R; Corfu NA; Sigel H; Stability and Structure of Xanthosine-Metal Ion Complexes in Aqueous Solution, Together with Intramolecular Adenosine-Metal Ion Equilibria

Reference No.: 6125(93DGS)
Thermochim. Acta, 1993, 214, 325 - 338; De Stefano C; Gianguzza A; Sammartano S; Protonation Thermodynamics of 2,2'-Bipyridyl in Aqueous Solution. Salt Effects and Weak Complex Formation

Reference No.: 6135(95BGE)
J. Chem. Soc., Dalton Trans., 1995,, 3353 - 3357; Brucher E; Gyori B; Emri J; Jakab S; Kovacs Z; Solymosi P; Toth I; Complexation Properties of 1,4,10,13-Tetraoxa-7,16-diazacyclo- octadecane-7-malonate, -7,16-bis(Malonate) and -7,16-bis (alpha-Methylacetate)

Reference No.: 6170(95Por)
Ann. Chim. (Rome), 1995, 85, 55 - 67; Porto R; The Dihydrogen Phosphate Ion as Ligand. Complexation Equilibria with Ba(II), Ca(II) and Co(II) Ions

Reference No.: 6298(81FHP)
J. Solution Chem., 1981, 10, 523 - 532; Farmer RM; Heubel P-H C; Popov AI; Complexation Properties of Phosphonocarboxylic Acids in Aqueous Solutions

Reference No.: 6330(95LiF)
CRC Handbook of Chemistry and Physics, 76th Edn., 1995 Lide DR; Frederikse HPR; A Ready-Reference Book of Chemical and Physical Data; CRC Press, Cleveland, Ohio, U.S.A.

Reference No.: 6372(87BrW)
OECD NEA Report, 1987 Brown PL; Wanner H; Predicted Formation Constants Using the Unified Theory of Metal Ion Complexation; Nuclear Energy Authority, Paris

Reference No.: 6405(93MoH)
Principles and Applications of Aquatic Chemistry, 1993 Morel FMM; Hering JG; John Wiley & Sons,Inc

Reference No.: 6412(96SSJ)
J. Biol. Inorg. Chem., 1996, 1, 231 - 238; Saha A; Saha N; Ji L-N; Zhao J; Gregan F; Sajadi SAA; Song B; Sigel H; Stability of Metal Ion Complexes Formed with Methyl Phosphate and Hydrogen Phosphate

Reference No.: 6422(95BaP)
Thermochemical Data of Pure Substances, 3rd Edn., 1995 Barin I; Platzki G; Weinheim, Germany

Reference No.: 6478(81BaM)
Am. J. Sci., 1981, 281, 935 - 962; Baes CF Jr; Mesmer RE; The Thermodynamics of Cation Hydrolysis

Reference No.: 6488(88ShH)
Geochim. Cosmochim. Acta, 1988, 52, 2009 - 2036; Shock EL; Helgeson HC; Calculation of the Thermodynamic and Transport Properties of Aqueous Species at High Pressures and Temperatures: Correlation Algorithms for Ionic Species and Equation of State Predictions to 5 kb and 1000 C

Reference No.: 6494(95RoH)
U.S. Geol. Surv. Bull. 2131, 1995 Robie RA; Hemingway BS; Thermodynamic Properties of Minerals and Related Substances at 298.15 K and 1 Bar (10^5 Pascals) Pressure and at Higher Temperatures; U.S. Government Printing Office, Washington, U.S.A

Reference No.: 6495(97SSH)
Geochim. Cosmochim. Acta, 1997, 61, 1359 - 1412; Sverjensky DA; Shock EL; Helgeson HC; Prediction of the Thermodynamic Properties of Aqueous Metal Complexes to 1000C and 5kb

Reference No.: 6496(96StM)
Aquatic Chemistry, 3rd Edn., 1996 Stumm W; Morgan JJ; Chemical Equilibria and Rates in Natural Waters; John Wiley & Sons, Inc., New York

Reference No.: 6627(81CVD)
J. Inorg. Nucl. Chem., 1981, 43, 1573 - 1578; Candida M; Vaz TA; da Silva JJRF; Thermodynamic Parameters for the Reactions of Uramildiacetic Acid with Transition Metal Ions

Reference No.: 6644(83ChR)
Inorg. Chem., 1983, 22, 3866 - 3869; Chang CA; Rowland ME; Metal Complex Formation with

1,10-Diaza-4,7,13,16-tetraoxacyclo- octadecane-N,N'-diacetic Acid. An Approach to Potential Lanthanide Ion Selection Reagents

Reference No.: 6710(53LuM)
J. Phys. Chem., 1953, 57, 690 - 693; Lumb RF; Martell AE; Metal Chelating Tendencies of Glutamic and Aspartic Acids

Reference No.: 6727(71INR)
J. Am. Chem. Soc., 1971, 93, 1619 - 1623; Izatt RM; Nelson DP; Rytting JH; Haymore BL; Christensen JJ; A Calorimetric Study of the Interaction in Aqueous Solution of Several Uni- and Bivalent Metal Ions with the Cyclic Polyether Dicyclohexyl-18-crown-6 at 10, 25, and 40C

Reference No.: 6747(86BWF)
Can. J. Chem., 1986, 64, 5 - 10; Boughriet A; Wartel M; Fischer J-C; Influence de Nitrates Metalliques sur l'Equilibre de Dissociation Ionique N2O4 = NO+1 + NO3-1 dans le Sulfolane

Reference No.: 6833(67UhK)
J. Inorg. Nucl. Chem., 1967, 29, 1164 - 1168; Uhlig E; Krannich R; Stabilitatsmessungen an Metallchelaten vierzahliger Aminopolycarbonsauren

Reference No.: 6927(84DFC)
Inorg. Chim. Acta, 1984, 90, 185 - 190; Delgado R; Frausto da Silva JJR; Candida M; Vaz TA; The Thermodynamics of Complex Formation of Cyclic Tetra-aza-tetracetic Acids

Reference No.: 6937(81And)
J. Coord. Chem., 1981, 11, 171 - 175; Anderegg G; Pyridine Derivatives as Complexing Agents. XII. Thermodynamics of Complex Formation with 2-Pyridylmethyl-iminodiacetic Acid and its 6-Methyl Substitute

Reference No.: 7090(96DFG)
J. Solution Chem., 1996, 25, 597 - 606; De Robertis A; Foti C; Gianguzza A; Rigano C; Protonation Thermodynamics of 1,10-Phenanthroline in Aqueous Solution. Salt Effects and Weak Complex Formation

Reference No.: 7168(97GaW)
Chem. Speciation Bioavail., 1997, 91, 37 Gangoda CK; Williams DR; Linear Free Energy Relationships and the Chemical Speciation of Amino-carboxylate Ligand Complexes

Reference No.: 7242(68Tru)
J. Geol. Educ., 1968, 16, 17 - 20; Truesdell AH; The Advantage of Using pE Rather than Eh in Redox Equilibrium Calculations

Reference No.: 7271(98SMM)
NIST Critical Stability Constants of Metal Complexes Database, 1998 Smith RM; Martell AE; Motekaitis RJ; Version 5.0; U.S. Dept. Commerce, Gaithersburg, MD, U.S.A.

Reference No.: 7273(84HiJ)
Dictionary of Electrochemistry, 2nd Edn., 1984 Hibbert DB; James AM; Macmillan Press, London, U.K.

Reference No.: 7275(98Atk)
Physical Chemistry, 6th Edn., 1998 Atkins PW; Oxford University Press, Oxford, U.K.

Reference No.: 7276(88CoW)
Advanced Inorganic Chemistry, 5th Edn., 1988 Cotton FA; Wilkinson G; John Wiley & Sons Inc., N.Y., U.S.A

Reference No.: 7343(98MaB)
Talanta, 1998, 46, 149 - 154; Martins BM; Bertotti M; Determination of the Solubility Product of Ba(IO3)2 by Flow Injection with Amperometric Detection

Reference No.: 7372(78BDJ)
Vogel's Textbook of Quantitative Inorganic Analysis, 1978 Bassett J; Denney RC; Jeffery GH; Mendham J; including Elementary Instrumental Analysis; Longman, London, U.K.

Reference No.: 7381(97Woo)
Physical Chemistry, 1997 Woodbury G; Brooks/Cole Publishing Co., Pacific Grove, U.S.A.

Reference No.: 7391(82MiS)
Am. J. Sci., 1982, 282, 1508 - 1540; Millero FJ; Schreiber DR; Use of the Ion Pairing Model to Estimate Activity Coefficients of the Ionic Components of Natural Waters

Reference No.: 7421(97Mar)
Ion Properties, 1997 Marcus Y; Marcel Dekker Inc., New York, U.S.A.

Reference No.: 7694(84IPZ)
Russ. J. Inorg. Chem., 1984, 29, 860 - 862; Ivanov-Emin BN; Petrishcheva LP; Zaitsev BE; Izmailovich AS; Hydroxo-compounds of Copper(II)

Reference No.: 7703(03PLT)
Pure Appl. Chem., 2003, 75, 495 - 540; Portanova R; Lajunen LHJ; Tolazzi M; Piispanen J; Stability Constants for alpha-Hydroxycarboxylic Acid Complexes with Protons and Metal Ions and the Accompanying Enthalpy Changes - Part II: Aliphatic 2-Hydroxycarboxylic Acids

Reference No.: 7730(52CoM)
J. Chem. Soc., 1952,, 4363 - 4368; Colman-Porter CA; Monk CB; Dissociation Constants of the Alkaline-earth Salts of Some Monocarboxylic Acids

Reference No.: 7761(89Bra)
J. Phys. Chem. Ref. Data, 1989, 18, 1 - 21; Bratsch SG; Standard Electrode Potentials and Temperature Coefficients in Water at 298.15 K

Reference No.: 8309(99BSH)
J. Chem. Soc., Dalton Trans., 1999,, 3661 - 3671; Blindauer CA; Sjastad TI; Holy A; Sletten E; Sigel H; Aspects of the Co-ordination Chemistry of the Antiviral Nucleotide Analogue, 9-[2-(Phosphonomethoxy)ethyl]-2,6-diaminopurine (PMEDAP)

Reference No.: 8375(69GSM)
J. Indian Chem. Soc., 1969, 46, 784 - 786; Ghosh SC; Sarkar A; Mukherjee SK; Activity Measurement with Resin Membrane Electrode. Part II. Determination of Activity-Solubility Products of Sparingly Soluble Salts

Reference No.: 8670(32MoD)
Trans. Faraday Soc., 1932, 28, 609 - 614; Money RW; Davies CW; The Extent of Dissociation of Salts in Water. Part IV. Bi-Bivalent Salts

Reference No.: 8789(99CrS)
Am. J. Sci., 1999, 299, 828 - 899; Criscenti LJ; Sverjensky DA; The Role of Electrolyte Anions (ClO4-, NO3-, and Cl-) in Divalent Metal (M2+) Adsorption on Oxide and Hydroxide Surfaces in Salt Solutions

Reference No.: 8875(81HKF)
Am. J. Sci., 1981, 281, 1249 - 1516; Helgeson HC; Kirkham DH; Flowers GC; Theoretical Prediction of the Thermodynamic Behavior of Aqueous Electrolytes at High Pressures and

Temperatures. IV. Calculation of Activity Coefficients, Osmotic Coefficients and Apparent Molal and Standard and Relative Partial Molal Properties to 600 C and 5 Kb

Reference No.: 9029(97SSW)
Geochim. Cosmochim. Acta, 1997, 61, 907 - 950; Shock EL; Sassani DC; Willis M; Sverjensky DA; Inorganic Species in Geologic Fluids: Correlations among Standard Molal Thermodynamic Properties of Aqueous Ions and Hydroxide Complexes

Reference No.: 9203(86BuP)
Geochim. Cosmochim. Acta, 1986, 50, 2225 - 2233; Busenberg E; Plummer LN; The Solubility of BaCO3(cr) (Witherite) in CO2-H2O Solutions between 0 and 90C, Evaluation of the Association Constants of BaHCO3+(aq) and BaCO30(aq) between 5 and 80C, and a Preliminary Evaluation of the Thermodynamic Properties of Ba+2(aq)

Reference No.: 10174(95OHS)
J. Phys. Chem. Ref. Data, 1995, 24, 1401 - 1560; Oelkers EH; Helgeson HC; Shock EL; Sverjensky DA; Johnson JW; Pokrovskii VA; Summary of the Apparent Standard Partial Molal Gibbs Free Energies of Formation of Aqueous Species, Minerals, and Gases at Pressures 1 to 5000 Bars and Temperatures 25 to 1000C

Reference No.: 10802(95Pla)
WWW Site, 1995 Plambeck JA; University Chemistry Data Tables; www.chem.ualberta.ca/courses/plambeck/p101/p0040x.htm

Reference No.: 11516(00PeP)
IUPAC Stability Constants Database, 2000 Pettit LD; Powell HKJ; Release 4; Academic Software, U.K.

Reference No.: 11928(41OwB)
Chem. Rev., 1941, 29, 461 - 474; Owen BB; Brinkley SR Jr; Calculation of the Effect of Pressure upon Ionic Equilibria in Pure Water and in Salt Solutions

Reference No.: 11989(58HaO)
The Physical Chemistry of Electrolytic Solutions, 3rd Edn., 1958 Harned HS; Owen BB; American Chemical Society Monograph Series No: 137; Reinhold Publishing Corp., N.Y.

Reference No.: 12002(59RoS)
Electrolyte Solutions, 2nd Rev. Edn., 1959 Robinson RA; Stokes RH; An Unabridged Re-publication of the Fifth Impression of the Second Revised Edition of the Work Originally Published in 1970 with New Preface Specially Prepared by Dr. Stokes; Dover Publications, N.Y., USA (previously Butterworth & Co., London)

Reference No.: 12007(78SiP)
J. Solution Chem., 1978, 7, 327 - 337; Silvester LF; Pitzer KS; Thermodynamics of Electrolytes. 10. Enthalpy and the Effect of Temperature on the Activity Coefficients

Reference No.: 12227(75SCH)
Collect. Czech. Chem. Commun., 1975, 40, 2020 - 2024; Sucha L; Cadek J; Hrabek K; Vesely J; The Stability of the Chloro Complexes of Magnesium and of the Alkaline Earth Metals at Elevated Temperatures

Reference No.: 12547(98SBB)
J. Phys. Chem., 1998, B102, 4411 - 4417; Simonin J-P; Bernard O; Blum L; Real Ionic Solutions in the Mean Spherical Approximation. 3. Osmotic and Activity Coefficients for Associating Electrolytes in the Primitive Model

Reference No.: 12584(00KKH)
Aquat. Geochem., 2000, 6, 147 - 199; Kulik DA; Kersten M; Heiser U; Neumann T; Application of Gibbs Energy Minimization to Model Early-Diagenetic Solid-Solution

Aqueous-Solution Equilibria Involving Authigenic Rhodochrosites in Anoxic Baltic Sea Sediments

Reference No.: 12628(01OGC)
J. Solution Chem., 2001, 30, 31 - 53; Oscarson JL; Gillespie SE; Chen X; Schuck PC; Izatt RM; Enthalpies of Dilution of Aqueous Solutions of HCl, MgCl2, CaCl2, and BaCl2 at 300, 325, and 350C

Reference No.: 12638(99TPG)
GAMSPATH Users Manual, 1999 Talman SJ; Perkins EH; Gunter WD; A Reaction Path - Mass Transfer Program

Reference No.: 12860(88MoG)
Chem. Geol., 1988, 71, 283 - 296; Monnin C; Galinier C; The Solubility of Celestite and Barite in Electrolyte Solutions and Natural Waters at 25C: A Thermodynamic Study

Reference No.: 12931(01SPG)
Chem. Geol., 2001, 171, 173 - 194; Seby F; Potin-Gautier M; Giffaut E; Borge G; Donard OFX; A Critical Review of Thermodynamic Data for Selenium Species at 25C

Reference No.: 13242(05AAD)
Pure Appl. Chem., 2005, 77, 1445 - 1495; Anderegg G; Arnaud-Neu F; Delgado R; Felcman J; Popov K; Critical Evaluation of Stability Constants of Metal Complexes of Complexones for Biomedical and Environmental Applications

Reference No.: 13297(03ADC)
Pure Appl. Chem., 2003, 75, 71 - 102; Arnaud-Neu F; Delgado R; Chaves S; Critical Evaluation of Stability Constants and Thermodynamic Functions of Metal Complexes of Crown-ethers

Reference No.: 13532(78Lan)
Geochim. Cosmochim. Acta, 1978, 42, 547 - 569; Langmuir D; Uranium Solution-Mineral Equilibria at Low Temperatures with Applications to Sedimentary Ore Deposits

Reference No.: 14764(64StS)
Solubilities of Inorganic and Organic Compounds, Vol. 2, Part 2, 1964 Stephen H; Stephen T; Ternary and Multicomponent Systems, Part 2; Pergamon Press, The Macmillan Company, New York, 1964

Reference No.: 16142(60Tem)
J. Chem. Eng. Data, 1960, 5, 514 - 516; Templeton CC; Solubility of Barium Sulfate in Sodium Chloride Solutions from 25 to 95C

Reference No.: 16981(11OrB)
Russ. J. Inorg. Chem., 2011, 56, 975 - 980; Orlov YF; Belkina EI; Correlations between the Stability Constants of Metal Hydroxo Complexes and the Solubility Products of Crystalline Hydroxides. Series of the Polarizing Effect of Metal Cations

Reference No.: 20827(03GFF)
OECD Chemical Thermodynamics Series, Volume 5, 2003 Guillaumont R; Fanghanel T; Fuger J; Grenthe I; Neck V; Palmer DA; Rand MH; Update on the Chemical Thermodynamics of Uranium, Neptunium, Plutonium, Americium and Technetium; Elsevier Science

Reference No.: 22551(06Inz)
Encyclopedia of Electrochemistry, Vol. 7a, 2006, 17 - 75; Inzelt G; Standard, Formal and Other Characteristic Potentials of Selected Electrode Reactions

Reference No.: 22958(10AML)
Appl. Geochem., 2010, 25, 242 - 260; Accornero M; Marini L; Lelli M; Prediction of the

Thermodynamic Properties of Metal-chromate Aqueous Complexes to High Temperatures and Pressures and Implications for the Speciation of Hexavalent Chromium in Some Natural Waters

Reference No.: 23102(06ADC)
Environ. Sci. Technol., 2006, 40, 3551 - 3557; Astrup T; Dijkstra JJ; Comans RNJ; Van Der Sloot HA; Christensen TH; Geochemical Modeling of Leaching from MSWI Air-Pollution-Control Residues

Reference No.: 23272(07QaF)
J. Solution Chem., 2007, 36, 81 - 95; Qafoku O; Felmy AR; Development of Accurate Chemical Equilibrium Models for Oxalate Species to High Ionic Strength in the System: Na-Ba-Ca-Mn-Sr-Cl-NO3-PO4-SO4-H2O at 25 C

Reference No.: 24003(10Bal)
Collect. Czech. Chem. Commun., 2010, 75, 21 - 31; Balej J; Verification of Accuracy of Standard Thermodynamic Data of Inorganic Substances

Reference No.: 24382(55Wan)
Suomen Kemi., 1955, B28, 146 - 152; Wanninen E; Diethylenetriaminepentaacetic Acid, a New Complex Forming Substance

Reference No.: 24953(85PPS)
Report LBL-14996, 1985 Phillips SL; Phillips CA; Skeen J; Hydrolysis, Formation and Ionization Constants at 25C, and at High Temperature - High Ionic Strength; Lawrence Berkeley Laboratory, Univ. California, U.S.A.

Reference No.: 26195(14RFM)
Radiochim. Acta, 2014, 102, 817 - 830; Rai D; Felmy AR; Moore DA; Kitamura A; Yoshikawa H; Doi R; Yoshida Y; Thermodynamic Model for the Solubility of BaSeO4(cr) in the Aqueous Ba2+ - SeO42- - Na+ - H+ - H2O System: Extending to High Selenate Concentrations

Reference No.: 27292(13LBM)
OECD Chemical Thermodynamics Series, Volume 13a, 2013 Lemire RJ; Berner U; Musikas C; Palmer DA; Taylor P; Tochiyama O; Chemical Thermodynamics of Iron Part 1; OECD (NEA) Issy-les-Moulineaux, France

Reference No.: 27323(12GGS)
OECD Chemical Thermodynamics Series, Volume 12, 2012 Gamsjager H; Gajda T; Saxena SK; Sangster J; Voigt W; Chemical Thermodynamics of Tin; Elsevier Science

Reference No.: 27538(77Blo)
Am. Mineral., 1977, 62, 942 - 957; Blount CW; Barite Solubilities and Thermodynamic Quantities up to 300 C and 1400 bars

Reference No.: 28172(15DCC)
J. Chem. Eng. Data, 2015, 60, 3792 - 3799; Djamali E; Chapman WG; Cox KR; Prediction of the Standard State Partial Molar Volume of Aqueous Electrolytes to High Temperatures and High Pressures

Reference No.: 28992(71NRK)
Handbook of Thermodynamic Data, 1971 Naumov GB; Ryzhenko BN; Khodakovsky IL; Translated by G.J. Soleimani and edited by I. Barnes & V. Speltz (U.S. Geological Survey); U.S. National Technical Information Service, Springfield VA

Reference No.: 29025(14ThL)
Desalination, 2014, 346, 54 - 69; Thiel GP; Lienhard JH V; Treating Produced Water from Hydraulic Fracturing: Composition Effects on Scale Formation and Desalination System Selection

Reference No.: 29160(17HGS)
Comput. Chem. Eng., 2017, 98, 197 - 208; Haderlein M; Guldenpfennig A; Segets D; Peukert W; A Widely Applicable Tool for Modeling Precipitation Processes

Reference No.: 29482(16ZZL)
Comput. Geosci., 2016, 90, 97 - 111; Zimmer K; Zhang Y; Lu P; Chen Y; Zhang G; Dalkilic M; Zhu C; SUPCRTBL: A Revised and Extended Thermodynamic Dataset and Software Package of SUPCRT92

Reference No.: 29484(11NaM)
Aquat. Geochem., 2011, 17, 209 - 219; Nair S; Merkel BJ; Impact of Alkaline Earth Metals on Aqueous Speciation of Uranium(VI) and Sorption on Quartz

Reference No.: 29487(09CDF)
Geochim. Cosmochim. Acta, 2009, 73, 2283 - 2298; Curti E; Dahn R; Farges F; Vespa M; Na, Mg, Ni and Cs Distribution and Speciation after Long-term Alteration of a Simulated Nuclear Waste Glass: A Micro-XAS/XRF/XRD and Wet Chemical Study

Reference No.: 29556(13Nor)
Procedia Earth Planet. Sci., 2013, 7, 624 - 627; Nordstrom DK; Improving Internal Consistency of Standard State Thermodynamic Data for Sulfate Ion, Portlandite, Gypsum, Barite, Celestine, and Associated Ions

Reference No.: 29612(02MNN)
Geochim. Cosmochim. Acta, 2002, 66, 1839 - 1850; Majzlan J; Navrotsky A; Neil JM; Energetics of Anhydrite, Barite, Celestine, and Anglesite: A High-temperature and Differential Scanning Calorimetry Study

Reference No.: 29889(17MHB)
J. Solution Chem., 2017, 46, 1951 - 1969; Matyskin AV; Hannson NL; Brown PL; Ekberg C; Barium and Radium Complexation with Ethylenediaminetetraacetic Acid in Aqueous Alkaline Sodium Chloride Media

Reference No.: 29969(17TSF)
J. Solution Chem., 2017, 46, 2231 - 2247; Torres J; Santos P; Ferrari C; Kremer C; Kremer E; Solution Chemistry of Arsenic Anions in the Presence of Metal Cations

Reference No.: 30759(74Oha)
J. Chem. Thermodyn., 1974, 6, 425 - 434; O'Hare PAG; Thermochemistry of Molybdates. III. Standard Enthalpy of Formation of Barium Molybdate, and the Standard Entropy and Standard Gibbs Energy of Formation of the Aqueous Molybdate Ion

Reference No.: 31209(16DCC)
J. Chem. Eng. Data, 2016, 61, 3585 - 3594; Djamali E; Chapman WG; Cox KR; A Systematic Investigation of the Thermodynamic Properties of Aqueous Barium Sulfate up to High Temperatures and High Pressures

Reference No.: 31218(95OGS)
Aust. J. Chem., 1995, 48, 207 - 215; Owens G; Guarillof P; Steel BJ; Kurucsev T; 14N Nuclear Magnetic Resonance Relaxation of the Nitrate Ion and Ion Pairiig in Aqueous Solution

Reference No.: 31301(10KFD)
Japan Atomic Energy Agency Data/Code 2009-024, 2010 Kitamura A; Fujiwara K; Doi R; Yoshida Y; Mihara M; Terashima M; Yui M; JAEA Thermodynamic Database for Performance Assessment of Geological Disposal of High-level Radioactive and TRU Wastes; Geological Isolation Research Unit, JAEA, Japan

Reference No.: 31793(18Kru)
J. Phys. Chem. Ref. Data, 2018, 47, 023101-1 - 023101-30; Krumgalz BS; Temperature Dependence of Mineral Solubility in Water. Part 3. Alkaline and Alkaline Earth Sulfates

Reference No.: 31799(16BrE)
Hydrolysis of Metal Ions, Vol. 1, 2016 Brown PL; Ekberg C; Wiley VCH Verlag GmbH & Co., weinheim, Germany

Reference No.: 31801(17Han)
Thesis, Chalmers Univ. Technol., 2017 Hansson NL; Study of Barium and Radium Complex Formation with EDTA in Alkaline Sodium Chloride Media; Dept. Chem. Chem. Eng., Chalmers Univ. Techmol., Goteborg, Sweden

Reference No.: 31803(19BEM)
Geochim. Cosmochim. Acta, 2019, 255, 88 - 104; Brown PL; Eckberg C; Matyskin AV; On the Solubility of Radium and Other Alkaline Earth Sulfate and Carbonate Phases at Elevated Temperature

Reference No.: 31806(20HLC)
J. Solution Chem., 2020, 49, 1279 - 1289; Haggman L; Lindblad C; Cassel A; Persson I; Complex Formation Between Zinc(II) and Alkyl-N-iminodiacetic Acids in Aqueous Solution and Solid State

Reference No.: 32151(20Baz)
J. Phys. Chem., 2020, A124, 11051 - 11060; Bazhin NM; Standard Values of the Thermodynamic Functions of the Formation of Ions in an Aqueous Solution and their Change during Solvation

Reference No.: 32222(06DGC)
Technical Report TR-O6-17, 2006 Duro L; Grive M; Cera E; Domenech C; Bruno J; Update of a Thermodynamic Database for Radionuclides to Assist Solubility Limits Calculation for Performance Assessment; Swedish Nucl. Fuel & Waste Management Co, Stockholm, Sweden

Reference No.: 32224(80BeT)
Lawrence Berkeley Laboratory Report LBL-11448, 1980 Benson LV; Teague LS; A Tabulation of Thermodynamic Data for Chemical Reactions Involving 8 Elements Common to Radioactive Waste Package Systems