

JESS Thermodynamic Database v8.9

Tellurium

24-Jan-23

Reaction No. 34204							
Te+4_Dithizone-1(4) + 4<H+1_DDC-1> = Te+4_DDC-1(4) + 4<H+1_Dithizone-1>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20		CCl4	lgK:5.5 (2SF)	4	MSP	931

Reaction No. 34721							
TeO+4_OH-1(5) + DFructose = H+1_DFructose_TeO4-2 + 2<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	KCl	lgK:1.92 (3SF)	5	MGL	931

Reaction No. 34724							
Te+6_OH-1(6) + DFructose = H+1(2)_DFructose_TeO4-2 + 2<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25			lgK:1.44 (3SF)	3	MGL	140

Reaction No. 34730							
Te+6_OH-1(6) + DGalactose = H+1(2)_DGalactose_TeO4-2 + 2<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:1.59 (3SF)	5	MGL	931

Reaction No. 34737							
Te+6_OH-1(6) + DGlucose = H+1(2)_DGlucose_TeO4-2 + 2<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.1	Unknown	lgK:1.16 (3SF)	5	MGL	140

Reaction No. 36008							
2<Thiourea> + Te+2 = Te+2_Thiourea(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	2	HCl	lgK:1.7 (2SF)	3	MPS	4145

Reaction No. 52451							
Te+4_Cl-1(4) + 4Me2NitrAniline = Te+4_4Me2NitrAniline_Cl-1(4)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #


1	25		Dioxan	lgK:1.80 (3SF)	4	MSP	4695
---	----	--	--------	----------------	---	-----	------

Reaction No. 52452




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25		Dioxan	lgK:1.22 (3SF)	4	MSP	4695

Reaction No. 52496




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:3.732 (4SF)	3	MGL	4501

Reaction No. 52497




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:3.176 (4SF)	3	MGL	4501

Reaction No. 52498




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:3.322 (4SF)	3	MGL	4501

Reaction No. 52499




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:3.301 (4SF)	3	MGL	4501

Reaction No. 52500



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:2.447 (4SF)	3	MGL	4501

Reaction No. 52501



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:8.591 (4SF)	3	MGL	4501

Reaction No. 52502

Cd+2_3SHPropan-2(2) + 2<Te+2> = Te+2(2)_3SHPropan-2(2) + Cd+2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:7.556(4SF)	3	MGL	4501

Reaction No. 52503							
Cd+2_2SHSuccin-3(2) + 2<Te+2> = Te+2(2)_2SHSuccin-3(2) + Cd+2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:6.663(4SF)	3	MGL	4501

Reaction No. 52504							
Cd+2_2SHAcet-2(2) + 2<Te+2> = Te+2(2)_2SHAcet-2(2) + Cd+2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:6.255(4SF)	3	MGL	4501

Reaction No. 52505							
Cd+2_Cys-2(2) + 2<Te+2> = Te+2(2)_Cys-2(2) + Cd+2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0.5	H2SO4	lgK:5.301(4SF)	3	MGL	4501

Reaction No. 52938							
6<Br-1> + Te+4 = Te+4_Br-1(6)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	7	H2SO4	lgK:10.9(3SF)	2	MSP	30887
2	23			lgK:10.9(3SF)	0	MSP	5398
3	25	3	HClO4	lgK:2.13(3SF)	0	MDS	931
4	25	3	NaClO4	lgK:2.13(3SF)	0	MSE	7802
Note (4): Authors say this is a logbeta value but it looks as a logK							

Reaction No. 53140							
Te+4_Cl-1(3) + Cl-1 = Te+4_Cl-1(4)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	300			lgK:3.79(3SF)	3	MDG	5398

Reaction No. 53141							
Te+4_Cl-1(4) + Cl-1 = Te+4_Cl-1(5)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0	Inf. Dilution	lgK:-1.83(3SF)	3	MSP	931

2	23	5:10	HCl	lgK:-1.83 (3SF)	3	MSP	31017
3	300			lgK:2.225 (4SF)	3	MDG	5398
4	20		DMF	lgK:0.7 (1SF)	5	MSP	931
5	20		DMSO	lgK:0.77 (2SF)	5	MSP	931
6	20		MeCN	lgK:1.62 (3SF)	5	MSP	931
7	20		Nitromethane	lgK:2.05 (3SF)	5	MSP	931

Reaction No. 53142							
Te+4_Cl-1(5) + Cl-1 = Te+4_Cl-1(6)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0	Inf. Dilution	lgK:-2.19 (3SF)	3	MSP	931
2	23	5:10	HCl	lgK:-2.2 (2SF)	3	MSP	31017
3	300			lgK:0.75 (2SF)	3	MDG	5398

Reaction No. 53229							
Te+4_F-1(4)_OH-1 + H+1_F-1 = Te+4_F-1(5) + H2O							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	10	Na (F)	lgK:2.4 (2SF)	3	MRM	30552
Note (1): Electrolyte is HF(aq). Not a JESS option. IUPAC gives -0.4 which is the log of 2.5 but units are mL-1							
2	23			lgK:-0.4 (1SF)	0	MIR	5398

Reaction No. 53230							
H+1 + Te-2 = H+1_Te-2							
Note: The Te-2 species probably does not exist [18Mar_30641]							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:11.80 (4SF)	4	EOD	4991
2	25	0	Inf. Dilution	lgK:11.80 (4SF)	3	EES	5398
3	25	0	Inf. Dilution	lgK:11. (2SF)	0	CRV	6330
4	25	0	Inf. Dilution	lgK:11. (2SF)	0	CRV	22551
5	25	0	Inf. Dilution	lgK:11.9 (3SF)	5	MSP	23270
Note (5): By LC calculation							
6	25	1	NaOH	lgK:12.2 (3SF)	4	MPL	30575
7	25			lgK:11. (2SF)	0	MPL	140
8	25			lgK:12.16 (4SF)	0	MPL	931
9	25			lgK:11. (2SF)	0	MCV	7982
10	50	0	Inf. Dilution	lgK:11.21 (4SF)	4	ETM	4991

11	50	0	Inf. Dilution	lgK:11.21(4SF)	3	EES	5398
12	100	0	Inf. Dilution	lgK:11.3(3SF)	1	ETM	4991
13	100	0	Inf. Dilution	lgK:11.3(3SF)	1	EES	5398
14	150	0	Inf. Dilution	lgK:11.4(3SF)	0	ETM	4991
15	150	0	Inf. Dilution	lgK:11.4(3SF)	0	EES	5398
16	200	0	Inf. Dilution	lgK:11.7(3SF)	0	ETM	4991
17	200	0	Inf. Dilution	lgK:11.7(3SF)	0	EES	5398
18	250	0	Inf. Dilution	lgK:12.1(3SF)	0	ETM	4991
19	250	0	Inf. Dilution	lgK:12.1(3SF)	0	EES	5398
20	300	0	Inf. Dilution	lgK:12.6(3SF)	0	ETM	4991
21	300	0	Inf. Dilution	lgK:12.6(3SF)	0	EES	5398

Reaction No. 53231							
H+1_Te-2 + H+1 = H+1(2)_Te-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0	Unknown	lgK:2.64(3SF)	4	MCN	30705
Note (1): This is one of the only two original experimental values							
2	18			lgK:2.64(3SF)	0	MCN	140
3	23	0	Unknown	lgK:2.(1SF)	3	MSL	30867
Note (3): This is one of the only two original experimental values							
4	25	0	Inf. Dilution	lgK:2.64(3SF)	4	EOD	4991
5	25	0	Inf. Dilution	lgK:2.64(3SF)	3	EES	5398
6	25	0	Inf. Dilution	lgK:2.6(2SF)	2	CRV	6330
7	25	0	Inf. Dilution	lgK:2.64(3SF)	2	CRV	22551
8	25			lgK:2.(1SF)	0	MCN	140
9	50	0	Inf. Dilution	lgK:2.80(3SF)	4	ETM	4991
10	50	0	Inf. Dilution	lgK:2.80(3SF)	3	EES	5398
11	100	0	Inf. Dilution	lgK:3.30(3SF)	2	ETM	4991
12	100	0	Inf. Dilution	lgK:3.30(3SF)	2	EES	5398
13	150	0	Inf. Dilution	lgK:3.90(3SF)	1	ETM	4991
14	150	0	Inf. Dilution	lgK:3.90(3SF)	1	EES	5398
15	200	0	Inf. Dilution	lgK:4.65(3SF)	1	ETM	4991
16	200	0	Inf. Dilution	lgK:4.65(3SF)	1	EES	5398
17	250	0	Inf. Dilution	lgK:5.5(2SF)	0	ETM	4991
18	250	0	Inf. Dilution	lgK:5.5(2SF)	0	EES	5398
19	300	0	Inf. Dilution	lgK:6.4(2SF)	0	ETM	4991

20	300	0	Inf. Dilution	lgK:6.4 (2SF)	0	EES	5398
----	-----	---	---------------	---------------	---	-----	------

Reaction No. 53232							
H+1 + TeO3-2 = H+1_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0	Inf. Dilution	lgK:9.56 (0.02SD)	4	ENS	4605
2	20	0	Inf. Dilution	lgK:9.43 (3SF)	4	MGL	5231
3	20	0.1	NaClO4	lgK:9.36 (3SF)	4	MGL	5231
4	20	0.1	NaClO4	lgK:9.36 (3SF)	5	MGL	5398
5	20	0.5	NaClO4	lgK:9.00 (3SF)	4	MGL	5231
6	20	0.5	NaClO4	lgK:9.00 (3SF)	4	MGL	5398
7	20	1	NaClO4	lgK:8.60 (3SF)	4	MGL	5231
8	20	1	NaClO4	lgK:8.60 (3SF)	3	MGL	5398
9	20	1	Unknown	lgK:8.91 (3SF)	4	CRV	552
10	20	1.5	NaClO4	lgK:8.48 (3SF)	4	MGL	5231
11	20	1.5	NaClO4	lgK:8.48 (3SF)	2	MGL	5398
12	25	0	Inf. Dilution	lgK:10.70 (4SF)	1	EES	
13	25	0	Inf. Dilution	lgK:10.70 (4SF)	3	EOD	4991
14	25	0	Inf. Dilution	lgK:8.43 (3SF)	0	CRV	6330
15	25	0	Inf. Dilution	lgK:-7.7 (2SF)	0	CRV	14620
16	25	0	Inf. Dilution	lgK:10.02 (4SF)	5	MDG	26109
17	25	0	Inf. Dilution	lgK:10.02 (0.01SD)	3	EOD	31758
18	25	1	NaClO4	lgK:10.05 (0.01SD)	0	MGL	26109
Note (18): Two values given: 10.02 and 10.08							
19	25	1.5	NaCl	lgK:8.35 (3SF)	2	MDG	5398
20	25	1.5	NaCl	lgK:8.43 (3SF)	4	MSL	30943
21	25			lgK:7.74 (3SF)	0	MCN	140
22	50	0	Inf. Dilution	lgK:10.42 (4SF)	1	EES	
23	50	0	Inf. Dilution	lgK:10.42 (4SF)	2	ETM	4991
24	60	1	NaClO4	lgK:9.84 (0.01SD)	2	MGL	26109
Note (24): Two values given 9.91 and 9.78							
25	80	0	Inf. Dilution	lgK:9.67 (0.03SD)	3	EOD	31758
26	80	1	NaClO4	lgK:9.66 (0.01SD)	4	MGL	26109
Note (26): Two values given: 9.66 and 9.67							
27	100	0	Inf. Dilution	lgK:10.15 (4SF)	2	ETM	4991
28	100	0	Inf. Dilution	lgK:10.15 (4SF)	2	EES	5398

29	150	0	Inf. Dilution	lgK:10.20 (4SF)	2	ETM	4991
30	150	0	Inf. Dilution	lgK:10.20 (4SF)	2	EES	5398
31	200	0	Inf. Dilution	lgK:10.20 (4SF)	1	ETM	4991
32	200	0	Inf. Dilution	lgK:10.50 (4SF)	1	EES	5398
33	250	0	Inf. Dilution	lgK:10.9 (3SF)	1	ETM	4991
34	250	0	Inf. Dilution	lgK:10.9 (3SF)	1	EES	5398
35	300	0	Inf. Dilution	lgK:11.4 (3SF)	0	ETM	4991
36	300	0	Inf. Dilution	lgK:11.4 (3SF)	0	EES	5398
37	25	0	Inf. Dilution	dH:7.580 (3.SD) kJ	5	EVK	26109
38	25	0	Inf. Dilution	dH:13.730 (2.1SD) kJ	3	EOD	31758
39	25	1	NaClO4	dH:13.730 (2.1SD) kJ	2	EVK	26109

Reaction No. 53233							
H+1_TeO3-2 + H+1 = H+1(2)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0			lgK:6.59 (3SF)	0	EOD	7065
2	20	0	Inf. Dilution	lgK:6.08 (0.06SD)	4	ENS	4605
3	20	0	Inf. Dilution	lgK:6.92 (3SF)	3	MGL	5231
4	20	0.1	NaClO4	lgK:6.1 (0.06SD)	5	ENS	4605
5	20	0.1	NaClO4	lgK:6.50 (3SF)	2	MGL	5231
6	20	0.1	NaClO4	lgK:6.90 (3SF)	0	MGL	5398
7	20	0.5	NaClO4	lgK:6.56 (3SF)	0	MGL	5231
8	20	0.5	NaClO4	lgK:6.56 (3SF)	0	MGL	5398
9	20	0.5	Unknown	lgK:5.99 (3SF)	4	CRV	552
10	20	1	NaClO4	lgK:6.36 (3SF)	3	MGL	5231
11	20	1	NaClO4	lgK:6.36 (3SF)	3	MGL	5398
12	20	1	Unknown	lgK:5.89 (3SF)	4	CRV	552
13	20	1.5	NaClO4	lgK:6.18 (3SF)	4	MGL	5231
14	20	1.5	NaClO4	lgK:6.18 (3SF)	5	MGL	5398
15	25	0	Inf. Dilution	lgK:3.87 (3SF)	0	EOD	4991
16	25	0	Inf. Dilution	lgK:3.87 (3SF)	0	EES	5398
17	25	0	Inf. Dilution	lgK:6.27 (3SF)	0	CRV	6330
18	25	0	Inf. Dilution	lgK:6.38 (3SF)	0	EOD	7065
19	25	0	Inf. Dilution	lgK:2.5 (2SF)	0	CRV	14620
Note (19): p. 781							
20	25	0	Inf. Dilution	lgK:5.25 (3SF)	2	MDG	26109

21	25	0	Inf. Dilution	lgK:5.18 (3SF)	2	EOD	31758
22	25	0	Self Medium	lgK:7.7 (2SF)	0	CRV	30749
23	25	0.05:2	Many Media	lgK:5.18 (0.19SD)	2	MSL	26109
24	25	1	HCl	lgK:5.6 (2SF)	0	MSL	30574
25	25	1.5	NaCl	lgK:6.2 (2SF)	4	MDG	5398
26	25	1.5	NaCl	lgK:6.27 (0.02SD)	4	MSL	30943
27	25			lgK:2.57 (3SF)	0	MCN	140
28	50	0	Inf. Dilution	lgK:3.93 (3SF)	0	ETM	4991
29	50	0	Inf. Dilution	lgK:3.93 (3SF)	0	EES	5398
30	50	0	Inf. Dilution	lgK:6.30 (3SF)	0	EOD	7065
31	60	0	Inf. Dilution	lgK:6.30 (3SF)	0	EOD	7065
32	80	0	Inf. Dilution	lgK:5.18 (0.19SD)	2	EOD	31758
33	80	0.05:2	Many Media	lgK:5.95 (0.06SD)	4	MSL	26109
34	100	0	Inf. Dilution	lgK:4.25 (3SF)	0	ETM	4991
35	100	0	Inf. Dilution	lgK:4.25 (3SF)	0	EES	5398
36	100	0	Inf. Dilution	lgK:6.37 (3SF)	0	EOD	7065
37	150	0	Inf. Dilution	lgK:4.70 (3SF)	0	ETM	4991
38	150	0	Inf. Dilution	lgK:4.70 (3SF)	0	EES	5398
39	150	0	Inf. Dilution	lgK:6.62 (3SF)	0	EOD	7065
40	200	0	Inf. Dilution	lgK:5.40 (3SF)	0	ETM	4991
41	200	0	Inf. Dilution	lgK:5.40 (3SF)	0	EES	5398
42	200	0	Inf. Dilution	lgK:7.00 (3SF)	0	EOD	7065
43	200	0.05:2	Many Media	lgK:6.63 (0.11SD)	4	MSL	26109
44	250	0	Inf. Dilution	lgK:6.2 (2SF)	0	ETM	4991
45	250	0	Inf. Dilution	lgK:6.2 (2SF)	0	EES	5398
46	250	0	Inf. Dilution	lgK:7.50 (3SF)	0	EOD	7065
47	300	0	Inf. Dilution	lgK:7.0 (2SF)	0	ETM	4991
48	300	0	Inf. Dilution	lgK:7.0 (2SF)	0	EES	5398
49	300	0	Inf. Dilution	lgK:8.16 (3SF)	0	EOD	7065
50	350	0	Inf. Dilution	lgK:9.26 (3SF)	0	EOD	7065
51	25	0	Inf. Dilution	dH:-24.323 (5.SD) kJ	5	EVK	26109
52	25	0	Inf. Dilution	dH:-22.286 (5SF) kJ	3	EOD	31758
53	25	0.05:2	Many Media	dH:-22.286 (5SF) kJ	4	EVK	26109

Reaction No. 53234

2<TeO3-2> + Ag+1 = Ag+1_TeO3-2 (2)

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	Unknown	lgK:4.34 (3SF)	4	MSL	5398

Reaction No. 54107							
H+1(2)_TeO3-2 + H+1 = Te+4_OH-1(3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0			lgK:3.09 (3SF)	3	EOD	7065
2	18	0.5	NaClO4	lgK:1.68 (3SF)	4	MSL	931
3	18	0.5	NaClO4	lgK:1.68 (3SF)	4	MSL	20406
4	20	0	Inf. Dilution	lgK:2.8 (0.2SD)	2	ENS	4605
5	23	0	Self Medium	lgK:2.6 (2SF)	2	MCN	30749
6	25	0	Inf. Dilution	lgK:2.83 (3SF)	2	EOD	7065
7	25	0	Inf. Dilution	lgK:2.87 (3SF)	2	MDG	26109
8	25	0	Inf. Dilution	lgK:2.81 (0.2SD)	2	EOD	31758
9	25	0.05:2	Many Media	lgK:2.81 (0.20SD)	0	MSL	26109
10	25	1	Unknown	lgK:2.5 (2SF)	0	CRV	
11	50	0	Inf. Dilution	lgK:2.61 (3SF)	4	EOD	7065
12	60	0	Inf. Dilution	lgK:2.53 (3SF)	3	EOD	7065
13	80	0	Inf. Dilution	lgK:2.22 (3SF)	3	EOD	31758
14	80	0.05:2	Many Media	lgK:2.22 (0.09SD)	2	MSL	26109
15	150	0	Inf. Dilution	lgK:1.99 (3SF)	2	EOD	7065
16	200	0	Inf. Dilution	lgK:1.78 (3SF)	2	EOD	7065
17	200	0.05:2	Many Media	lgK:1.08 (0.18SD)	2	MSL	26109
18	250	0	Inf. Dilution	lgK:1.61 (3SF)	1	EOD	7065
19	300	0	Inf. Dilution	lgK:1.47 (3SF)	0	EOD	7065
20	350	0	Inf. Dilution	lgK:1.35 (3SF)	0	EOD	7065
21	25	0	Inf. Dilution	dH:27.059 (2.SD) kJ	5	MTD	26109
22	25	0	Inf. Dilution	dH:27.059 (5SF) kJ	3	EOD	31758
23	25	3	Hexane NaClO4	lgK:4.17 (3SF)	1	MDS	931

Reaction No. 54262							
Cl-1 + Te+4 = Te+4_Cl-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4. (1SF)	1	EES	
Note (1): Increased to align better with Bouroushian [23898]							
2	25	7	HClO4	lgK:3.24 (3SF)	3	MDS	931

3	25	7	HClO4	lgK:3.24 (3SF)	4	MSE	31018
---	----	---	-------	----------------	---	-----	-------

Reaction No. 54263							
2<Cl-1> + Te+4 = Te+4_Cl-1(2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:7. (1SF)	1	EES	
Note (1): Increased to align better with Bouroushian [23898]							
2	25	7	HClO4	lgK:6.0 (2SF)	3	MDS	931
3	25	7	HClO4	lgK:6.01 (3SF)	4	MSE	31018

Reaction No. 54264							
3<Cl-1> + Te+4 = Te+4_Cl-1(3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:10. (2SF)	1	EES	
Note (1): Increased to align better with Bouroushian [23898]							
2	25	7	HClO4	lgK:8.34 (3SF)	3	MDS	931
3	25	7	HClO4	lgK:8.34 (3SF)	4	MSE	31018

Reaction No. 54265							
4<Cl-1> + Te+4 = Te+4_Cl-1(4)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:12. (2SF)	1	EES	
Note (1): Increased to align better with Bouroushian [23898]							
2	25	7	HClO4	lgK:10.18 (4SF)	3	MDS	931
3	25	7	HClO4	lgK:10.2 (3SF)	4	MSE	31018

Reaction No. 54266							
5<Cl-1> + Te+4 = Te+4_Cl-1(5)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:15. (2SF)	1	EES	
Note (1): Increased to align better with Bouroushian [23898]							
2	25	7	HClO4	lgK:12.76 (4SF)	3	MDS	931
3	25	7	HClO4	lgK:12.8 (3SF)	4	MSE	31018

Reaction No. 54267							
6<Cl-1> + Te+4 = Te+4_Cl-1(6)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	25	0	Inf. Dilution	lgK:18. (2SF)	1	EES	
Note (1): Increased to align better with Bouroushian [23898]							
2	25	7	HClO ₄	lgK:15.30 (4SF)	3	MDS	931
3	25	7	HClO ₄	lgK:15.3 (3SF)	4	MSE	31018

Reaction No. 54338							
Te+4_Br-1 + Br-1 = Te+4_Br-1 (2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.0 (2SF)	1	EES	
2	23		DMF	lgK:1.20 (3SF)	4	MSP	931
3	23		DMSO	lgK:0.85 (2SF)	4	MSP	931
4	23		MeCN	lgK:2.74 (3SF)	4	MSP	931

Reaction No. 54339							
Br-1 + Te+4 = Te+4_Br-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1. (1SF)	1	EES	
2	25	3	HClO ₄	lgK:0.97 (2SF)	3	MDS	931
3	25	3	NaClO ₄	lgK:0.97 (2SF)	4	MSE	7802

Reaction No. 54340							
2<Br-1> + Te+4 = Te+4_Br-1 (2)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:1.5 (2SF)	1	EES	
2	25	3	HClO ₄	lgK:1.58 (3SF)	0	MDS	931
3	25	3	NaClO ₄	lgK:1.58 (3SF)	0	MSE	7802
Note (3): Probably logK values and not logbeta, as said by the authors							

Reaction No. 54341							
3<Br-1> + Te+4 = Te+4_Br-1 (3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2. (1SF)	1	EES	
2	25	3	HClO ₄	lgK:1.96 (3SF)	0	MDS	931
3	25	3	NaClO ₄	lgK:1.96 (3SF)	0	MSE	7802
Note (3): Probably logK values and not logbeta, as said by the authors							

Reaction No. 54342							
--------------------	--	--	--	--	--	--	--

4<Br-1> + Te+4 = Te+4_Br-1(4)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.1(2SF)	1	EES	
2	25	3	HClO4	lgK:2.15(3SF)	0	MDS	931
3	25	3	NaClO4	lgK:2.15(3SF)	0	MSE	7802
Note (3): Probably logK values and not logbeta, as said by the authors							

Reaction No. 54343							
5<Br-1> + Te+4 = Te+4_Br-1(5)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.2(2SF)	1	EES	
2	25	3	HClO4	lgK:2.21(3SF)	0	MDS	931
3	25	3	NaClO4	lgK:2.21(3SF)	0	MSE	7802
Note (3): Probably logK values and not logbeta, as said by the authors							

Reaction No. 56656							
2<Cu(s)> + Te(s) = Cu+1(2)_Te-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:8.317(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:8.272(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:6.454(4SF)	4	ENS	6422
4	160	0	Inf. Dilution	lgK:6.040(4SF)	4	ENS	6422
5	25	0	Inf. Dilution	dG:-11.35(4SF)	4	EFE	6422
6	25	0	Inf. Dilution	dH:-10.0(3SF)	4	MTD	6422
7	127	0	Inf. Dilution	dH:-9.9(2SF)	4	MTD	6422
8	160	0	Inf. Dilution	dH:-9.9(2SF)	4	MTD	6422

Reaction No. 56856							
Co(s) + 2<Te(s)> = CoTe2(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dH:-31.(0.5SD)	5	ENS	802

Reaction No. 56906							
Te(s) + 2<e-1> = Te-2							
Note: The Te-2 species probably does not exist [18Mar_30641]							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-37.14(4SF)	2	CRV	32224

2	25	0	Inf. Dilution	dG:53.(0.5SD)	2	ENS	3006
3	25	0	Inf. Dilution	dG:220.5(4SF)kJ	2	CRV	7421
4	23	0	Inf. Dilution	E:-0.95(2SF)	0	MPL	30575
5	25	0	Inf. Dilution	E:-1.14(3SF)	4	CRV	600
6	25	0	Inf. Dilution	E:-1.143(4SF)	2	CRV	6330
7	25	0	Inf. Dilution	E:-1.14(3SF)	2	CRV	14620
Note (7): p. 755							
8	25	0	Inf. Dilution	E:-1.143(4SF)	2	CRV	22519
9	25	0	Inf. Dilution	E:-1.14(3SF)	2	CRV	22551
10	25	0	Inf. Dilution	E:-0.913(3SF)	0	CRV	23898
Note (10): Source shows two different values							
11	25	0	Inf. Dilution	E:-1.14(3SF)	2	CRV	23898
12	25	0	Inf. Dilution	E:-0.92(2SF)	0	CRV	31204
13	30	0	Inf. Dilution	E:-1.1(2SF)	2	CRV	30896

Reaction No. 56907							
Te(s) + 1.5<O2(g)> = TeO3-2 - 2<e-1>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:66.9(3SF)	1	ELC	
2	25	0	Inf. Dilution	dG:-93.8(0.1SD)	0	ENS	3006

Reaction No. 56922							
Co+2_Te-2_(s) = Co+2 + Te-2							
Note: The Te-2 species probably does not exist [18Mar_30641]							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-37.(0.5SD)	2	MDG	5174

Reaction No. 56979							
Co+3_NH3(5)_TeO3-2 + Cl-1 = Co+3_NH3(5)_Cl-1_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.22(0.01SD)	3	MPT	5178

Reaction No. 56980							
Co+3_NH3(5)_TeO3-2 + 2<Cl-1> = Co+3_NH3(5)_Cl-1(2)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.36(0.01SD)	3	MPT	5178

Reaction No. 56981							
Co+3_NH3(5)_TeO3-2 + 3<Cl-1> = Co+3_NH3(5)_Cl-1(3)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:1.13(0.01SD)	3	MPT	5178

Reaction No. 56982							
Co+3_NH3(5)_TeO3-2 + Br-1 = Co+3_NH3(5)_Br-1_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.29(0.01SD)	3	MPT	5178

Reaction No. 56983							
Co+3_NH3(5)_TeO3-2 + 2<Br-1> = Co+3_NH3(5)_Br-1(2)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.56(0.01SD)	3	MPT	5178

Reaction No. 56984							
Co+3_NH3(5)_TeO3-2 + 3<Br-1> = Co+3_NH3(5)_Br-1(3)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.80(0.01SD)	3	MPT	5178

Reaction No. 56985							
Co+3_NH3(5)_TeO3-2 + 4<Br-1> = Co+3_NH3(5)_Br-1(4)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.83(0.01SD)	3	MPT	5178


Reaction No. 56986							
Co+3_NH3(5)_TeO3-2 + NO2-1 = Co+3_NH3(5)_NO2-1_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.43(0.01SD)	3	MPT	5178

Reaction No. 56987							
Co+3_NH3(5)_TeO3-2 + 2<NO2-1> = Co+3_NH3(5)_NO2-1(2)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.45(0.01SD)	3	MPT	5178

Reaction No. 56988							
Co+3_NH3(5)_TeO3-2 + 3<NO2-1> = Co+3_NH3(5)_NO2-1(3)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #


1	25	3	NaClO4	lgK:0.51(0.01SD)	3	MPT	5178
---	----	---	--------	------------------	---	-----	------

Reaction No. 56989



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.88(0.01SD)	3	MPT	5178


Reaction No. 57083



Note: The Te-2 species probably does not exist [18Mar_30641]


No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.604(4SF)	2	ENS	6422
2	27	0	Inf. Dilution	lgK:4.577(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:3.493(4SF)	2	ENS	6422
4	227	0	Inf. Dilution	lgK:2.856(4SF)	0	ENS	6422
5	327	0	Inf. Dilution	lgK:2.441(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-6.28(3SF)	2	EFE	6422
7	25	0	Inf. Dilution	dH:-6.0(2SF)	2	MTD	6422
8	127	0	Inf. Dilution	dH:-5.9(2SF)	0	MTD	6422
9	227	0	Inf. Dilution	dH:-5.8(2SF)	0	MTD	6422
10	327	0	Inf. Dilution	dH:-5.6(2SF)	0	MTD	6422

Reaction No. 58532




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-6.91(3SF)	3	MQH	140
2	25	0	Inf. Dilution	lgK:-6.91(3SF)	4	MQH	31009
3	25	0.32	NaClO4	lgK:-6.76(3SF)	3	MQH	140
4	25	1.73	NaClO4	lgK:-6.17(3SF)	3	MQH	140

Reaction No. 58534




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25			lgK:-4.4(2SF)	0	MSP	140

Reaction No. 58535



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	60	0.1	NaOH	lgK:15.6(3SF)	4	MKN	140

Reaction No. 58536




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0.4	NaOH	lgK:5.7(2SF)	0	MSP	30893

Note (1): 53Lis No reaction in original paper, formula complex unknown

2	40	0.4	NaOH	lgK:5.74(3SF)	0	MKN	140
---	----	-----	------	---------------	---	-----	-----

Note (2): JESS reaction probably from 140; not in original paper

Reaction No. 58537




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	40	0.4	NaOH	lgK:10.96(4SF)	0	MKN	140

Note (1): JESS reaction probably from 140 but different from original paper

2	40	0.4	NaOH	lgK:11.0(3SF)	0	MSP	30893
---	----	-----	------	---------------	---	-----	-------

Note (2): 53Lis Reaction proposed unreasonable

Reaction No. 65946




Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-18.3(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-15.9(3SF)	0	CRV	552
3	25	0	Inf. Dilution	lgK:-15.9(3SF)	0	CRV	32224

Note (3): source indicates uncertainty

Reaction No. 65947




Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-30.0(3SF)	2	CRV	552
2	25	0	Inf. Dilution	lgK:-30.0(3SF)	2	CRV	32224

Note (2): source indicates uncertainty

Reaction No. 65948




Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-38.1(3SF)	2	CRV	552
2	25	0	Inf. Dilution	lgK:-38.1(3SF)	2	CRV	32224

Note (2): uncertainty indicated in source


Reaction No. 65949



Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-64.5(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-62.3(3SF)	0	CRV	552

Reaction No. 65950




Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-71.7(3SF)	2	CRV	552
2	25	0	Inf. Dilution	lgK:-71.7(3SF)	2	CRV	32224

Note (2): uncertainty identified in source


Reaction No. 65951



Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-41.3(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-39.2(3SF)	0	CRV	552

Reaction No. 65952




Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-33.05(4SF)	1	EOR	
2	25	0	Inf. Dilution	lgK:-33.3(3SF)	2	CRV	552
3	25	0	Inf. Dilution	lgK:-33.3(3SF)	2	CRV	32224

Note (3): source indicates uncertainty

Reaction No. 65953




Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-41.5(3SF)	2	CRV	552
2	25	0	Inf. Dilution	lgK:-41.5(3SF)	2	CRV	32224

Note (2): source indicates uncertainty


Reaction No. 65954



Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-72.4(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-69.6(3SF)	0	CRV	552

Reaction No. 65955




Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-44.7(3SF)	2	CRV	552
2	25	0	Inf. Dilution	lgK:-44.7(3SF)	2	CRV	32224

Note (2): source indicates uncertainty

Reaction No. 65956




Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-46.3(3SF)	2	CRV	552
2	25	0	Inf. Dilution	lgK:-46.3(3SF)	2	CRV	32224

Note (2): source indicates uncertainty

Reaction No. 65957



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:-18.06(0.07SD)	4	MAG	4593

Reaction No. 65958							
$\text{Te}_2\text{O}_3 + 6\text{OH}^- (9) + \text{H}^+ = \text{Te}_2\text{O}_2 + 8\text{OH}^- (10)$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	10:60	1	Unknown	lgK:10.(2SF)	3	CRV	552
2	25	1	Unknown	lgK:9.48(3SF)	3	CRV	552

Reaction No. 66226							
$\text{Zn(s)} + \text{Te(s)} = \text{Zn}_{+2}\text{Te}_{-2}\text{(s)}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:20.20(4SF)	3	ENS	6422
2	27	0	Inf. Dilution	lgK:20.07(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:14.87(4SF)	2	ENS	6422
4	227	0	Inf. Dilution	lgK:11.75(4SF)	1	ENS	6422
5	327	0	Inf. Dilution	lgK:9.661(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-27.55(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-28.5(3SF)	4	MTD	6422
8	25	0	Inf. Dilution	dH:-28.1(3SF)	4	CRV	12011
9	127	0	Inf. Dilution	dH:-28.5(3SF)	1	MTD	6422
10	227	0	Inf. Dilution	dH:-28.6(3SF)	0	MTD	6422
11	327	0	Inf. Dilution	dH:-28.7(3SF)	0	MTD	6422

Reaction No. 66340							
$2\text{Tl(s)} + \text{Te(s)} = \text{Tl}_{+1}\text{(2)}\text{Te}_{-2}\text{(s)}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:13.88(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:13.79(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:10.29(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:8.175(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:6.710(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-18.93(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-19.2(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-19.3(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-19.4(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-21.8(3SF)	4	MTD	6422

Reaction No. 66368							
--------------------	--	--	--	--	--	--	--


O2(g) + Te(s) = TeO2(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:47.23(4SF)	2	ENS	6422
2	27	0	Inf. Dilution	lgK:46.88(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:32.82(4SF)	2	ENS	6422
4	227	0	Inf. Dilution	lgK:24.41(4SF)	3	ENS	6422
5	327	0	Inf. Dilution	lgK:18.82(4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-64.43(4SF)	2	EFE	6422
7	25	0	Inf. Dilution	dG:-266.00(2.500SD)kJ	4	CRV	14923
8	25	0	Inf. Dilution	dG:-266.000(1.3SD)kJ	5	CRV	27292
9	25	0	Inf. Dilution	dG:-64.612(5SF)	3	CRV	31291
10	25	0	Inf. Dilution	dH:-77.3(3SF)	4	MTD	6422
11	25	0	Inf. Dilution	dH:-321.00(2.500SD)kJ	4	CRV	14923
12	25	0	Inf. Dilution	dH:-321.000(1.3SD)kJ	5	CRV	27292
13	127	0	Inf. Dilution	dH:-77.1(3SF)	2	MTD	6422
14	227	0	Inf. Dilution	dH:-76.8(3SF)	1	MTD	6422
15	327	0	Inf. Dilution	dH:-76.6(3SF)	0	MTD	6422
16	25	0	Inf. Dilution	Cp:60.670(0.075SD)J/K	5	CRV	27292

Reaction No. 66369							
2<Cl2(g)> + Te(s) = Te+4_Cl-1(4)_ (s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:41.33(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:40.98(4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:26.97(4SF)	4	ENS	6422
4	224	0	Inf. Dilution	lgK:18.88(4SF)	2	ENS	6422
5	25	0	Inf. Dilution	dG:-56.39(4SF)	4	EFE	6422
6	25	0	Inf. Dilution	dH:-326.4(4SF)kJ	3	CRV	6330
7	25	0	Inf. Dilution	dH:-77.4(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-76.4(3SF)	4	MTD	6422
9	224	0	Inf. Dilution	dH:-75.5(3SF)	2	MTD	6422

Reaction No. 66370							
2<Br2(l)> + Te(s) = Te+4_Br-1(4)_ (s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:27.59(4SF)	3	ENS	6422


2	27	0	Inf. Dilution	lgK:27.38 (4SF)	0	ENS	6422
3	115	0	Inf. Dilution	lgK:18.50 (4SF)	3	ENS	6422
4	25	0	Inf. Dilution	dG:-37.63 (4SF)	3	EFE	6422
5	25	0	Inf. Dilution	dH:-190.4 (4SF) kJ	3	CRV	6330
6	25	0	Inf. Dilution	dH:-45.5 (3SF)	3	MTD	6422
7	115	0	Inf. Dilution	dH:-59.6 (3SF)	0	MTD	6422

Reaction No. 66463




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:6.2 (2SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:7.281 (4SF)	0	ENS	6422
3	27	0	Inf. Dilution	lgK:7.242 (4SF)	0	ENS	6422
4	127	0	Inf. Dilution	lgK:5.697 (4SF)	0	ENS	6422
5	148	0	Inf. Dilution	lgK:5.472 (4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-9.93 (3SF)	0	EFE	6422
7	25	0	Inf. Dilution	dH:-8.6 (2SF)	0	MTD	6422
8	127	0	Inf. Dilution	dH:-8.3 (2SF)	0	MTD	6422
9	148	0	Inf. Dilution	dH:-8.2 (2SF)	0	MTD	6422

Reaction No. 66485




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:54.33 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:53.89 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:40.09 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:31.73 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:26.12 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-74.11 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-76.2 (3SF)	4	MTD	6422
8	25	0	Inf. Dilution	dH:-78. (2SF)	4	CRV	7382
9	127	0	Inf. Dilution	dH:-76.4 (3SF)	4	MTD	6422
10	227	0	Inf. Dilution	dH:-76.7 (3SF)	4	MTD	6422
11	327	0	Inf. Dilution	dH:-77.2 (3SF)	4	MTD	6422

Reaction No. 66494




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:6.934 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:6.893 (4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:5.261 (4SF)	2	ENS	6422
4	227	0	Inf. Dilution	lgK:4.299 (4SF)	1	ENS	6422
5	327	0	Inf. Dilution	lgK:3.670 (4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-9.46 (3SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-9.0 (2SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-8.9 (2SF)	1	MTD	6422
9	227	0	Inf. Dilution	dH:-8.7 (2SF)	0	MTD	6422
10	327	0	Inf. Dilution	dH:-8.5 (2SF)	0	MTD	6422

Reaction No. 66502



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:3.012 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:2.992 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:2.180 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:1.688 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:1.354 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-4.11 (3SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-4.5 (2SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-4.5 (2SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-4.5 (2SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-4.6 (2SF)	4	MTD	6422


Reaction No. 66518



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:54.25 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:53.91 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:40.23 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:31.98 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:26.43 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-74.00 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-75.0 (3SF)	4	MTD	6422


8	127	0	Inf. Dilution	dH:-75.3 (3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-75.8 (3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-76.5 (3SF)	4	MTD	6422

Reaction No. 66538




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:13.51 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:13.42 (4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:10.04 (4SF)	2	ENS	6422
4	227	0	Inf. Dilution	lgK:7.999 (4SF)	1	ENS	6422
5	327	0	Inf. Dilution	lgK:6.413 (4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-18.43 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-18.5 (3SF)	2	MTD	6422
8	127	0	Inf. Dilution	dH:-18.6 (3SF)	1	MTD	6422
9	227	0	Inf. Dilution	dH:-18.9 (3SF)	0	MTD	6422
10	327	0	Inf. Dilution	dH:-24.6 (3SF)	0	MTD	6422

Reaction No. 66598



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:50.56 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:50.24 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:37.48 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:29.78 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:24.63 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-68.98 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-70.0 (3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-70.3 (3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-70.6 (3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-70.9 (3SF)	4	MTD	6422


Reaction No. 66616



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:17.40 (4SF)	2	ENS	6422
2	27	0	Inf. Dilution	lgK:17.29 (4SF)	0	ENS	6422


3	127	0	Inf. Dilution	lgK:12.85 (4SF)	1	ENS	6422
4	227	0	Inf. Dilution	lgK:10.19 (4SF)	0	ENS	6422
5	327	0	Inf. Dilution	lgK:8.416 (4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-92.0 (3SF) kJ	0	CRV	6330
7	25	0	Inf. Dilution	dG:-23.73 (4SF)	2	EFE	6422
8	25	0	Inf. Dilution	dG:-22.0 (3SF)	2	CRV	12011
9	25	0	Inf. Dilution	dH:-92.5 (3SF) kJ	2	CRV	6330
10	25	0	Inf. Dilution	dH:-24.3 (3SF)	2	MTD	6422
11	25	0	Inf. Dilution	dH:-22.1 (3SF)	2	CRV	12011
12	127	0	Inf. Dilution	dH:-24.3 (3SF)	1	MTD	6422
13	227	0	Inf. Dilution	dH:-24.3 (3SF)	0	MTD	6422
14	327	0	Inf. Dilution	dH:-25.8 (3SF)	0	MTD	6422

Reaction No. 66734



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.499 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:4.474 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:3.466 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:2.859 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:2.449 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-6.14 (3SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-5.5 (2SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-5.5 (2SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-5.6 (2SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-5.7 (2SF)	4	MTD	6422

Reaction No. 66735



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:11.32 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:11.24 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:8.081 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:6.173 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:4.884 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-15.44 (4SF)	4	EFE	6422

7	25	0	Inf. Dilution	dH:-17.3(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-17.4(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-17.6(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-17.8(3SF)	4	MTD	6422

Reaction No. 66751							
Ga(s) + Te(s) = GaTe(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:21.36(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:21.23(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:15.62(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:12.23(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:9.964(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-29.15(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-29.5(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-30.9(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-31.0(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-31.2(3SF)	4	MTD	6422

Reaction No. 66752							
2<Ga(s)> + 3<Te(s)> = Ga+3(2)_Te-2(3)_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:47.28(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:46.99(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:34.60(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:27.23(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:22.40(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-64.51(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-65.7(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-67.8(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-66.9(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-65.7(3SF)	4	MTD	6422

Reaction No. 66766							
Ge(s) + Te(s) = Ge+2_Te-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:8.993(4SF)	4	ENS	6422


2	27	0	Inf. Dilution	lgK:8.940 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:6.832 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:5.569 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:4.726 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-12.27 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-11.6 (3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-11.6 (3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-11.6 (3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-11.6 (3SF)	4	MTD	6422

Reaction No. 66931							
2<La(s)> + 3<Te(s)> = La+3(2)_Te-2(3)_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:135.8 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:135.0 (4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:100.8 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:80.338 (5SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:66.65 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-185.3 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-187.5 (4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-187.6 (4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-187.7 (4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-188.2 (4SF)	4	MTD	6422

Reaction No. 66962							
2<Li(s)> + Te(s) = Li+1(2)_Te-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:60.73 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:60.34 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:44.86 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:35.48 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:29.15 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-82.8 (3SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-85.0 (3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-85.1 (3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-89.8 (3SF)	4	MTD	6422


10	327	0	Inf. Dilution	dH:-87.1 (3SF)	4	MTD	6422
----	-----	---	---------------	----------------	---	-----	------

Reaction No. 66978




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:36.25 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:36.02 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:26.89 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:21.39 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:17.69 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-49.45 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-50.0 (3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-50.3 (3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-50.6 (3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-51.0 (3SF)	4	MTD	6422

Reaction No. 67005



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:19.62 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:19.51 (4SF)	4	ENS	6422
3	34	0	Inf. Dilution	lgK:19.08 (4SF)	4	ENS	6422
4	25	0	Inf. Dilution	dG:-26.77 (4SF)	4	EFE	6422
5	25	0	Inf. Dilution	dH:-25.9 (3SF)	4	MTD	6422
6	34	0	Inf. Dilution	dH:-25.9 (3SF)	4	MTD	6422


Reaction No. 67006



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:22.72 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:22.59 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:17.12 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:13.82 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:11.61 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-31.00 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-30.0 (3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-30.1 (3SF)	4	MTD	6422


9	227	0	Inf. Dilution	dH:-30.3(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-30.6(3SF)	4	MTD	6422

Reaction No. 67059




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:29.71(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:29.52(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:21.84(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:17.16(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:14.04(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-40.53(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-42.0(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-42.7(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-42.8(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-42.9(3SF)	4	MTD	6422

Reaction No. 67060



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:18.58(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:18.45(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:12.94(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:9.565(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:7.293(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-25.35(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-30.0(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-30.8(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-31.1(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-31.3(3SF)	4	MTD	6422


Reaction No. 67061



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:53.03(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:52.69(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:38.96(4SF)	4	ENS	6422


4	227	0	Inf. Dilution	lgK:30.59 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:24.99 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-72.34 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-75.0 (3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-76.5 (3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-76.7 (3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-77.0 (3SF)	4	MTD	6422

Reaction No. 67096



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:51.57 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:51.25 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:38.13 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:30.24 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:24.96 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-70.35 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-72.0 (3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-72.1 (3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-72.3 (3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-72.5 (3SF)	4	MTD	6422

Reaction No. 67097



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:137.3 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:136.5 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:101.9 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:81.08 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:67.20 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-187.3 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-190.0 (4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-190.1 (4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-190.3 (4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-190.8 (4SF)	4	MTD	6422

Reaction No. 67120

Ni(s) + 1.1<Te(s)> = NiTe1.1(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:10.18(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:10.11(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:7.581(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:6.057(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:5.033(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-13.88(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-13.9(3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-13.9(3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-14.0(3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-14.2(3SF)	4	MTD	6422

Reaction No. 67154							
Pb(s) + Te(s) = Pb+2_Te-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:11.80(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:11.73(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:8.734(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:6.928(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:5.714(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-16.10(4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-16.40(4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-16.47(4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-16.59(4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-16.76(4SF)	4	MTD	6422

Reaction No. 67160							
Pd(s) + Te(s) = Pd+2_Te-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:6.717(4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:6.677(4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:5.036(4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:4.046(4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:3.380(4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-9.16(3SF)	4	EFE	6422

7	25	0	Inf. Dilution	dH:-9.00 (3SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-9.03 (3SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-9.10 (3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-9.10 (3SF)	4	MTD	6422

Reaction No. 67222							
$2\text{Re(s)} + 5\text{Te(s)} = \text{Re}_2\text{Te}_5\text{(s)}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:12.91 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:12.81 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:8.696 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:6.206 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:4.519 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-17.61 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-22.50 (4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-22.66 (4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-22.96 (4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-23.39 (4SF)	4	MTD	6422

Reaction No. 67228							
$2\text{Sb(s)} + 3\text{Te(s)} = \text{Sb}_2\text{Te}_3\text{(s)}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:10.26 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:10.20 (4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:7.737 (4SF)	2	ENS	6422
4	227	0	Inf. Dilution	lgK:6.258 (4SF)	1	ENS	6422
5	327	0	Inf. Dilution	lgK:5.265 (4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-13.99 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-13.5 (3SF)	3	MTD	6422
8	127	0	Inf. Dilution	dH:-13.5 (3SF)	1	MTD	6422
9	227	0	Inf. Dilution	dH:-13.6 (3SF)	0	MTD	6422
10	327	0	Inf. Dilution	dH:-13.7 (3SF)	0	MTD	6422

Reaction No. 67230							
$\text{Sn(s)} + \text{Te(s)} = \text{SnTe(s)}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:10.81 (4SF)	4	ENS	6422


2	27	0	Inf. Dilution	lgK:10.75 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:8.046 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:6.415 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:5.203 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-14.75 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-14.80 (4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-14.86 (4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-15.0 (3SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-16.82 (4SF)	4	MTD	6422

Reaction No. 67331							
Hg(l) + Te(s) = Hg+2_Te-2_(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.922 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:4.887 (4SF)	0	ENS	6422
3	127	0	Inf. Dilution	lgK:3.505 (4SF)	3	ENS	6422
4	227	0	Inf. Dilution	lgK:2.677 (4SF)	2	ENS	6422
5	327	0	Inf. Dilution	lgK:2.123 (4SF)	0	ENS	6422
6	25	0	Inf. Dilution	dG:-6.714 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dG:-6.7 (2SF)	5	CRV	10214
8	25	0	Inf. Dilution	dH:-7.60 (3SF)	4	MTD	6422
9	25	0	Inf. Dilution	dH:-8.1 (2SF)	5	CRV	10214
10	127	0	Inf. Dilution	dH:-7.58 (3SF)	3	MTD	6422
11	227	0	Inf. Dilution	dH:-7.58 (3SF)	0	MTD	6422
12	327	0	Inf. Dilution	dH:-7.62 (3SF)	0	MTD	6422

Reaction No. 67356							
In(s) + Te(s) = InTe(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:12.52 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:12.45 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:9.302 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:7.343 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:6.003 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-17.08 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-17.20 (4SF)	4	MTD	6422


8	127	0	Inf. Dilution	dH:-17.34 (4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-18.30 (4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-18.49 (4SF)	4	MTD	6422

Reaction No. 67357




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:32.01 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:31.81 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:23.45 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:18.27 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:14.78 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-43.67 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-45.80 (4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-46.04 (4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-48.00 (4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-48.44 (4SF)	4	MTD	6422

Reaction No. 67358



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:13.42 (4SF)	4	ENS	6422
2	27	0	Inf. Dilution	lgK:13.34 (4SF)	4	ENS	6422
3	127	0	Inf. Dilution	lgK:9.844 (4SF)	4	ENS	6422
4	227	0	Inf. Dilution	lgK:7.600 (4SF)	4	ENS	6422
5	327	0	Inf. Dilution	lgK:6.039 (4SF)	4	ENS	6422
6	25	0	Inf. Dilution	dG:-18.31 (4SF)	4	EFE	6422
7	25	0	Inf. Dilution	dH:-19.05 (4SF)	4	MTD	6422
8	127	0	Inf. Dilution	dH:-19.35 (4SF)	4	MTD	6422
9	227	0	Inf. Dilution	dH:-21.27 (4SF)	4	MTD	6422
10	327	0	Inf. Dilution	dH:-21.59 (4SF)	4	MTD	6422

Reaction No. 67890



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.24 (2SF)	3	MPT	5178

Reaction No. 67891							
Co+3_NH3(5)_TeO3-2 + 2<Formic-1> = Co+3_NH3(5)_Formic-1(2)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.56(2SF)	3	MPT	5178

Reaction No. 67892							
Co+3_NH3(5)_TeO3-2 + 3<Formic-1> = Co+3_NH3(5)_Formic-1(3)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.81(2SF)	3	MPT	5178

Reaction No. 67909							
Co+3_NH3(5)_TeO3-2 + Acetic-1 = Co+3_NH3(5)_Acetic-1_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.29(2SF)	3	MPT	5178

Reaction No. 67910							
Co+3_NH3(5)_TeO3-2 + 2<Acetic-1> = Co+3_NH3(5)_Acetic-1(2)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.48(2SF)	3	MPT	5178


Reaction No. 67911							
Co+3_NH3(5)_TeO3-2 + 3<Acetic-1> = Co+3_NH3(5)_Acetic-1(3)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	NaClO4	lgK:0.57(2SF)	3	MPT	5178

Reaction No. 69193							
Ag+1(2)_TeO4-2(s) = 2<Ag+1> + TeO4-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	0.1	Unknown	lgK:-20.60(4SF)	0	MAG	4593
2	25	0	Inf. Dilution	lgK:-2.43(3SF)	4	CRV	552

Reaction No. 69317							
TeO2(s) + H2O = H+1(2)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0	Inf. Dilution	lgK:-5.58(3SF)	0	EOD	7065
2	25	0	Inf. Dilution	lgK:-5.1(2SF)	1	ELC	
3	25	0	Inf. Dilution	lgK:-5.03(3SF)	0	EOD	7065


4	25	0	Inf. Dilution	lgK:-4.63 (3SF)	5	MDG	26109
5	25	0	Inf. Dilution	lgK:-4.64 (0.15SD)	3	EOD	31758
6	25	0	HCl	lgK:-4.7 (2SF)	4	MSL	30574
Note (6): Ionic strength: various HCl concs.							
7	25	0.05:2	Many Media	lgK:-4.64 (0.15SD)	4	MSL	26109
8	50	0	Inf. Dilution	lgK:-4.59 (3SF)	0	EOD	7065
9	60	0	Inf. Dilution	lgK:-4.43 (3SF)	0	EOD	7065
10	80	0.05:2	Many Media	lgK:-3.79 (0.04SD)	4	MSL	26109
11	100	0	Inf. Dilution	lgK:-3.87 (3SF)	0	EOD	7065
12	150	0	Inf. Dilution	lgK:-3.31 (3SF)	0	EOD	7065
13	200	0	Inf. Dilution	lgK:-2.88 (3SF)	0	EOD	7065
14	200	0.05:2	Many Media	lgK:-2.72 (0.05SD)	2	MSL	26109
15	250	0	Inf. Dilution	lgK:-2.53 (3SF)	0	EOD	7065
16	300	0	Inf. Dilution	lgK:-2.23 (3SF)	0	EOD	7065
17	350	0	Inf. Dilution	lgK:-1.99 (3SF)	0	EOD	7065
18	25	0	Inf. Dilution	dH:29.684 (0.9SD) kJ	5	EVK	26109
19	25	0	Inf. Dilution	dH:29.684 (5SF) kJ	3	EOD	31758

Reaction No. 69318



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-11.5 (3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-11.41 (4SF)	0	EOD	7065


Reaction No. 69319



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0	Inf. Dilution	lgK:16.29 (4SF)	0	EOD	7065
2	25	0	Inf. Dilution	lgK:16.26 (4SF)	1	ELC	
3	25	0	Inf. Dilution	lgK:15.94 (4SF)	0	EOD	7065
4	50	0	Inf. Dilution	lgK:15.85 (4SF)	0	EOD	7065
5	60	0	Inf. Dilution	lgK:15.87 (4SF)	0	EOD	7065
6	100	0	Inf. Dilution	lgK:16.11 (4SF)	0	EOD	7065
7	150	0	Inf. Dilution	lgK:16.73 (4SF)	0	EOD	7065
8	200	0	Inf. Dilution	lgK:17.59 (4SF)	0	EOD	7065
9	250	0	Inf. Dilution	lgK:18.70 (4SF)	0	EOD	7065


10	300	0	Inf. Dilution	lgK:20.15 (4SF)	0	EOD	7065
11	350	0	Inf. Dilution	lgK:22.37 (4SF)	0	EOD	7065

Reaction No. 69320



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0	Inf. Dilution	lgK:46.19 (4SF)	0	EOD	7065
2	25	0	Inf. Dilution	lgK:42. (2SF)	1	ELC	
3	25	0	Inf. Dilution	lgK:41.59 (4SF)	0	EOD	7065
4	50	0	Inf. Dilution	lgK:37.68 (4SF)	0	EOD	7065
5	60	0	Inf. Dilution	lgK:36.28 (4SF)	0	EOD	7065
6	100	0	Inf. Dilution	lgK:31.45 (4SF)	0	EOD	7065
7	150	0	Inf. Dilution	lgK:26.69 (4SF)	0	EOD	7065
8	200	0	Inf. Dilution	lgK:22.94 (4SF)	0	EOD	7065
9	250	0	Inf. Dilution	lgK:19.90 (4SF)	0	EOD	7065
10	300	0	Inf. Dilution	lgK:17.40 (4SF)	0	EOD	7065
11	350	0	Inf. Dilution	lgK:15.29 (4SF)	0	EOD	7065


Reaction No. 69709



Note: Data in ref[7065] refers to Table 3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0			lgK:109.10 (5SF)	3	MSL	7065
2	25	0	Inf. Dilution	lgK:107.7 (4SF)	1	ELC	
3	25			lgK:99.06 (4SF)	3	MSL	7065
4	50			lgK:90.59 (4SF)	3	MSL	7065
5	60			lgK:87.57 (4SF)	3	MSL	7065
6	100			lgK:77.09 (4SF)	3	MSL	7065
7	150			lgK:66.81 (4SF)	3	MSL	7065
8	200			lgK:58.72 (4SF)	3	MSL	7065
9	250			lgK:52.21 (4SF)	2	MSL	7065
10	300			lgK:46.87 (4SF)	0	MSL	7065
11	350			lgK:42.46 (4SF)	0	MSL	7065


Reaction No. 69710



Note: Data in ref[7065] refers to Table 3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0			lgK:111.77 (5SF)	0	MSL	7065
2	25	0	Inf. Dilution	lgK:110.3 (4SF)	1	ELC	
3	25			lgK:101.70 (5SF)	0	MSL	7065
4	50			lgK:93.30 (4SF)	0	MSL	7065
5	60			lgK:90.32 (4SF)	0	MSL	7065
6	100			lgK:80.10 (4SF)	0	MSL	7065
7	150			lgK:70.24 (4SF)	0	MSL	7065
8	200			lgK:62.67 (4SF)	0	MSL	7065
9	250			lgK:56.75 (4SF)	0	MSL	7065
10	300			lgK:52.16 (4SF)	0	MSL	7065
11	350			lgK:48.88 (4SF)	0	MSL	7065


Reaction No. 69711



Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0			lgK:124.28 (5SF)	0	MSL	7065
2	25			lgK:113.86 (5SF)	0	MSL	7065
3	50			lgK:105.04 (5SF)	0	MSL	7065
4	60			lgK:101.90 (5SF)	0	MSL	7065
5	100			lgK:91.45 (4SF)	0	MSL	7065
6	150			lgK:81.36 (4SF)	0	MSL	7065
7	200			lgK:73.85 (4SF)	0	MSL	7065
8	250			lgK:68.14 (4SF)	0	MSL	7065
9	300			lgK:63.89 (4SF)	0	MSL	7065
10	350			lgK:61.31 (4SF)	0	MSL	7065

Reaction No. 69712




Note: Data in ref[7065] refers to Table 3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0			lgK:-3.66 (3SF)	0	MSL	7065
2	25	0	Inf. Dilution	lgK:-11.75 (4SF)	1	ELC	

3	25			lgK:-2.77 (3SF)	0	MSL	7065
4	50			lgK:-1.97 (3SF)	0	MSL	7065
5	60			lgK:-1.67 (3SF)	0	MSL	7065
6	100			lgK:-0.58 (2SF)	0	MSL	7065
7	150			lgK:0.57 (2SF)	0	MSL	7065
8	200			lgK:1.56 (3SF)	0	MSL	7065
9	250			lgK:2.42 (3SF)	0	MSL	7065
10	300			lgK:3.17 (3SF)	0	MSL	7065
11	350			lgK:3.85 (3SF)	0	MSL	7065


Reaction No. 69713



Note: Reversed rxn to achieve therm. consistency. PMM 13/8/18

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0			lgK:4.44 (3SF)	2	MSL	7065
2	25	0	Inf. Dilution	lgK:4.1 (2SF)	1	EES	
3	25			lgK:4.93 (3SF)	3	MSL	7065
4	50			lgK:5.43 (3SF)	2	MSL	7065
5	60			lgK:5.64 (3SF)	1	MSL	7065
6	100			lgK:6.43 (3SF)	1	MSL	7065
7	150			lgK:7.38 (3SF)	0	MSL	7065
8	200			lgK:8.32 (3SF)	0	MSL	7065
9	250			lgK:9.27 (3SF)	0	MSL	7065
10	300			lgK:10.31 (4SF)	0	MSL	7065
11	350			lgK:11.73 (4SF)	0	MSL	7065

Reaction No. 69714



Note: Data in ref[7065] refers to Table 3

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0			lgK:15.95 (4SF)	3	MSL	7065
2	25			lgK:15.88 (4SF)	3	MSL	7065
3	50			lgK:16.01 (4SF)	3	MSL	7065
4	60			lgK:16.10 (4SF)	3	MSL	7065
5	100			lgK:16.59 (4SF)	3	MSL	7065
6	150			lgK:17.43 (4SF)	3	MSL	7065

7	200			lgK:18.44 (4SF)	3	MSL	7065
8	250			lgK:19.64 (4SF)	3	MSL	7065
9	300			lgK:21.15 (4SF)	3	MSL	7065
10	350			lgK:23.43 (4SF)	3	MSL	7065

Reaction No. 70165							
TeO+4_OH-1(5) + H+1 = Te+6_OH-1(6)							
Note: Volume change for rxn has been estimated = +16.2 cm ³ /mol [88MSG_10047]							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	0	0	Inf. Dilution	lgK:8.187 (4SF)	3	MQH	140
2	0	0	Inf. Dilution	lgK:8.187 (4SF)	4	MGL	30890
3	5	0	Inf. Dilution	lgK:8.03 (3SF)	4	MGL	140
4	5	0	Inf. Dilution	lgK:8.03 (0.02SD)	5	MGL	8190
5	10	0	Inf. Dilution	lgK:7.975 (4SF)	3	MQH	140
6	10	0	Inf. Dilution	lgK:7.975 (4SF)	4	MGL	30890
7	12	0	Unknown	lgK:8.00 (3SF)	3	MCN	31175
8	12	0.06	Unknown	lgK:8.00 (3SF)	3	MCN	140
9	18	0	Inf. Dilution	lgK:7.68 (3SF)	0	CRV	6330
10	18	0	Unknown	lgK:7.84 (3SF)	3	MPT	14954
11	18	0	Unknown	lgK:7.68 (3SF)	3	MGL	16952
12	18	0	Unknown	lgK:7.35 (3SF)	3	MPT	30935
13	18			lgK:7.68 (3SF)	0	MGL	140
14	20	0	Unknown	lgK:8.8 (2SF)	0	MHY	30748
15	20			lgK:8.80 (3SF)	0	MHY	140
16	22	0	Self Medium	lgK:7.47 (3SF)	4	MGL	30942
17	22	0	Unknown	lgK:7.81 (3SF)	3	MCN	31175
18	22	0.06	Unknown	lgK:7.81 (3SF)	3	MCN	140
19	22			lgK:5.80 (3SF)	0	MGL	140
20	23	0	Unknown	lgK:6.2 (2SF)	0	MCN	30749
21	23	2	Li+1 salt	lgK:7.45 (3SF)	3	MGL	140
22	23	2	Li+1 salt	lgK:7.45 (3SF)	3	MGL	31171
23	23	5	LiNO ₃	lgK:5.60 (3SF)	0	MGL	30891
Note (23): in saturated salt solution; T unknown							
24	23	5	NaCl	lgK:6.53 (3SF)	0	MGL	30891
Note (24): in saturated salt solution; T unknown							
25	23	5	NaClO ₄	lgK:5.80 (3SF)	0	MGL	30891

Note (25): in saturated salt solution; T unknown							
26	23	5	Unknown	lgK:6.75 (3SF)	0	MGL	30891
Note (26): in saturated salt solution; electrolyte MgSO4; T unknown							
27	25	0	Inf. Dilution	lgK:7.70 (3SF)	4	MGL	140
28	25	0	Inf. Dilution	lgK:7.611 (4SF)	4	MQH	140
29	25	0	Inf. Dilution	lgK:7.70 (3SF)	4	MSP	140
30	25	0	Inf. Dilution	lgK:7.72 (3SF)	3	EOD	4991
31	25	0	Inf. Dilution	lgK:8.80 (3SF)	4	ENS	7276
32	25	0	Inf. Dilution	lgK:7.70 (0.1SD)	5	MGL	8190
33	25	0	Inf. Dilution	lgK:7.70 (0.01SD)	5	MGL	8453
34	25	0	Inf. Dilution	lgK:7.68 (3SF)	4	CRV	22551
35	25	0	Inf. Dilution	lgK:7.611 (4SF)	3	MQH	30894
36	25	0	Inf. Dilution	lgK:7.611 (4SF)	2	MGL	31011
37	25	0	Unknown	lgK:7.65 (3SF)	3	MGL	31172
38	25	0.1	KCl	lgK:7.586 (0.008SD)	5	MGL	31170
39	25	0.1	Unknown	lgK:7.4 (0.05SD)	6	CRV	552
40	25	0.315	KCl	lgK:7.356 (4SF)	2	MGL	31011
41	25	0.315	NaClO4	lgK:7.522 (4SF)	2	MGL	31011
42	25	1	KCl	lgK:7.28 (0.02SD)	5	MGL	30595
43	25	1	NaCl	lgK:7.31 (0.01SD)	4	MGL	30590
44	25	1	NaCl	lgK:7.33 (0.02SD)	4	MGL	30604
45	25	1	NaClO4/m	lgK:7.166 (0.004SD)	6	MGL	10047
46	25	1	Unknown	lgK:7.3 (0.03SD)	6	CRV	552
47	25	1.725	NaClO4	lgK:7.116 (4SF)	2	MGL	31011
48	25			lgK:6.17 (3SF)	0	MCN	140
49	32	0	Unknown	lgK:7.63 (3SF)	3	MCN	31175
50	32	0.06	Unknown	lgK:7.63 (3SF)	3	MCN	140
51	35	0	Inf. Dilution	lgK:7.59 (3SF)	4	MGL	140
52	35	0	Inf. Dilution	lgK:7.427 (4SF)	4	MQH	140
53	35	0	Inf. Dilution	lgK:7.59 (0.01SD)	5	MGL	8190
54	35	0	Inf. Dilution	lgK:7.427 (4SF)	4	MGL	30890
55	35	1	KCl	lgK:7.16 (0.02SD)	5	MGL	30595
56	40	1	KCl	lgK:7.11 (3SF)	4	MGL	30595
57	42	0	Unknown	lgK:7.48 (3SF)	3	MCN	31175
58	42	0.06	Unknown	lgK:7.48 (3SF)	3	MCN	140
59	45	0	Inf. Dilution	lgK:7.120 (4SF)	3	MQH	140

60	45	0	Inf. Dilution	lgK:7.120(4SF)	4	MGL	30890
61	45	1	KCl	lgK:7.01(0.02SD)	4	MGL	30595
62	50	0	Inf. Dilution	lgK:7.41(3SF)	3	ETM	4991
63	50	0	Unknown	lgK:7.37(3SF)	3	MCN	31175
64	50	0.06	Unknown	lgK:7.37(3SF)	3	MCN	140
65	61	0	Inf. Dilution	lgK:7.28(3SF)	4	MGL	140
66	61	0	Inf. Dilution	lgK:7.28(0.02SD)	5	MGL	8190
67	100	0	Inf. Dilution	lgK:7.2(2SF)	3	ETM	4991
68	150	0	Inf. Dilution	lgK:7.3(2SF)	3	ETM	4991
69	200	0	Inf. Dilution	lgK:7.6(2SF)	3	ETM	4991
70	250	0	Inf. Dilution	lgK:8.1(2SF)	3	ETM	4991
71	300	0	Inf. Dilution	lgK:8.8(2SF)	3	ETM	4991
72	10:60	0	Inf. Dilution	dH:-6.(1SF)	4	CRV	552
73	25	0	Inf. Dilution	dH:-5.8(2SF)	4	MTD	140
74	25	0	Inf. Dilution	dH:-5.8(0.2SD)	4	MTD	8190
75	25	1	KCl	dH:-7.0(0.2SD)	3	MCL	30594
76	25	1	KCl	dH:-6.(1SF)	3	EVH	30595
77	25	1	Unknown	dH:-7.0(2SF)	3	CRV	552

Reaction No. 70945

$$\text{Te} + 6\text{OH}^{-1}(6) + 2\text{H}^{+1} + 2\text{e}^{-1} = \text{TeO}_2(\text{s}) + 4\text{H}_2\text{O}$$

Note: Never measured. Estimated by Latimer (1938, 1952) and copied ever since

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:35.(2SF)	1	EES	
2	25	0	Inf. Dilution	E:1.02(3SF)	4	EOD	600
3	25	0	Inf. Dilution	E:0.93(2SF)	0	CRV	14620
Note (3): p. 755 Until 9-Aug-2018 in JESS as H+1(2)_TeO4-2 + 2<H+1> + 2<e-1>							
4	25	0	Inf. Dilution	E:1.02(3SF)	2	CRV	22519
5	25	0	Inf. Dilution	E:1.0(2SF)	1	CRV	22551
Note (5): Until 9-Aug-2018 in JESS as H+1(2)_TeO4-2 + 2<H+1> + 2<e-1>							
6	25	0	Inf. Dilution	E:1.02(3SF)	2	CRV	23898
Note (6): Until 9-Aug-2018 in JESS as H+1(2)_TeO4-2 + 2<H+1> + 2<e-1>							
7	25	0	Inf. Dilution	E:1.02(3SF)	3	MEF	31758

Reaction No. 70946

TeO4-1 + 8<H+1> + 7<e-1> = Te(s) + 4<H2O>							
Note: Wgt = 0; values make no sense							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:0.472 (3SF)	0	CRV	6330
2	25	0	Inf. Dilution	E:0.472 (3SF)	0	CRV	22519

Reaction No. 70947							
TeO3-2 + 4<e-1> + 3<H2O> = Te(s) + 6<OH-1>							
Note: Never measured. Estimated by Latimer in 1952 and 1938. Very different values suggested; reason: different pK values							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-26.5 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:-0.57 (2SF)	0	CRV	
3	25	0	Inf. Dilution	E:-0.57 (2SF)	0	EOD	600
4	25	0	Inf. Dilution	E:-0.42 (2SF)	0	CRV	14620
Note (4): p. 755							
5	25	0	Inf. Dilution	E:-0.57 (2SF)	0	CRV	22519
6	25	0	Inf. Dilution	E:-0.42 (2SF)	0	CRV	22551

Reaction No. 70948							
TeO2(s) + 4<e-1> + 4<H+1> = Te(s) + 2<H2O>							
Note: The only value measured is the one by Schuhmann							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:36.4 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.593 (3SF)	0	CRV	6330
3	25	0	Inf. Dilution	E:0.57 (2SF)	0	CRV	14620
Note (3): p. 755							
4	25	0	Inf. Dilution	E:0.593 (3SF)	0	CRV	22519
5	25	0	Inf. Dilution	E:0.5213 (4SF)	0	CRV	22551
6	25	0	Inf. Dilution	E:0.521 (3SF)	0	CRV	23898
7	25	0	Inf. Dilution	E:0.521 (3SF)	0	EOD	31758
8	25	1	HCl	E:0.5268 (4SF)	5	MHY	30571
9	45	1	HCl	E:0.5213 (4SF)	3	MHY	30571

Reaction No. 70949							
Te+4 + 4<e-1> = Te(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #

1	20	2.5	HCl	E:0.549(3SF)	4	MHY	30869
2	25	0	Inf. Dilution	E:0.568(3SF)	2	CRV	6330
3	25	0	Inf. Dilution	E:0.53(2SF)	0	CRV	14620
Note (3): p. 755							
4	25	0	Inf. Dilution	E:0.568(3SF)	2	CRV	22519
5	25	0	Inf. Dilution	E:0.57(2SF)	2	CRV	22551
6	25	0	Inf. Dilution	E:0.556(3SF)	0	CRV	23898
7	25	0	Inf. Dilution	E:0.568(3SF)	0	CRV	23898
8	25	2.5	HCl	E:0.584(3SF)	0	CRV	23898

Reaction No. 70950							
$\text{Te(s)} + 2\text{<H+1>} + 2\text{<e-1>} = \text{H+1(2)}_{\text{Te-2}}$							
Note: Early Latimer value slightly wrong but critics of (updated) -0.72V also deficient. ELC here depends on $\text{Te(s)} + 2\text{<e-1>} = \text{Te-2}$ and pKas (assumed better) which agrees with Latimer [600] where $-0.72 \text{ V} = -24.3 \text{ lgK}$. However, pKa measurements at pH=13 not ideal.							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-24.3(3SF)	1	ELC	
2	23	0	Inf. Dilution	E:-0.51(2SF)	0	MPL	30575
Note (2): According to these authors, the value -0.72 from Latimer [600] is wrong							
3	25	0	Inf. Dilution	E:-0.72(2SF)	4	EOD	600
4	25	0	Inf. Dilution	E:-0.793(3SF)	0	CRV	6330
5	25	0	Inf. Dilution	E:-0.74(2SF)	0	CRV	14620
Note (5): p. 755							
6	25	0	Inf. Dilution	E:-0.793(3SF)	0	CRV	22519
7	25	0	Inf. Dilution	E:-0.74(2SF)	0	CRV	22551
8	25	0	Inf. Dilution	E:-0.739(3SF)	0	CRV	23898
9	25	0	Inf. Dilution	E:-0.69(2SF)	0	EOD	31204
10	30	0	Inf. Dilution	E:-0.50(2SF)	0	CRV	23898
Note (10): Overpotential problem?							
11	30	0	Inf. Dilution	E:-0.50(2SF)	0	MPL	30896

Reaction No. 73525							
$0.5\text{<Se2(g)>} + 0.5\text{<Te2(g)>} = \text{TeSe(g)}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.193(0.911SD)	6	CRV	14923

Reaction No. 74146							
--------------------	--	--	--	--	--	--	--

$\text{Cd}+2\text{Te-2(s)} + 2\text{e-1} = \text{Cd(s)} + \text{Te-2}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:-1.62 (3SF)	2	CRV	11806
2	25	0	Inf. Dilution	E:-1.62 (3SF)	2	CRV	22551


Reaction No. 74454							
$\text{Te+6OH-1(6)} + 6\text{H+1} + 2\text{e-1} = \text{Te+4} + 6\text{H2O}$							
Note: This reaction is the same as $\text{Te+6OH-1(6)} + 2\text{H+1} + 2\text{e-1}$ but adding 4 H+1 and thus giving more waters							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:32.5 (3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:30.7 (3SF)	0	EOR	
3	25	0	Inf. Dilution	E:1.00 (3SF)	0	CRV	14620
Note (3): p. 755; appears to have transposed values. Until 9-Aug-2018 in JESS as $\text{H+1(2)TeO4-2} + 6\text{H+1} + 2\text{e-1}$							
4	25	0	Inf. Dilution	E:0.93 (2SF)	0	CRV	22551
Note (4): Until 9-Aug-2018 in JESS as: $\text{H+1(2)TeO4-2} + 6\text{H+1} + 2\text{e-1}$							
5	25	0	Inf. Dilution	E:0.920 (3SF)	0	CRV	23898
Note (5): Until 9-Aug-2018 in JESS as: $\text{H+1(2)TeO4-2} + 6\text{H+1} + 2\text{e-1}$							

Reaction No. 74455							
$2\text{Te(s)} + 2\text{e-1} = \text{Te2-2}$							
Note: The existence of Te2-2 is doubtful but retained to ensure it stays visible. See Filella & May (2019) Te review.							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	2.5	HCl	E:-0.818 (3SF)	3	MHY	30869
2	23	0	Inf. Dilution	E:-0.845 (3SF)	0	MPL	30576
3	25	0	Inf. Dilution	E:-0.84 (2SF)	0	CRV	14620
Note (3): p. 755							
4	25	0	Inf. Dilution	E:-0.84 (2SF)	0	CRV	22551
5	25	0	Inf. Dilution	E:-0.74 (2SF)	0	CRV	23898
6	25	0	Inf. Dilution	E:-0.790 (3SF)	0	CRV	23898
7	25	0	Inf. Dilution	E:-0.840 (3SF)	0	CRV	23898
Note (7): Source shows three different values							
8	30	0.01	HCl	E:-0.74 (2SF)	3	MPL	30896

Reaction No. 74457							
$2\text{TeO2(s)} + 10\text{e-1} + 8\text{H+1} = \text{Te2-2} + 4\text{H2O}$							


No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:44.4(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.53(2SF)	0	CRV	22551

Reaction No. 74458




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-26.8(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:-0.817(3SF)	0	CRV	22551

Reaction No. 74459




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:41.5(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.589(3SF)	0	CRV	22551
3	25	0	Inf. Dilution	E:0.589(3SF)	0	CRV	23898

Reaction No. 74460




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	3	HCl	E:0.63(2SF)	4	CRV	22551

Reaction No. 74461




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:0.755(3SF)	4	CRV	22551

Reaction No. 74462



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:26.5(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.745(3SF)	0	CRV	22551


Reaction No. 74463



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.2(2SF)	1	ELC	

2	25	0	Inf. Dilution	E:0.07(1SF)	0	CRV	22551
---	----	---	---------------	-------------	---	-----	-------

Reaction No. 74464



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:0.559(3SF)	0	CRV	22551


Reaction No. 74465



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-12.(2SF)	0	CRV	22551

Note (1): $\text{TeO}_2\cdot\text{H}_2\text{O(s)}$ in doubt. Looks like a construction from Inzelt. $\text{TeO}+2\text{OH-1}$ looks like being $\text{TeO}_3-2\text{H+1}$???


Reaction No. 74466



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-16.05(4SF)	0	CRV	22551

Note (1): $\text{TeO}_2\cdot\text{H}_2\text{O(s)}$ in doubt. Looks like a construction from Inzelt. $\text{TeO}+2\text{OH-1}$ looks as being $\text{TeO}_3-2\text{H+1}$???


Reaction No. 74467



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-11.(2SF)	1	CRV	22551


Note (1): $\text{Te}+4\text{OH-1(4)}_{\text{(s)}}$ in doubt. It looks like a construction from Inzelt

Reaction No. 74585



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-291.330(7.0MD)kJ	6	CRV	20829
2	25	0	Inf. Dilution	dH:-295.000(7.0MD)kJ	6	CRV	20829
3	25	0	Inf. Dilution	Cp:70.590(0.3MD)J/K	6	CRV	20829

Reaction No. 74586



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:-290.040(7.0MD)kJ	6	CRV	20829

2	25	0	Inf. Dilution	dH: -294.000 (7.0MD) kJ	6	CRV	20829
---	----	---	---------------	-------------------------	---	-----	-------


Reaction No. 74587							
4<Te(s)> + 5<Zr(s)> = Zr5Te4(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG: -810.430 (44.0MD) kJ	6	CRV	20829
2	25	0	Inf. Dilution	dH: -829.000 (44.0MD) kJ	6	CRV	20829
3	25	0	Inf. Dilution	Cp: 222.000 (0.3MD) J/K	6	CRV	20829

Reaction No. 74588							
4<O2(g)> + 3<Te(s)> + Zr(s) = ZrTe3O8(s)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG: -1700. (4SF) kJ	1	EES	
2	25	0	Inf. Dilution	dH: -2119.2 (9.6MD) kJ	6	CRV	20829

Reaction No. 75207							
TeO2+2_OH-1(4) + H+1 = TeO+4_OH-1(5)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	5	0	Inf. Dilution	lgK: 11.45 (4SF)	4	MGL	140
2	5	0	Inf. Dilution	lgK: 11.45 (0.03SD)	5	MGL	8190
3	18	0	Inf. Dilution	lgK: 11.0 (3SF)	4	CRV	6330
4	18	0	Unknown	lgK: 12.5 (3SF)	0	MPT	14954
5	18	0	Unknown	lgK: 11.19 (4SF)	4	MGL	16952
6	18	0.04	Unknown	lgK: 10.33 (4SF)	3	MCO	140
7	18			lgK: 11.19 (4SF)	3	MGL	140
8	22	0	Self Medium	lgK: 9.34 (3SF)	4	MGL	30942
9	25	0	Inf. Dilution	lgK: 10.95 (4SF)	4	MGL	140
10	25	0	Inf. Dilution	lgK: 11.04 (4SF)	4	MSP	140
11	25	0	Inf. Dilution	lgK: 10.96 (4SF)	4	EOD	4991
12	25	0	Inf. Dilution	lgK: 10.95 (0.02SD)	5	MGL	8190
13	25	0	Inf. Dilution	lgK: 11.04 (0.05SD)	5	MGL	8453
14	25	0	Inf. Dilution	lgK: 11.19 (4SF)	2	CRV	22551
15	25	0	Unknown	lgK: 10.4 (3SF)	3	MCN	30749
16	25	1	NaClO4/m	lgK: 10.090 (5SF)	6	MGL	10047
17	25			lgK: 10.39 (4SF)	3	MCN	140
18	35	0	Inf. Dilution	lgK: 10.80 (4SF)	4	MGL	140
19	35	0	Inf. Dilution	lgK: 10.80 (0.02SD)	4	MGL	8190

20	50	0	Inf. Dilution	lgK:10.59(4SF)	3	ETM	4991
21	61	0	Inf. Dilution	lgK:10.27(4SF)	3	MGL	140
22	61	0	Inf. Dilution	lgK:10.27(0.03SD)	3	MGL	8190
23	100	0	Inf. Dilution	lgK:10.2(3SF)	2	ETM	4991
24	150	0	Inf. Dilution	lgK:10.2(3SF)	1	ETM	4991
25	200	0	Inf. Dilution	lgK:10.3(3SF)	1	ETM	4991
26	250	0	Inf. Dilution	lgK:10.7(3SF)	0	ETM	4991
27	300	0	Inf. Dilution	lgK:11.2(3SF)	0	ETM	4991
28	10:60	0	Inf. Dilution	dH:-9.(1SF)	4	CRV	552
29	25	0	Inf. Dilution	dH:-9.4(2SF)	4	MTD	140
30	25	0	Inf. Dilution	dH:-9.4(0.4SD)	5	MTD	8190


Reaction No. 75407



Note: The Te-2 species probably does not exist [18Mar_30641]

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.2(2SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:2.10(3SF)	0	MSP	23270


Reaction No. 75496



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:32.2(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.953(3SF)	0	CRV	23898

Note (2): Source has H+1(3)_TeO3-2 as HTeO2+ (dehydrated).


Reaction No. 75497



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:23.4(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.631(3SF)	0	CRV	23898

Note (2): Until 9-Aug-2018 in JESS as H+1(2)_TeO4-2 + H+1 + 2<e-1>

Reaction No. 75498



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:31.1(3SF)	1	ELC	

2	25	0	Inf. Dilution	E:0.813 (3SF)	0	CRV	23898
Note (2): Before 9-Aug-2018: H+1_TeO4-2 + 2<H+1> + 2<e-1>							

Reaction No. 75499							
TeO+4_OH-1(5) + H+1 + 2<e-1> = TeO3-2 + 3<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:21.1 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.584 (3SF)	0	CRV	23898
Note (2): Before 9-Aug-2018: H+1_TeO4-2 + H+1 + 2<e-1>							

Reaction No. 75500							
TeO2+2_OH-1(4) + 2<H+1> + 2<e-1> = TeO3-2 + 3<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:32.2 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.892 (3SF)	0	CRV	23898
Note (2): Before 09-Aug-2018: TeO4-2 + 2<H+1> + 2<e-1>							

Reaction No. 75501							
Te+6_OH-1(6) + 2<H+1> + 2<e-1> = TeO2.H2O(s) + 3<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:30.0 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.854 (3SF)	0	CRV	23898
Note (2): TeO2.2H2O(s) doubtful. Before 9-Aug-2018: H+1(2)_TeO4-2 + 2<H+1> + 2<e-1>							

Reaction No. 75502							
TeO+4_OH-1(5) + 3<H+1> + 2<e-1> = TeO2(s) + 4<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:42.2 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:1.202 (4SF)	0	CRV	23898
Note (2): Before 9-Aug-2018: H+1_TeO4-2 + 3<H+1> + 2<e-1>							

Reaction No. 75503							
TeO+4_OH-1(5) + 3<H+1> + 2<e-1> = TeO2.H2O(s) + 3<H2O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:37.7 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:1.036 (4SF)	0	CRV	23898
Note (2): TeO2.2H2O(s) doubtful. Before 9-Aug-2018: H+1_TeO4-2 + 3<H+1> + 2<e-1>							

Reaction No. 75504							
$\text{TeO}_2 + 2\text{OH}^- + 4\text{H}^+ + 2\text{e}^- = \text{TeO}_2(\text{s}) + 4\text{H}_2\text{O}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:52.2(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:1.509(4SF)	0	CRV	23898
Note (2): Before 9-Aug-2018: $\text{TeO}_4^{2-} + 4\text{H}^+ + 2\text{e}^-$							

Reaction No. 75505							
$\text{TeO}_2 + 2\text{OH}^- + 4\text{H}^+ + 2\text{e}^- = \text{TeO}_2 \cdot \text{H}_2\text{O}(\text{s}) + 3\text{H}_2\text{O}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:48.2(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:1.343(4SF)	0	CRV	23898
Note (2): $\text{TeO}_2 \cdot \text{H}_2\text{O}(\text{s})$ doubtful. Before 9-Aug-2018: $\text{TeO}_4^{2-} + 4\text{H}^+ + 2\text{e}^-$							

Reaction No. 75506							
$\text{TeO}_3(\text{s}) + 2\text{H}^+ + 2\text{e}^- = \text{TeO}_2(\text{s}) + \text{H}_2\text{O}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:33.2(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:1.020(4SF)	0	CRV	23898


Reaction No. 75507							
$\text{TeO}_3(\text{s}) + 2\text{H}^+ + 2\text{e}^- = \text{TeO}_2 \cdot \text{H}_2\text{O}(\text{s})$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:0.850(3SF)	3	CRV	23898

Reaction No. 75509							
$\text{H}_2\text{TeO}_3 + 5\text{H}^+ + 4\text{e}^- = \text{Te}(\text{s}) + 3\text{H}_2\text{O}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:47.9(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.713(3SF)	0	CRV	23898

Reaction No. 75510							
$\text{TeO}_3^{2-} + 4\text{e}^- + 6\text{H}^+ = \text{Te}(\text{s}) + 3\text{H}_2\text{O}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:57.8(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.827(3SF)	0	CRV	23898


3	25	0	Inf. Dilution	E:0.827 (3SF)	0	EOD	31758
---	----	---	---------------	---------------	---	-----	-------

Reaction No. 75511



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:0.604 (3SF)	3	CRV	23898
2	25	0	Inf. Dilution	E:0.604 (3SF)	3	CRV	31758


Reaction No. 75512



Note: Te+4_OH-1(6) is the same as TeO3-2. No reason to use such notation


No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:-0.412 (3SF)	0	CRV	23898

Reaction No. 75513



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:20.5 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.55 (2SF)	0	CRV	23898
3	25	2.5	HCl	E:0.630 (3SF)	0	CRV	23898

Reaction No. 75514




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:48.5 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.286 (3SF)	0	CRV	23898

Reaction No. 75516



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:66.5 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.402 (3SF)	0	CRV	23898

Reaction No. 75517



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:86.3 (3SF)	1	ELC	


2	25	0	Inf. Dilution	E:0.493 (3SF)	0	CRV	23898
---	----	---	---------------	---------------	---	-----	-------

Reaction No. 75518



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:14.2 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.132 (3SF)	0	CRV	23898


Reaction No. 75520



Note: Wgt = 0 because Te+2 never (?) reported and E probably in error

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:0.40 (2SF)	0	CRV	23898


Reaction No. 75521



Note: Wgt = 0; value probably wrong; it gives formation of H+1(2)_Te2-2 at all conditions of pH and pe

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	30	0	Inf. Dilution	E:-0.365 (3SF)	0	CRV	23898
2	30	0	Inf. Dilution	E:-0.365 (3SF)	0	MPL	30896

Reaction No. 75522




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:-0.717 (3SF)	0	CRV	23898

Note (1): gas?


2	25	0	Inf. Dilution	E:-0.717 (3SF)	3	CRV	23898
---	----	---	---------------	----------------	---	-----	-------

Reaction No. 75523



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-20.0 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:-0.638 (3SF)	0	CRV	23898


Reaction No. 75524



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
----	---	-------	--------	-------------	---	-------	--------


1	25	0	Inf. Dilution	lgK:-25.3 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:-0.795 (3SF)	0	CRV	23898

Reaction No. 75525




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-20.1 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:-0.595 (3SF)	0	CRV	23898

Reaction No. 75526




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-48.8 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:-1.445 (4SF)	0	CRV	23898

Reaction No. 79459




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dG:108.8 (4SF) kJ	0	CRV	7421

Reaction No. 80347




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	2	Li+1 salt	lgK:3.74 (3SF)	3	MGL	140

Reaction No. 80349




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	3	H(ClO4,SO4)	lgK:2.8 (2SF)	4	MIX	30598

Reaction No. 80350



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	22	3	H(ClO4,SO4)	lgK:2.6 (2SF)	4	MIX	30598


Reaction No. 80351



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
----	---	-------	--------	-------------	---	-------	--------


1	22	3	H(ClO ₄ ,SO ₄)	lgK:2.3(2SF)	4	MIX	30598
---	----	---	---------------------------------------	--------------	---	-----	-------

Reaction No. 80352




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	3	HNO ₃	lgK:-0.28(2SF)	3	MIX	30600
2	25	0	Inf. Dilution	lgK:-0.3(1SF)	1	EES	

Reaction No. 80353




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	3	HNO ₃	lgK:-0.46(2SF)	3	MIX	30600
2	25	0	Inf. Dilution	lgK:-0.5(1SF)	1	EES	

Reaction No. 80354




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	3	HNO ₃	lgK:-0.54(2SF)	3	MIX	30600
2	25	0	Inf. Dilution	lgK:-0.6(1SF)	1	EES	

Reaction No. 80355




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	3	HNO ₃	lgK:-0.57(2SF)	3	MIX	30600
2	25	0	Inf. Dilution	lgK:-0.6(1SF)	1	EES	

Reaction No. 80356



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	3	HNO ₃	lgK:-0.64(2SF)	3	MIX	30600
2	25	0	Inf. Dilution	lgK:-0.7(1SF)	1	EES	

Reaction No. 80357



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	20	3	HNO ₃	lgK:-0.82(2SF)	3	MIX	30600
2	25	0	Inf. Dilution	lgK:-0.8(1SF)	1	EES	

Reaction No. 80422							
$\text{Te+4_I-1(6)} = \text{Te+4} + 6\text{<I-1>}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	1	HCl	lgK:-7.35(3SF)	4	MSP	30888
2	25	0	Inf. Dilution	lgK:-7.4(2SF)	1	EES	

Reaction No. 80423							
$\text{Te+4_H+1(2)_Br-1(6)} = \text{Te+4_H+1(2)_Br-1(4)} + 2\text{<Br-1>}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	4	HClO4	lgK:1.6(2SF)	4	MSL	30941
2	23	6	HClO4	lgK:3.6(2SF)	4	MSL	30941
3	25	0	Inf. Dilution	lgK:2.0(2SF)	1	EES	

Reaction No. 80424							
$\text{Te+4_H+1(2)_Cl-1(6)} = \text{Te+4_H+1(2)_Cl-1(4)} + 2\text{<Cl-1>}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	6	HClO4	lgK:0.26(2SF)	4	MSP	30941
2	23	8	HClO4	lgK:1.5(2SF)	4	MSP	30941
3	25	0	Inf. Dilution	lgK:1.(1SF)	1	EES	

Reaction No. 80425							
$\text{Te+4_Cl-1(6)} + \text{H}_2\text{O} = \text{Te+4_Cl-1(4)_OH-1} + \text{H+1_Cl-1} + \text{Cl-1}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:4.3(2SF)	1	EES	
2	25	3:10	HCl	lgK:4.34(3SF)	5	MRM	30584
3	25	6.5:10	HCl	lgK:4.58(3SF)	5	MSP	30584
4	25	7	HCl	lgK:4.28(3SF)	5	MMR	30584

Reaction No. 80426							
$\text{Te+4_Cl-1(4)_OH-1} + \text{H}_2\text{O} = \text{Te+4_Cl-1(2)_OH-1(2)} + \text{H+1_Cl-1} + \text{Cl-1}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:2.6(2SF)	1	EES	
2	25	2.5:4.5	HCl	lgK:2.66(3SF)	5	MSP	30584
3	25	3:10	HCl	lgK:2.64(3SF)	5	MRM	30584

Reaction No. 80427							
$\text{TeO+2_Cl-1(4)} = \text{TeO+2_Cl-1(3)} + \text{Cl-1}$							

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0.5	NaClO4	lgK:0.57(2SF)	4	MSL	20406
Note (1): Same ref as 30930 (original in Russian)							
2	25	0	Inf. Dilution	lgK:0.6(1SF)	1	EES	

Reaction No. 80428							
$\text{TeO}+2\text{Cl-1(3)} = \text{TeO}+2\text{Cl-1(2)} + \text{Cl-1}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0.5	NaClO4	lgK:0.48(2SF)	4	MSL	20406
Note (1): Same ref as 30930 (original in Russian)							
2	25	0	Inf. Dilution	lgK:0.5(1SF)	1	EES	

Reaction No. 80429							
$\text{TeO}+2\text{Cl-1(2)} + \text{H2O} = \text{TeO}+2\text{Cl-1_OH-1} + \text{Cl-1} + \text{H+1}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0.5	NaClO4	lgK:-0.3(1SF)	4	MSL	20406
Note (1): Same ref as 30930 (original in Russian)							
2	25	0	Inf. Dilution	lgK:-0.3(1SF)	1	EES	

Reaction No. 80430							
$\text{TeO}+2\text{Cl-1_OH-1} + \text{H2O} = \text{TeO}+2\text{OH-1(2)} + \text{H+1} + \text{Cl-1}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0.5	NaClO4	lgK:-2.2(2SF)	4	MSL	20406
Note (1): Same ref as 30930 (original in Russian)							
2	25	0	Inf. Dilution	lgK:-2.2(2SF)	1	EES	

Reaction No. 80431							
$\text{Te+4} + \text{OH-1} = \text{Te+4_OH-1}$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	28	0.1	KNO3	lgK:11.96(4SF)	4	MSP	30596
2	28	0.3	KNO3	lgK:12.09(4SF)	3	MSP	30596
3	28	0.5	KNO3	lgK:12.23(4SF)	3	MSP	30596
4	28	0.7	KNO3	lgK:12.31(4SF)	3	MSP	30596
5	28	1	KNO3	lgK:12.48(4SF)	3	MSP	30596

Reaction No. 80432							
$\text{Te+4} + 2\text{OH-1} = \text{Te+4_OH-1(2)}$							

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	2.5	HClO4	lgK:28.8 (3SF)	4	EMU	30944
Note (1): The method is comparative electrodialysis							
2	28	0.1	KNO3	lgK:23.53 (4SF)	4	MSP	30596
3	28	0.3	KNO3	lgK:23.80 (4SF)	3	MSP	30596
4	28	0.5	KNO3	lgK:24.05 (4SF)	3	MSP	30596
5	28	0.7	KNO3	lgK:24.22 (4SF)	3	MSP	30596
6	28	1	KNO3	lgK:24.54 (4SF)	3	MSP	30596

Reaction No. 80433							
Te+4 + 3<OH-1> = H+1(3)_TeO3-2							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	28	0.1	KNO3	lgK:34.83 (4SF)	4	MSP	30596
Note (1): Original reaction: Te+4 + 3<OH-1> = Te+4_OH-1(3)							

Reaction No. 80434							
Te+4 + 4<OH-1> = H+1(2)_TeO3-2 + H2O							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	28	0.1	KNO3	lgK:45.85 (4SF)	4	MSP	30596
Note (1): Original reaction: Te+4 + 4<OH-1> = Te+4_OH-1(4)							
2	28	0.3	KNO3	lgK:46.34 (4SF)	3	MSP	30596
3	28	0.5	KNO3	lgK:46.73 (4SF)	3	MSP	30596
4	28	0.7	KNO3	lgK:47.19 (4SF)	3	MSP	30596
5	28	1	KNO3	lgK:47.95 (4SF)	3	MSP	30596

Reaction No. 80436							
2<Te+6_OH-1(6)> = Te2O+10_OH-1(11) + H+1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0	Inf. Dilution	lgK:-6.84 (3SF)	4	MQH	31009
2	23	2	Li+1 salt	lgK:-6.10 (3SF)	3	MGL	140
3	25	0	Inf. Dilution	lgK:-6.84 (3SF)	4	MQH	140
4	25	0	Inf. Dilution	lgK:-6.838 (4SF)	2	MGL	31011
5	25	0.315	NaClO4	lgK:-6.796 (4SF)	2	MGL	31011
6	25	0.32	NaClO4	lgK:-6.80 (3SF)	4	MQH	140
7	25	1	KCl	lgK:-6.31 (0.02SD)	5	MGL	30595
8	25	1	NaCl	lgK:-6.24 (0.03SD)	4	MGL	30590
9	25	1	NaCl	lgK:-6.25 (0.03SD)	4	MGL	30604

10	25	1	NaClO ₄ /m	lgK:-6.222 (4SF)	5	MGL	10047
11	25	1	Unknown	lgK:-6.31 (3SF)	3	CRV	552
12	25	1	Unknown	lgK:-6.570 (4SF)	3	MQH	30894
Note (12): It's 1 M telluric acid							
13	25	1.725	NaClO ₄	lgK:-6.409 (4SF)	2	MGL	31011
14	25	1.73	NaClO ₄	lgK:-6.41 (3SF)	4	MQH	140
15	35	1	KCl	lgK:-6.32 (0.03SD)	4	MGL	30595
16	40	1	KCl	lgK:-6.09 (0.03SD)	4	MGL	30595
17	45	1	KCl	lgK:-6.09 (0.03SD)	4	MGL	30595
18	25	1	KCl	dH:6.2 (0.3SD)	4	MCL	30594
19	25	1	KCl	dH:5. (2.SD)	4	EVH	30595
20	25	1	Unknown	dH:6.2 (2SF)	3	CRV	552

Reaction No. 80437							
TeO ₂ (s) + H ₂ O + H+1 = Te+4_OH-1(3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0.5	NaClO ₄	lgK:-1.5 (2SF)	0	MSL	30930
2	18	1	HCl	lgK:-2.2 (2SF)	4	MSL	30892
Note (2): Ionic strength: various HCl concs.							
3	18	1	HClO ₄	lgK:-2.0 (2SF)	4	MSL	30571
Note (3): Ionic strength: various HClO ₄ concns							
4	25	0	Inf. Dilution	lgK:-2.8 (2SF)	1	ELC	
5	25	0	Inf. Dilution	lgK:-2.20 (3SF)	0	EOD	7065
6	25	1	HCl	lgK:-2.0 (2SF)	4	MSL	30574
Note (6): Ionic strength: various HCl concns.							

Reaction No. 80439							
Te+4_OH-1(3) + 3<H+1> + 4<e-1> = Te(s) + 3<H ₂ O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:0.559 (3SF)	0	CRV	22551
2	25	0	Inf. Dilution	E:0.551 (3SF)	0	CRV	23898
3	25	1	HCl	E:0.5590 (4SF)	4	MHY	30571

Reaction No. 80440							
2<Te+4_OH-1(3)> + 6<H+1> + 10<e-1> = Te ₂ -2 + 6<H ₂ O>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:50.2 (3SF)	1	ELC	


2	25	0	Inf. Dilution	E:0.273 (3SF)	0	CRV	23898
---	----	---	---------------	---------------	---	-----	-------

Reaction No. 80441




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:15.2 (3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.121 (3SF)	0	CRV	23898

Reaction No. 80442




No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	NaCl	lgK:-13.28 (0.04SD)	5	MGL	30590
2	25	1	NaCl	lgK:-13.23 (0.03SD)	5	MGL	30604
3	35	1	KCl	lgK:-13.04 (0.03SD)	5	MGL	30595
4	40	1	KCl	lgK:-12.93 (0.03SD)	5	MGL	30595
5	25	1	KCl	dH:13.1 (0.3SD)	5	MCL	30594
6	25	1	KCl	dH:14. (1.SD)	5	EVH	30595

Reaction No. 80443



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-19.0 (3SF)	1	EES	
2	25	1	KCl	lgK:-17.74 (0.03SD)	5	MGL	30594
3	35	1	KCl	lgK:-17.49 (0.03SD)	5	MGL	30595
4	40	1	KCl	lgK:-17.38 (0.03SD)	5	MGL	30595
5	45	1	KCl	lgK:-17.31 (4SF)	5	MGL	30595
6	25	1	KCl	dH:9. (1.SD)	5	EVH	30595

Reaction No. 80444



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	0.5	NaClO4	lgK:-12.2 (3SF)	4	EMU	30944
Note (1): The method is comparative electrodialysis. Original: hydroxide notation							
2	25	0	Inf. Dilution	lgK:-12.2 (3SF)	1	ESC	30456
3	25	1	HCl	lgK:-10.5 (3SF)	0	MSL	30574

Reaction No. 80445

TeO+2_Cl-1_OH-1 + H2O = H+1(2)_TeO3-2 + H+1 + Cl-1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	18	0.5	NaClO4	lgK:-2.2(2SF)	4	MSL	20406
Note (1): Same ref as 30930 (original in Russian)							

Reaction No. 80446							
Te+4 + 3<OH-1> = Te+4_OH-1(3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	28	0.1	KNO3	lgK:34.83(4SF)	4	MSP	30596
2	28	0.3	KNO3	lgK:35.21(4SF)	3	MSP	30596
3	28	0.5	KNO3	lgK:35.54(4SF)	3	MSP	30596
4	28	0.7	KNO3	lgK:35.82(4SF)	3	MSP	30596
5	28	1	KNO3	lgK:36.37(4SF)	3	MSP	30596

Reaction No. 80447							
Te+4_OH-1(2) + OH-1 = Te+4_OH-1(3)							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	23	1	HClO4	lgK:14.0(3SF)	4	EMU	30944
Note (1): The method is comparative electrodialysis							

Reaction No. 80448							
Te2O+10_OH-1(11) = Te2O2+8_OH-1(10) + H+1							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	1	NaClO4/m	lgK:-7.050(0.020SD)	5	MGL	10047
2	25	1	Unknown	lgK:-7.14(3SF)	3	CRV	552
3	25	1	Unknown	dH:-6.9(2SF)	2	CRV	552

Reaction No. 80449							
2<Te+6_OH-1(6)> = Te2O3+6_OH-1(9) + 3<H+1>							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	35	1	KCl	lgK:-22.27(0.03SD)	5	MGL	30595
2	40	1	KCl	lgK:-22.11(0.03SD)	5	MGL	30595
3	45	1	KCl	lgK:-21.86(0.03SD)	5	MGL	30595
4	25	1	KCl	dH:24.(1.SD)	5	EVH	30595

Reaction No. 80871							
H+1_TeO4-2 + 2<e-1> + H+1 = TeO3-2 + H2O							

No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:18.7(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:0.584(3SF)	0	EOD	31758

Reaction No. 80872							
$H+1_TeO4-2 + 2<e-1> + 3<H+1> = TeO2(s) + 2<H2O>$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:39.5(3SF)	1	ELC	
2	25	0	Inf. Dilution	E:1.202(4SF)	0	EOD	31758

Reaction No. 80873							
$H+1_TeO4-2 + 2<e-1> + 3<H+1> = TeO2.H2O(s) + H2O$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:1.036(4SF)	2	EOD	31758

Reaction No. 80874							
$H+1(2)_TeO4-2 + 2<e-1> + 2<H+1> = TeO2(s) + 2<H2O>$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	E:1.020(4SF)	2	EOD	31758
Note (1): Assumes TeO2 as shown should be TeO2(s)							


Reaction No. 81179							
$2<O2(g)> + Pb(s) + Te(s) = Pb+2_TeO4-2(s)$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	dH:-180.(3SF)	4	CRV	12011

Reaction No. 81415							
$Cu+1(2)_Te-2(s) = 2<Cu+2> + Te-2 + 2<e-1>$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-69.7(3SF)	1	ELC	
2	25	0	Inf. Dilution	lgK:-67.74(4SF)	0	CRV	32224
Note (2): source indicates uncertainty							

Reaction No. 81597							
$Sb+3(2)_Te-2(3)_(s) + 2<H2O> = 2<SbO+1> + 3<Te-2> + 4<H+1>$							
No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-147.2(4SF)	1	ELC	


2	25	0	Inf. Dilution	lgK:-142.13 (5SF)	0	CRV	32224
---	----	---	---------------	-------------------	---	-----	-------

Reaction No. 81617



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-1.41 (3SF)	4	CRV	32224

Reaction No. 81618



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:0.57 (2SF)	4	CRV	32224

Reaction No. 81619



No	t	I-Str	Medium	Value (Dev)	W	Tech.	Ref. #
1	25	0	Inf. Dilution	lgK:-40.68 (4SF)	4	CRV	32224

Data Assessment

Weight	Assessment
9	highest accuracy
8	multi-determined; excellent dependability
7	trustworthy; outstanding single determination
6	better than average reliability
5	average single determination
4	some doubt
3	poorly known
2	guess to achieve consistency (or just as bad)
1	no information but consistent
0	problematic/inconsistent

Techniques

Abbrev	Method
CRV	Critical review
EES	Personal estimate
EFE	Free Energy relations
ELC	Linear Combination of Reactions
EMU	Method unknown
ENS	Not specified
EOD	Calculated from data of others
EOR	Other Reaction Constants
ESC	Standard conditions anchor
ETM	Temperature corrections
EVH	Van't Hoff Equation ($dH = \text{constant}$)
EVK	Variation of $\lg K$ with T
MAG	Silver electrode e.m.f.
MCL	Calorimetry
MCN	Conductivity
MCO	Colorimetry (often for measuring pH)
MCV	Cyclic voltammetry
MDG	Combination of Thermodynamic Data
MDS	Distribution between two phases
MEF	Electromotoric force, not specified
MGL	Glass electrode
MHY	Emf with hydrogen electrode
MIR	Infrared spectra
MIX	Ion exchange
MKN	Rate of reaction
MMR	Nuclear magnetic resonance
MPL	Polarography
MPS	Potentiometry and Spectrophotometry
MPT	Potentiometry
MQH	Quinhydrone electrode
MRM	Raman spectra
MSE	Solvent Extraction
MSL	Solubility
MSP	Spectroscopy
MTD	Temperature difference

References

Reference No.: 140(64SiM)

Stability Constants of Metal-ion Complexes SP17, 1964 Sillen LG; Martell AE; The Chemical Soc., London

Reference No.: 552(95SMM)

NIST Critical Stability Constants of Metal Complexes Database, 1995 Smith RM; Martell AE; Motekaitis RJ; Version 2.0; National Institute of Standards and Technology, Gaithersburg, USA

Reference No.: 600(52Lat)

The Oxidation States of the Elements, 2nd Edn, 1952 Latimer WM; and their Potentials in Aqueous Solutions; Prentice-Hall Inc., New York, USA

Reference No.: 802(90Wea)

CRC Handbook of Chemistry and Physics, 70th Edn., 1990 Weast RC; A Ready-Reference Book of Chemical and Physical Data; CRC Press, Cleveland, Ohio

Reference No.: 931(71SiM)

Stability Constants of Metal-ion Complexes SP25, 1971 Sillen LG; Martell AE; Supplement No 1 to Special Publication No 25; Chemical Society, London

Reference No.: 3006(85BPJ)

Standard Potentials in Aqueous Solution, 1985 Bard AJ; Parsons R; Jordan J; Monographs in Electroanalytical Chemistry and Electrochemistry; Marcel Dekker Inc., New York and Basel

Reference No.: 4145(65TaS)

Zh. Neorg. Khim., 1965, 10, 2684 - 2686; Tarayan VM; Sarkisyan AA; Thiourea Complexes with Tellurium

Reference No.: 4501(82RAN)

Electrochim. Acta, 1982, 27, 985 - 989; Rao TN; Aravamudan G; Narayan R; Stability Constants of Mercaptocarboxylic Acid Complexes of Divalent Tellurium and Selenium

Reference No.: 4593(76ChC)

Anal. Chem., 1976, 48, 267 - 271; Chao EE; Cheng KL; Stepwise Titration of Some Anion Mixtures and Determination of Ksp of Silver Precipitates with Silver Ion Selective Electrode

Reference No.: 4605(76Mas)

J. Inorg. Nucl. Chem., 1976, 38, 545 - 548; Masson MR; Some Equilibrium Constants of Tellurous Acid

Reference No.: 4695(75BuS)

J. Chem. Soc., Perkin Trans. 2, 1975,, 1110 - 1112; Bukka K; Satchell RS; Quantitative Aspects of Lewis Acidity. Part XIV. Comparison of the Acidity of Tin Tetrachloride, Tellurium Tetrachloride, and Zirconium Tetrabromide towards Substituted Anilines in Dioxan

Reference No.: 4991(68DyK)

Geokhimiya, 1968, (11), 1358 - 1375; D'yachkova IB; Khodakovskiy IL; Thermodynamic Equilibria in the Systems S-H₂O, Se-H₂O, and Te-H₂O in the 25-300C Temperature Range and their Geochemical Interpretations

Reference No.: 5174(64BUP)

Russ. J. Inorg. Chem., 1964, 9, 292 - 294; Buketov EA; Ugorets MZ; Pashinkin AS; Solubility Products and Entropies of Sulphides, Selenides, and Tellurides

Reference No.: 5178(73MKL)

Russ. J. Phys. Chem., 1973, 47, 1054 - 1055; Mironov VE; Komarova AV; Lyubomirova KM; Kolobov NP; Solovev YV; Merkuleva LE; Thermodynamics of Outer-sphere Complexes. XIII. The Compositions and Stabilities of Certain Outer-sphere Acidopentamminecobalt(III) Complexes

Reference No.: 5231(73NSP)

Russ. J. Inorg. Chem., 1973, 18, 609 - 611; Nazarenko VA; Shitareva GG; Poluektova EN; The Ionisation Constants of Tellurous and Selenous Acids

Reference No.: 5398(82Hog)

IUPAC Chemical Data Series No. 21, 1982 Hogfeldt E; Stability Constants of Metal-ion Complexes, 2nd Suppl., Part A, Inorganic Ligands; Pergamon, Oxford

Reference No.: 6330(95LiF)

CRC Handbook of Chemistry and Physics, 76th Edn., 1995 Lide DR; Frederikse HPR; A Ready-Reference Book of Chemical and Physical Data; CRC Press, Cleveland, Ohio, U.S.A.

Reference No.: 6422(95BaP)

Thermochemical Data of Pure Substances, 3rd Edn., 1995 Barin I; Platzki G; Weinheim, Germany

Reference No.: 7065(95Mcp)

Geochim. Cosmochim. Acta, 1995, 59, 851 - 866; McPhail DC; Thermodynamic Properties of Aqueous Tellurium Species between 25 and 350 C

Reference No.: 7276(88CoW)

Advanced Inorganic Chemistry, 5th Edn., 1988 Cotton FA; Wilkinson G; John Wiley & Sons Inc., N.Y., U.S.A

Reference No.: 7382(86Wea)

CRC Handbook of Chemistry and Physics, 67th Edn., 1986 Weast RC; A Ready-Reference Book of Chemical and Physical Data; CRC Press Inc., Boca Raton, Florida, U.S.A.

Reference No.: 7421(97Mar)

Ion Properties, 1997 Marcus Y; Marcel Dekker Inc., New York, U.S.A.

Reference No.: 7802(67ShN)

Russ. J. Inorg. Chem., 1967, 12, 527 - 530; Shitareva GG; Nazarenko VA; Bromo-complexes of Tellurium(IV)

Reference No.: 7982(48LiN)

J. Am. Chem. Soc., 1948, 70, 4115 - 4120; Lingane JJ; Niedrach LW; Polarography of Selenium and Tellurium. I. The -2 States

Reference No.: 8190(62EEH)

J. Am. Chem. Soc., 1962, 84, 1820 - 1824; Ellison HR; Edwards JO; Healy EA; The Polyol-Tellurate Complex Formation Reaction. I. Thermodynamics of Telluric Acid Ionization and of Complex Formation

Reference No.: 8453(59EFW)

J. Am. Chem. Soc., 1959, 81, 1295 - 1301; Earley JE; Fortnum DH; Wojcicki A; Edwards JO; Constitution of Aqueous Oxyanions: Perrhenate, Tellurate and Silicate Ions

Reference No.: 10047(88MSG)

Monatsh. Chem., 1988, 119, 1369 - 1373; Marhold H; Sagmueller W; Gamsjager H; The Volume Change for the Dissociation of Telluric Acid

Reference No.: 10214(75HeO)

Chem. Rev., 1975, 75, 585 - 602; Hepler LG; Olofsson G; Mercury. Thermodynamic Properties, Chemical Equilibriums, and Standard Potentials

Reference No.: 11806(92CDJ)

J. Phys. Chem. Ref. Data, 1992, 21, 941 - 1004; Clever HL; Derrick ME; Johnson SA; The Solubility of Some Sparingly Soluble Salts of Zinc and Cadmium in Water and in Aqueous Electrolyte Solutions

Reference No.: 12011(68WEP)

U.S. Nat. Bur. Standards Tech. Note 270-3, 1968 Wagman DD; Evans WH; Parker VB; Halow I; Baily SM; Schuman RH; Selected Values of Chemical Thermodynamics Properties

Reference No.: 14620(97GrE)

Chemistry of the Elements, 2nd Edn., 1997 Greenwood NN; Earnshaw A; Butterworth-Heinemann, Oxford, U.K.

Reference No.: 14923(05ONO)

OECD Chemical Thermodynamics Series, Volume 7, 2005 Olin A; Nolang B; Ohman L-O; Osadchii EG; Rosen E; Chemical Thermodynamics of Selenium

Reference No.: 14954(31BrR)

J. Chem. Soc., 1931,, 458 - 473; Britton HTS; Robinson RA; The Use of Antimony-Antimonious Oxide Electrode in the Determination of the Concentration of Hydrogen Ions and in Potentiometric Titrations. The Prideaux-Ward Universal Buffer Mixture

Reference No.: 16952(32BrR)

Trans. Faraday Soc., 1932, 28, 531 - 545; Britton HTS; Robinson RA; The Use of the Glass Electrode in Titrimetric Work and Precipitation Reactions. The Application of the Principle of the Solubility Product to Basic Precipitates

Reference No.: 20406(68NaK)

Zh. Neorg. Khim., 1968, 13, 1817 - 1822; Nabivanets BI; Kapantsyan EE; State of Tetturium(IV) in HCl and LiCl Solutions

Reference No.: 20829(05BCG)

OECD Chemical Thermodynamics Series, Volume 8, 2005 Brown PL; Curti E; Grambow B; Ekberg C; Chemical Thermodynamics of Zirconium; Elsevier Science

Reference No.: 22519(05Lid)

CRC Handbook of Chemistry and Physics, 86th Edn., 2005 Lide DR; A Ready-Reference Book of Chemical and Physical Data; Taylor & Francis, Boca Raton, USA

Reference No.: 22551(06Inz)

Encyclopedia of Electrochemistry, Vol. 7a, 2006, 17 - 75; Inzelt G; Standard, Formal and Other Characteristic Potentials of Selected Electrode Reactions

Reference No.: 23270(07Mye)

J. Solution Chem., 2007, 36, 395 - 403; Myers RJ; Second Dissociation Constant of H₂Te and the Absorption Spectra of HTe⁻, Te²⁻ and Te₂²⁻ in Aqueous Solution

Reference No.: 23898(10Bou)

Electrochemistry of Metal Chalcogenides, 2010, 57 - 75; Bouroushian M; Electrochemistry of the Chalcogens

Reference No.: 26109(13GBE)

Geochim. Cosmochim. Acta, 2013, 120, 298 - 325; Grundler PV; Brugger J; Etschmann BE; Helm L; Liu W; Spry PG; Tian Y-W; Testemale D; Pring A; Speciation of Aqueous Tellurium(IV) in Hydrothermal Solutions and Vapors, and the Role of Oxidized Tellurium Species in Te Transport and Gold Deposition

Reference No.: 27292(13LBM)

OECD Chemical Thermodynamics Series, Volume 13a, 2013 Lemire RJ; Berner U; Musikas C; Palmer DA; Taylor P; Tochiyama O; Chemical Thermodynamics of Iron Part 1; OECD (NEA) Issy-les-Moulineaux, France

Reference No.: 30456(69SoV)

Russ. J. Inorg. Chem., 1969, 14, 61 - 64; Sochevanov VG; Volkova GA; Use of Polarography in the Determination of the Instability Constants of Complexonates of Readily Hydrolysable Elements

Reference No.: 30552(74MiM)

Inorg. Chem., 1974, 13, 2750 - 2754; Milne J; Moffett D; Qxofluoro Complex Anion Equilibria in Aqueous Hydrofluoric Acid. I. Tellurate(IV)

Reference No.: 30571(25Sch)

J. Am. Chem. Soc., 1925, 47, 356 - 363; Schuhmann R; The Free Energy and Heat Content of Tellurium Dioxide and of Amorphous and Metallic Tellurium. The Reduction Potential of Tellurium

Reference No.: 30574(54IsA)

J. Phys. Chem., 1954, 58, 948 - 951; Issa IM; Awad SA; The Amphoteric Properties of Tellurium Dioxide

Reference No.: 30575(63Pan)

J. Phys. Chem., 1963, 67, 2177 - 2180; Panson AJ; Polarography of the Ditelluride Ion

Reference No.: 30576(64Pan)

J. Phys. Chem., 1964, 68, 1721 - 1724; Panson AJ; A Study of the Telluride Ion System

Reference No.: 30584(91Mil)

Can. J. Chem., 1991, 69, 987 - 992; Milne JB; Hexachlorotellurate(IV) Hydrolysis Equilibria in Hydrochloric Acid. Measurement by Raman and ^{125}Te NMR Spectroscopy and a Reconsideration of Earlier Spectrophotometric Results

Reference No.: 30590(71KaB)

An. Quim., 1971, 67, 1185 - 1191; Kaehler HC; Brito F; Studies on the Chemistry of Tellurium

Reference No.: 30594(75KMA)

An. Quim., 1975, 71, 763 - 764; Kaehler HC; Mateo S; Ascanio J; Brito F; Thermochemistry of Reactions in Solution II.3. Tellurates (KCl 1 M and 25 C)

Reference No.: 30595(75KMB)

An. Quim., 1975, 71, 689 - 691; Kaehler HC; Mateo S; Brito F; Studies on the Chemistry of Tellurium. V. Tellurates(VI) (KCl 1 M, 35, 40 and 45 C)

Reference No.: 30596(77NSP)

Russ. J. Inorg. Chem., 1977, 22, 541 - 544; Nazarenko VA; Shitareva GG; Poluektov EN;

Spectrophotometric Determination of the Formation Constants of Tellurium(IV) Hydroxo-complexes

Reference No.: 30598(80NOK)

Russ. J. Inorg. Chem., 1980, 25, 313 - 314; Nabivanets BI; Oganessian EN; Kapantsyan EE; Tellurium(IV) Sulphato-complexes in Solution

Reference No.: 30600(82OKN)

Russ. J. Inorg. Chem., 1982, 27, 1124 - 1125; Oganessian EN; Kapantsyan EE; Nabivanets BI; Babayan GG; Nitrate-complexes of Tellurium(IV) in Solution

Reference No.: 30604(66Bri)

An. Real Soc. Espan. Fis. Quim., 1966, 62, 197 - 108; Brito F; Equilibrium Studies of Polyanions. XIII. Polymerization of Tellurates in NaCl 1 M and at 25C

Reference No.: 30705(67HaE)

Trans. Metall. Soc. AIME, 1967, 239, 513 - 520; Hager JP; Elliot JF; The Free Energies of Formation of CrS, Mo₂S₃, and WS₂

Reference No.: 30748(18RoJ)

Kolloid Z., 1918, 22, 23 - 44; Rosenheim A; Jander G; On Telluric Acid and its Alkali Salts in their Semi-colloid State

Reference No.: 30749(20Bla)

J. Chim. Phys., 1920, 18, 28 - 45; Blanc E; Determination of the Dissociation Constants of Some Mineral Acids

Reference No.: 30867(19Bru)

Z. Electrochem., 1919, (21), 861 Bruner-Krakau L; Uber Selen- und Tellurwasserstoff als Sauren

Reference No.: 30869(23Kas)

Z. Anorg. Chem., 1923, 128, 17 - 32; Kasarnowsky J; The Position of Tellurium in the Electromotive Series

Reference No.: 30887(70BaM)

Zh. Anal. Khim., 1970, 25, 142 - 146; Bakunina II; Murashova VI; A Spectrophotometric Study of the Interaction of Tellurium(IV) with Br⁻ Ions in Strongly Acid Solutions

Reference No.: 30888(66Mur)

Zh. Anal. Khim., 1966, 21, 345 - 349; Murashova VI; A Study on the Composition and Stability of the Iodotellurate Complex

Reference No.: 30890(57Ant)

Suomen Kemi., 1957, B30, 201 - 203; Antikainen PJ; The Thermodynamics of the Ionization of Telluric Acid in Aqueous Solutions

Reference No.: 30891(56Ant)

Suomen Kemi., 1956, B29, 206 - 209; Antikainen PJ; Effect of Neutral Salts on the Ionization of Telluric Acid. Alkometric Determination of Telluric Acid

Reference No.: 30892(24Kas)

Z. Phys. Chem., 1924, 109, 287 - 301; Kasarnowsky J; Telluric Acid as Base

Reference No.: 30893(53Lis)

Can. J. Chem., 1953, 31, 638 - 652; Lister MW; The Stability of Some Complexes of Trivalent Copper

Reference No.: 30894(55Ant)

Suomen Kemi., 1955, B28, 135 - 141; Antikainen PJ; On the Ionization and Autocomplex Formation of Telluric Acid

Reference No.: 30896(62Awa)

J. Phys. Chem., 1962, 66, 890 - 894; Awad SA; Poisoning Effect of Telluride Ions on Hydrogen Evolution and Cathodic Formation of Hydrogen Ditelluride

Reference No.: 30930(68NaK)

Russ. J. Inorg. Chem., 1968, 13, 946 - 949; Nabivanets BI; Kapantsyan EE; The Tellurium(IV) State in HCl and LiCl Solutions

Reference No.: 30935(31BrD)

J. Chem. Soc., 1931,, 829 - 836; Britton HTS; Dodd EN; CXVII.-The Use of the Tungsten Electrode in Potentiometric Titrations and pH Measurements

Reference No.: 30941(66RiM)

Rev. Roum. Chim., 1966, 11, 1063 - 1067; Ripan R; Marc M; Determination of the Instability Constants of Hexachloro- and Hexabromo- Tellurides

Reference No.: 30942(71BiG)

Russ. J. Inorg. Chem., 1971, 16, 320 - 323; Biryukov VP; Ganelina ES; Acid Dissociation Constants of Orthotelluric Acid

Reference No.: 30943(71GaB)

Russ. J. Inorg. Chem., 1971, 16, 318 - 320; Ganelina ES; Borgoyakov VA; Acid Dissociation Constants of Tellurous Acid

Reference No.: 30944(74NKO)

Russ. J. Inorg. Chem., 1974, 19, 394 - 397; Nabivanets BI; Kapantsyan EE; Oganessian EN; The State of Tellurium(IV) in Perchloric Acid Solutions

Reference No.: 31009(57Ant)

Suomen Kemi., 1957, B30, 22 - 23; Antikainen PJ; Notes on the Formation of Polyacids in Concentrated Telluric Acid Solutions

Reference No.: 31011(60Ant)

Suomen Kemi., 1960, B33, 59 - 60; Antikainen PJ; Tevanen K; The Effect of Electrolytes on the Formation of Polyacids. Telluric Acid in Aqueous Sodium Perchlorate Solutions

Reference No.: 31017(68Shi)

Russ. J. Inorg. Chem., 1968, 13, 1528 - 1531; Shikheeva LV; Spectrophotometric Study of Equilibria in Hydrochloric Acid Solutions of Tellurium(IV)

Reference No.: 31018(68ShN)

Russ. J. Inorg. Chem., 1968, 13, 941 - 943; Shitareva GG; Nazarenko VA; Stability Constants of the Chloro-complexes of Tellurium

Reference No.: 31170(87PLH)

Finn. Chem. Lett., 1987, 14, 1 - 5; Purokoski S; Lajunen K; Hakkinen P; A Potentiometric Study on the Complex Formation of Arsenious Acid, Arsenite Ion, Telluric Acid and Tellurate Ion with Sugar Acids and Disaccharides in Aqueous Solution

Reference No.: 31171(55Lou)

Bull. Soc. Chim. Fr., 1955, 22, 1196 - 1202; Lourijssen-Teyssedre Mme; Condensation Phenomena in Inorganic Chemistry. XI. Constitution of Tellurate Solutions

Reference No.: 31172(68KMP)

Chem. Chronika, 1968, A33, 4 - 7; Kawassiadis CTh; Manoussakis GE; Papavassiliou OCh;

Tossidis JA; Dissociation of Telluric Acid in Methanol, Ethanol, and Dioxane Aqueous Mixtures

Reference No.: 31175(48Fou)

Ann. Chim. (Paris), 1948, 12, 594 - 643; Fouasson F; Contribution to the Study of Telluric Acid

Reference No.: 31204(38Lat)

The Oxidation States of the Elements, 1938 Latimer WM; and their Potentials in Aqueous Solutions; Prentice-Hall Inc., New York, USA (1st Edition)

Reference No.: 31291(84PSG)

U.S. Bur. Mines Bull. 677, 1984 Pankratz LB; Stuve JM; Gokcen NA; Thermodynamic Data for Mineral Technology; US Det. Interior, Bur. Mines, Washington, DC, USA

Reference No.: 31758(20PGF)

Nucl. Technol., 2020, 206, XXXX Pasi A-E; Glanneskog H; Foreman MRStJ; Eckberg C; Tellurium Behavior in the Containment Sump: Dissolution, Redox, and Radiolysis Effects

Reference No.: 32224(80BeT)

Lawrence Berkeley Laboratory Report LBL-11448, 1980 Benson LV; Teague LS; A Tabulation of Thermodynamic Data for Chemical Reactions Involving 8 Elements Common to Radioactive Waste Package Systems