

IRON STRIKE

DRAFTED BY MAJ J. RIVERA, S3

OPORD / GENERATED 201435ZAPR26



ISSUING HEADQUARTERS Headquarters, 2d Battalion, 503d Infantry Regiment (Airborne), 173d IBCT (A)	PLACE OF ISSUE Grafenwoehr Training Area, Germany	DATE-TIME GROUP 181200ZAPR26
TIME ZONE ZULU	COPY 3 of 24	MESSAGE REF. NO. FS-IRON-2604



(U) REFERENCES

- A. Map, Series M745, Germany Sheet L7432, Edition 5, Scale 1:50,000
- B. 173d IBCT (A) OPORD 26-02, FALCON SHIELD — Higher HQ order establishing the exercise framework
- C. FM 3-99, Airborne and Air Assault Operations (Mar 2015)
- D. ATP 3-21.10, Infantry Rifle Company (Apr 2023)
- E. 2-503 IN Tactical SOP, Rev 7 (Jan 2026)

(U) TASK ORGANIZATION

→ ANNEX A

TF IRON (2-503 IN ABN)	IRON 6
BATTALION MAIN EFFORT LTC T. Marquez	
A CO / 2-503 IN	ABLE 6
ASSIGNED DECISIVE OPERATION – SEIZE OBJ HAMMER CPT R. Okafor	
B CO / 2-503 IN	BRAVO 6
ASSIGNED SHAPING OP – FIX ENEMY ON OBJ ANVIL CPT L. Henson	
C CO / 2-503 IN	CHARLIE 6
ASSIGNED RESERVE CPT N. Vásquez	
D CO (WEAPONS) / 2-503 IN	DOG 6
ASSIGNED DIRECT FIRE SUPPORT – MORTARS, MGS CPT P. Singh	
2D PLT / A CO / 54TH BEB	SAPPER 2
OPCON MOBILITY / BREACH 1LT M. Reyes	
BTRY B / 4-319 AFAR	STEEL 6
DS FIRES CPT J. Adeyemi	



§§ CONTENTS

1 SITUATION	2 MISSION	3 EXECUTION	4 SUSTAINMENT
5 COMMAND AND SIGNAL	A ANNEXES	§ AUTHENTICATION	

§§ ANNEXES

A TASK ORGANIZATION	B INTELLIGENCE	C OPERATIONS	D FIRES
E PROTECTION	F SUSTAINMENT	G ENGINEER	H SIGNAL
I NOT USED	J PUBLIC AFFAIRS	K CIVIL AFFAIRS OPERATIONS	L INFORMATION COLLECTION
M ASSESSMENT	N SPACE OPERATIONS	O NOT USED	P HOST-NATION SUPPORT
Q KNOWLEDGE MANAGEMENT	R REPORTS	S SPECIAL TECHNICAL OPERATIONS	T NOT USED
U INSPECTOR GENERAL	V INTERAGENCY COORDINATION	W NOT USED	X NOT USED
Y NOT USED	Z DISTRIBUTION		



1 SITUATION

1.A AREA OF INTEREST

The area of interest extends 50 km beyond the AO boundary, encompassing HIGHWAY 22 eastbound to the BORDER (grid N7234) and all towns and transportation nodes that could resource enemy reinforcement of OBJ HAMMER within 24 hours.

1.B AREA OF OPERATIONS

AO IRON is bounded by PL STEEL (north), PL BRONZE (south), GRID LINE 23 (west), and HIGHWAY 22 (east). Dominated by rolling mixed forest with cleared agricultural corridors north-south. See Annex C, Appendix 2 (Operation Overlay).

1.B.(1) TERRAIN — OAKOC

O OBSERVATION & FIELDS OF FIRE. OBJ HAMMER sits on a 340m ridgeline offering 3–4 km observation east; forest canopy restricts fields of fire to <200m off the ridge.	A AVENUES OF APPROACH. Two platoon-sized mounted AAs from the south (ROUTE CLUB, ROUTE SPADE); one company-sized dismounted AA along the eastern treeline (ROUTE DIAMOND).	K KEY TERRAIN. OBJ HAMMER (MR-342 ridge). Decisive terrain: the eastern spur, grid NK 142 783, which controls observation of ENY fallback positions.
O OBSTACLES. Stream line along PL BRONZE (fordable for dismounts); mined wire obstacle belt templated vicinity NK 138 779 (IPB-confirmed).	C COVER & CONCEALMENT. Dense coniferous cover throughout the AO; limited cover in the cleared-fields corridor (east-west). Urban cover in VIC ALTENSTADT (NK 115 790).	



1.B.(2) WEATHER

VISIBILITY	8–10 km; daylight; reducing to 2 km with forecast afternoon precip.
WINDS	W 10–15 kt, gusts to 22 kt; favors friendly fires dispersion.
PRECIPITATION	40% chance intermittent rain 181400Z–182000Z; trafficability degraded on ROUTE CLUB.
CLOUD COVER	BKN 4,500 ft; overcast by 181800Z; CAS ceiling remains above 3,000 ft AGL.
TEMP / RH	Hi 14°C / Lo 4°C; RH 78%. Cold-weather injury risk LOW.
LIGHT DATA	BMNT 0518Z · Sunrise 0558Z · Sunset 1818Z · EENT 1858Z · Moon 62% waxing gibbous

ASTRONOMICAL DATA · 2026-04-19

BMNT	0518Z	SUNRISE	0558Z	SUNSET	1818Z	EENT	1858Z
MOONRISE	1612Z	MOONSET	0341Z	PHASE	waxing gibbous	ILLUM	62.0%

CLIMATE BASELINE

Bavarian Oberpfalz late-April climatology: daytime 8–16°C, nightly 2–6°C; prevailing winds W/SW 8–12 kt; monthly precipitation ~55 mm (primarily afternoon showers); freeze risk LOW after 15 APR. Typical ceiling 3,500– 8,000 ft with 40–60% probability of BKN mid-level cloud. Training area has historically experienced morning ground-fog episodes ≤2 km visibility until ~0700L in valleys (ROUTE CLUB east leg).

OPERATION-PERIOD FORECAST

PHASE I (SHAPING, D-1 / 18 APR)

[180600ZAPR26](#) → [190100ZAPR26](#)

VISIBILITY	10 km dropping to 2 km 181400Z–182000Z in showers.	WINDS	W 10–15 kt, gusts 22 kt.
PRECIP	40% intermittent rain 181400–182000Z; 2–4 mm accum.	CLOUDS	BKN 4,500 ft, dropping to OVC 3,500 ft by 181800Z.
TEMP / RH	Hi 14°C / Lo 5°C; RH 70–85%.		

EFFECTS ON OPS FAVORS friendly reconnaissance (reduced ENY Orlan-10 utility in showers). Trafficability on ROUTE CLUB degraded post-1800Z — consider ASR SPADE for wheel traffic. CAS remains feasible; minimum ceiling >3,000 ft AGL.



PHASE II (DECISIVE, D-DAY / 19 APR, 0500Z–0800Z)

190500ZAPR26 → 190800ZAPR26

VISIBILITY	10+ km; clear to partly cloudy.	WINDS	W 8–12 kt, backing SW.
PRECIP	Dry window; 10% POP.	CLOUDS	SCT 5,000 ft; CAS stack clear.
TEMP / RH	Hi 12°C (predicted peak 1400Z) / Lo 4°C at H-hour; RH 65%.		

EFFECTS ON OPS FAVORS friendly airborne / dismounted assault. 62% illum supports NVG operations during H-hour window (BMNT 0518Z, LD at 0500Z). 12-min artillery prep timing matches usable first-light. VIPER 11/12 CAS ingress corridor clear. No obscurant needed for breach unless ENY counter-prep.

PHASE III (CONSOLIDATE, D-DAY TO D+1 / 19–20 APR)

190800ZAPR26 → 200600ZAPR26

VISIBILITY	10 km; afternoon SCT 5,000 ft.	WINDS	W 10 kt.
PRECIP	10% POP 192000Z–200200Z — monitor.	CLOUDS	SCT 5,000 ft; OVC 8,000 overnight.
TEMP / RH	Hi 15°C / Lo 3°C; RH 55–70%.		

EFFECTS ON OPS Transition and hand-off to 1-503 IN unaffected. Overnight low 3°C with wind chill ~0°C on OBJ HAMMER ridge — enforce cold-weather precautions for personnel in static positions.

NET EFFECTS ON OPERATIONS

NET: weather FAVORS friendly operations across the campaign window. Decisive Phase II (190500–190800Z) executes in a confirmed dry, clear window with 62% NVG-usable illumination and ceilings well above CAS and UAS minimums. ENY Orlan-10 effectiveness reduced during Phase I precip windows. Principal risks: trafficability on ROUTE CLUB post-1800Z 18 APR (mitigate with ASR SPADE); overnight cold exposure in consolidation. No weather-driven branch or abort trigger anticipated.

FORECAST CONFIDENCE: HIGH — 72-hr forecast; synoptic pattern stable; SWO confidence HIGH.

SWO PRODUCT: Annex B, Appendix 1, Tab B (Weather). SWO Product 26-04-WX-019 (173d IBCT SWO, 181200ZAPR26).

1.C ENEMY FORCES

1.C.(1) COMPOSITION, DISPOSITION, AND STRENGTH Motorized rifle company (+) templated on OBJ HAMMER; est. 120 PAX with 4× BMP-2, 2× 82mm mortar, 1× ZU-23 AAA, engineer squad. Company is dug in, two platoons forward, one in reserve.

1.C.(2) RECENT ACTIVITIES Over the past 72 hours, ENY has conducted dismounted patrols to PL BRONZE, emplaced obstacle belt NK 138 779, and rehearsed counterattack from the east using reinforcing elements.



1.C.(3) CAPABILITIES	Defend in place; counterattack with a mounted platoon (+) within 2 hrs; disrupt with indirect fires from 82mm mortars out to 4 km; limited UAS (Orlan-10 templated) capability for ISR.
1.C.(4) MOST LIKELY COURSE OF ACTION	ENY defends OBJ HAMMER with two platoons forward, uses obstacle belt and direct fire to canalize friendly attack into EA IRON, then counterattacks with mounted reserve from the east along ROUTE DIAMOND.
1.C.(5) MOST DANGEROUS COURSE OF ACTION	ENY pre-empts the attack with a spoiling raid at 180400Z against friendly assembly area at GRAFENWOEHR (OBJ TUNGSTEN), followed by deliberate defense of OBJ HAMMER and commitment of a reinforcing company (+) from the EAST.

1.D FRIENDLY FORCES

TWO LEVELS UP · 173D IBCT (A)

MISSION	173d IBCT (A) conducts airborne assault NLT 170500ZAPR26 to seize OBJ FALCON (MR-310 key terrain complex) IOT set conditions for division follow-on ops in AO KNIGHT.
INTENT	Rapid seizure of key terrain to deny the enemy operational initiative. End state: OBJ FALCON under friendly control; enemy unable to reconstitute combat power; host-nation populace secure.

ONE LEVEL UP · 2D SQUADRON / 503D IN / 173D IBCT (A)

MISSION	2-503 IN attacks NLT 190500ZAPR26 to seize OBJ HAMMER IOT enable 173d IBCT operations against OBJ FALCON.
INTENT	Mass combat power on OBJ HAMMER; hand off to follow-on forces without losing tempo. End state: OBJ HAMMER secured; 2-503 postured for follow-on to OBJ FALCON by 200600Z.

ADJACENT UNITS. NORTH: 1-503 IN conducts supporting attack to fix ENY on OBJ ANVIL. SOUTH: 4-319 AFAR provides GS fires. EAST: 173 RSTA conducts screen along HIGHWAY 22.

OTHER UNITS. Host-nation Bundeswehr liaison element co-located at BCT MAIN CP for range deconfliction and civil coordination.



1.E

INTERAGENCY, INTERGOVERNMENTAL, AND NONGOVERNMENTAL ORGANIZATIONS

Bundeswehr Grafenwoehr Training Area Command, Bavarian Red Cross (range medical standby), and USAG Bavaria coordinate on training-area access, safety, and emergency response.

1.F CIVIL CONSIDERATIONS — ASCOPE

A AREAS. Training area bounded by civilian farmland north of PL STEEL; civilian access to forest mushroom-gathering trails must be deconflicted.	S STRUCTURES. Protected: ALTENSTADT village chapel (NK 115 790); no direct or indirect fires within 500m. Historical marker at NK 121 788.	C CAPABILITIES. Local Bundeswehr MP can respond to training incidents within 20 min; Vilseck hospital (Role 3 equivalent) 18 km east.
O ORGANIZATIONS. Bavarian Forestry Authority monitors live-fire boundary compliance.	P PEOPLE. Range workers (Bundeswehr civilians) transit range roads 0530–1800L. All movement on ROUTE CLUB between those times requires range-control clearance.	E EVENTS. Easter holiday weekend active in adjacent villages; no impact on AO.

1.G ATTACHMENTS AND DETACHMENTS

ATTACHED

- 2d Plt / A Co / 54th BEB (OPCON from 181800ZAPR26)
- Btry B / 4-319 AFAR (DS from 180600ZAPR26)

DETACHED


- Scout Plt / HHC / 2-503 IN (TACON to 173 RSTA, 180600ZAPR26–200600ZAPR26)

See Annex A (Task Organization) for detailed relationships.



1.H ASSUMPTIONS

- ▶ Weather remains flyable for CAS and MEDEVAC throughout the operation.
- ▶ Host-nation range clearance remains continuous through 200600ZAPR26.
- ▶ Enemy does not receive reinforcement of more than a platoon within 24 hrs.






2 MISSION

“

TF IRON attacks NLT 190500ZAPR26 to seize OBJ HAMMER (vic. NK 142 783) IOT enable 173d IBCT (A) follow-on operations against OBJ FALCON.

”





3

EXECUTION

3.A COMMANDER'S INTENT

PURPOSE

Generate an overmatch of combat power on OBJ HAMMER fast enough to preempt enemy counterattack and hand off the objective to follow-on forces with combat power intact.

KEY TASKS

- ▶ Seize OBJ HAMMER with one company decisive, one shaping, one reserve.
- ▶ Defeat ENY reserve counterattack forward of PL BRONZE.
- ▶ Preserve combat power: less than 10% friendly casualties through consolidation.
- ▶ Maintain continuous fires and ISR coverage through transition to follow-on force.

END STATE

OBJ HAMMER under TF IRON control by 190900Z; ENY defeated in sector; TF postured for follow-on.

FRIENDLY

TF IRON consolidated on OBJ HAMMER, >90% combat power, Class V at 70% basic load.

ENEMY

Enemy force on OBJ HAMMER destroyed or forced to withdraw east of HIGHWAY 22.

TERRAIN

OBJ HAMMER (MR-342 ridge) and eastern spur under friendly control and observation.

CIVIL

No civilian casualties; ALTENSTADT village and cultural sites unaffected.

3.B CONCEPT OF OPERATIONS

TF IRON executes a three-phase attack: PHASE I (Shaping, 180600Z–190500Z) — reconnaissance and shaping fires; PHASE II (Decisive, 190500Z–190800Z) — dismounted assault on OBJ HAMMER; PHASE III (Consolidate, 190800Z–200600Z) — consolidate and hand off.



3.B.(1) MANEUVER	A Co conducts the decisive operation as the main effort with dismounted assault along AA DIAMOND. B Co fixes ENY on OBJ ANVIL. C Co is reserve prepared to reinforce A Co or defeat counterattack. D Co provides direct-fire support from SBF-1 (NK 132 778).
3.B.(2) DECISIVE OPERATION	A Co assaults OBJ HAMMER at 190500Z, seizes the ridge and eastern spur, and consolidates.
3.B.(3) SHAPING OPERATIONS	B Co fixes the ENY platoon on OBJ ANVIL; SAPPER 2 breaches the wire obstacle belt at NK 138 779 NLT 190430Z; STEEL 6 delivers 12-minute artillery preparation on OBJ HAMMER 190448Z–190500Z.
3.B.(4) SUSTAINING OPERATIONS	Combat Trains (CTCP) established vicinity NK 118 772 by 190400Z. Ambulance exchange point (AXP) at NK 125 776. CL III/V resupply by LMTV convoy from BSA every 8 hrs.
3.B.(5) RESERVE	C Co is reserve, held at AA BRONZE, prepared to reinforce A Co (PRIORITY) or block enemy counterattack along ROUTE DIAMOND.
3.B.(6) FIRES	See Annex D. Priority of fires to A Co during Phase II.

3.C SCHEME OF MOVEMENT AND MANEUVER

Phase I: B Co conducts supporting attack on OBJ ANVIL starting 180600Z. A Co moves to ASSAULT POSITION SABRE by 190430Z. Phase II: Breach complete 190445Z; artillery prep 190448–190500Z; A Co assaults 190500–190700Z; consolidate 190700–190800Z. Phase III: Transfer of authority to follow-on force 200500Z.

3.D SCHEME OF RECONNAISSANCE AND SECURITY

Scout Plt (TACON to 173 RSTA) screens along HIGHWAY 22 NLT 180600Z through 200600Z; provides early warning of eastern ENY movement. TF IRON R&S elements observe OBJ HAMMER from OP 1 (NK 131 780) and OP 2 (NK 144 785) from 181200Z.

3.E



SCHEME OF INTELLIGENCE

Focus on confirming ENY disposition on OBJ HAMMER, validating obstacle belt composition, and warning of ENY reinforcement east of HIGHWAY 22. See Annex B.

3.F SCHEME OF FIRES

Priority of fires A Co (Phase II), then C Co (counterattack defeat). 12-minute artillery prep on OBJ HAMMER 190448–190500Z. CAS on call; final attack control by A Co JTAC.

3.G SCHEME OF PROTECTION

Priorities: (1) A Co assault element; (2) CTCP; (3) BN Main CP. OPSEC: radio silence below BN net until 190500Z. Personnel Recovery plan per Annex E, Appendix 9.

3.H STABILITY

Not applicable for this mission — limited to training area; no host-nation civilian effects beyond range deconfliction.

3.I SCHEME OF ENGINEER OPERATIONS

SAPPER 2 breaches the wire obstacle belt NK 138 779 NLT 190445Z. Survivability effort focuses on CTCP and BN Main CP hasty positions. See Annex G.



3.J SCHEME OF SIGNAL

FM primary, TACSAT secondary. Battalion command net, fires net, and logistics net active. Data: Nett Warrior for COP. See Annex H.

3.K SCHEME OF INFORMATION COLLECTION

One Puma UAS orbit over OBJ HAMMER 190430–190800Z tasked from BCT. Scout Plt (TACON) reports on HIGHWAY 22. See Annex L.

3.L SCHEME OF SUSTAINMENT

See Paragraph 4 and Annex F.

3.M SCHEME OF CYBERSPACE ELECTROMAGNETIC ACTIVITIES

GPS, SATCOM, and FM remain unrestricted. No offensive cyber effects tasked at BN. EW detection alarm to BN S-2 on any jamming above threshold.

3.N SCHEME OF MILITARY DECEPTION

No deception operation planned for this mission.



3.0 ASSESSMENT

MOEs: (1) seizure of OBJ HAMMER by 190900Z; (2) enemy combat power on OBJ HAMMER reduced below 30%; (3) friendly casualties below 10%. MOPs: breach complete NLT 190445Z; artillery rounds on target per TVA; transition to follow-on NLT 200600Z. See Annex M.

3.P TASKS TO SUBORDINATE UNITS

3.P.(1) A CO / 2-503 IN

ABLE 6

PURPOSE. Seize OBJ HAMMER as decisive operation.

1. Move to ASSAULT POSITION SABRE NLT 190430Z.
2. Assault OBJ HAMMER along AA DIAMOND commencing 190500Z.
3. Clear eastern spur NLT 190700Z.
4. Consolidate and prepare to defend NLT 190800Z.

PRIORITIES. CL V resupply (PRI 1); MEDEVAC lift (PRI 2).

3.P.(2) B CO / 2-503 IN

BRAVO 6

PURPOSE. Fix ENY platoon on OBJ ANVIL to prevent reinforcement of OBJ HAMMER.

1. Conduct supporting attack against OBJ ANVIL NLT 180600Z.
2. Maintain pressure through 190700Z.
3. Be prepared to transition to reserve at BN direction.

3.P.(3) C CO / 2-503 IN

CHARLIE 6

PURPOSE. Serve as TF reserve; defeat ENY counterattack or reinforce A Co.

1. Occupy AA BRONZE NLT 190300Z.
2. On order, reinforce A Co on OBJ HAMMER.
3. On order, defeat ENY mounted counterattack along ROUTE DIAMOND.

3.P.(4) D CO (WEAPONS) / 2-503 IN

DOG 6

PURPOSE. Provide direct fire support from SBF-1.

1. Occupy SBF-1 (NK 132 778) NLT 190415Z.
2. Provide direct fire support to A Co assault.
3. Displace to alt SBF-2 on A Co JTAC call.



3.P.(5) 2D PLT / A CO / 54TH BEB

SAPPER 2

PURPOSE. Breach ENY obstacle belt to enable A Co assault.

1. Breach wire obstacle belt NK 138 779 NLT 190445Z.
2. Mark breach lanes IAW BCT SOP.
3. Be prepared to reduce follow-on obstacles on order.

3.P.(6) BTRY B / 4-319 AFAR

STEEL 6

PURPOSE. Provide direct support fires to TF IRON.

1. Deliver 12-minute preparation on OBJ HAMMER 190448–190500Z.
2. Maintain priority of fires to A Co through consolidation.
3. Be prepared to shift to counterbattery on BN S-3 call.

3.Q COORDINATING INSTRUCTIONS

3.Q.(1) EFFECTIVE TIME This OPORD is effective 181200ZAPR26.

3.Q.(2) COMMANDER'S CRITICAL INFORMATION REQUIREMENTS (CCIR)

PIR • PRIORITY INTELLIGENCE REQUIREMENTS

- ▶ Is the ENY obstacle belt at NK 138 779 mined or wire only?
- ▶ What is the ENY reserve posture east of HIGHWAY 22?
- ▶ Has ENY employed UAS ISR over the AO?

FFIR • FRIENDLY FORCE INFORMATION REQUIREMENTS

- ▶ Any friendly unit below 75% combat power.
- ▶ Loss of communications with any company commander for >15 min.
- ▶ Breach asset (SAPPER 2) combat-ineffective.

3.Q.(3) ESSENTIAL ELEMENTS OF FRIENDLY INFORMATION (EEFI)

- ▶ Exact DTG of breach.
- ▶ Location of TF reserve (C Co).
- ▶ Artillery firing position of STEEL 6.

3.Q.(4) FIRE SUPPORT COORDINATION MEASURES

Coordinated Fire Line along PL BRONZE. No-fire area 500m radius around ALTENSTADT village (NK 115 790).



3.Q.(5) AIRSPACE COORDINATING MEASURES	Restricted Operations Zone over OBJ HAMMER 190400–190800Z to 5,000 ft AGL for friendly UAS.
3.Q.(6) RULES OF ENGAGEMENT	Standard ROE per theater directive; hostile act / hostile intent only. Positive ID required for all direct fire.
3.Q.(7) RISK- REDUCTION CONTROL MEASURES	All live-fire conducted under range-safety oversight. Chemlight recognition signals for night movement. No-fire 500m bubble around ALTENSTADT. MOPP level 0 (mission-tailored).
3.Q.(8) PERSONNEL RECOVERY COORDINATION MEASURES	Isolated-personnel reporting to BN TOC; recovery by C Co on order. ISOPREP current for all personnel.
3.Q.(9) ENVIRONMENTA L CONSIDERATIO NS	No pyrotechnic use within 100m of ALTENSTADT; fuel/waste returned to BSA.
3.Q.(10) CYBERSPACE ELECTROMAGN ETIC ACTIVITIES	EW detection reports directly to BN S-2; no offensive effects at BN level.
3.Q.(11) OTHER COORDINATING INSTRUCTIONS	All personnel will consume 4 L water/day minimum during operations. Hot meals pushed from BSA every 12 hrs.
3.Q.(12) THEMES AND MESSAGES	We train hard to fight and win. We honor our host-nation partners. Every paratrooper is accountable.



4 SUSTAINMENT

4.A LOGISTICS

4.A.(1)

SUSTAINMENT OVERLAY

See Annex F, Appendix 1.

4.A.(2)

MAINTENANCE

Field-level maintenance at CTCP (NK 118 772). Controlled exchange authorized for CL IX parts below \$500. BDAR authority: Co Cdrs.

4.A.(3)

TRANSPORTATION

MSR CLUB (primary), ASR SPADE (alternate). Ambulance exchange at AXP at NK 125 776. Convoys in packets of 4 vehicles minimum.

4.A.(4)

SUPPLY

CL I: MRE for 3 days, hot meal push 2x/day. CL III: LOGPAC every 8 hrs. CL V: 100% basic load carried, resupply pre-positioned at CTCP. CL VIII: See AHS below. Water: 4 L/soldier/day.

4.A.(5)

FIELD SERVICES

Mortuary affairs collection point at CTCP. Shower/laundry at BSA every 72 hrs.

4.A.(6)

DISTRIBUTION

Supply point distribution at CTCP; unit distribution forward to company trains on call.

4.A.(7)

OPERATIONAL CONTRACT SUPPORT

Range ammunition support via Bundeswehr contract; coordinated through BCT S-4.

4.B PERSONNEL SERVICES SUPPORT

4.B.(1)

HUMAN RESOURCES SUPPORT

PERSTAT every 6 hrs via BN S-1. R&R policy per BCT directive.



4.B.(2) No finance operations in AO; reachback to BCT FMSC as needed.
**FINANCIAL
 MANAGEMENT**

4.B.(3) BN JAG available via BCT SJA. ROE questions to BN S-3; detainee legal review by BCT SJA.
**LEGAL
 SUPPORT**

4.B.(4) UMT circulates among companies every 24 hrs. Memorial services on order.
**RELIGIOUS
 SUPPORT**

4.C ARMY HEALTH SYSTEM SUPPORT

4.C.(1) BN Surgeon runs casualty ops from BN TOC; coordination with BCT Role 2 at BSA.
**MEDICAL
 COMMAND AND
 CONTROL**

4.C.(2) Role 1 at each company trains; BN aid station at CTCP (NK 118 772). Role 2 at BSA (Grafenwoehr main); Role 3 at Vilseck (18 km east).
**MEDICAL
 TREATMENT**

4.C.(3) Ground MEDEVAC via AXP at NK 125 776. Air MEDEVAC on call from BCT Role 2 pad; 9-line to BN TOC on BN CMD net.
**MEDICAL
 EVACUATION**

4.C.(4) Emergency dental only; reachback to BSA.
**DENTAL
 SERVICES**

4.C.(5) Water quality checks 2x/day at CTCP. Tick/vector briefing issued to all personnel.
**PREVENTIVE
 MEDICINE**

4.C.(6) BN Chaplain and UMT on call; BN aid station has OSC trained NCO.
**COMBAT AND
 OPERATIONAL
 STRESS
 CONTROL**

4.C.(7) CL VIII push from BCT Role 2 every 12 hrs. Blood products: 4 PRBC at BAS.
**MEDICAL
 LOGISTICS**



5

COMMAND AND SIGNAL

5.A COMMAND

5.A.(1)
LOCATION OF THE COMMANDER BN CDR forward with A Co from 190445Z through consolidation; returns to BN TOC NLT 190900Z.

5.A.(2)
SUCCESSION OF COMMAND

1. Battalion Commander (IRON 6)
2. Battalion Deputy Commander (IRON 5)
3. Battalion S-3 (IRON 3)
4. Battalion Executive Officer (IRON 7)

5.A.(3)
COMMAND POSTS BN Main CP at AA BRONZE (NK 108 768) from 180600Z. BN TAC CP co-located with A Co from 190430Z through consolidation. BN Combat Trains CP (CTCP) at NK 118 772 from 190400Z.

5.B CONTROL

5.B.(1)
COMMAND AND SUPPORT RELATIONSHIPS Btry B / 4-319 AFAR is DS to TF IRON from 180600Z. 2d Plt / A / 54 BEB is OPCON from 181800Z.

5.B.(2)
LIAISON REQUIREMENTS LNO from 1-503 IN at BN Main CP from 181200Z. LNO from Btry B / 4-319 at BN Main CP from 180600Z. BN LNO to BCT TOC from 180600Z.

5.C SIGNAL

5.C.(1)
SOI EDITION IN EFFECT SOI Edition 04-26 effective 180001Z–210001ZAPR26.

**5.C.(2)****METHODS OF
COMMUNICATION
BY ECHELON**


BN CMD net: FM primary, TACSAT secondary. Company nets: FM. Data: Nett Warrior for COP; PACE: FM / TACSAT / Data / Messenger.

5.C.(3)**RECOGNITION
AND
IDENTIFICATION
INSTRUCTIONS**

Near recognition: running password GLADIATOR / countersign HORNET. Far recognition: orange VS-17 panel during daylight; IR strobe at night. Challenge/password changes 180001Z daily.

5.C.(4)**CYBERSPACE
ELECTROMAGNETIC
ACTIVITIES**

Any GPS or comms jamming reported to BN S-2 immediately on BN CMD net.





A

ANNEXES

A TASK ORGANIZATION PUBLISHED	B INTELLIGENCE PUBLISHED	C OPERATIONS PUBLISHED	D FIRES PUBLISHED
E PROTECTION PUBLISHED	F SUSTAINMENT PUBLISHED	G ENGINEER PUBLISHED	H SIGNAL PUBLISHED
I NOT USED NOT USED	J PUBLIC AFFAIRS PUBLISHED	K CIVIL AFFAIRS OPERATIONS PUBLISHED	L INFORMATION COLLECTION PUBLISHED
M ASSESSMENT PUBLISHED	N SPACE OPERATIONS PUBLISHED	O NOT USED NOT USED	P HOST-NATION SUPPORT PUBLISHED
Q KNOWLEDGE MANAGEMENT PUBLISHED	R REPORTS PUBLISHED	S SPECIAL TECHNICAL OPERATIONS PUBLISHED	T NOT USED NOT USED
U INSPECTOR GENERAL PUBLISHED	V INTERAGENCY COORDINATION PUBLISHED	W NOT USED NOT USED	X NOT USED NOT USED
Y NOT USED NOT USED	Z DISTRIBUTION PUBLISHED		



ANNEX

A

TASK ORGANIZATION

Task Force IRON is organized around three maneuver companies, a weapons company, and task-organized enablers to seize OBJ HAMMER NLT 190500ZAPR26. A Co (ABLE 6) is the decisive operation and main effort throughout Phase II, task-organized with 2d Plt/A/54 BEB (SAPPER 2) OPCON from 181800ZAPR26 for mobility and breach. B Co (BRAVO 6) is a shaping effort, attacks to fix enemy forces on OBJ ANVIL from 190430ZAPR26, and transitions to supporting effort for consolidation. C Co (CHARLIE 6) is the battalion reserve, postured vic. AA EAGLE NK 112 768, prepared to reinforce A Co, conduct counterattack against enemy mechanized reinforcement from the north, or assume A Co's mission on order.

D Co Weapons (DOG 6) provides direct-fire overwatch from SBF 1 (NK 135 776) and SBF 2 (NK 139 777) with TOW and .50 cal sections, priority to A Co Phase I-II then C Co Phase III. Btry B/4-319 AFAR (STEEL 6) is direct support to 2-503 IN from 181200ZAPR26 through 200600ZAPR26; priority of fires shifts in accordance with Annex D. Scout Plt operates TACON to 173 RSTA SQDN through 190430ZAPR26, then chops back to 2-503 IN control as the battalion's organic recon asset in zone.

Main effort is A Co through seizure of OBJ HAMMER; supporting efforts are B Co (fix on OBJ ANVIL) and D Co Weapons (DF support). Reserve is C Co. Unit integrity is preserved at platoon level or higher; no cross-attachments below company without BN CDR approval. All OPCON and DS relationships terminate NLT 200600ZAPR26 unless extended by FRAGO.



ANNEX INTELLIGENCE

B

Enemy on OBJ HAMMER is assessed as a reinforced motorized rifle company (+), approximately 120 pax, with 4x BMP-2, an 82mm mortar section, a ZU-23-2 AAA piece sited for ground role, and Orlan-10 UAS support cueing from regimental level. Enemy is dug in along the MR-342 ridge with primary positions on the eastern spur vic. NK 142 783, tied into a wire and AT-ditch obstacle belt at NK 138 779. Most dangerous COA is reinforcement by a motorized rifle platoon (+) from the north along HIGHWAY 22 within 90 minutes of contact; most likely COA is defense in sector with harassment by Orlan-10 and indirect fires from depth.

PIRs drive collection: (1) location and timing of enemy reinforcement along HIGHWAY 22; (2) composition and condition of the obstacle belt at NK 138 779; (3) Orlan-10 launch/recovery site; (4) enemy CP vic. OBJ HAMMER. HVTs are, in priority: enemy CO CDR, mortar FDC, ZU-23 crew, Orlan-10 GCS, and BMP section leaders. S-2 publishes updated SITEMPs, MCOOs, and the HVT list every 12 hours beginning 181800ZAPR26, pushed through SharePoint and Nett Warrior.

BCT MICO provides reinforcing SIGINT and GEOINT products; 173 RSTA SQDN provides reconnaissance handover NLT 190300ZAPR26. S-2 maintains the collection synchronization matrix (Annex L, Appendix 4) and deconflicts with BCT ACE. Counterintelligence focus is on insider threat during mission staging at Camp Aachen and host-nation contractor access to the BSA.

STRUCTURED CONTENT

1. PRIORITY INTELLIGENCE REQUIREMENTS

NUMBER	STATEMENT	DECISION SUPPORTED	NAI	LTIOV	INDICATORS	PRIMARY COLLECTOR
1	Will the enemy reinforce OBJ HAMMER from HIGHWAY 22 before 190500ZAPR26?	Commit C Co reserve to block vs. continue east.	NAI 3 (HIGHWAY 22 km 47); NAI 5 (NK 152 799)	190200ZAPR26	Tank-company-sized movement (10+ vehicles) westbound HIGHWAY 22; Increased ENY C2 traffic on 46.725 MHz; POL resupply column vic HIGHWAY 22 km 50	Scout Plt OP 1 (TACON 173 RSTA)
2	Is the obstacle belt at NK 138 779 mined or wire-only?	SAPPER 2 lane selection and MICLIC reserve positioning.	NAI 2 (obstacle belt NK 138 779)	190430ZAPR26	Visual confirmation of AT-mine signatures via UAS FMV; Engineer recon report of wire density and anchor spacing	BCT Puma UAS; Scout Plt OP 2
3	Where is the Orlan-10 launch/recovery site?	Engage Orlan-10 GCS as HPT; deconflict ROZ HAMMER.	NAI 7 (suspected GCS vic NK 155 795)	190400ZAPR26	Catapult signature visible in EO imagery; UHF data-link	BCT MICO SIGINT



NUMBER	STATEMENT	DECISION SUPPORTED	NAI	LTIOV	INDICATORS	PRIMARY COLLECTOR
					emissions 902-928 MHz	
4	Location of enemy CP on OBJ HAMMER?	Priority target nomination for STEEL 6 preparation fires.	NAI 4 (OBJ HAMMER crest, NK 142 783)	190300ZAPR26	Multiple antenna signatures clustered on ridge; Increased foot traffic at suspected CP vehicle	BCT Puma UAS orbit 190430-190800Z

2. HIGH VALUE TARGET LIST

PRIORITY RANK	CATEGORY	TARGET DESCRIPTION	SIGNATURE	LIKELY LOCATIONS	ENGAGEMENT GUIDANCE	LINKED PIR	HPT NOMINATION
1	C2	ENY MRC Commander and CP (est. NK 142 783)	3-4 antenna vehicles, HMMWV-class tracks, VHF emissions 30-88 MHz	OBJ HAMMER crest; Reverse slope NK 143 784	Neutralize with FA HE/PD on acquisition; avoid CDE in ALTENSTADT NFA.	4	True
2	AIR_DEFENSE	ZU-23-2 AAA piece (ground role) vic NK 140 781	Twin 23mm barrels, towed prime mover, personnel clustering	Northern spur OBJ HAMMER	SEAD — suppress H-2 to H+10 for VIPER 11/12 ingress.	4	True
3	FIRES	82mm mortar section (2 tubes)	Q-53 radar acquisition; launch acoustic signature	Reverse slope NK 145 787	Destroy on first firing; counter-battery cued to STEEL 6.	4	True
4	ISR	Orlan-10 GCS and launch team	Catapult launch rail; 9.6m antenna mast; 2-4 vehicle footprint	NAI 7 NK 155 795	DESTROY on acquisition; EW jam prior to kinetic strike.	3	True
5	MANEUVER	BMP-2 section (4 vehicles)	Tracked IFV thermal signature; crew of 3 + 7 dismounts	Platoon strongpoints on MR-342 ridge	Destroy with Javelin/TOW/ CAS as acquired.	4	

3. ENEMY COURSES OF ACTION

DESIGNATION	TITLE	NARRATIVE	INDICATORS	ADOPTION PROBABILITY	ASSOCIATED NAIS
MLCOA	Defend in sector on MR-342 ridge	ENY MRC(+) defends the ridge with two platoons forward and one in reserve; fixes friendly forces forward of obstacle belt NK 138 779; defeats penetration by counterattack from the east with tank PLT	Continued obstacle reinforcement vic NK 138 779; Orlan-10 launches from vic NK 161 792; Tank PLT staging vic HIGHWAY 22 km marker 47	high	NAI 1; NAI 3; NAI 7



DESIGNATION	TITLE	NARRATIVE	INDICATORS	ADOPTION PROBABILITY	ASSOCIATED NAIS
		from 3d MRR reserve along HIGHWAY 22.			
MDCOA	Spoiling attack from HIGHWAY 22	ENY preempts with a mounted spoiling raid from HIGHWAY 22 at 180400Z against friendly assembly area; defeats TF IRON before LD; follows with deliberate defense of OBJ HAMMER and commitment of reinforcing MRR company (+) from the east.	Tank company-sized movement south of GRID LINE 80 prior to 190300Z; Shift of ENY C2 emitter vic HIGHWAY 22 km 45	low	NAI 3; NAI 5

4. ASSUMPTIONS

- ENY 3d MRR tank battalion does not commit west of HIGHWAY 22 before 200600ZAPR26.
- Weather remains flyable for CAS and BCT Puma UAS throughout Phase II.
- GPS remains available; no degradation from Orlan-10 GCS co-located EW.

APP. 1 (B) INTELLIGENCE ESTIMATE

Running estimate maintained by S-2 and updated every 12 hours. Focus on enemy MLCOA/MDCOA, obstacle belt composition, and reinforcement triggers along HIGHWAY 22.

APP. 2 (B) COUNTERINTELLIGENCE

BCT CI team screens host-nation contractor access at BSA and conducts insider-threat awareness briefs prior to SP. No known FIS targeting of the training event.

APP. 3 (B) SIGNALS INTELLIGENCE

BCT MICO SIGINT platoon provides reinforcing collection against enemy C2 nets on OBJ HAMMER; cueing pushed to S-2 within 15 minutes of detection. No organic BN SIGINT capability.

APP. 4 (B) HUMAN INTELLIGENCE

No HUMINT operations in the AO; all source interaction with role-players coordinated through BCT G-2X. Soldiers report observations through SALUTE on BN O/I net.

APP. 5 (B) GEOSPATIAL INTELLIGENCE



BCT GEOINT cell provides 1:25,000 overprints of OBJ HAMMER with updated obstacle and SITE MP overlays every 12 hours. Digital products pushed via SharePoint.

**APP. 6 (B) MEASUREMENT AND SIGNATURE
INTELLIGENCE**

Not resourced at BN level; any MASINT tipping flows from BCT ACE. Report thermal or acoustic anomalies through SPOTREP.

**APP. 7 (B) OPEN-SOURCE
INTELLIGENCE**

S-2 monitors host-nation press and social media for training-area disruption or protest activity. No adversary OSINT collection assessed.

**APP. 8 (B) TECHNICAL
INTELLIGENCE**

Recover and tag enemy equipment, documents, and UAS airframes (priority: Orlan-10 wreckage) for exploitation through BCT TECHINT cell. Do not disassemble on site.



ANNEX OPERATIONS

C

The concept of operations expands the base order's scheme of maneuver across three phases. In Phase I (Shaping, 180600Z–190500ZAPR26), B Co conducts a feint toward OBJ ANVIL to fix the enemy's southern platoon while Scout Plt screens HIGHWAY 22 and confirms the enemy template. In Phase II (Decisive, 190500Z–190800ZAPR26), A Co, following SAPPER 2's breach of the obstacle belt at NK 138 779, assaults along AXIS GOLD to seize OBJ HAMMER. In Phase III (Consolidate, 190800Z–200600ZAPR26), TF IRON reorganizes on OBJ HAMMER, establishes hasty defense oriented north, and prepares to hand the objective off to 1-503 IN for follow-on operations against OBJ FALCON.

The Operation Overlay (App 2) depicts AA EAGLE, AXIS GOLD, PL SILVER (LD), PL BRONZE (FSCL/CFL), PL COPPER (LOA), OBJ HAMMER, OBJ ANVIL, and SBFs 1 and 2. The Decision Support Matrix (App 3) addresses three decision points: DP1 — commit reserve (trigger: A Co combat power below 70% prior to PL BRONZE); DP2 — shift fires to counter reinforcement (trigger: enemy platoon (+) south of GRID LINE 80 on HIGHWAY 22); DP3 — transition to Phase III (trigger: OBJ HAMMER cleared, no enemy activity within 2 km for 30 minutes).

Branches addressed: (1) enemy reinforces early — C Co assumes blocking position vic. NK 128 787, fires shift to interdict HIGHWAY 22; (2) obstacle belt exceeds template — SAPPER 2 executes deliberate breach with second MICLIC, A Co delays assault 30 minutes, B Co extends fix on OBJ ANVIL. Sequel is battle handover to 1-503 IN NLT 200400ZAPR26 IVO OBJ HAMMER, TF IRON retrograde to AA EAGLE for refit.

STRUCTURED CONTENT

1. AIRSPACE CONTROL

GEO REFS

NAME	KIND	COORDINATES	ALTITUDE FT	TACAN CHANNEL	EFFECTIVE DTG	NOTES
BULLSEYE	BULLSEYE	32UMA100400				Primary bullseye — all BRAA calls reference this point. Elevation 0 MSL assumed for calls.
BULLSEYE ALT	BULLSEYE	32UMA220400				Alternate bullseye for eastern sector if primary is jammed.
IP ALPHA	IP	32UMA105380	15000			Strike IP for OBJ HAMMER run-in from west; 15 nm final.
IP BRAVO	IP	32UMA180420	15000			Alternate strike IP from north.
CP DOG	CP	32UMA090450	18000			Inbound airspace contact point — check in with MAGIC before push.



NAME	KIND	COORDINATES	ALTITUDE FT	TACAN CHANNEL	EFFECTIVE DTG	NOTES
TACAN GRAF	NAVAID	32UMA085385	1410	88X		Grafenwoehr AAF TACAN; 88X for area navigation.

AIRSPACE ZONES

NAME	KIND	ANCHOR POINT	RADIUS NM	POLYGON VERTICES	ALTITUDE FLOOR FT	ALTITUDE CEILING FT	ACTIVE DTG START	ACTIVE DTG END	PURPOSE	ENGAGEMENT RULES
ROZ HAMMER	ROZ	32UMA142383	3.0			5000	190430ZA PR26	190800ZA PR26	CAS stack over OBJ HAMMER during Phase II assault; Puma UAS deconflict below 2000 AGL.	
NFZ ALTENSTADT	NFZ	32UMA115390	1.0			99999	181200ZA PR26	200600ZA PR26	Protected civilian village; no fixed-wing overflight below 10000 AGL, no indirect fires, no UAS orbits inside ring.	
MEZ NORTH	MEZ	32UMA150480	25.0			60000	181200ZA PR26	200600ZA PR26	Patriot missile engagement layer covering northern approach.	Patriot owns 0-60k. Fighters stay above 25000 AGL inside MEZ with IFF Mode 4 squawking. Crossing MEZ boundary requires AWACS check-in.
FEZ SOUTH	FEZ			32UMA060300; 32UMA180300; 32UMA180200;	5000	45000	181200ZA PR26	200600ZA PR26	Southern Fighter Engagement Zone — CAP sweeps between	F-16 and F/A-18 flights; Patriot inhibited above 5000 AGL



NAME	KIND	ANCHOR POINT	RADIUS NM	POLYGON VERTICES	ALTITUDE FLOOR FT	ALTITUDE CEILING FT	ACTIVE DTG START	ACTIVE DTG END	PURPOSE	ENGAGEMENT RULES
				32UMA06 0200					ANCHOR 1 and ANCHOR 2.	inside FEZ. All engagements on AWACS clearance.

CAP TRACKS

NAME	ANCHOR POINT	ALTITUDE FLOOR FT	ALTITUDE CEILING FT	ORBIT GEOMETRY	ORBIT HEADING	ORBIT LEG LENGTH NM	CONTROLLER CALLSIGN	PRIMARY FREQ	SECTOR OF RESPONSIBILITY
ANCHOR 1	32UMA090 320	20000	28000	RACETRA CK	90	20.0	MAGIC	251.0 AM	Western sector, 270-360 from BULLSEYE, 0-60 nm.
ANCHOR 2	32UMA220 320	20000	28000	RACETRA CK	270	20.0	MAGIC	253.5 AM	Eastern sector, 000-090 from BULLSEYE, 0-60 nm.
CAP HIGH	32UMA140 200	28000	35000	FIGURE_EI GHT		15.0	MAGIC	254.0 AM	High-cover CAP, TASK as OCA sweep on AWACS direction.

AAR TRACKS

NAME	ANCHOR PRIMARY	ANCHOR SECONDARY	TRACK HEADING	TRACK LENGTH NM	ALTITUDE FLOOR FT	ALTITUDE CEILING FT	REFUELING METHOD	TANKER TYPES SUPPORTED	TACAN CHANNEL	PRIMARY FREQ	SECONDARY FREQ	ACTIVE DTG START	ACTIVE DTG END
TRACK ARCO	32UMA 060500	32UMA 180500			23000	25000	BOOM	KC-135 R; KC-46A	63Y	260.5 AM	261.0 AM	181200 ZAPR2 6	200600 ZAPR2 6
TRACK SHELL	32UMA 060250	32UMA 180250			18000	20000	DROG UE	KC-130 J; S-3B; KC-46A	67Y	262.0 AM	262.5 AM	181200 ZAPR2 6	200600 ZAPR2 6

AWACS ORBITS

CALLSIGN	PLATFORM	ORBIT CENTER	ORBIT RADIUS NM	ALTITUDE FT	ON STATION DTG	OFF STATION DTG	SECTOR OF RESPONSIBILITY	PRIMARY FREQ	DATALINK CHANNEL	OWNS BULLSEYE
MAGIC	E-3G Sentry	32UMA05 0380	30.0	31000	181200ZA PR26	200600ZA PR26	Full AO coverage; owns bullseye and CAP check-ins.	251.0 AM	Link-16 NET 115	BULLSEYE



CALLSIGN	PLATFORM	ORBIT CENTER	ORBIT RADIUS NM	ALTITUDE FT	ON STATION DTG	OFF STATION DTG	SECTOR OF RESPONSIBILITY	PRIMARY FREQ	DATALINK CHANNEL	OWNS BULLSEYE
DARKSTAR	E-2D Hawkeye	32UMA230380	20.0	27000	190300ZA PR26	191000ZA PR26	Eastern sector redundancy during Phase II peak.	253.5 AM	Link-16 NET 115	

AIC SECTORS

SECTOR NAME	CONTROLLER CALLSIGN	RESPONSIBLE GEOGRAPHY	PRIMARY FREQ	SECONDARY FREQ	REPORTS TO
RED 1	MAGIC RED	270-360 from BULLSEYE, 0-60 nm, 0-40000 ft	251.0 AM	251.5 AM	MAGIC
BLUE 1	MAGIC BLUE	000-090 from BULLSEYE, 0-60 nm, 0-40000 ft	253.5 AM	254.0 AM	MAGIC
STRIKE COORD	MAGIC STRIKE	ROZ HAMMER + egress; manages strike package push / check-out.	260.0 AM		MAGIC

INGRESS CORRIDORS

NAME	DIRECTION	WAYPOINTS	ALTITUDE FLOOR FT	ALTITUDE CEILING FT	ACTIVE DTG START	ACTIVE DTG END	PURPOSE
MRR GOLD	INGRESS	CP DOG; 32UMA110380; IP ALPHA	8000	18000	190430ZAPR26	190800ZAPR26	Primary strike ingress to OBJ HAMMER IP ALPHA; deconflicts with ROZ HAMMER CAS stack below 5000.
MRR SILVER	EGRESS	32UMA150360; 32UMA080380; CP DOG	10000	20000	190430ZAPR26	190800ZAPR26	Post-strike egress corridor; avoids MEZ NORTH and NFZ ALTENSTADT.
HELO LOW	BIDIRECTIONAL	32UMA085385; 32UMA120385; 32UMA140383	200	800	181200ZAPR26	200600ZAPR26	Rotary-wing low-altitude corridor to OBJ HAMMER; MEDEVAC / CASEVAC / resupply.

APP. 2 (C) OPERATION
OVERLAY



Single 1:25,000 overlay depicting graphic control measures, unit boundaries, SBFs, and objectives. Published in Nett Warrior and as hardcopy hand-off at OPORD brief.

APP. 3 (C) DECISION SUPPORT PRODUCTS

DSM with three decision points tied to CCIR, a synchronization matrix aligning maneuver, fires, and sustainment by phase, and a decision-point execution checklist for the BN XO.

APP. 8 (C) INFORMATION OPERATIONS

IO theme is deterrence through visible readiness; no offensive IO effects authorized in training AO. Internal messaging emphasizes mission focus and host-nation partnership.

APP. 10 (C) AIRSPACE CONTROL

BN ADAM/BAE cell coordinates through BCT airspace element; ROZ HAMMER active 190430Z–190800ZAPR26 from surface to 5,000 ft AGL for Puma UAS and CAS stack. Deconfliction with Grafenwoehr range airspace IAW range SOP.

APP. 11 (C) RULES OF ENGAGEMENT

Training ROE IAW USAREUR-AF Reg 350-1 and Grafenwoehr Range SOP; blank/simunition only on OBJ HAMMER, live-fire only in designated impact areas. PID and positive target discrimination required; ALTENSTADT village (NK 115 790) is a NO FIRE AREA.

APP. 12 (C) CYBERSPACE ELECTROMAGNETIC ACTIVITIES

Defensive cyberspace operations only; BCT CEMA cell monitors BN network. No offensive cyber effects authorized. EW posture is EMCON-reduced until 190500ZAPR26, full emissions thereafter.



ANNEX

FIRES

D

Priority of fires is A Co during Phase I–II through seizure of OBJ HAMMER, then shifts to C Co during Phase III for counterattack defeat. STEEL 6 (Btry B/4-319 AFAR, 6x M119A3) executes a 12-minute preparation from 190448ZAPR26 to 190500ZAPR26 on OBJ HAMMER, targeting enemy platoon battle positions, the 82mm mortar section, and the ZU-23 position, followed by shift fires to suppress the reverse slope as A Co crosses PL SILVER. CAS is on-call through the BCT JTAC stack, with two F-16 sorties on 30-minute strip alert from Spangdahlem, callsigns VIPER 11/12.

Fire Support Coordination Measures: CFL along PL BRONZE effective 190500ZAPR26; NFA 500m radius around ALTENSTADT village vic. NK 115 790 effective throughout the operation; RFA over BSA and CTCP; coordinated fire line advances to PL COPPER at transition to Phase III. FSCoord (STEEL 6) clears all fires forward of PL SILVER through BN CDR or XO. Counterfire radar coverage is provided by BCT Q-53 cueing to STEEL 6 within 3 minutes of enemy indirect fire.

Attack Guidance Matrix: HPTs are engaged with priority — enemy CP (neutralize, artillery, immediate); ZU-23 (destroy, CAS or artillery, immediate); mortar section (neutralize, artillery, immediate); BMP-2s (destroy, Javelin/TOW/CAS, as acquired); Orlan-10 GCS (destroy, artillery on BCT cueing). Ammunition priority is DPICM-equivalent HE, smoke for breach obscuration at 190440ZAPR26, and illumination on call.

STRUCTURED CONTENT

1. PRIORITY OF FIRES BY PHASE

PHASE	PRIMARY	SECONDARY	ON ORDER
Phase I (Shaping, 180600Z–190448Z)	Scout Plt (TACON 173 RSTA)	BN O/I monitor for PIR triggers	
Phase II (Decisive, 190448Z–190800Z)	A Co (ABLE 6) — assault force	D Co Weapons (DOG 6) — SBF-1 direct fire support	C Co if reserve committed
Phase III (Consolidate, 190800Z–200600Z)	C Co (CHARLIE 6) — counterattack defeat	A Co — consolidated defense	

2. FIRE SUPPORT COORDINATION MEASURES

TYPE	NAME	EFFECTIVE DTG START	EFFECTIVE DTG END	GRID OR COORDS	ESTABLISHING HQ	REMARKS
CFL	CFL PL BRONZE	190500ZAPR26		Along PL BRONZE NK 05 80 to NK 15 80	2-503 IN (TF IRON)	Shifts to PL COPPER on TF crossing PL BRONZE with lead company.
NFA	NFA ALTENSTADT	181200ZAPR26	200600ZAPR26	500m radius around NK 115 790	173d IBCT (A)	Protected civilian village; no fires including illum or WP.
RFA	RFA BSA/CTCP	181200ZAPR26		CTCP NK 118 772 r=400m; BSA	2-503 IN	Friendly protection; fires



TYPE	NAME	EFFECTIVE DTG START	EFFECTIVE DTG END	GRID OR COORDS	ESTABLISHING HQ	REMARKS
				Grafenwoehr main r=600m		require BN CDR approval.
ACA	ACA BRONZE-COPPER	190500ZAPR26		Along PL BRONZE to PL COPPER, SFC-5000 ft AGL	173d IBCT (A)	CAS stack airspace during assault; deconflict indirect fires.

3. HIGH PAYOFF TARGET LIST

PRIORITY RANK	CATEGORY	TARGET DESCRIPTION	SIGNATURE	LIKELY LOCATIONS	ENGAGEMENT GUIDANCE	LINKED PIR	HPT NOMINATION
1	C2	ENY MRC CP OBJ HAMMER	Antenna cluster + C2 vehicles	NK 142 783	Neutralize with FA HE/PD — 2 volleys at TOT 190448Z.	4	True
2	AIR_DEFENSE	ZU-23-2 NK 140 781	Twin 23mm towed	Northern spur	SEAD H-2 to H+10 supporting VIPER 11/12 ingress.	4	True
3	FIRES	82mm mortar section	Q-53 radar acquisition; tube launch signature	Reverse slope NK 145 787	Destroy on first firing; counter-battery.	4	True
4	ISR	Orlan-10 GCS	Catapult + UHF 902-928 MHz + 2-4 vehicles	NAI 7 NK 155 795	DESTROY on acquisition; EW jam prior to kinetic.	3	True

4. ATTACK GUIDANCE MATRIX

HPT REFERENCE	WHEN	HOW	EFFECT	RESTRICTIONS
HPT #1 ENY CP	Planned	B/4-319 AFAR, 2 vols HE/PD	Neutralize	CDE Level 2; avoid ALTENSTADT NFA.
HPT #2 ZU-23	Planned	B/4-319 AFAR, 1 vol HE/VT (SEAD)	Suppress	H-2 to H+10 window only.
HPT #3 82mm mortars	Immediate	B/4-319 AFAR, 2 vols HE/PD (counter-battery)	Destroy	Q-53 acquisition required.
HPT #4 Orlan-10 GCS	As Acquired	B/4-319 AFAR, 2 vols HE/PD or VIPER 11/12 GBU-38	Destroy	Confirm not within 500m of ALTENSTADT NFA.
HPT #5 BMP-2 section	As Acquired	Javelin/TOW/CAS	Destroy	Type 2 CAS control; PID required.

5. CLOSE AIR SUPPORT REQUESTS

MISSION NUMBER	CALLSIGN	ALERT STATUS	ORDNANCE	TOT WINDOW	CONTROL AGENCY
ATO DAY04 MSN 1142	VIPER 11/12	30-min strip alert, Spangdahlem AB	2x GBU-38, 2x GBU-54, 1x AIM-9X, 510 rds 20mm	190500Z-190800ZAP R26	JTAC DAGGER 11 (embedded A Co)



6. JPITL

TARGET NUMBER	PRIORITY RANK	CATEGORY	DESIRED EFFECT	STATUS
TGT 0042	1	C2	NEUTRALIZE	APPROVED
TGT 0043	2	AIR_DEFENSE	DESTROY	APPROVED
TGT 0044	3	ISR	DEGRADE	PENDING

TGT 0042 ENY MRC CP, OBJ HAMMER

TARGET NAME	ENY MRC CP, OBJ HAMMER
TARGET DESCRIPTION	Motorized rifle company command post co-located with battalion LNO team — antenna cluster + 3-4 C2 vehicles on OBJ HAMMER reverse slope.
LOCATION	32UMA123456
COMPONENT TASKED	LAND
AUTHORIZED ENGAGEMENT MEANS	M777 DS Btry (B/4-319); HIMARS (on GS request to BCT)
ENGAGEMENT GUIDANCE	Neutralize with FA HE/PD, two volleys TOT 190448Z. Avoid CDE encroachment on ALTENSTADT NFA to the south.
CDE LEVEL	CDE-2
APPROVAL AUTHORITY	BCT Cdr (delegated from JFLCC)
NO STRIKE CROSSREF	NSL — ALTENSTADT church/school cluster 500m south (protected sites)
ROE CONSTRAINTS	No ICM / cluster munitions; PID via ISR cue + callsign BRONCO 6 visual confirm.
REVIEW DTG	200600ZAPR26
LINKED HVT RANK	1

TGT 0043 ENY ADA: ZU-23-2, north spur OBJ HAMMER

TARGET NAME	ENY ADA: ZU-23-2, north spur OBJ HAMMER
TARGET DESCRIPTION	Twin 23mm AAA, ground role, with towed prime mover. Identified by BCT Puma UAS FMV 181830ZAPR26.
LOCATION	32UMA124454
COMPONENT TASKED	AIR
AUTHORIZED ENGAGEMENT MEANS	F-16 GBU-38 (VIPER 11/12); M777 ICM if approved
ENGAGEMENT GUIDANCE	SEAD between H-2 and H+10 to open VIPER 11/12 ingress corridor for follow-on CAS stack.
CDE LEVEL	CDE-3
APPROVAL AUTHORITY	JFACC (TST category deconfliction via JTCB)
REVIEW DTG	191000ZAPR26
LINKED HVT RANK	2



TGT 0044 Orlan-10 GCS, vic NAI 7

TARGET NAME	Orlan-10 GCS, vic NAI 7
TARGET DESCRIPTION	UAS ground control station: catapult launcher, 2-4 support vehicles, UHF data-link 902-928 MHz.
LOCATION	32UMA155795
COMPONENT TASKED	CYBER
AUTHORIZED ENGAGEMENT MEANS	BCT EW (non-kinetic jam); FA HE/PD if persistence detected after jam
ENGAGEMENT GUIDANCE	EW jam first per commander's escalation preference; kinetic only if GCS persists beyond 15 min after jam initiated.
CDE LEVEL	CDE-1
APPROVAL AUTHORITY	BCT Cdr
ROE CONSTRAINTS	Civilian presence within 1km — cyber/EW preferred, kinetic last resort.
REVIEW DTG	190600ZAPR26
LINKED HVT RANK	4

7. TIME SENSITIVE TARGETS

TST NUMBER	PRIORITY CLASS	CATEGORY	ACTIVITY WINDOW	ENGAGEMENT AUTHORITY
TST-01	TST-1	WMD	190200ZAPR26 – 191200ZAPR26	JFLCC (retained for WMD-category TSTs)
TST-02	TST-1	ENEMY_LEADERSHIP	190900ZAPR26 – 191130ZAPR26 (recurring daily pattern)	BCT Cdr
TST-03	TST-2	LRF	Any time 181200ZAPR26 – 200600ZAPR26	JFLCC



TST-01

Suspected chemical munitions handling at forward ammo transfer point — unconfirmed presence of non-persistent chemical rounds.

TARGET DESCRIPTION	Suspected chemical munitions handling at forward ammo transfer point — unconfirmed presence of non-persistent chemical rounds.
EXPECTED ACTIVITY	Vehicle transfer of sealed crates between TEL and storage bunker; chemical-protective posture (MOPP-2) observed on operators.
EXPECTED LOCATIONS	NAI 12 (NK 160 810); Secondary NAI 14 (NK 158 805)
PID STANDARD	Two independent sensor confirms (EO imagery + SIGINT emitter pattern) AND visual confirmation of protective posture.
AUTHORIZED ENGAGEMENT MEANS	F-16 GBU-38 (VIPER 11/12); HIMARS PGM on JFLCC approval
CDE LEVEL	CDE-4
ROE CONSTRAINTS	No engagement without positive WMD confirmation; otherwise re-categorize to JPITL standard cycle.
COLLECTION REQUIREMENTS	BCT Puma UAS orbit NAI 12 from 190100ZAPR26; EW/SIGINT cue on chemical-unit HF/VHF net (per ISR annex); HUMINT debrief of ALTENSTADT refugees for corroboration
NOTIFICATION REQUIREMENTS	JFACC (airspace deconfliction); Adjacent JSOTF; CJTF SJA (LOAC review); BCT SURGEON (post-strike CBRN response)
EXPIRATION CRITERIA	Neutralization confirmed via BDA OR 191200ZAPR26 elapsed without PID.
LINKED PIR	1; 4

TST-02 ENY MRB commander; identified via pattern-of-life + SIGINT voice-print (confidence: HIGH).

TARGET DESCRIPTION	ENY MRB commander; identified via pattern-of-life + SIGINT voice-print (confidence: HIGH).
EXPECTED ACTIVITY	Movement between tactical CP on OBJ HAMMER and rear CP vic NK 160 800; typically 1030Z daily.
EXPECTED LOCATIONS	OBJ HAMMER reverse slope NK 142 783; Route between CP and rear NK 150 795
PID STANDARD	SIGINT voice-print + ISR visual of known vehicle (black Tigr-M with unique antenna).
AUTHORIZED ENGAGEMENT MEANS	HIMARS PGM; FA HE/PD 155mm; F-16 GBU-54
CDE LEVEL	CDE-3
ROE CONSTRAINTS	No engagement within 500m of ALTENSTADT NFA or civilian vehicle presence.
COLLECTION REQUIREMENTS	BCT Puma UAS orbit route NK 145-160; SIGINT cue on MRB command net
NOTIFICATION REQUIREMENTS	BCT S-2 (update intel picture); Adjacent battalion LNOs
EXPIRATION CRITERIA	BDA confirms neutralization OR 191500ZAPR26.
LINKED PIR	4



TST-03 Suspected SS-21 SRBM TEL repositioning forward; range ~120km threat to BCT rear.

TARGET DESCRIPTION	Suspected SS-21 SRBM TEL repositioning forward; range ~120km threat to BCT rear.
EXPECTED ACTIVITY	TEL erects from travel configuration to ready-to-launch; accompanying 2-vehicle support element (fuel + command).
EXPECTED LOCATIONS	NAI 18 (NK 200 830); NAI 19 (NK 210 840)
PID STANDARD	EO imagery of erected TEL + SIGINT confirmation of launch-battery net activity.
AUTHORIZED ENGAGEMENT MEANS	HIMARS PGM (prime); F-16 GBU-38 (alternate)
CDE LEVEL	CDE-2
COLLECTION REQUIREMENTS	Theater ISR (U-2/Global Hawk) on NAI 18/19; BCT EW cue on launch-battery net
NOTIFICATION REQUIREMENTS	JFACC (airspace); Patriot battery (defensive hand-off if launch detected)
EXPIRATION CRITERIA	Neutralization OR TEL displaces beyond BCT AO.
LINKED PIR	2

8. CAS NINE LINES

CAS CALLSIGN	TARGET DESCRIPTION	IP OR BP	MARK TYPE	TIME ON TARGET
VIPER 11 / F-16C x 2	ENY ZU-23-2 twin 23mm AAA, ground role — north spur OBJ HAMMER, camouflaged revetment	IP ALPHA	LASER	190500ZAPR26
UZI 21 / A-10C x 2	2x BMP-2 IFV in defilade along northern edge of OBJ HAMMER	IP BRAVO	WP	190530ZAPR26



VIPER 11 / F-16C X 2

ENY ZU-23-2 twin 23mm AAA, ground role — north spur OBJ HAMMER, camouflaged revetment

HEADING MAGNETIC	88
DISTANCE NM	15.0
TARGET ELEVATION FT	1740
TARGET LOCATION	32UMA124454
LASER CODE	1688
FRIENDLIES DISTANCE M	850
FRIENDLIES DIRECTION	SW
FRIENDLIES MARKING	VS-17 panel + IR strobe on A Co lead element
EGRESS	SOUTH LOW, turn west at PL SILVER, climb to TRACK ARCO block
FINAL ATTACK HEADING	90
TYPE OF CONTROL	TYPE_2
CONTROL AGENCY	DAGGER 11 (JTAC embedded A Co)
THREATS	SA-13 suspected vic NK 155 800 (5km NE); MANPADS risk on OBJ crest
HAZARDS	Low ceilings possible 181400-182000Z (see Annex B weather)
REMARKS	2x GBU-38 planned; fallback GBU-54 if SA-13 confirmed active. Abort code: THUNDER.



UZI 21 / A-10C X 2 2x BMP-2 IFV in defilade along northern edge of OBJ HAMMER

HEADING MAGNETIC	210
DISTANCE NM	8.5
TARGET ELEVATION FT	1720
TARGET LOCATION	32UMA143784
FRIENDLIES DISTANCE M	180
FRIENDLIES DIRECTION	S
FRIENDLIES MARKING	Red smoke + IR strobe
EGRESS	NORTH LOW AND FAST to MRR SILVER, climb to A/A refuel TRACK SHELL
TYPE OF CONTROL	TYPE_1
CONTROL AGENCY	DAGGER 11
THREATS	Small-arms + PKM belt-feds on OBJ slopes
DANGER CLOSE	True
GROUND COMMANDER INITIALS	T.M.
REMARKS	GUNS ONLY within 200m of friendlies; AGM-65 Maverick authorized at ranges > 500m. Abort code: THUNDER.

9. CDE GUIDANCE

LEVELS

LEVEL	NAME	DESCRIPTION	ENGAGEMENT AUTHORITY	DOCUMENTATION REQUIRED
CDE-1	Target Validation	Confirm target identity, positive location, current activity, and absence of collateral concerns within the weapon effects radius. No further CDE steps required if all three conditions satisfied and no No-Strike List or Restricted Target List entry lies within blast / fragmentation radius.	Tactical commander (BN CDR, BCT CDR for BCT-controlled assets)	Target folder summary; Imagery / sensor confirmation of PID; NSL / RTL deconfliction statement
CDE-2	Collateral Object Identification	Positive identification of collateral concerns (civilians, protected facilities per LOAC, NSL / RTL entries) within the effects radius of the planned weapon. Proceed to CDE-3 if concerns cannot be excluded from the effects area through PID alone.	Tactical commander with mitigation memo	CDE-1 package plus; Collateral-object inventory (category, location, population estimate if civilian); Mitigation strategy (timing, approach, angle)



LEVEL	NAME	DESCRIPTION	ENGAGEMENT AUTHORITY	DOCUMENTATION REQUIRED
CDE-3	Weaponneering	Adjust weapon selection and delivery parameters to place collateral concerns outside the weapon effects radius. Options include lower-yield munitions, delay / penetrator fusing, angle-of-attack restrictions, and precision PGM substitution. Weaponneering worksheet (JMEM / PSS) documents the selected combination.	Operational commander (Division / JTF level); delegated to BCT CDR for pre-approved target sets	CDE-2 package plus; Weaponneering worksheet (JMEM / PSS output); LOAC review memo (CJTF SJA)
CDE-4	Risk Assessment	Where collateral concerns remain inside the weapon effects radius after weaponneering, quantify the probability of significant damage using PSS-SOF or equivalent methodology. Risk threshold for proceeding is established by the approval authority.	Senior operational commander (JTF / COCOM)	CDE-3 package plus; Quantitative risk assessment (PSS-SOF v6.1); LOAC review endorsement (OSJA / SJA)
CDE-5	Casualty Estimation	Formal casualty estimation required when probable non-combatant casualty count exceeds the established threshold (typically 30 or category-specific). CDE-5 package reviewed at theater or national level; approval retained at SECDEF / CJCS for Category 1 targets.	SECDEF or delegated authority for CAT-1 targets; CJCS / COCOM for others	CDE-4 package plus; Formal CDE-5 worksheet (CJCSI 3160.01 App A); Theater-level LOAC review; Senior-commander concurrence memo

COMMANDERS GUIDANCE

CDE posture for IRON STRIKE is MINIMUM FORCE with preference for precision PGM delivery. Default to CDE-3 weaponneering for any target within 1 km of ALTENSTADT NFA or designated NSL entries. CDE-4 and above require BCT Cdr concurrence prior to JFLCC submission. Dynamic re-tasking inside ROZ HAMMER during Phase II retains TYPE-2 JTAC control; danger-close engagements require ground-commander initials per 9-line remarks field.

WEAPONNEERING METHODOLOGY

Joint Munitions Effectiveness Manual (JMEM) + Precision Strike Suite (PSS-SOF) v6.1

LOAC REVIEW AUTHORITY

CJTF SJA (BCT OSJA for CDE-1/2 expedited review)

NO STRIKE LIST REFERENCE

USAREUR-AF NSL v2026-04-15 (incl. ALTENSTADT church/school cluster)

RESTRICTED TARGET LIST REFERENCE

CJTF RTL v2026-04-17 (incl. host-nation critical infrastructure on GRAF range)

DOCUMENTATION REQUIREMENTS

- Target folder (imagery, PID evidence, pattern-of-life)
- Weaponneering worksheet (JMEM / PSS-SOF output)



- CDE worksheet (CJCSI 3160.01 Appendix A) for CDE-2 and above
- LOAC review memo for CDE-3 and above
- Senior-commander concurrence memo for CDE-4/5

ADDITIONAL NOTES

Dynamic targeting abort codes: "THUNDER" (abort weapons release), "CEASE" (withhold and re-engage). NGO aid convoys declared through JOC; 500m standoff applies absent explicit JFLCC override. All civilian-vehicle PID reversals trigger automatic re-qualification to CDE-3.

APP. 1 (D) FIELD ARTILLERY SUPPORT

Btry B/4-319 AFAR DS to 2-503 IN from 181200ZAPR26; PAA vic. NK 105 762. Basic load 180 rounds HE, 30 smoke, 20 illumination per tube; Class V resupply pre-positioned at BSA.

APP. 2 (D) AIR SUPPORT

Two F-16 sorties on 30-minute strip alert from Spangdahlem AB, callsigns VIPER 11/12, controlled by JTAC (embedded with A Co main CP). CAS check-in on BN FIRES net; 9-line format per JP 3-09.3.

APP. 4 (D) AIR AND MISSILE DEFENSE

No organic ADA; passive air defense measures in effect (dispersion, camouflage, early warning). Counter-UAS priority against Orlan-10; report all UAS sightings via SPOTREP with DRAW-D.

APP. 5 (D) TARGETING

Targeting working group convenes at BN TOC 181800ZAPR26 and 190000ZAPR26. HPTL, TSS, and AGM published as products of the targeting cycle; S-2 and FSO co-chair.



ANNEX PROTECTION

E

Protection priorities are, in order: A Co assault element during Phase II; CTCP vic. NK 118 772; BN Main CP vic. NK 110 765; Btry B firing position vic. NK 105 762. OPSEC posture is radio silence below BN level until 190500ZAPR26; BN CMD and O/I nets operate in EMCON-reduced with scheduled SITREPs only. Cover-and-concealment discipline enforced at AA EAGLE; no fires, no white light, and red-lens only from 181800ZAPR26 until LD.

CBRN posture is MOPP 0, mission-tailored; enemy CBRN capability is assessed NIL. Personnel recovery plan is keyed to the BN isolated personnel report (ISOPREP) on file with BCT PR cell; primary PR force is C Co reserve, alternate is BCT QRF. Force Health Protection emphasizes tick and vector precaution (permethrin treatment of uniforms, daily tick checks) given the Bavarian spring operating environment; heat/cold risk is MODERATE overnight.

Safety posture for the live-fire portions of the operation is governed by Grafenwoehr Range SOP and the BN range safety annex. Range OICs and RSOs are identified by company; medevac lanes are ground (primary) via MSR CLUB to Role 2 at BSA and air (alternate) to Landstuhl Regional Medical Center. All risk-mitigation measures from the DD Form 2977 are briefed to platoon level NLT 181800ZAPR26.

APP. 2 (E) OPERATIONS SECURITY

EEFI: timing of LD, obstacle breach location, reserve commitment criteria. EMCON-reduced until 190500ZAPR26; no personal electronic devices forward of AA EAGLE.

APP. 4 (E) EXPLOSIVE ORDNANCE DISPOSAL

EOD support on-call from 54 BEB EOD section at BSA; response time 45 minutes to CTCP. Report all UXO via 9-line UXO report on BN O/I net.

APP. 5 (E) CBRN OPERATIONS

MOPP 0, mission-tailored; M8/M9 paper issued to platoon level. BN CBRN NCO monitors atmospheric hazards and maintains downwind prediction if required.

APP. 6 (E) SAFETY

Composite risk assessment MODERATE overall, HIGH during live-fire breach at NK 138 779. RSOs enforce range SOP; ground-guides required for all vehicle movement at AA EAGLE and BSA.



APP. 9 (E) PERSONNEL RECOVERY


ISOPREPs on file with BCT PR cell; EPA briefed to platoon leaders. Primary PR force is C Co reserve; alternate is BCT QRF with 60-minute response.

APP. 11 (E) FORCE HEALTH PROTECTION

Permethrin-treated uniforms, daily tick checks, hydration plan (3L/day minimum). BAS at CTCP, Role 2 at BSA, Role 3 at Landstuhl. Cold-weather injury prevention briefed NLT 181800ZAPR26.

APP. 12 (E) CRITICAL ASSET LIST AND DEFENDED ASSET LIST

CAL: BN Main CP, CTCP, Btry B firing position, BSA. DAL prioritizes BN Main CP and Btry B; protected by dispersion, camouflage, and C Co reserve response.





ANNEX SUSTAINMENT

F

The Combat Trains Command Post establishes vic. NK 118 772 NLT 190400ZAPR26 under the HHC commander; the Brigade Support Area remains at Grafenwoehr main cantonment. LOGPACs cycle every 8 hours on MSR CLUB from BSA to CTCP, with push forward to company trains by the HHC 1SG. Ambulance Exchange Point is established vic. NK 125 776 operated by the BN BAS, with a second AXP co-located with the CTCP for Phase III.

Class I is two hot meals plus MRE daily; Class III(B) resupply is by 2500-gal fuel tanker on the 0400Z LOGPAC; Class V is pre-positioned at the BSA with a full basic load plus 25% for contingency, released forward on call by S-4. Class VIII flows from BCT Role 2 on the BSA routine push; urgent Class VIII moves with MEDEVAC. Class IX repair parts are push-packaged by the BSB distribution company for the 48-hour operation.

Personnel replacement and casualty reporting flow through the BN S-1 co-located at the CTCP; PERSTAT due every 6 hours. Mortuary affairs collection point is at the BSA, operated by the BSB MA team. Religious support is continuous from the BN UMT; legal support is reachback through BCT OSJA. Host-nation contracting through USAG Bavaria supports billeting and POL reachback.

APP. 1 (F) LOGISTICS

LOGPAC every 8 hours on MSR CLUB; CTCP vic. NK 118 772 NLT 190400ZAPR26. Classes I, III, V, VIII, IX managed by S-4 in coordination with BSB FSC.

APP. 2 (F) PERSONNEL SERVICES SUPPORT

S-1 at CTCP manages strength reporting, replacement operations, and awards. PERSTAT every 6 hours on BN ADMIN net.

APP. 3 (F) ARMY HEALTH SYSTEM SUPPORT

Role 1 BAS at CTCP; Role 2 at BSA; Role 3 reachback to Landstuhl Regional Medical Center. MEDEVAC launch authority at BN TOC; 9-line format on BN MEDEVAC net.

APP. 5 (F) LEGAL SUPPORT

Reachback to BCT OSJA for ROE interpretation, Article 15 action, and investigations. BN S-1 handles first-line legal routing.



APP. 6 (F) RELIGIOUS SUPPORT


BN UMT (chaplain and RP) circulate between AA EAGLE, CTCP, and BAS; services at 181700ZAPR26 and 190300ZAPR26. Crisis response on call via BN CMD net.

APP. 7 (F) OPERATIONAL CONTRACT SUPPORT

USAG Bavaria contracting supports billeting, POL reachback, and DFAC services. No contractor forward of AA EAGLE.

APP. 8 (F) MORTUARY AFFAIRS

MACP at BSA operated by BSB MA team. Human remains evacuation on dedicated vehicle; no collocation with Class I or VIII.





ANNEX ENGINEER

G

The scheme of engineer operations is anchored on SAPPER 2 (2d Plt/A/54 BEB, OPCON from 181800ZAPR26) executing the breach of the wire and AT-ditch obstacle belt at NK 138 779 NLT 190445ZAPR26. SAPPER 2 employs one MICLIC on the primary lane (LANE RED) with a second MICLIC in reserve for LANE BLUE; lane-marking is VS-17 panels by day and chemlights by night, with far-side security provided by A Co 1st Plt. Countermobility is not planned in Phase I–II; in Phase III, SAPPER 2 emplaces a hasty point obstacle vic. NK 145 787 to canalize enemy reinforcement along HIGHWAY 22.

Survivability effort prioritizes the CTCP and BN Main CP; SAPPER 2 provides a SEE (Small Emplacement Excavator) to dig in the TOC and CTCP vehicles NLT 190200ZAPR26. No mobility work is planned on MSR CLUB; the route is confirmed trafficable from Scout Plt reconnaissance NLT 190000ZAPR26. General engineering is limited given the training-area constraints and 48-hour operation window.

Environmental considerations are significant: Grafenwoehr Training Area is a German federal training facility with strict restrictions on digging, tree removal, and watercourse crossing. All survivability positions are backfilled NLT 200400ZAPR26; no fires in wooded areas outside designated impact zones; spill response kits at every refuel point. Geospatial products (1:25,000 overprints, obstacle overlays, line-of-sight analysis) are pushed by BCT GEOINT cell through SharePoint and Nett Warrior.

APP. 1 (G) MOBILITY/COUNTERMOBILITY/ SURVIVABILITY

SAPPER 2 breaches obstacle belt at NK 138 779 NLT 190445ZAPR26; survivability for CTCP and BN Main CP NLT 190200ZAPR26; Phase III point obstacle vic. NK 145 787.

APP. 2 (G) GENERAL ENGINEERING

Limited general engineering; no horizontal construction planned. Route maintenance on MSR CLUB by host-nation Bundeswehr range infrastructure as required.


APP. 3 (G) GEOSPATIAL ENGINEERING

BCT GEOINT cell pushes 1:25,000 overprints, obstacle overlays, and LOS analysis through SharePoint. BN S-2 integrates into SITEMP and targeting products.

APP. 4 (G) ENVIRONMENTAL CONSIDERATIONS



Backfill all survivability positions NLT 200400ZAPR26. No fires outside designated impact areas; spill kits at every refuel point. Report environmental incidents to BN S-3 immediately.





ANNEX

SIGNAL

H

DISTRIBUTION LIST

▪ 173d IBCT (A) S-6 / TOC	▪ 1-503 IN S-6 (follow-on forces)
▪ 2-503 IN (Airborne), Commander and S-6	▪ 173 RSTA SQDN S-6
▪ A Co / 2-503 IN (ABLE 6)	▪ 54 BEB S-6
▪ B Co / 2-503 IN (BRAVO 6)	▪ 4-319 AFAR S-6
▪ C Co / 2-503 IN (CHARLIE 6)	▪ 173 BSB S-6
▪ D Co Weapons / 2-503 IN (DOG 6)	▪ BCT JTAC / CAS stack (VIPER 11/12)
▪ HHC / 2-503 IN	▪ BCT MEDEVAC cell
▪ 2d Plt / A Co / 54 BEB (SAPPER 2)	▪ Grafenwoehr Range Control
▪ Btry B / 4-319 AFAR (STEEL 6)	▪ Bundeswehr Grafenwoehr Spectrum Office

Network operations execute under SOI Edition 04-26, effective 181200ZAPR26 through 200600ZAPR26. FM is primary for BN CMD, O/I, FIRES, ADMIN, and MEDEVAC nets; TACSAT is secondary for BN CMD and O/I, with BCT TACSAT channel assignments per SOI. Nett Warrior provides the common operating picture at platoon leader and higher, synchronized with the BN TOC CPOF every 15 minutes. Data services (SharePoint, email) are available at BN Main CP and CTCP via CPN node from BCT signal company.

The BN S-6 manages organic signal assets and coordinates spectrum use through BCT S-6; JCEOI issued NLT 181600ZAPR26. Frequency-hopping SINCGARS is the standard for all BN nets; single-channel fallback per SOI. COMSEC is loaded NLT 181800ZAPR26 with a 24-hour rollover at 200000ZAPR26; BN S-6 OPCON to CTCP for COMSEC replacement and key management.

Priority of signal support is BN CMD net, then FIRES net, then O/I, then ADMIN. Retransmission is provided by a single retrans team vic. NK 108 775 to cover the 8-km depth of the AO. Troubleshooting procedures are published in the SOI; any net loss reported to BN S-6 within 5 minutes with channel, callsign, and last known functional time. Tactical call signs listed below are campaign-specific and change with each SOI edition; they are not permanent unit designations.

STRUCTURED CONTENT

1. PACE PLANS

NET NAME	PRIMARY	ALTERNATE	CONTINGENCY	EMERGENCY	SHIFT CRITERIA
BN CMD	SINCGARS FH Hopset 01 (ASIP), COMSEC Set ALPHA	TACSAT MUOS Narrowband CH 7	HF ALE 5.348 MHz, ALE net ANVIL	JCR/BFT free-text, group BN66CMD	Shift to ALTERNATE on 2x failed comms checks or confirmed EA.
BN O/I	SINCGARS FH Hopset 02	TACSAT MUOS Narrowband CH 8	HF USB 5.375 MHz	Courier to BN TOC	Immediate shift on PIR-triggered SPOTREP if primary degraded.



NET NAME	PRIMARY	ALTERNATE	CONTINGENCY	EMERGENCY	SHIFT CRITERIA
BN FIRES	SINGGARS FH Hopset 03	SINGGARS SC 41.250 MHz	AFATDS digital fires net	Runner to STEEL 6 FDC	STEEL 6 DS priority — never without fires means.
BN MEDEVAC	SINGGARS FH Hopset 05	TACSAT DUSTOFF push	FM 40.500 MHz SC (MEDEVAC guard)	Phone/courier to BAS	9-line MEDEVAC always gets through — unbroken chain required.

2. COMSEC SCHEDULE

LOAD DTG 181800ZAPR26

ROLLOVER DTG 200000ZAPR26

CONTROLLING AUTHORITY BN S-6 COMSEC Custodian (SFC ROURKE), Account 5J4421-A

ZEROIZE TRIGGERS

- Capture imminent
- Overrun of position
- Unauthorized disclosure
- Loss of ECU/fill device

3. RETRANS SITES

SITE NAME	TEAM CALLSIGN	GRID	PARENT UNIT	NETS SUPPORTED
RETRANS ALPHA	R26	NK108775	HHC/2-503 IN S-6 Section	BN CMD; BN O/I

CALL SIGN ASSIGNMENTS

TASK FORCE IRON – BATTALION MAIN & STAFF

BN COMMANDER	—	IRON 6
BN DEPUTY COMMANDER	—	IRON 5
BN S-3 (OPERATIONS)	—	IRON 3
BN EXECUTIVE OFFICER	—	IRON 7
BN S-2 (INTELLIGENCE)	—	IRON 2
BN S-4 (LOGISTICS)	—	IRON 4
BN S-6 (SIGNAL)	—	IRON 6-ROME0
BN TOC	—	IRON BASE
BN TAC CP	—	IRON TAC
CTCP (COMBAT TRAINS)	—	IRON TRAINS

MANEUVER COMPANIES – 2-503 IN (ABN)

A CO (DECISIVE OP)	—	ABLE 6
--------------------	---	--------



B CO (SHAPING, FIX OBJ ANVIL)	—	BRAVO 6
C CO (RESERVE)	—	CHARLIE 6
D CO WEAPONS (DF SUPPORT)	—	DOG 6
HHC	—	HEADHUNTER 6
SCOUT PLATOON (TACON 173 RSTA UNTIL 190430Z)	—	RECON 6
MORTAR PLATOON (HHC)	—	RED LEG
ATTACHED / SUPPORTING ENABLERS		
2D PLT / A CO / 54 BEB (MOBILITY/BREACH, OPCON)	—	SAPPER 2
BTRY B / 4-319 AFAR (FIRES, DS)	—	STEEL 6
BN JTAC (WITH A CO)	—	DAGGER 11
BN AID STATION (ROLE 1)	—	SAVIOR 6
BN UMT (CHAPLAIN)	—	SHEPHERD 6
HIGHER HQ & ADJACENT UNITS		
173D IBCT (A) COMMANDER	—	FALCON 6
173D IBCT (A) TOC	—	FALCON BASE
1-503 IN (FOLLOW-ON FORCE)	—	GERONIMO 6
173 RSTA SQDN	—	LION 6
54 BEB	—	DIAMONDBACK 6
173 BSB	—	MULE 6
AVIATION & CLOSE AIR SUPPORT		
CAS STACK (F-16 PAIR, SPANGDAHLEM)	—	VIPER 11, VIPER 12
MEDEVAC FLIGHT (BCT)	—	DUSTOFF 74
BCT PUMA UAS (ORBIT OBJ HAMMER)	—	EAGLE EYE
CASINO / ASOC DUTY CONTROLLER (BCT)	—	CASINO
HOST-NATION & RANGE CONTROL		
GRAFENWOEHR RANGE CONTROL	—	RANGE CONTROL
BUNDESWEHR GRAFENWOEHR LNO	—	EAGLE LNO

APP. 1 (H) COMMUNICATIONS PLAN

DISTRIBUTION LIST

▪ 173d IBCT (A) S-6 / S-3 / TOC

▪ 2-503 IN Commander, S-3, S-6, Company CDRs



- SAPPER 2, STEEL 6, DUSTOFF 74
- 1-503 IN S-6; 173 RSTA SQDN S-6

- Grafenwoehr Range Control; Bundeswehr Spectrum Office

This appendix publishes the consolidated radio ladder for IRON STRIKE. All frequencies are SINCGARS hopsets unless otherwise noted; single-channel frequencies are published only for fallback and cross-component use (aviation, range control, host nation). Channels are pre-loaded by BN S-6 NLT 181600ZAPR26 and verified by each company signal NCO during the comms check at 181800ZAPR26.

BATTALION INTERNAL NETS • SINCGARS FH – HOPSET AND LOCKOUT PER SOI ED. 04-26

NAME	CH	FREQUENCY	PURPOSE
BN CMD	01	HOPSET 01	Battalion command net — CDR, S-3, Co CDRs, TOC
BN O/I	02	HOPSET 02	Operations & intelligence — S-2, Scout Plt, SPOTREP
BN FIRES	03	HOPSET 03	Call for fire — STEEL 6, FSO, JTAC
BN ADMIN	04	HOPSET 04	Logistics & personnel — S-1, S-4, LOGSTAT, PERSTAT
BN MEDEVAC	05	HOPSET 05	9-line MEDEVAC — BAS, DUSTOFF 74 hand-off
BN RETRANS	06	HOPSET 06	Retransmission site vic. NK 108 775
A CO INT	11	HOPSET 11	A Co internal (Plt to Co)
B CO INT	12	HOPSET 12	B Co internal
C CO INT	13	HOPSET 13	C Co internal
D CO INT	14	HOPSET 14	D Co Weapons internal — TOW, MG sections
SAPPER	15	HOPSET 15	SAPPER 2 breach coordination

HIGHER & ADJACENT NETS • MONITORED BY BN TOC; CROSS-TALK AUTHORIZED BY S-3

NAME	CH	FREQUENCY	PURPOSE
BCT CMD	20	HOPSET 20	FALCON 6 net — BN CDR monitor
BCT O/I	21	HOPSET 21	BCT ops — BN TOC monitor
BCT FIRES	22	HOPSET 22	BCT fires — STEEL 6 cross-talk with BCT FSE
173 RSTA	23	HOPSET 23	Scout Plt under TACON; recon handover
1-503 BHO	24	HOPSET 24	Battle handover net with GERONIMO 6 — Phase III

AVIATION & RANGE CONTROL • UHF/VHF AM SINGLE-CHANNEL – STRICT DISCIPLINE PER RANGE SOP

NAME	CH	FREQUENCY	PURPOSE
CASINO	30	242.250 MHz	Tactical Aircraft Coordination (ASOC Duty)
VIPER	31	242.500 MHz	CAS check-in — F-16 pair 9-line
DUSTOFF	32	40.50 MHz FM	MEDEVAC coordination — 9-line hand-off
EAGLE EYE	33	139.800 MHz	BCT Puma UAS FMV cue — BN S-2 monitor



NAME	CH	FREQUENCY	PURPOSE
RANGE CTL	34	40.10 MHz FM	Grafenwoehr Range Control — emergency & cease-fire
GUARD	35	243.000 MHz	International distress — emergency only

APP. 2 (H) VOICE, VIDEO, AND DATA NETWORK DIAGRAMS

Network diagrams depict FM nets, TACSAT channels, CPN node topology, and Nett Warrior mesh. Published as a separate product by BN S-6 NLT 181600ZAPR26.

APP. 3 (H) SATELLITE COMMUNICATIONS

TACSAT channels assigned per SOI; MUOS narrowband reachback for BN CMD. TACSAT is secondary to FM; failover protocol in SOI.

APP. 5 (H) SPECTRUM MANAGEMENT OPERATIONS

BCT S-6 spectrum manager deconflicts with host-nation Bundeswehr spectrum office; BN submits JSIR reports for any interference within 15 minutes.

APP. 7 (H) COMSEC


COMSEC loaded NLT 181800ZAPR26; 24-hour rollover at 200000ZAPR26. Lost or compromised COMSEC reported immediately to BN S-6 and BCT COMSEC custodian.



ANNEX J PUBLIC AFFAIRS

Public affairs posture is low-profile; IRON STRIKE is an internal training operation with no embedded media and no planned public release. External release authority rests with the 173d IBCT PAO; BN S-3 routes any inquiry through the BCT PAO without comment. Internal audience messaging emphasizes readiness, airborne infantry proficiency, and the strength of the U.S.–German training partnership at Grafenwoehr.

Soldiers are reminded of OPSEC responsibilities on personal social media: no grids, no timelines, no unit positions, no casualty information. Command Information products (BN newsletter, post-operation photos) are staged through BCT PAO after 200600ZAPR26 with OPSEC review. Any host-nation media encounter on the training area is routed to the BCT HN LNO and BCT PAO.





ANNEX K CIVIL AFFAIRS OPERATIONS

Civil-military operations in IRON STRIKE are limited to training-area coordination and host-nation partnership. ALTENSTADT village vic. NK 115 790 is protected as a no-fire area and off-limits to ground maneuver; any inadvertent entry is reported immediately to BN S-3 and BCT HN LNO. Liaison with the Bavarian Forestry Authority and Grafenwoehr Range Control is continuous through the BCT HN LNO for range deconfliction, fire danger level, and wildlife advisories.

There are no populace and resources control operations, no foreign humanitarian assistance, and no civil administration tasks. Bundeswehr Grafenwoehr Training Area Command is the primary host-nation interface for range infrastructure, ammunition handling, and emergency response. Coordination meetings occur daily at 1700Z at Range Control with BN S-3 representation.

APP. 1 (K) CIVIL-MILITARY OPERATIONS ESTIMATE

Limited CMO footprint; running estimate maintained by BN S-3 civil affairs planner focuses on host-nation coordination and ALTENSTADT village protection.

APP. 6 (K) CIVIL-MILITARY OPERATIONS CENTER (CMOC) OPERATIONS

No CMOC established; CMO coordination flows through BCT HN LNO and Grafenwoehr Range Control. BN S-3 attends daily 1700Z range control meeting.



ANNEX L INFORMATION COLLECTION

Information collection is synchronized to the four PIRs and sequenced by phase. Scout Platoon (TACON to 173 RSTA SQDN through 190430ZAPR26) screens HIGHWAY 22 from 181800ZAPR26, reports any movement south of GRID LINE 80, and provides reconnaissance handover to A Co at PL SILVER. A BCT Puma UAS orbit over OBJ HAMMER from 190430ZAPR26 to 190800ZAPR26 cues A Co and STEEL 6 with full-motion video piped to BN TOC. The BCT MICO provides reinforcing SIGINT against enemy C2 nets.

Priority intelligence requirements are, in order: (1) enemy reinforcement timing and composition along HIGHWAY 22; (2) obstacle belt composition at NK 138 779; (3) Orlan-10 launch and recovery site; (4) location of enemy CP on OBJ HAMMER. Collection assets are matched to PIRs in the ISR Synchronization Matrix (App 4) with named areas of interest keyed to decision points from Annex C. S-2 chairs the ICR working group at BN TOC at 181800ZAPR26 and 190000ZAPR26.

Reconnaissance handover and battle handover criteria are published in Appendix 3; Scout Plt chops back to BN control at 190430ZAPR26 and assumes screen to the north along PL COPPER during Phase III. All collection reports flow on BN O/I net with SALUTE format; time-sensitive PIR triggers use flash-precedence SPOTREP.

APP. 1 (L) INFORMATION COLLECTION PLAN

PIR-driven collection plan matching assets (Scout Plt, BCT Puma, BCT MICO SIGINT) to NAIs and decision points. Updated every 12 hours by S-2.

APP. 2 (L) INFORMATION COLLECTION OVERLAY

Overlay depicts NAIs along HIGHWAY 22, obstacle belt, OBJ HAMMER, and suspected Orlan-10 launch site vic. NK 155 795. Published with base order.

APP. 3 (L) RECONNAISSANCE AND SURVEILLANCE

Scout Plt screens HIGHWAY 22 from 181800ZAPR26; recon handover to A Co at PL SILVER NLT 190430ZAPR26. R&S matrix published by S-2.

APP. 4 (L) ISR SYNCHRONIZATION MATRIX

Matrix aligns collection assets with PIRs, NAIs, decision points, and LTIOV by phase. Updated at each targeting working group.



ANNEX ASSESSMENT

M

The commander's assessment priorities are: (1) seizure of OBJ HAMMER NLT 190800ZAPR26; (2) preservation of combat power below 10% casualties across TF IRON; (3) tempo of transition from Phase II decisive to Phase III consolidation. The BN S-3 assessment cell tracks measures of effectiveness and measures of performance against these priorities, with commander-in-the-loop reviews at the 0600Z BUB and 1800Z commander's update brief.

MOEs include: percent of OBJ HAMMER secured; enemy combat power reduction (%); time elapsed from LD to LOA; A Co combat power remaining at seizure. MOPs include: fires delivered on time per the AGM; breach completed NLT 190445ZAPR26; LOGPAC execution rate; CASEVAC time from point of injury to Role 1 under 30 minutes. Indicators are aligned to each MOE/MOP and reported through BN TOC every 6 hours on BN O/I net.

Assessment products drive re-planning: the S-3 assessment cell produces a written assessment update at each BUB with recommendations for the commander on branch execution, reserve commitment, and transition timing. Post-operation, an AAR at BN level is conducted NLT 202000ZAPR26 with company input, and the product feeds the BCT lessons-learned repository.

APP. 1 (M) ASSESSMENT FRAMEWORK

Three priorities (seizure of OBJ HAMMER, combat power preservation, transition tempo) with aligned MOEs, MOPs, and indicators. Framework reviewed at 0600Z BUB.

APP. 2 (M) MOE/MOP MATRICES

Matrices align each MOE and MOP to a phase objective, indicator, data source, and reporting frequency. Maintained by BN S-3 assessment cell.



ANNEX N SPACE OPERATIONS

Space-based enablers are critical to IRON STRIKE. GPS PNT supports all dismounted and mounted navigation; DAGRs are issued to squad leader and higher. SATCOM (MUOS narrowband, TACSAT) provides BN-to-BCT reachback as the secondary communications path. ISR tipping from national and theater space assets flows through the BCT ACE to BN S-2 within 30 minutes of collection. No offensive space effects are planned or authorized.

The space threat assessment is LOW for IRON STRIKE; however, enemy doctrine includes GPS spoofing and jamming, and the Grafenwoehr training area has historically experienced GPS interference during large exercises. Units carry out pre-mission PNT checks, report any GPS anomaly (drift, sudden fix loss, impossible position) through JSIR on BN O/I net within 15 minutes, and fall back to terrain association and map-and-compass when GPS is degraded.

The BN space officer (dual-hatted with S-6) maintains the running space estimate, submits space support requests through the BCT space support element, and integrates space considerations into the targeting and fires cycle. SATCOM outages, GPS anomalies, and tipping delays are reported immediately to the BN CDR.

APP. 1 (N) SPACE SUPPORT REQUESTS

BN space officer submits SSRs through BCT SSE for ISR, PNT monitoring, and SATCOM priority. Standing request for MUOS priority during Phase II.

APP. 2 (N) FRIENDLY SPACE ORDER OF BATTLE

Relevant friendly space capabilities: GPS, MUOS, WGS, and national/theater ISR. Integrated view maintained by BCT SSE.

APP. 3 (N) THREAT SPACE ORDER OF BATTLE

Enemy GPS jamming/spoofing assessed POSSIBLE; Orlan-10 cueing from regimental space integration. Report anomalies via JSIR within 15 minutes.




ANNEX

P

HOST-NATION SUPPORT

Bundeswehr Grafenwoehr Training Area Command provides range infrastructure (impact areas, maneuver boxes, ammunition supply point), ammunition handling support at the Grafenwoehr ASP, emergency response reachback (German fire brigade and Red Cross), and POL reachback through host-nation contract. USAG Bavaria handles billeting at Camp Aachen, DFAC services, and garrison support functions. Host-nation coordination runs through the BCT HN LNO, with BN S-3 as the primary action officer at battalion level.

Daily synchronization meetings occur at 1700Z at Grafenwoehr Range Control; BN S-3 attends in person with the BCT HN LNO. Any coordination with Bavarian civil authorities (police, forestry, civil defense) flows through Range Control and is not executed at BN level without BCT approval. All host-nation interactions comply with the U.S.–Germany Status of Forces Agreement and Grafenwoehr Range SOP.





ANNEX Q

KNOWLEDGE MANAGEMENT

The knowledge management plan structures the BN battle rhythm to support the commander's decision cycle. The daily rhythm is anchored by the Battle Update Brief at 0600Z, the Commander's Update Brief at 1800Z, and a shift-change brief at every TOC hand-off (0600Z and 1800Z). The targeting working group convenes at 181800ZAPR26 and 190000ZAPR26; the sustainment synchronization meeting is at 1200Z daily at the CTCP.

The SharePoint portal hosts OPORD, WARNORD, and FRAGO version control with clear numbering (IRON STRIKE OPORD 26-04, FRAGO 01, FRAGO 02) and a change log maintained by the BN XO. The Common Operating Picture is maintained at the BN Main CP on CPOF, synchronized from Nett Warrior updates (maneuver), S-2 SITEmps (enemy), and S-4 LOGSTAT (sustainment) every 15 minutes. Knowledge products (running estimates, assessments, lessons learned) are stored in the SharePoint BN IRON STRIKE workspace.

Information management discipline: all staff products carry classification markings (UNCLASSIFIED for this operation), version numbers, and DTG of last update. Email traffic below O-3 is minimized; primary staff communication is the BN TOC CPOF chat and Nett Warrior. The BN XO is the KM authority and resolves portal/COP disputes.

APP. 1 (Q) KNOWLEDGE MANAGEMENT PLAN

Battle rhythm anchored by 0600Z BUB, 1800Z CUB, and shift-change briefs. SharePoint portal versions OPORD/WARNORD/FRAGO products with XO as KM authority.

APP. 2 (Q) BATTLE RHYTHM

Daily events: 0600Z BUB, 1200Z sustainment sync, 1800Z CUB, shift-change briefs at hand-off. Targeting working groups at 181800ZAPR26 and 190000ZAPR26.

APP. 3 (Q) INFORMATION MANAGEMENT

All products marked with classification, version, and DTG. CPOF chat and Nett Warrior are primary staff comms channels; email minimized below O-3.



ANNEX REPORTS

R

Required reports are consolidated to minimize administrative load while preserving commander situational awareness. SITREP is submitted every 6 hours on BN CMD net (0000Z, 0600Z, 1200Z, 1800Z) by every company to BN TOC; format per BN TACSOP. SPOTREP is immediate for any PIR trigger, contact, or significant event; flash precedence on BN O/I net in SALUTE format. LOGSTAT is submitted every 8 hours to S-4 on BN ADMIN net; PERSTAT every 6 hours to S-1 on BN ADMIN net.

MEDEVAC requests use the 9-line format on BN MEDEVAC net with launch authority at BN TOC; the 15-line IED/UXO report is used for any unexploded ordnance or IED encounter on BN O/I net. Additional reports: Commander's Critical Information Reports (CCIR) trigger immediate voice report to BN CDR through BN TOC; BN SITREP forward to BCT TOC NLT 30 minutes after each 6-hour cycle.

Report discipline is enforced by the BN TOC battle captain; missed or late reports are logged and addressed at the next BUB. Report formats are published in Appendix 1 and posted at every company CP, BN Main, and CTCP.


APP. 1 (R) REPORT FORMATS

SITREP, SPOTREP (SALUTE), LOGSTAT, PERSTAT, 9-line MEDEVAC, 15-line IED/UXO, CCIR. Formats published per BN TACSOP and posted at every CP.



ANNEX S SPECIAL TECHNICAL OPERATIONS


Special technical operations are not applicable to IRON STRIKE at the UNCLASSIFIED classification level. Any STO coordination required during execution will be published separately through secure channels and distributed only to personnel with appropriate clearance and need-to-know. Refer questions to the BCT S-3 STO cell.





ANNEX U INSPECTOR GENERAL

Inspector General support is provided by the 173d IBCT IG. No inspections, investigations, or assistance visits are scheduled during the 48-hour operation window of IRON STRIKE. The battalion maintains an open-door policy for Soldiers at all levels; complaints and IG assistance requests flow through the chain of command or, if a Soldier prefers, directly through the BN CSM to the BCT IG. Contact information for the BCT IG is posted at every company CP and at the BN Main CP.





ANNEX V **INTERAGENCY COORDINATION**

Interagency coordination for IRON STRIKE is limited to U.S. Army Garrison Bavaria and the Bundeswehr. No Department of State, Department of Homeland Security, intergovernmental, or non-governmental organization activity is present in the area of operations. The Bavarian Red Cross provides medical standby at the Grafenwoehr Range Control clinic under the standing host-nation support agreement. All interagency touchpoints run through the BCT HN LNO; BN S-3 is the action officer and does not engage non-DoD partners at battalion level without BCT approval.

APP. 1 (V) INTERAGENCY PARTNER LIAISON

USAG Bavaria and Bundeswehr are the only interagency partners. Bavarian Red Cross medical standby at Range Control clinic. All coordination via BCT HN LNO.



ANNEX DISTRIBUTION

Z

Distribution of OPORD 26-04 (IRON STRIKE) is as follows. Primary recipients (action): Commander, A Co (ABLE 6) — Copy 1; Commander, B Co (BRAVO 6) — Copy 2; Commander, C Co (CHARLIE 6) — Copy 3; Commander, D Co Weapons (DOG 6) — Copy 4; Commander, HHC — Copy 5; Commander, 2d Plt/A/54 BEB (SAPPER 2) — Copy 6; Commander, Btry B/4-319 AFAR (STEEL 6) — Copy 7; BN S-1 — Copy 8; BN S-2 — Copy 9; BN S-3 — Copy 10; BN S-4 — Copy 11; BN S-6 — Copy 12; BN CSM — Copy 13; BN XO — Copy 14; BN CDR — Copy 15.

Adjacent and supporting units (action): Commander, 1-503 IN (follow-on forces for OBJ FALCON hand-off) — Copy 16; Commander, 173 RSTA SQDN — Copy 17; Commander, 54 BEB — Copy 18; Commander, 4-319 AFAR — Copy 19; Commander, 173 BSB — Copy 20.

Information copies: 173d IBCT (A) TOC — Copy 21; 173d IBCT S-3 — Copy 22; 4-319 AFAR TOC — Copy 23; 54 BEB TOC — Copy 24; 173 BSB TOC — Copy 25; Grafenwoehr Range Control — Copy 26; BCT HN LNO — Copy 27; BCT PAO — Copy 28; BCT IG — Copy 29; BN Historical File — Copy 30. Total: 30 copies. Distribution complete NLT 181800ZAPR26 by BN S-1.

§§ ACKNOWLEDGE.

MARQUEZ, LTC, IN

OFFICIAL

C. KIRCHMAYER
MAJ, IN, Battalion S-3

DISTRIBUTION

Per BN standard distribution list; plus 173d IBCT TOC, 1-503 IN, 4-319 AFAR, 54 BEB.