§ OPERATION ORDER

№ 26-04

IRON STRIKE

DRAFTED BY **MAJ J. RIVERA, S3**

OPORD / GENERATED 150258ZOCT26

ISSUING HEADQUARTERS **Headquarters, 2d Battalion, 503d Infantry Regiment (Airborne), 173d IBCT (A)**	PLACE OF ISSUE **Grafenwoehr Training Area, Germany**	DATE-TIME GROUP 181200ZAPR26
TIME ZONE ZULU	COPY 3 of 24	MESSAGE REF. NO. FS-IRON-2604

(U) REFERENCES

A. Map, Series M745, Germany Sheet L7432, Edition 5, Scale 1:50,000

B. 173d IBCT (A) OPORD 26-02, FALCON SHIELD — Higher HQ order establishing the exercise framework

C. FM 3-99, Airborne and Air Assault Operations (Mar 2015)

D. ATP 3-21.10, Infantry Rifle Company (Apr 2023)

E. 2-503 IN Tactical SOP, Rev 7 (Jan 2026)

(U) TASK ORGANIZATION

→ ANNEX A

TF IRON (2-503 IN ABN) — IRON 6

BATTALION MAIN EFFORT *LTC T. Marquez*

- **A CO / 2-503 IN** — ABLE 6
  ASSIGNED DECISIVE OPERATION — SEIZE OBJ HAMMER *CPT R. Okafor*
- **B CO / 2-503 IN** — BRAVO 6
  ASSIGNED SHAPING OP — FIX ENEMY ON OBJ ANVIL *CPT L. Henson*
- **C CO / 2-503 IN** — CHARLIE 6
  ASSIGNED RESERVE *CPT N. Vásquez*
- **D CO (WEAPONS) / 2-503 IN** — DOG 6
  ASSIGNED DIRECT FIRE SUPPORT — MORTARS, MGS *CPT P. Singh*
- **2D PLT / A CO / 54TH BEB** — SAPPER 2
  OPERATIONAL_CONTROL MOBILITY / BREACH *1LT M. Reyes*
- **BTRY B / 4-319 AFAR** — STEEL 6
  DIRECT_SUPPORT FIRES *CPT J. Adeyemi*

§§ CONTENTS

1 SITUATION	2 MISSION	3 EXECUTION	4 SUSTAINMENT
5 COMMAND AND SIGNAL	A ANNEXES	§ AUTHENTICATION	

§§ ANNEXES

A TASK ORGANIZATION	B INTELLIGENCE	C OPERATIONS	D FIRES
E PROTECTION	F SUSTAINMENT	G ENGINEER	H SIGNAL
I NOT USED	J PUBLIC AFFAIRS	K CIVIL AFFAIRS OPERATIONS	L INFORMATION COLLECTION
M ASSESSMENT	N SPACE OPERATIONS	O NOT USED	P HOST-NATION SUPPORT
Q KNOWLEDGE MANAGEMENT	R REPORTS	S SPECIAL TECHNICAL OPERATIONS	T NOT USED
U INSPECTOR GENERAL	V INTERAGENCY COORDINATION	W NOT USED	X NOT USED
Y NOT USED	Z DISTRIBUTION		

1 SITUATION

1.A. AREA OF INTEREST

The area of interest extends 50 km beyond the AO boundary, encompassing HIGHWAY 22 eastbound to the BORDER (grid N7234) and all towns and transportation nodes that could resource enemy reinforcement of OBJ HAMMER within 24 hours.

1.B. AREA OF OPERATIONS

1.B.(1) DESCRIPTION

AO IRON is bounded by PL STEEL (north), PL BRONZE (south), GRID LINE 23 (west), and HIGHWAY 22 (east). Dominated by rolling mixed forest with cleared agricultural corridors north–south. See Annex C, Appendix 2 (Operation Overlay).

1.B.(2) TERRAIN (OAKOC)

OBSERVATION AND FIELDS OF FIRE

OBJ HAMMER sits on a 340m ridgeline offering 3–4 km observation east; forest canopy restricts fields of fire to <200m off the ridge.

AVENUES OF APPROACH

Two platoon-sized mounted AAs from the south (ROUTE CLUB, ROUTE SPADE); one company-sized dismounted AA along the eastern treeline (ROUTE DIAMOND).

KEY TERRAIN

OBJ HAMMER (MR-342 ridge). Decisive terrain: the eastern spur, grid NK 142 783, which controls observation of ENY fallback positions.

OBSTACLES

Stream line along PL BRONZE (fordable for dismounts); mined wire obstacle belt templated vicinity NK 138 779 (IPB-confirmed).

COVER AND CONCEALMENT

Dense coniferous cover throughout the AO; limited cover in the cleared-fields corridor (east-west). Urban cover in VIC ALTENSTADT (NK 115 790).

1.B.(3) WEATHER

EFFECTS ON OPERATIONS

NET: weather FAVORS friendly operations across the campaign window. Decisive Phase II (190500–190800Z) executes in a confirmed dry, clear window with 62% NVG-usable illumination and ceilings well above CAS and UAS minimums. ENY Orlan-10 effectiveness reduced during Phase I precip windows. Principal risks: trafficability on ROUTE CLUB post-1800Z 18 APR (mitigate with ASR SPADE); overnight cold exposure in consolidation. No weather-driven branch or abort trigger anticipated.

FORECAST

PERIOD	SURFACE WIND	VISIBILITY	CLOUDS	TEMPERATURE	PRECIPITATION	EFFECTS
Phase I (Shaping, D-1 / 18 APR)	W 10–15 kt, gusts 22 kt.	10 km dropping to 2 km 181400Z–	BKN 4,500 ft, dropping to OVC	Hi 14°C / Lo 5°C; RH 70–85%.	40% intermittent rain 181400–	FAVORS friendly reconnaissance

PERIOD	SURFACE WIND	VISIBILITY	CLOUDS	TEMPERATURE	PRECIPITATION	EFFECTS
180600ZAPR26 to 190100ZAPR26		182000Z in showers.	3,500 ft by 181800Z.		182000Z; 2–4 mm accum.	(reduced ENY Orlan-10 utility in showers). Trafficability on ROUTE CLUB degraded post-1800Z — consider ASR SPADE for wheel traffic. CAS remains feasible; minimum ceiling >3,000 ft AGL.
Phase II (Decisive, D-Day / 19 APR, 0500Z–0800Z) 190500ZAPR26 to 190800ZAPR26	W 8–12 kt, backing SW.	10+ km; clear to partly cloudy.	SCT 5,000 ft; CAS stack clear.	Hi 12°C (predicted peak 1400Z) / Lo 4°C at H-hour; RH 65%.	Dry window; 10% POP.	FAVORS friendly airborne / dismounted assault. 62% illum supports NVG operations during H-hour window (BMNT 0518Z, LD at 0500Z). 12-min artillery prep timing matches usable first-light. VIPER 11/12 CAS ingress corridor clear. No obscurant needed for breach unless ENY counter-prep.
Phase III (Consolidate, D-Day to D+1 / 19–20 APR) 190800ZAPR26 to 200600ZAPR26	W 10 kt.	10 km; afternoon SCT 5,000 ft.	SCT 5,000 ft; OVC 8,000 overnight.	Hi 15°C / Lo 3°C; RH 55–70%.	10% POP 192000Z–200200Z — monitor.	Transition and hand-off to 1-503 IN unaffected. Overnight low 3°C with wind chill ~0°C on OBJ HAMMER ridge — enforce cold-weather precautions for personnel in static positions.

LIGHT DATA

DATE	BMNT	SUNRISE	SUNSET	EENT	MOONRISE	MOONSET	MOON
2026-04-19	190518ZAPR26	190558ZAPR26	191818ZAPR26	191858ZAPR26	191612ZAPR26	190341ZAPR26	waxing gibbous 62%

VISIBILITY: 8–10 km; daylight; reducing to 2 km with forecast afternoon precip.

WINDS: W 10–15 kt, gusts to 22 kt; favors friendly fires dispersion.

PRECIPITATION: 40% chance intermittent rain 181400Z–182000Z; trafficability degraded on ROUTE CLUB.

CLOUD COVER: BKN 4,500 ft; overcast by 181800Z; CAS ceiling remains above 3,000 ft AGL.

TEMPERATURE AND HUMIDITY:

Hi 14°C / Lo 4°C; RH 78%. Cold-weather injury risk LOW.

CLIMATE BASELINE

Bavarian Oberpfalz late-April climatology: daytime 8–16°C, nightly 2–6°C; prevailing winds W/SW 8–12 kt; monthly precipitation ~55 mm (primarily afternoon showers); freeze risk LOW after 15 APR. Typical ceiling 3,500– 8,000 ft with 40–60% probability of BKN mid-level cloud. Training area has historically experienced morning ground-fog episodes ≤2 km visibility until ~0700L in valleys (ROUTE CLUB east leg).

FORECAST CONFIDENCE:

HIGH — 72-hr forecast; synoptic pattern stable; SWO confidence HIGH.

SWO PRODUCT REFERENCE:

Annex B, Appendix 1, Tab B (Weather). SWO Product 26-04-WX-019 (173d IBCT SWO, 181200ZAPR26).

1.C. ENEMY FORCES

1.C.(1) COMPOSITION, DISPOSITION, AND STRENGTH

Motorized rifle company (+) templated on OBJ HAMMER; est. 120 PAX with 4× BMP-2, 2× 82mm mortar, 1× ZU-23 AAA, engineer squad. Company is dug in, two platoons forward, one in reserve.

1.C.(2) RECENT ACTIVITIES

Over the past 72 hours, ENY has conducted dismounted patrols to PL BRONZE, emplaced obstacle belt NK 138 779, and rehearsed counterattack from the east using reinforcing elements.

1.C.(3) CAPABILITIES

Defend in place; counterattack with a mounted platoon (+) within 2 hrs; disrupt with indirect fires from 82mm mortars out to 4 km; limited UAS (Orlan-10 templated) capability for ISR.

1.C.(4) COURSES OF ACTION

KIND	SUMMARY
Most Likely	ENY defends OBJ HAMMER with two platoons forward, uses obstacle belt and direct fire to canalize friendly attack into EA IRON, then counterattacks with mounted reserve from the east along ROUTE DIAMOND.
Most Dangerous	ENY pre-empts the attack with a spoiling raid at 180400Z against friendly assembly area at GRAFENWOEHR (OBJ TUNGSTEN), followed by deliberate defense of OBJ HAMMER and commitment of a reinforcing company (+) from the EAST.

1.D. FRIENDLY FORCES

1.D.(1) HIGHER TWO LEVELS

COMMANDERS INTENT

Rapid seizure of key terrain to deny the enemy operational initiative. End state: OBJ FALCON under friendly control; enemy unable to reconstitute combat power; host-nation populace secure.

MISSION

173d IBCT (A) conducts airborne assault NLT 170500ZAPR26 to seize OBJ FALCON (MR-310 key terrain complex) IOT set conditions for division follow-on ops in AO KNIGHT.

NAME:

173d IBCT (A)

1.D.(2) HIGHER ONE LEVEL

COMMANDERS INTENT	Mass combat power on OBJ HAMMER; hand off to follow-on forces without losing tempo. End state: OBJ HAMMER secured; 2-503 postured for follow-on to OBJ FALCON by 200600Z.
MISSION	2-503 IN attacks NLT 190500ZAPR26 to seize OBJ HAMMER IOT enable 173d IBCT operations against OBJ FALCON.
NAME:	2d Squadron / 503d IN / 173d IBCT (A)
1.D.(3) ADJACENT UNITS	NORTH: 1-503 IN conducts supporting attack to fix ENY on OBJ ANVIL. SOUTH: 4-319 AFAR provides GS fires. EAST: 173 RSTA conducts screen along HIGHWAY 22.
1.D.(4) OTHER UNITS	Host-nation Bundeswehr liaison element co-located at BCT MAIN CP for range deconfliction and civil coordination.
1.E. INTERAGENCY, INTERGOVERNMENTAL, AND NONGOVERNMENTAL ORGANIZATIONS	Bundeswehr Grafenwoehr Training Area Command, Bavarian Red Cross (range medical standby), and USAG Bavaria coordinate on training-area access, safety, and emergency response.

1.F. CIVIL CONSIDERATIONS (ASCOPE)

1.F.(1) AREAS	Training area bounded by civilian farmland north of PL STEEL; civilian access to forest mushroom-gathering trails must be deconflicted.
1.F.(2) STRUCTURES	Protected: ALTENSTADT village chapel (NK 115 790); no direct or indirect fires within 500m. Historical marker at NK 121 788.
1.F.(3) CAPABILITIES	Local Bundeswehr MP can respond to training incidents within 20 min; Vilseck hospital (Role 3 equivalent) 18 km east.
1.F.(4) ORGANIZATIONS:	Bavarian Forestry Authority monitors live-fire boundary compliance.
1.F.(5) PEOPLE	Range workers (Bundeswehr civilians) transit range roads 0530–1800L. All movement on ROUTE CLUB between those times requires range-control clearance.
1.F.(6) EVENTS:	Easter holiday weekend active in adjacent villages; no impact on AO.

1.G. ATTACHMENTS AND DETACHMENTS

1.G.(1) ATTACHMENTS	• 2d Plt / A Co / 54th BEB (OPCON from 181800ZAPR26) • Btry B / 4-319 AFAR (DS from 180600ZAPR26)
1.G.(2) DETACHMENTS	• Scout Plt / HHC / 2-503 IN (TACON to 173 RSTA, 180600ZAPR26–200600ZAPR26)
1.G.(3) NOTE:	See Annex A (Task Organization) for detailed relationships.
1.H. ASSUMPTIONS	• Weather remains flyable for CAS and MEDEVAC throughout the operation.

- Host-nation range clearance remains continuous through 200600ZAPR26.
- Enemy does not receive reinforcement of more than a platoon within 24 hrs.

2 MISSION

> **TF IRON attacks NLT 190500ZAPR26 to seize OBJ HAMMER (vic. NK 142 783) IOT enable 173d IBCT (A) follow-on operations against OBJ FALCON.**

3 EXECUTION

3.A. COMMANDER'S INTENT

3.A.(1) PURPOSE

Generate an overmatch of combat power on OBJ HAMMER fast enough to preempt enemy counterattack and hand off the objective to follow-on forces with combat power intact.

3.A.(2) KEY TASKS

- Seize OBJ HAMMER with one company decisive, one shaping, one reserve.
- Defeat ENY reserve counterattack forward of PL BRONZE.
- Preserve combat power: less than 10% friendly casualties through consolidation.
- Maintain continuous fires and ISR coverage through transition to follow-on force.

3.A.(3) END STATE:

OBJ HAMMER under TF IRON control by 190900Z; ENY defeated in sector; TF postured for follow-on.

3.A.(4) END STATE FRIENDLY:

TF IRON consolidated on OBJ HAMMER, >90% combat power, Class V at 70% basic load.

3.A.(5) END STATE ENEMY:

Enemy force on OBJ HAMMER destroyed or forced to withdraw east of HIGHWAY 22.

3.A.(6) END STATE TERRAIN:

OBJ HAMMER (MR-342 ridge) and eastern spur under friendly control and observation.

3.A.(7) END STATE CIVIL:

No civilian casualties; ALTENSTADT village and cultural sites unaffected.

3.B. CONCEPT OF OPERATIONS

3.B.(1) SUMMARY

TF IRON executes a three-phase attack: PHASE I (Shaping, 180600Z–190500Z) — reconnaissance and shaping fires; PHASE II (Decisive, 190500Z–190800Z) — dismounted assault on OBJ HAMMER; PHASE III (Consolidate, 190800Z–200600Z) — consolidate and hand off.

3.B.(2) MANEUVER

A Co conducts the decisive operation as the main effort with dismounted assault along AA DIAMOND. B Co fixes ENY on OBJ ANVIL. C Co is reserve prepared to reinforce A Co or defeat counterattack. D Co provides direct-fire support from SBF-1 (NK 132 778).

3.B.(3) DECISIVE OPERATION:

A Co assaults OBJ HAMMER at 190500Z, seizes the ridge and eastern spur, and consolidates.

3.B.(4) SHAPING OPERATIONS

B Co fixes the ENY platoon on OBJ ANVIL; SAPPER 2 breaches the wire obstacle belt at NK 138 779 NLT 190430Z; STEEL 6 delivers 12-minute artillery preparation on OBJ HAMMER 190448Z–190500Z.

3.B.(5) SUSTAINING OPERATIONS

Combat Trains (CTCP) established vicinity NK 118 772 by 190400Z. Ambulance exchange point (AXP) at NK 125 776. CL III/V resupply by LMTV convoy from BSA every 8 hrs.

3.B.(6) RESERVE	C Co is reserve, held at AA BRONZE, prepared to reinforce A Co (PRIORITY) or block enemy counterattack along ROUTE DIAMOND.
3.B.(7) FIRES:	See Annex D. Priority of fires to A Co during Phase II.

3.C. SCHEMES

3.C.(1) ENGINEERING	SAPPER 2 breaches the wire obstacle belt NK 138 779 NLT 190445Z. Survivability effort focuses on CTCP and BN Main CP hasty positions. See Annex G.
3.C.(2) FIRES	Priority of fires A Co (Phase II), then C Co (counterattack defeat). 12-minute artillery prep on OBJ HAMMER 190448–190500Z. CAS on call; final attack control by A Co JTAC.
3.C.(3) INFORMATION COLLECTION	One Puma UAS orbit over OBJ HAMMER 190430–190800Z tasked from BCT. Scout Plt (TACON) reports on HIGHWAY 22. See Annex L.
3.C.(4) INTELLIGENCE	Focus on confirming ENY disposition on OBJ HAMMER, validating obstacle belt composition, and warning of ENY reinforcement east of HIGHWAY 22. See Annex B.
3.C.(5) MANEUVER	Phase I: B Co conducts supporting attack on OBJ ANVIL starting 180600Z. A Co moves to ASSAULT POSITION SABRE by 190430Z. Phase II: Breach complete 190445Z; artillery prep 190448–190500Z; A Co assaults 190500–190700Z; consolidate 190700–190800Z. Phase III: Transfer of authority to follow-on force 200500Z.
3.C.(6) PROTECTION	Priorities: (1) A Co assault element; (2) CTCP; (3) BN Main CP. OPSEC: radio silence below BN net until 190500Z. Personnel Recovery plan per Annex E, Appendix 9.

3.D. COORDINATING INSTRUCTIONS

3.D.(1) EFFECTIVE TIME:	This OPORD is effective 181200ZAPR26.

3.D.(2) COMMANDER'S CRITICAL INFORMATION REQUIREMENTS (CCIR)

FRIENDLY FORCE INFORMATION REQUIREMENTS	• Any friendly unit below 75% combat power. • Loss of communications with any company commander for >15 min. • Breach asset (SAPPER 2) combat-ineffective.
PRIORITY INTELLIGENCE REQUIREMENTS	• Is the ENY obstacle belt at NK 138 779 mined or wire only? • What is the ENY reserve posture east of HIGHWAY 22? • Has ENY employed UAS ISR over the AO?
3.D.(3) ESSENTIAL ELEMENTS OF FRIENDLY INFORMATION (EEFI)	• Exact DTG of breach. • Location of TF reserve (C Co). • Artillery firing position of STEEL 6.
3.D.(4) RULES OF ENGAGEMENT	• Standard ROE per theater directive; hostile act / hostile intent only. Positive ID required for all direct fire.

3.D.(5) OTHER

- All personnel will consume 4 L water/day minimum during operations. Hot meals pushed from BSA every 12 hrs.

3.D.(6) FSCM

Coordinated Fire Line along PL BRONZE. No-fire area 500m radius around ALTENSTADT village (NK 115 790).

3.D.(7) ACM:

Restricted Operations Zone over OBJ HAMMER 190400–190800Z to 5,000 ft AGL for friendly UAS.

3.D.(8) RISK REDUCTION CONTROL MEASURES

All live-fire conducted under range-safety oversight. Chemlight recognition signals for night movement. No-fire 500m bubble around ALTENSTADT. MOPP level 0 (mission-tailored).

3.D.(9) PERSONNEL RECOVERY

Isolated-personnel reporting to BN TOC; recovery by C Co on order. ISOPREP current for all personnel.

3.D.(10) ENVIRONMENTAL CONSIDERATIONS:

No pyrotechnic use within 100m of ALTENSTADT; fuel/waste returned to BSA.

3.D.(11) THEMES AND MESSAGES

- We train hard to fight and win.
- We honor our host-nation partners.
- Every paratrooper is accountable.

3.D.(12) CEMA:

EW detection reports directly to BN S-2; no offensive effects at BN level.

3.E. TASKS TO SUBORDINATE UNITS

UNIT	TASKS	CALLSIGN	PRIORITIES	PURPOSE
A Co / 2-503 IN	Move to ASSAULT POSITION SABRE NLT 190430Z.; Assault OBJ HAMMER along AA DIAMOND commencing 190500Z.; Clear eastern spur NLT 190700Z.; Consolidate and prepare to defend NLT 190800Z.	ABLE 6	CL V resupply (PRI 1); MEDEVAC lift (PRI 2).	Seize OBJ HAMMER as decisive operation.
B Co / 2-503 IN	Conduct supporting attack against OBJ ANVIL NLT 180600Z.; Maintain pressure through 190700Z.; Be prepared to transition to reserve at BN direction.	BRAVO 6		Fix ENY platoon on OBJ ANVIL to prevent reinforcement of OBJ HAMMER.
C Co / 2-503 IN	Occupy AA BRONZE NLT 190300Z.; On order, reinforce A Co on OBJ HAMMER.; On order, defeat ENY mounted counterattack along ROUTE DIAMOND.	CHARLIE 6		Serve as TF reserve; defeat ENY counterattack or reinforce A Co.
D Co (Weapons) / 2-503 IN	Occupy SBF-1 (NK 132 778) NLT 190415Z.; Provide direct fire support to A Co assault.; Displace	DOG 6		Provide direct fire support from SBF-1.

UNIT	TASKS	CALLSIGN	PRIORITIES	PURPOSE
	to alt SBF-2 on A Co JTAC call.			
2d Plt / A Co / 54th BEB	Breach wire obstacle belt NK 138 779 NLT 190445Z.; Mark breach lanes IAW BCT SOP.; Be prepared to reduce follow-on obstacles on order.	SAPPER 2		Breach ENY obstacle belt to enable A Co assault.
Btry B / 4-319 AFAR	Deliver 12-minute preparation on OBJ HAMMER 190448–190500Z.; Maintain priority of fires to A Co through consolidation.; Be prepared to shift to counterbattery on BN S-3 call.	STEEL 6		Provide direct support fires to TF IRON.

3.F. SCHEME OF RECONNAISSANCE AND SECURITY

Scout Plt (TACON to 173 RSTA) screens along HIGHWAY 22 NLT 180600Z through 200600Z; provides early warning of eastern ENY movement. TF IRON R&S elements observe OBJ HAMMER from OP 1 (NK 131 780) and OP 2 (NK 144 785) from 181200Z.

3.G. STABILITY

Not applicable for this mission — limited to training area; no host-nation civilian effects beyond range deconfliction.

3.H. SCHEME OF SIGNAL

FM primary, TACSAT secondary. Battalion command net, fires net, and logistics net active. Data: Nett Warrior for COP. See Annex H.

3.I. SCHEME OF SUSTAINMENT:

See Paragraph 4 and Annex F.

3.J. SCHEME OF CEMA

GPS, SATCOM, and FM remain unrestricted. No offensive cyber effects tasked at BN. EW detection alarm to BN S-2 on any jamming above threshold.

3.K. SCHEME OF MILITARY DECEPTION:

No deception operation planned for this mission.

3.L. ASSESSMENT

MOEs: (1) seizure of OBJ HAMMER by 190900Z; (2) enemy combat power on OBJ HAMMER reduced below 30%; (3) friendly casualties below 10%. MOPs: breach complete NLT 190445Z; artillery rounds on target per TVA; transition to follow-on NLT 200600Z. See Annex M.

4 SUSTAINMENT

4.A. LOGISTICS

4.A.(1) SUSTAINMENT OVERLAY:	See Annex F, Appendix 1.
4.A.(2) MAINTENANCE	Field-level maintenance at CTCP (NK 118 772). Controlled exchange authorized for CL IX parts below $500. BDAR authority: Co Cdrs.
4.A.(3) TRANSPORTATION	MSR CLUB (primary), ASR SPADE (alternate). Ambulance exchange at AXP at NK 125 776. Convoys in packets of 4 vehicles minimum.
4.A.(4) SUPPLY	CL I: MRE for 3 days, hot meal push 2x/day. CL III: LOGPAC every 8 hrs. CL V: 100% basic load carried, resupply pre-positioned at CTCP. CL VIII: See AHS below. Water: 4 L/soldier/day.
4.A.(5) FIELD SERVICES:	Mortuary affairs collection point at CTCP. Shower/laundry at BSA every 72 hrs.
4.A.(6) DISTRIBUTION:	Supply point distribution at CTCP; unit distribution forward to company trains on call.
4.A.(7) CONTRACT SUPPORT:	Range ammunition support via Bundeswehr contract; coordinated through BCT S-4.

4.B. PERSONNEL SERVICES SUPPORT

4.B.(1) HUMAN RESOURCES SUPPORT:	PERSTAT every 6 hrs via BN S-1. R&R policy per BCT directive.
4.B.(2) FINANCIAL MANAGEMENT:	No finance operations in AO; reachback to BCT FMSC as needed.
4.B.(3) LEGAL SUPPORT:	BN JAG available via BCT SJA. ROE questions to BN S-3; detainee legal review by BCT SJA.
4.B.(4) RELIGIOUS SUPPORT:	UMT circulates among companies every 24 hrs. Memorial services on order.

4.C. ARMY HEALTH SYSTEM SUPPORT

4.C.(1) MEDICAL COMMAND AND CONTROL:	BN Surgeon runs casualty ops from BN TOC; coordination with BCT Role 2 at BSA.
4.C.(2) MEDICAL TREATMENT	Role 1 at each company trains; BN aid station at CTCP (NK 118 772). Role 2 at BSA (Grafenwoehr main); Role 3 at Vilseck (18 km east).
4.C.(3) MEDICAL EVACUATION	Ground MEDEVAC via AXP at NK 125 776. Air MEDEVAC on call from BCT Role 2 pad; 9-line to BN TOC on BN CMD net.
4.C.(4) DENTAL SERVICES:	Emergency dental only; reachback to BSA.
	Water quality checks 2x/day at CTCP. Tick/vector briefing issued to all personnel.

4.C.(5) PREVENTIVE MEDICINE:	
4.C.(6) COMBAT OPERATIONAL STRESS CONTROL:	BN Chaplain and UMT on call; BN aid station has OSC trained NCO.
4.C.(7) MEDICAL LOGISTICS:	CL VIII push from BCT Role 2 every 12 hrs. Blood products: 4 PRBC at BAS.

5 COMMAND AND SIGNAL

5.A. SIGNAL

5.A.(1) CHANNELS

- DUSTOFF
- RANGE CTL

5.A.(2) SUMMARY

BN CMD net: FM primary, TACSAT secondary. Company nets: FM. Data: Nett Warrior for COP; PACE: FM / TACSAT / Data / Messenger.

5.A.(3) SOI EDITION:

SOI Edition 04-26 effective 180001Z–210001ZAPR26.

5.A.(4) RECOGNITION AND IDENTIFICATION

Near recognition: running password GLADIATOR / countersign HORNET. Far recognition: orange VS-17 panel during daylight; IR strobe at night. Challenge/password changes 180001Z daily.

5.A.(5) CEMA:

Any GPS or comms jamming reported to BN S-2 immediately on BN CMD net.

5.B. COMMAND

5.B.(1) LOCATION OF COMMANDER:

BN CDR forward with A Co from 190445Z through consolidation; returns to BN TOC NLT 190900Z.

5.B.(2) SUCCESSION OF COMMAND

- Battalion Commander (IRON 6)
- Battalion Deputy Commander (IRON 5)
- Battalion S-3 (IRON 3)
- Battalion Executive Officer (IRON 7)

5.B.(3) COMMAND POSTS

BN Main CP at AA BRONZE (NK 108 768) from 180600Z. BN TAC CP co-located with A Co from 190430Z through consolidation. BN Combat Trains CP (CTCP) at NK 118 772 from 190400Z.

5.C. CONTROL

5.C.(1) COMMAND AND SUPPORT RELATIONSHIPS:

Btry B / 4-319 AFAR is DS to TF IRON from 180600Z. 2d Plt / A / 54 BEB is OPCON from 181800Z.

5.C.(2) LIAISON REQUIREMENTS

LNO from 1-503 IN at BN Main CP from 181200Z. LNO from Btry B / 4-319 at BN Main CP from 180600Z. BN LNO to BCT TOC from 180600Z.

A ANNEXES

A TASK ORGANIZATION PUBLISHED	**B** INTELLIGENCE PUBLISHED	**C** OPERATIONS PUBLISHED	**D** FIRES PUBLISHED
E PROTECTION PUBLISHED	**F** SUSTAINMENT PUBLISHED	**G** ENGINEER PUBLISHED	**H** SIGNAL PUBLISHED
I NOT USED NOT USED	**J** PUBLIC AFFAIRS PUBLISHED	**K** CIVIL AFFAIRS OPERATIONS PUBLISHED	**L** INFORMATION COLLECTION PUBLISHED
M ASSESSMENT PUBLISHED	**N** SPACE OPERATIONS PUBLISHED	**O** NOT USED NOT USED	**P** HOST-NATION SUPPORT PUBLISHED
Q KNOWLEDGE MANAGEMENT PUBLISHED	**R** REPORTS PUBLISHED	**S** SPECIAL TECHNICAL OPERATIONS PUBLISHED	**T** NOT USED NOT USED
U INSPECTOR GENERAL PUBLISHED	**V** INTERAGENCY COORDINATION PUBLISHED	**W** NOT USED NOT USED	**X** NOT USED NOT USED
Y NOT USED NOT USED	**Z** DISTRIBUTION PUBLISHED		

ANNEX A TASK ORGANIZATION

Task Force IRON is organized around three maneuver companies, a weapons company, and task-organized enablers to seize OBJ HAMMER NLT 190500ZAPR26. A Co (ABLE 6) is the decisive operation and main effort throughout Phase II, task-organized with 2d Plt/A/54 BEB (SAPPER 2) OPCON from 181800ZAPR26 for mobility and breach. B Co (BRAVO 6) is a shaping effort, attacks to fix enemy forces on OBJ ANVIL from 190430ZAPR26, and transitions to supporting effort for consolidation. C Co (CHARLIE 6) is the battalion reserve, postured vic. AA EAGLE NK 112 768, prepared to reinforce A Co, conduct counterattack against enemy mechanized reinforcement from the north, or assume A Co's mission on order.

D Co Weapons (DOG 6) provides direct-fire overwatch from SBF 1 (NK 135 776) and SBF 2 (NK 139 777) with TOW and .50 cal sections, priority to A Co Phase I–II then C Co Phase III. Btry B/4-319 AFAR (STEEL 6) is direct support to 2-503 IN from 181200ZAPR26 through 200600ZAPR26; priority of fires shifts in accordance with Annex D. Scout Plt operates TACON to 173 RSTA SQDN through 190430ZAPR26, then chops back to 2-503 IN control as the battalion's organic recon asset in zone.

Main effort is A Co through seizure of OBJ HAMMER; supporting efforts are B Co (fix on OBJ ANVIL) and D Co Weapons (DF support). Reserve is C Co. Unit integrity is preserved at platoon level or higher; no cross-attachments below company without BN CDR approval. All OPCON and DS relationships terminate NLT 200600ZAPR26 unless extended by FRAGO.

STRUCTURED CONTENT

1. RELATIONSHIPS

UNIT	RELATIONSHIP	TO
A Co / 2-503 IN	assigned	TF IRON (2-503 IN ABN)
B Co / 2-503 IN	assigned	TF IRON (2-503 IN ABN)
C Co / 2-503 IN	assigned	TF IRON (2-503 IN ABN)
D Co (Weapons) / 2-503 IN	assigned	TF IRON (2-503 IN ABN)
2d Plt / A Co / 54th BEB	Operational Control	TF IRON (2-503 IN ABN)
Btry B / 4-319 AFAR	Direct Support	TF IRON (2-503 IN ABN)

ANNEX B INTELLIGENCE

Enemy on OBJ HAMMER is assessed as a reinforced motorized rifle company (+), approximately 120 pax, with 4x BMP-2, an 82mm mortar section, a ZU-23-2 AAA piece sited for ground role, and Orlan-10 UAS support cueing from regimental level. Enemy is dug in along the MR-342 ridge with primary positions on the eastern spur vic. NK 142 783, tied into a wire and AT-ditch obstacle belt at NK 138 779. Most dangerous COA is reinforcement by a motorized rifle platoon (+) from the north along HIGHWAY 22 within 90 minutes of contact; most likely COA is defense in sector with harassment by Orlan-10 and indirect fires from depth.

PIRs drive collection: (1) location and timing of enemy reinforcement along HIGHWAY 22; (2) composition and condition of the obstacle belt at NK 138 779; (3) Orlan-10 launch/recovery site; (4) enemy CP vic. OBJ HAMMER. HVTs are, in priority: enemy CO CDR, mortar FDC, ZU-23 crew, Orlan-10 GCS, and BMP section leaders. S-2 publishes updated SITEMPs, MCOOs, and the HVT list every 12 hours beginning 181800ZAPR26, pushed through SharePoint and Nett Warrior.

BCT MICO provides reinforcing SIGINT and GEOINT products; 173 RSTA SQDN provides reconnaissance handover NLT 190300ZAPR26. S-2 maintains the collection synchronization matrix (Annex L, Appendix 4) and deconflicts with BCT ACE. Counterintelligence focus is on insider threat during mission staging at Camp Aachen and host-nation contractor access to the BSA.

STRUCTURED CONTENT

1. PRIORITY INTELLIGENCE REQUIREMENTS

DECISION SUPPORTED	INDICATORS	LTIOV	NAI	NUMBER
Commit C Co reserve to block vs. continue east.	Tank-company-sized movement (10+ vehicles) westbound HIGHWAY 22; Increased ENY C2 traffic on 46.725 MHz; POL resupply column vic HIGHWAY 22 km 50	190200ZAPR26	NAI 3 (HIGHWAY 22 km 47); NAI 5 (NK 152 799)	1
SAPPER 2 lane selection and MICLIC reserve positioning.	Visual confirmation of AT-mine signatures via UAS FMV; Engineer recon report of wire density and anchor spacing	190430ZAPR26	NAI 2 (obstacle belt NK 138 779)	2
Engage Orlan-10 GCS as HPT; deconflict ROZ HAMMER.	Catapult signature visible in EO imagery; UHF data-link emissions 902-928 MHz	190400ZAPR26	NAI 7 (suspected GCS vic NK 155 795)	3
Priority target nomination for STEEL 6 preparation fires.	Multiple antenna signatures clustered on ridge; Increased foot traffic at suspected CP vehicle	190300ZAPR26	NAI 4 (OBJ HAMMER crest, NK 142 783)	4

COMMIT C CO RESERVE TO BLOCK VS. CONTINUE EAST.

PRIMARY COLLECTOR	Scout Plt OP 1 (TACON 173 RSTA)
STATEMENT	Will the enemy reinforce OBJ HAMMER from HIGHWAY 22 before 190500ZAPR26?

SAPPER 2 LANE SELECTION AND MICLIC RESERVE POSITIONING.

PRIMARY COLLECTOR	BCT Puma UAS; Scout Plt OP 2
STATEMENT	Is the obstacle belt at NK 138 779 mined or wire-only?

ENGAGE ORLAN-10 GCS AS HPT; DECONFLICT ROZ HAMMER.

PRIMARY COLLECTOR	BCT MICO SIGINT
STATEMENT	Where is the Orlan-10 launch/recovery site?

PRIORITY TARGET NOMINATION FOR STEEL 6 PREPARATION FIRES.

PRIMARY COLLECTOR	BCT Puma UAS orbit 190430-190800Z
STATEMENT	Location of enemy CP on OBJ HAMMER?

3. HIGH VALUE TARGET LIST

CATEGORY	ENGAGEMENT GUIDANCE	HPT NOMINATION	LIKELY LOCATIONS	LINKED PIR
C2	Neutralize with FA HE/PD on acquisition; avoid CDE in ALTENSTADT NFA.	Yes	OBJ HAMMER crest; Reverse slope NK 143 784	4
AIR_DEFENSE	SEAD — suppress H-2 to H+10 for VIPER 11/12 ingress.	Yes	Northern spur OBJ HAMMER	4
FIRES	Destroy on first firing; counter-battery cued to STEEL 6.	Yes	Reverse slope NK 145 787	4
ISR	DESTROY on acquisition; EW jam prior to kinetic strike.	Yes	NAI 7 NK 155 795	3
MANEUVER	Destroy with Javelin/TOW/ CAS as acquired.	No	Platoon strongpoints on MR-342 ridge	4

C2

PRIORITY RANK	1
SIGNATURE	3-4 antenna vehicles, HMMWV-class tracks, VHF emissions 30-88 MHz
TARGET DESCRIPTION	ENY MRC Commander and CP (est. NK 142 783)

AIR_DEFENSE

PRIORITY RANK	2
SIGNATURE	Twin 23mm barrels, towed prime mover, personnel clustering
TARGET DESCRIPTION	ZU-23-2 AAA piece (ground role) vic NK 140 781

FIRES

PRIORITY RANK	3
SIGNATURE	Q-53 radar acquisition; launch acoustic signature
TARGET DESCRIPTION	82mm mortar section (2 tubes)

ISR

PRIORITY RANK	4
SIGNATURE	Catapult launch rail; 9.6m antenna mast; 2-4 vehicle footprint
TARGET DESCRIPTION	Orlan-10 GCS and launch team

MANEUVER

PRIORITY RANK	5
SIGNATURE	Tracked IFV thermal signature; crew of 3 + 7 dismounts
TARGET DESCRIPTION	BMP-2 section (4 vehicles)

5. ENEMY COURSES OF ACTION

ADOPTION PROBABILITY	ASSOCIATED NAIS	DESIGNATION	INDICATORS	NARRATIVE	TITLE
high	NAI 1; NAI 3; NAI 7	MLCOA	Continued obstacle reinforcement vic NK 138 779; Orlan-10 launches from vic NK 161 792; Tank PLT staging vic HIGHWAY 22 km marker 47	ENY MRC(+) defends the ridge with two platoons forward and one in reserve; fixes friendly forces forward of obstacle belt NK 138 779; defeats penetration by counterattack from the east with tank PLT from 3d MRR reserve along HIGHWAY 22.	Defend in sector on MR-342 ridge
low	NAI 3; NAI 5	MDCOA	Tank company-sized movement south of GRID LINE 80 prior to 190300Z; Shift of ENY C2 emitter vic HIGHWAY 22 km 45	ENY preempts with a mounted spoiling raid from HIGHWAY 22 at 180400Z against friendly assembly area; defeats TF IRON before LD; follows with deliberate defense of OBJ HAMMER and	Spoiling attack from HIGHWAY 22

ADOPTION PROBABILITY	ASSOCIATED NAIS	DESIGNATION	INDICATORS	NARRATIVE	TITLE
				commitment of reinforcing MRR company (+) from the east.	

6. ASSUMPTIONS

- ENY 3d MRR tank battalion does not commit west of HIGHWAY 22 before 200600ZAPR26.
- Weather remains flyable for CAS and BCT Puma UAS throughout Phase II.
- GPS remains available; no degradation from Orlan-10 GCS co-located EW.

APPENDIX 1 (B) — INTELLIGENCE ESTIMATE

Running estimate maintained by S-2 and updated every 12 hours. Focus on enemy MLCOA/MDCOA, obstacle belt composition, and reinforcement triggers along HIGHWAY 22.

APPENDIX 2 (B) — COUNTERINTELLIGENCE

BCT CI team screens host-nation contractor access at BSA and conducts insider-threat awareness briefs prior to SP. No known FIS targeting of the training event.

APPENDIX 3 (B) — SIGNALS INTELLIGENCE

BCT MICO SIGINT platoon provides reinforcing collection against enemy C2 nets on OBJ HAMMER; cueing pushed to S-2 within 15 minutes of detection. No organic BN SIGINT capability.

APPENDIX 4 (B) — HUMAN INTELLIGENCE

No HUMINT operations in the AO; all source interaction with role-players coordinated through BCT G-2X. Soldiers report observations through SALUTE on BN O/I net.

APPENDIX 5 (B) — GEOSPATIAL INTELLIGENCE

BCT GEOINT cell provides 1:25,000 overprints of OBJ HAMMER with updated obstacle and SITEMP overlays every 12 hours. Digital products pushed via SharePoint.

APPENDIX 6 (B) — MEASUREMENT AND SIGNATURE INTELLIGENCE

Not resourced at BN level; any MASINT tipping flows from BCT ACE. Report thermal or acoustic anomalies through SPOTREP.

APPENDIX 7 (B) — OPEN-SOURCE INTELLIGENCE

S-2 monitors host-nation press and social media for training-area disruption or protest activity. No adversary OSINT collection assessed.

APPENDIX 8 (B) — TECHNICAL INTELLIGENCE

Recover and tag enemy equipment, documents, and UAS airframes (priority: Orlan-10 wreckage) for exploitation through BCT TECHINT cell. Do not disassemble on site.

ANNEX C OPERATIONS

The concept of operations expands the base order's scheme of maneuver across three phases. In Phase I (Shaping, 180600Z–190500ZAPR26), B Co conducts a feint toward OBJ ANVIL to fix the enemy's southern platoon while Scout Plt screens HIGHWAY 22 and confirms the enemy template. In Phase II (Decisive, 190500Z–190800ZAPR26), A Co, following SAPPER 2's breach of the obstacle belt at NK 138 779, assaults along AXIS GOLD to seize OBJ HAMMER. In Phase III (Consolidate, 190800Z–200600ZAPR26), TF IRON reorganizes on OBJ HAMMER, establishes hasty defense oriented north, and prepares to hand the objective off to 1-503 IN for follow-on operations against OBJ FALCON.

The Operation Overlay (App 2) depicts AA EAGLE, AXIS GOLD, PL SILVER (LD), PL BRONZE (FSCL/CFL), PL COPPER (LOA), OBJ HAMMER, OBJ ANVIL, and SBFs 1 and 2. The Decision Support Matrix (App 3) addresses three decision points: DP1 — commit reserve (trigger: A Co combat power below 70% prior to PL BRONZE); DP2 — shift fires to counter reinforcement (trigger: enemy platoon (+) south of GRID LINE 80 on HIGHWAY 22); DP3 — transition to Phase III (trigger: OBJ HAMMER cleared, no enemy activity within 2 km for 30 minutes).

Branches addressed: (1) enemy reinforces early — C Co assumes blocking position vic. NK 128 787, fires shift to interdict HIGHWAY 22; (2) obstacle belt exceeds template — SAPPER 2 executes deliberate breach with second MICLIC, A Co delays assault 30 minutes, B Co extends fix on OBJ ANVIL. Sequel is battle handover to 1-503 IN NLT 200400ZAPR26 IVO OBJ HAMMER, TF IRON retrograde to AA EAGLE for refit.

STRUCTURED CONTENT

1. AIRSPACE

MEASURES

NAME	TYPE	ROLES	ACTIVE	NOTES
BULLSEYE	POINT	bullseye	Continuous: Yes	Primary bullseye — all BRAA calls reference this point. Elevation 0 MSL assumed for calls.
BULLSEYE ALT	POINT	bullseye	Continuous: Yes	Alternate bullseye for eastern sector if primary is jammed.
IP ALPHA	POINT	initial	Continuous: Yes	Strike IP for OBJ HAMMER run-in from west; 15 nm final.
IP BRAVO	POINT	initial	Continuous: Yes	Alternate strike IP from north.
CP DOG	POINT	control	Continuous: Yes	Inbound airspace contact point — check in with MAGIC before push.
TACAN GRAF	POINT	fix	Continuous: Yes	Grafenwoehr AAF TACAN; 88X for area navigation.
ROZ HAMMER	ROZ		190430ZAPR26 to 190800ZAPR26	

NAME	TYPE	ROLES	ACTIVE	NOTES
NFZ ALTENSTADT	NFZ		181200ZAPR26 to 200600ZAPR26	
MEZ NORTH	MEZ		181200ZAPR26 to 200600ZAPR26	
FEZ SOUTH	FEZ		181200ZAPR26 to 200600ZAPR26	
ANCHOR 1	ORBIT		Continuous: Yes	
ANCHOR 2	ORBIT		Continuous: Yes	
CAP HIGH	ORBIT		Continuous: Yes	
TRACK ARCO	ORBIT		181200ZAPR26 to 200600ZAPR26	
TRACK SHELL	ORBIT		181200ZAPR26 to 200600ZAPR26	
MRR GOLD	MRR		190430ZAPR26 to 190800ZAPR26	
MRR SILVER	MRR		190430ZAPR26 to 190800ZAPR26	
HELO LOW	MRR		181200ZAPR26 to 200600ZAPR26	

BULLSEYE

POSITION 32UMA1000040000

BULLSEYE ALT

POSITION 32UMA2200040000

IP ALPHA

POSITION 32UMA1050038000

IP BRAVO

POSITION 32UMA1800042000

CP DOG

POSITION 32UMA0900045000

TACAN GRAF

POSITION 32UMA0850038500

ROZ HAMMER

DESCRIPTION	CAS stack over OBJ HAMMER during Phase II assault; Puma UAS deconflict below 2000 AGL.
COMPONENTS	Operation: add; Geometry: Kind: circle; Center: 32UMA1420038300; Radius: 3 nm; Lower Limit: 0 ft MSL; Upper Limit: 5000 ft MSL

NFZ ALTENSTADT

DESCRIPTION	Protected civilian village; no fixed-wing overflight below 10000 AGL, no indirect fires, no UAS orbits inside ring.
COMPONENTS	Operation: add; Geometry: Kind: circle; Center: 32UMA1150039000; Radius: 1 nm; Lower Limit: 0 ft MSL; Upper Limit: 99999 ft MSL

MEZ NORTH

DESCRIPTION	Patriot missile engagement layer covering northern approach.
COMPONENTS	Operation: add; Geometry: Kind: circle; Center: 32UMA1500048000; Radius: 25 nm; Lower Limit: 0 ft MSL; Upper Limit: 60000 ft MSL

FEZ SOUTH

DESCRIPTION	Southern Fighter Engagement Zone — CAP sweeps between ANCHOR 1 and ANCHOR 2.
COMPONENTS	Operation: add; Geometry: Kind: polygon; Rings: 32UMA0600030000; 32UMA1800030000; 32UMA1800020000; 32UMA0600020000; 32UMA0600030000; Lower Limit: 5000 ft MSL; Upper Limit: 45000 ft MSL

ANCHOR 1

GEOMETRY	Kind: point; Position: 32UMA0900032000
ALTITUDE	20000 ft MSL to 28000 ft MSL

ANCHOR 2

GEOMETRY	Kind: point; Position: 32UMA2200032000
ALTITUDE	20000 ft MSL to 28000 ft MSL

CAP HIGH

GEOMETRY	Kind: point; Position: 32UMA1400020000
ALTITUDE	28000 ft MSL to 35000 ft MSL

TRACK ARCO

GEOMETRY	Kind: line; Points: 32UMA0600050000; 32UMA1800050000
ALTITUDE	23000 ft MSL to 25000 ft MSL

TRACK SHELL

GEOMETRY	Kind: line; Points: 32UMA0600025000; 32UMA1800025000
ALTITUDE	18000 ft MSL to 20000 ft MSL

MRR GOLD

GEOMETRY	Kind: description; Text: CP DOG 32UMA110380 IP ALPHA

MRR SILVER

GEOMETRY	Kind: description; Text: 32UMA150360 32UMA080380 CP DOG

HELO LOW

GEOMETRY	Kind: line; Points: 32UMA0850038500; 32UMA1200038500; 32UMA1400038300

2. AIRSPACE CONTROL

GEO REFS

NAME	COORDINATES	ALTITUDE FT	KIND	TACAN CHANNEL
BULLSEYE	32UMA100400			
BULLSEYE ALT	32UMA220400			
IP ALPHA	32UMA105380	15000		
IP BRAVO	32UMA180420	15000		
CP DOG	32UMA090450	18000		
TACAN GRAF	32UMA085385	1410	NAVAID	88X

AIRSPACE ZONES

NAME	ANCHOR POINT	ENGAGEMENT RULES	POLYGON VERTICES
ROZ HAMMER	32UMA142383		
NFZ ALTENSTADT	32UMA115390		
MEZ NORTH	32UMA150480	Patriot owns 0-60k. Fighters stay above 25000 AGL inside MEZ with IFF Mode 4 squawking. Crossing MEZ boundary requires AWACS check-in.	
FEZ SOUTH		F-16 and F/A-18 flights; Patriot inhibited above 5000 AGL inside FEZ. All engagements on AWACS clearance.	32UMA060300; 32UMA180300; 32UMA180200; 32UMA060200

CAP TRACKS

NAME	ANCHOR POINT	CONTROLLER CALLSIGN	ORBIT GEOMETRY	ORBIT HEADING
ANCHOR 1	32UMA090320	MAGIC	RACETRACK	90
ANCHOR 2	32UMA220320	MAGIC	RACETRACK	270
CAP HIGH	32UMA140200	MAGIC	FIGURE_EIGHT	

ANCHOR 1

ORBIT LEG LENGTH NM	20
PRIMARY FREQ	251.0 AM
SECTOR OF RESPONSIBILITY	Western sector, 270-360 from BULLSEYE, 0-60 nm.

ANCHOR 2

ORBIT LEG LENGTH NM	20
PRIMARY FREQ	253.5 AM
SECTOR OF RESPONSIBILITY	Eastern sector, 000-090 from BULLSEYE, 0-60 nm.

CAP HIGH

ORBIT LEG LENGTH NM	15
PRIMARY FREQ	254.0 AM
SECTOR OF RESPONSIBILITY	High-cover CAP, TASK as OCA sweep on AWACS direction.

AAR TRACKS

NAME	ANCHOR PRIMARY	ANCHOR SECONDARY	PRIMARY FREQ	REFUELING METHOD
TRACK ARCO	32UMA060500	32UMA180500	260.5 AM	BOOM
TRACK SHELL	32UMA060250	32UMA180250	262.0 AM	DROGUE

TRACK ARCO

SECONDARY FREQ	261.0 AM
TACAN CHANNEL	63Y
TANKER TYPES SUPPORTED	KC-135R; KC-46A

TRACK SHELL

SECONDARY FREQ	262.5 AM
TACAN CHANNEL	67Y
TANKER TYPES SUPPORTED	KC-130J; S-3B; KC-46A

AWACS ORBITS

ALTITUDE FT	CALLSIGN	DATALINK CHANNEL	OFF STATION DTG	ON STATION DTG
31000	MAGIC	Link-16 NET 115	200600ZAPR26	181200ZAPR26
27000	DARKSTAR	Link-16 NET 115	191000ZAPR26	190300ZAPR26

31000

ORBIT CENTER	32UMA050380
ORBIT RADIUS NM	30
OWNS BULLSEYE	BULLSEYE
PLATFORM	E-3G Sentry
PRIMARY FREQ	251.0 AM
SECTOR OF RESPONSIBILITY	Full AO coverage; owns bullseye and CAP check-ins.

27000

ORBIT CENTER	32UMA230380
ORBIT RADIUS NM	20
PLATFORM	E-2D Hawkeye
PRIMARY FREQ	253.5 AM
SECTOR OF RESPONSIBILITY	Eastern sector redundancy during Phase II peak.

AIC SECTORS

CONTROLLER CALLSIGN	PRIMARY FREQ	REPORTS TO	RESPONSIBLE GEOGRAPHY	SECONDARY FREQ	SECTOR NAME
MAGIC RED	251.0 AM	MAGIC	270-360 from BULLSEYE, 0-60 nm, 0-40000 ft	251.5 AM	RED 1
MAGIC BLUE	253.5 AM	MAGIC	000-090 from BULLSEYE, 0-60 nm, 0-40000 ft	254.0 AM	BLUE 1
MAGIC STRIKE	260.0 AM	MAGIC	ROZ HAMMER + egress; manages strike package push / check-out.		STRIKE COORD

INGRESS CORRIDORS

NAME	ACTIVE DTG END	ACTIVE DTG START	ALTITUDE CEILING FT	ALTITUDE FLOOR FT
MRR GOLD	190800ZAPR26	190430ZAPR26	18000	8000
MRR SILVER	190800ZAPR26	190430ZAPR26	20000	10000
HELO LOW	200600ZAPR26	181200ZAPR26	800	200

MRR GOLD

DIRECTION	INGRESS
PURPOSE	Primary strike ingress to OBJ HAMMER IP ALPHA; deconflicts with ROZ HAMMER CAS stack below 5000.
WAYPOINTS	CP DOG; 32UMA110380; IP ALPHA

MRR SILVER

DIRECTION	EGRESS
PURPOSE	Post-strike egress corridor; avoids MEZ NORTH and NFZ ALTENSTADT.
WAYPOINTS	32UMA150360; 32UMA080380; CP DOG

HELO LOW

DIRECTION	BIDIRECTIONAL
PURPOSE	Rotary-wing low-altitude corridor to OBJ HAMMER; MEDEVAC / CASEVAC / resupply.
WAYPOINTS	32UMA085385; 32UMA120385; 32UMA140383

APPENDIX 2 (C) – OPERATION OVERLAY

Single 1:25,000 overlay depicting graphic control measures, unit boundaries, SBFs, and objectives. Published in Nett Warrior and as hardcopy hand-off at OPORD brief.

APPENDIX 3 (C) – DECISION SUPPORT PRODUCTS

DSM with three decision points tied to CCIR, a synchronization matrix aligning maneuver, fires, and sustainment by phase, and a decision-point execution checklist for the BN XO.

APPENDIX 8 (C) – INFORMATION OPERATIONS

IO theme is deterrence through visible readiness; no offensive IO effects authorized in training AO. Internal messaging emphasizes mission focus and host-nation partnership.

APPENDIX 10 (C) – AIRSPACE CONTROL

BN ADAM/BAE cell coordinates through BCT airspace element; ROZ HAMMER active 190430Z–190800ZAPR26 from surface to 5,000 ft AGL for Puma UAS and CAS stack. Deconfliction with Grafenwoehr range airspace IAW range SOP.

APPENDIX 11 (C) – RULES OF ENGAGEMENT

Training ROE IAW USAREUR-AF Reg 350-1 and Grafenwoehr Range SOP; blank/simunition only on OBJ HAMMER, live-fire only in designated impact areas. PID and positive target discrimination required; ALTENSTADT village (NK 115 790) is a NO FIRE AREA.

APPENDIX 12 (C) – CYBERSPACE ELECTROMAGNETIC ACTIVITIES

Defensive cyberspace operations only; BCT CEMA cell monitors BN network. No offensive cyber effects authorized. EW posture is EMCON-reduced until 190500ZAPR26, full emissions thereafter.

ANNEX D FIRES

Priority of fires is A Co during Phase I–II through seizure of OBJ HAMMER, then shifts to C Co during Phase III for counterattack defeat. STEEL 6 (Btry B/4-319 AFAR, 6x M119A3) executes a 12-minute preparation from 190448ZAPR26 to 190500ZAPR26 on OBJ HAMMER, targeting enemy platoon battle positions, the 82mm mortar section, and the ZU-23 position, followed by shift fires to suppress the reverse slope as A Co crosses PL SILVER. CAS is on-call through the BCT JTAC stack, with two F-16 sorties on 30-minute strip alert from Spangdahlem, callsigns VIPER 11/12.

Fire Support Coordination Measures: CFL along PL BRONZE effective 190500ZAPR26; NFA 500m radius around ALTENSTADT village vic. NK 115 790 effective throughout the operation; RFA over BSA and CTCP; coordinated fire line advances to PL COPPER at transition to Phase III. FSCOORD (STEEL 6) clears all fires forward of PL SILVER through BN CDR or XO. Counterfire radar coverage is provided by BCT Q-53 cueing to STEEL 6 within 3 minutes of enemy indirect fire.

Attack Guidance Matrix: HPTs are engaged with priority — enemy CP (neutralize, artillery, immediate); ZU-23 (destroy, CAS or artillery, immediate); mortar section (neutralize, artillery, immediate); BMP-2s (destroy, Javelin/TOW/CAS, as acquired); Orlan-10 GCS (destroy, artillery on BCT cueing). Ammunition priority is DPICM-equivalent HE, smoke for breach obscuration at 190440ZAPR26, and illumination on call.

STRUCTURED CONTENT

1. AIR SUPPORT

CAS BRIEFS

TARGET POSITION	TARGET DESCRIPTION	HEADING	DISTANCE	TARGET ELEVATION
32UMA1240045400	ENY ZU-23-2 twin 23mm AAA, ground role — north spur OBJ HAMMER, camouflaged revetment	088° M	15 nm	1740 ft MSL
32UMA1430078400	2x BMP-2 IFV in defilade along northern edge of OBJ HAMMER	210° M	8.5 nm	1720 ft MSL

32UMA1240045400

MARK	laser
LASER CODE	1688
FRIENDLY DISTANCE	850 m
FRIENDLY DIRECTION	South West
FINAL ATTACK HEADINGS	Start Bearing: 090° M; End Bearing: 090° M
TIME ON TARGET	190500ZAPR26
CONTROL TYPE	type_2
DANGER CLOSE	No
REMARKS	2x GBU-38 planned; fallback GBU-54 if SA-13 confirmed active. Abort code: THUNDER.
THREATS	SA-13 suspected vic NK 155 800 (5km NE); MANPADS risk on OBJ crest
HAZARDS	Kind: other; Description: Low ceilings possible 181400-182000Z (see Annex B weather)

32UMA1430078400

MARK	White Phosphorus
FRIENDLY DISTANCE	180 m
FRIENDLY DIRECTION	south
TIME ON TARGET	190530ZAPR26
CONTROL TYPE	type_1
DANGER CLOSE	Yes
REMARKS	GUNS ONLY within 200m of friendlies; AGM-65 Maverick authorized at ranges > 500m. Abort code: THUNDER.
THREATS	Small-arms + PKM belt-feds on OBJ slopes

2. FIRE SUPPORT COORDINATION MEASURES

NAME	TYPE	GEOMETRY	ACTIVE	EFFECTIVE DTG START
CFL PL BRONZE	CFL	Kind: description; Text: Along PL BRONZE NK 05 80 to NK 15 80	Continuous: Yes	190500ZAPR26
NFA ALTENSTADT	NFA	Kind: description; Text: 500m radius around NK 115 790	181200ZAPR26 to 200600ZAPR26	
RFA BSA/CTCP	RFA	Kind: description; Text: CTCP NK 118 772 r=400m; BSA Grafenwoehr main r=600m	Continuous: Yes	181200ZAPR26
ACA BRONZE-COPPER	ACA	Kind: description; Text: Along PL BRONZE to PL	Continuous: Yes	190500ZAPR26

NAME	TYPE	GEOMETRY	ACTIVE	EFFECTIVE DTG START
		COPPER, SFC-5000 ft AGL		

CFL PL BRONZE

ESTABLISHING HQ	2-503 IN (TF IRON)
REMARKS	Shifts to PL COPPER on TF crossing PL BRONZE with lead company.

NFA ALTENSTADT

ESTABLISHING HQ	173d IBCT (A)
REMARKS	Protected civilian village; no fires including illum or WP.

RFA BSA/CTCP

ESTABLISHING HQ	2-503 IN
REMARKS	Friendly protection; fires require BN CDR approval.

ACA BRONZE-COPPER

ESTABLISHING HQ	173d IBCT (A)
REMARKS	CAS stack airspace during assault; deconflict indirect fires.

4. TARGETING

TIME SENSITIVE TARGETS

TST NUMBER	PRIORITY	TARGET
TST-01	1	TST-01
TST-02	1	TST-02
TST-03	2	TST-03

5. PRIORITY OF FIRES BY PHASE

PHASE	PRIMARY	SECONDARY	ON ORDER
Phase I (Shaping, 180600Z–190448Z)	Scout Plt (TACON 173 RSTA)	BN O/I monitor for PIR triggers	
Phase II (Decisive, 190448Z–190800Z)	A Co (ABLE 6) — assault force	D Co Weapons (DOG 6) — SBF-1 direct fire support	C Co if reserve committed
Phase III (Consolidate, 190800Z–200600Z)	C Co (CHARLIE 6) — counterattack defeat	A Co — consolidated defense	

6. HIGH PAYOFF TARGET LIST

CATEGORY	ENGAGEMENT GUIDANCE	HPT NOMINATION	LIKELY LOCATIONS	LINKED PIR
C2	Neutralize with FA HE/PD — 2 volleys at TOT 190448Z.	Yes	NK 142 783	4
AIR_DEFENSE	SEAD H-2 to H+10 supporting VIPER 11/12 ingress.	Yes	Northern spur	4
FIRES	Destroy on first firing; counter-battery.	Yes	Reverse slope NK 145 787	4
ISR	DESTROY on acquisition; EW jam prior to kinetic.	Yes	NAI 7 NK 155 795	3

C2

PRIORITY RANK	1
SIGNATURE	Antenna cluster + C2 vehicles
TARGET DESCRIPTION	ENY MRC CP OBJ HAMMER

AIR_DEFENSE

PRIORITY RANK	2
SIGNATURE	Twin 23mm towed
TARGET DESCRIPTION	ZU-23-2 NK 140 781

FIRES

PRIORITY RANK	3
SIGNATURE	Q-53 radar acquisition; tube launch signature
TARGET DESCRIPTION	82mm mortar section

ISR

PRIORITY RANK	4
SIGNATURE	Catapult + UHF 902-928 MHz + 2-4 vehicles
TARGET DESCRIPTION	Orlan-10 GCS

8. ATTACK GUIDANCE MATRIX

EFFECT	HOW	HPT REFERENCE	RESTRICTIONS	WHEN
Neutralize	B/4-319 AFAR, 2 vols HE/PD	HPT #1 ENY CP	CDE Level 2; avoid ALTENSTADT NFA.	Planned
Suppress	B/4-319 AFAR, 1 vol HE/VT (SEAD)	HPT #2 ZU-23	H-2 to H+10 window only.	Planned
Destroy	B/4-319 AFAR, 2 vols HE/PD (counter-battery)	HPT #3 82mm mortars	Q-53 acquisition required.	Immediate

EFFECT	HOW	HPT REFERENCE	RESTRICTIONS	WHEN
Destroy	B/4-319 AFAR, 2 vols HE/PD or VIPER 11/12 GBU-38	HPT #4 Orlan-10 GCS	Confirm not within 500m of ALTENSTADT NFA.	As Acquired
Destroy	Javelin/TOW/CAS	HPT #5 BMP-2 section	Type 2 CAS control; PID required.	As Acquired

9. CLOSE AIR SUPPORT REQUESTS

ALERT STATUS	CALLSIGN	CONTROL AGENCY	MISSION NUMBER	ORDNANCE	TOT WINDOW
30-min strip alert, Spangdahlem AB	VIPER 11/12	JTAC DAGGER 11 (embedded A Co)	ATO DAY04 MSN 1142	2x GBU-38, 2x GBU-54, 1x AIM-9X, 510 rds 20mm	190500Z-190800ZAPR26

10. JPITL

APPROVAL AUTHORITY	AUTHORIZED ENGAGEMENT MEANS	CATEGORY	CDE LEVEL	COMPONENT TASKED
BCT Cdr (delegated from JFLCC)	M777 DS Btry (B/4-319); HIMARS (on GS request to BCT)	C2	CDE-2	LAND
JFACC (TST category deconfliction via JTCB)	F-16 GBU-38 (VIPER 11/12); M777 ICM if approved	AIR_DEFENSE	CDE-3	AIR
BCT Cdr	BCT EW (non-kinetic jam); FA HE/PD if persistence detected after jam	ISR	CDE-1	CYBER

BCT CDR (DELEGATED FROM JFLCC)

DESIRED EFFECT	NEUTRALIZE
ENGAGEMENT GUIDANCE	Neutralize with FA HE/PD, two volleys TOT 190448Z. Avoid CDE encroachment on ALTENSTADT NFA to the south.
LINKED HVT RANK	1
LOCATION	32UMA123456
NO STRIKE CROSSREF	NSL — ALTENSTADT church/school cluster 500m south (protected sites)
PRIORITY RANK	1
REVIEW DTG	200600ZAPR26
ROE CONSTRAINTS	No ICM / cluster munitions; PID via ISR cue + callsign BRONCO 6 visual confirm.
STATUS	APPROVED
TARGET DESCRIPTION	Motorized rifle company command post co-located with battalion LNO team — antenna cluster + 3-4 C2 vehicles on OBJ HAMMER reverse slope.
TARGET NAME	ENY MRC CP, OBJ HAMMER
TARGET NUMBER	TGT 0042

JFACC (TST CATEGORY DECONFLICTION VIA JTCB)

DESIRED EFFECT	DESTROY
ENGAGEMENT GUIDANCE	SEAD between H-2 and H+10 to open VIPER 11/12 ingress corridor for follow-on CAS stack.
LINKED HVT RANK	2
LOCATION	32UMA124454
PRIORITY RANK	2
REVIEW DTG	191000ZAPR26
STATUS	APPROVED
TARGET DESCRIPTION	Twin 23mm AAA, ground role, with towed prime mover. Identified by BCT Puma UAS FMV 181830ZAPR26.
TARGET NAME	ENY ADA: ZU-23-2, north spur OBJ HAMMER
TARGET NUMBER	TGT 0043

BCT CDR

DESIRED EFFECT	DEGRADE
ENGAGEMENT GUIDANCE	EW jam first per commander's escalation preference; kinetic only if GCS persists beyond 15 min after jam initiated.
LINKED HVT RANK	4
LOCATION	32UMA155795
PRIORITY RANK	3
REVIEW DTG	190600ZAPR26
ROE CONSTRAINTS	Civilian presence within 1km — cyber/EW preferred, kinetic last resort.
STATUS	PENDING
TARGET DESCRIPTION	UAS ground control station: catapult launcher, 2-4 support vehicles, UHF data-link 902-928 MHz.
TARGET NAME	Orlan-10 GCS, vic NAI 7
TARGET NUMBER	TGT 0044

12. TIME SENSITIVE TARGETS

NAME	ACTIVITY WINDOW	AUTHORIZED ENGAGEMENT MEANS	CATEGORY	CDE LEVEL
TST-01	190200ZAPR26 – 191200ZAPR26	F-16 GBU-38 (VIPER 11/12); HIMARS PGM on JFLCC approval	WMD	CDE-4
TST-02	190900ZAPR26 – 191130ZAPR26 (recurring daily pattern)	HIMARS PGM; FA HE/PD 155mm; F-16 GBU-54	ENEMY_LEADERSHIP	CDE-3
TST-03	Any time 181200ZAPR26 – 200600ZAPR26	HIMARS PGM (prime); F-16 GBU-38 (alternate)	LRF	CDE-2

TST-01

COLLECTION REQUIREMENTS	BCT Puma UAS orbit NAI 12 from 190100ZAPR26; EW/SIGINT cue on chemical-unit HF/VHF net (per ISR annex); HUMINT debrief of ALTENSTADT refugees for corroboration
ENGAGEMENT AUTHORITY	JFLCC (retained for WMD-category TSTs)
EXPECTED ACTIVITY	Vehicle transfer of sealed crates between TEL and storage bunker; chemical-protective posture (MOPP-2) observed on operators.
EXPECTED LOCATIONS	NAI 12 (NK 160 810); Secondary NAI 14 (NK 158 805)
EXPIRATION CRITERIA	Neutralization confirmed via BDA OR 191200ZAPR26 elapsed without PID.
LINKED PIR	1; 4
NOTIFICATION REQUIREMENTS	JFACC (airspace deconfliction); Adjacent JSOTF; CJTF SJA (LOAC review); BCT SURGEON (post-strike CBRN response)
PID STANDARD	Two independent sensor confirms (EO imagery + SIGINT emitter pattern) AND visual confirmation of protective posture.
ROE CONSTRAINTS	No engagement without positive WMD confirmation; otherwise re-categorize to JPITL standard cycle.

TST-02

COLLECTION REQUIREMENTS	BCT Puma UAS orbit route NK 145-160; SIGINT cue on MRB command net
ENGAGEMENT AUTHORITY	BCT Cdr
EXPECTED ACTIVITY	Movement between tactical CP on OBJ HAMMER and rear CP vic NK 160 800; typically 1030Z daily.
EXPECTED LOCATIONS	OBJ HAMMER reverse slope NK 142 783; Route between CP and rear NK 150 795
EXPIRATION CRITERIA	BDA confirms neutralization OR 191500ZAPR26.
LINKED PIR	4
NOTIFICATION REQUIREMENTS	BCT S-2 (update intel picture); Adjacent battalion LNOs
PID STANDARD	SIGINT voice-print + ISR visual of known vehicle (black Tigr-M with unique antenna).
ROE CONSTRAINTS	No engagement within 500m of ALTENSTADT NFA or civilian vehicle presence.

TST-03

COLLECTION REQUIREMENTS	Theater ISR (U-2/Global Hawk) on NAI 18/19; BCT EW cue on launch-battery net
ENGAGEMENT AUTHORITY	JFLCC
EXPECTED ACTIVITY	TEL erects from travel configuration to ready-to-launch; accompanying 2-vehicle support element (fuel + command).
EXPECTED LOCATIONS	NAI 18 (NK 200 830); NAI 19 (NK 210 840)
EXPIRATION CRITERIA	Neutralization OR TEL displaces beyond BCT AO.
LINKED PIR	2
NOTIFICATION REQUIREMENTS	JFACC (airspace); Patriot battery (defensive hand-off if launch detected)
PID STANDARD	EO imagery of erected TEL + SIGINT confirmation of launch-battery net activity.

14. CAS NINE LINES

NAME	CAS CALLSIGN	CONTROL AGENCY	EGRESS	FRIENDLIES MARKING
cas-1	VIPER 11 / F-16C x 2	DAGGER 11 (JTAC embedded A Co)	SOUTH LOW, turn west at PL SILVER, climb to TRACK ARCO block	VS-17 panel + IR strobe on A Co lead element
cas-2	UZI 21 / A-10C x 2	DAGGER 11	NORTH LOW AND FAST to MRR SILVER, climb to A/A refuel TRACK SHELL	Red smoke + IR strobe

CAS-1

IP OR BP	IP ALPHA
TARGET LOCATION	32UMA124454

CAS-2

IP OR BP	IP BRAVO
TARGET LOCATION	32UMA143784
GROUND COMMANDER INITIALS	T.M.

16. CDE GUIDANCE

LEVELS

DESCRIPTION	DOCUMENTATION REQUIRED	ENGAGEMENT AUTHORITY	LEVEL	NAME
Confirm target identity, positive location, current activity, and absence of collateral concerns within the weapon effects radius. No further CDE steps required if all three conditions satisfied and no	Target folder summary; Imagery / sensor confirmation of PID; NSL / RTL deconfliction statement	Tactical commander (BN CDR, BCT CDR for BCT-controlled assets)	CDE-1	Target Validation

DESCRIPTION	DOCUMENTATION REQUIRED	ENGAGEMENT AUTHORITY	LEVEL	NAME
No-Strike List or Restricted Target List entry lies within blast / fragmentation radius.				
Positive identification of collateral concerns (civilians, protected facilities per LOAC, NSL / RTL entries) within the effects radius of the planned weapon. Proceed to CDE-3 if concerns cannot be excluded from the effects area through PID alone.	CDE-1 package plus; Collateral-object inventory (category, location, population estimate if civilian); Mitigation strategy (timing, approach, angle)	Tactical commander with mitigation memo	CDE-2	Collateral Object Identification
Adjust weapon selection and delivery parameters to place collateral concerns outside the weapon effects radius. Options include lower-yield munitions, delay / penetrator fusing, angle-of-attack restrictions, and precision PGM substitution. Weaponeering worksheet (JMEM / PSS) documents the selected combination.	CDE-2 package plus; Weaponeering worksheet (JMEM / PSS output); LOAC review memo (CJTF SJA)	Operational commander (Division / JTF level); delegated to BCT CDR for pre-approved target sets	CDE-3	Weaponeering
Where collateral concerns remain inside the weapon effects radius after weaponeering, quantify the probability of significant damage using PSS-SOF or equivalent methodology. Risk threshold for proceeding is established by the approval authority.	CDE-3 package plus; Quantitative risk assessment (PSS-SOF v6.1); LOAC review endorsement (OSJA / SJA)	Senior operational commander (JTF / COCOM)	CDE-4	Risk Assessment
Formal casualty estimation required when probable non-combatant casualty count exceeds the established threshold (typically 30 or category-specific). CDE-5 package reviewed at theater or national level; approval retained at SECDEF / CJCS for Category 1 targets.	CDE-4 package plus; Formal CDE-5 worksheet (CJCSI 3160.01 App A); Theater-level LOAC review; Senior-commander concurrence memo	SECDEF or delegated authority for CAT-1 targets; CJCS / COCOM for others	CDE-5	Casualty Estimation

COMMANDERS GUIDANCE

CDE posture for IRON STRIKE is MINIMUM FORCE with preference for precision PGM delivery. Default to CDE-3 weaponeering for any target within 1 km of ALTENSTADT NFA or designated NSL entries. CDE-4 and above require BCT Cdr concurrence prior to JFLCC submission. Dynamic re-tasking inside ROZ HAMMER during Phase II retains TYPE-2 JTAC control; danger-close engagements require ground-commander initials per 9-line remarks field.

WEAPONEERING METHODOLOGY:	Joint Munitions Effectiveness Manual (JMEM) + Precision Strike Suite (PSS-SOF) v6.1
LOAC REVIEW AUTHORITY:	CJTF SJA (BCT OSJA for CDE-1/2 expedited review)
NO STRIKE LIST REFERENCE:	USAREUR-AF NSL v2026-04-15 (incl. ALTENSTADT church/school cluster)
RESTRICTED TARGET LIST REFERENCE:	CJTF RTL v2026-04-17 (incl. host-nation critical infrastructure on GRAF range)
DOCUMENTATION REQUIREMENTS	• Target folder (imagery, PID evidence, pattern-of-life) • Weaponeering worksheet (JMEM / PSS-SOF output) • CDE worksheet (CJCSI 3160.01 Appendix A) for CDE-2 and above • LOAC review memo for CDE-3 and above • Senior-commander concurrence memo for CDE-4/5
ADDITIONAL NOTES	Dynamic targeting abort codes: "THUNDER" (abort weapons release), "CEASE" (withhold and re-engage). NGO aid convoys declared through JOC; 500m standoff applies absent explicit JFLCC override. All civilian-vehicle PID reversals trigger automatic re-qualification to CDE-3.

APPENDIX 1 (D) — FIELD ARTILLERY SUPPORT

Btry B/4-319 AFAR DS to 2-503 IN from 181200ZAPR26; PAA vic. NK 105 762. Basic load 180 rounds HE, 30 smoke, 20 illumination per tube; Class V resupply pre-positioned at BSA.

APPENDIX 2 (D) — AIR SUPPORT

Two F-16 sorties on 30-minute strip alert from Spangdahlem AB, callsigns VIPER 11/12, controlled by JTAC (embedded with A Co main CP). CAS check-in on BN FIRES net; 9-line format per JP 3-09.3.

APPENDIX 4 (D) — AIR AND MISSILE DEFENSE

No organic ADA; passive air defense measures in effect (dispersion, camouflage, early warning). Counter-UAS priority against Orlan-10; report all UAS sightings via SPOTREP with DRAW-D.

APPENDIX 5 (D) — TARGETING

Targeting working group convenes at BN TOC 181800ZAPR26 and 190000ZAPR26. HPTL, TSS, and AGM published as products of the targeting cycle; S-2 and FSO co-chair.

ANNEX E PROTECTION

Protection priorities are, in order: A Co assault element during Phase II; CTCP vic. NK 118 772; BN Main CP vic. NK 110 765; Btry B firing position vic. NK 105 762. OPSEC posture is radio silence below BN level until 190500ZAPR26; BN CMD and O/I nets operate in EMCON-reduced with scheduled SITREPs only. Cover-and-concealment discipline enforced at AA EAGLE; no fires, no white light, and red-lens only from 181800ZAPR26 until LD.

CBRN posture is MOPP 0, mission-tailored; enemy CBRN capability is assessed NIL. Personnel recovery plan is keyed to the BN isolated personnel report (ISOPREP) on file with BCT PR cell; primary PR force is C Co reserve, alternate is BCT QRF. Force Health Protection emphasizes tick and vector precaution (permethrin treatment of uniforms, daily tick checks) given the Bavarian spring operating environment; heat/cold risk is MODERATE overnight.

Safety posture for the live-fire portions of the operation is governed by Grafenwoehr Range SOP and the BN range safety annex. Range OICs and RSOs are identified by company; medevac lanes are ground (primary) via MSR CLUB to Role 2 at BSA and air (alternate) to Landstuhl Regional Medical Center. All risk-mitigation measures from the DD Form 2977 are briefed to platoon level NLT 181800ZAPR26.

APPENDIX 2 (E) — OPERATIONS SECURITY

EEFI: timing of LD, obstacle breach location, reserve commitment criteria. EMCON-reduced until 190500ZAPR26; no personal electronic devices forward of AA EAGLE.

APPENDIX 4 (E) — EXPLOSIVE ORDNANCE DISPOSAL

EOD support on-call from 54 BEB EOD section at BSA; response time 45 minutes to CTCP. Report all UXO via 9-line UXO report on BN O/I net.

APPENDIX 5 (E) — CBRN OPERATIONS

MOPP 0, mission-tailored; M8/M9 paper issued to platoon level. BN CBRN NCO monitors atmospheric hazards and maintains downwind prediction if required.

APPENDIX 6 (E) — SAFETY

Composite risk assessment MODERATE overall, HIGH during live-fire breach at NK 138 779. RSOs enforce range SOP; ground-guides required for all vehicle movement at AA EAGLE and BSA.

APPENDIX 9 (E) — PERSONNEL RECOVERY

ISOPREPs on file with BCT PR cell; EPA briefed to platoon leaders. Primary PR force is C Co reserve; alternate is BCT QRF with 60-minute response.

APPENDIX 11 (E) — FORCE HEALTH PROTECTION

Permethrin-treated uniforms, daily tick checks, hydration plan (3L/day minimum). BAS at CTCP, Role 2 at BSA, Role 3 at Landstuhl. Cold-weather injury prevention briefed NLT 181800ZAPR26.

APPENDIX 12 (E) — CRITICAL ASSET LIST AND DEFENDED ASSET LIST

CAL: BN Main CP, CTCP, Btry B firing position, BSA. DAL prioritizes BN Main CP and Btry B; protected by dispersion, camouflage, and C Co reserve response.

ANNEX F SUSTAINMENT

The Combat Trains Command Post establishes vic. NK 118 772 NLT 190400ZAPR26 under the HHC commander; the Brigade Support Area remains at Grafenwoehr main cantonment. LOGPACs cycle every 8 hours on MSR CLUB from BSA to CTCP, with push forward to company trains by the HHC 1SG. Ambulance Exchange Point is established vic. NK 125 776 operated by the BN BAS, with a second AXP co-located with the CTCP for Phase III.

Class I is two hot meals plus MRE daily; Class III(B) resupply is by 2500-gal fuel tanker on the 0400Z LOGPAC; Class V is pre-positioned at the BSA with a full basic load plus 25% for contingency, released forward on call by S-4. Class VIII flows from BCT Role 2 on the BSA routine push; urgent Class VIII moves with MEDEVAC. Class IX repair parts are push-packaged by the BSB distribution company for the 48-hour operation.

Personnel replacement and casualty reporting flow through the BN S-1 co-located at the CTCP; PERSTAT due every 6 hours. Mortuary affairs collection point is at the BSA, operated by the BSB MA team. Religious support is continuous from the BN UMT; legal support is reachback through BCT OSJA. Host-nation contracting through USAG Bavaria supports billeting and POL reachback.

APPENDIX 1 (F) — LOGISTICS

LOGPAC every 8 hours on MSR CLUB; CTCP vic. NK 118 772 NLT 190400ZAPR26. Classes I, III, V, VIII, IX managed by S-4 in coordination with BSB FSC.

APPENDIX 2 (F) — PERSONNEL SERVICES SUPPORT

S-1 at CTCP manages strength reporting, replacement operations, and awards. PERSTAT every 6 hours on BN ADMIN net.

APPENDIX 3 (F) — ARMY HEALTH SYSTEM SUPPORT

Role 1 BAS at CTCP; Role 2 at BSA; Role 3 reachback to Landstuhl Regional Medical Center. MEDEVAC launch authority at BN TOC; 9-line format on BN MEDEVAC net.

APPENDIX 5 (F) — LEGAL SUPPORT

Reachback to BCT OSJA for ROE interpretation, Article 15 action, and investigations. BN S-1 handles first-line legal routing.

APPENDIX 6 (F) — RELIGIOUS SUPPORT

BN UMT (chaplain and RP) circulate between AA EAGLE, CTCP, and BAS; services at 181700ZAPR26 and 190300ZAPR26. Crisis response on call via BN CMD net.

APPENDIX 7 (F) — OPERATIONAL CONTRACT SUPPORT

USAG Bavaria contracting supports billeting, POL reachback, and DFAC services. No contractor forward of AA EAGLE.

APPENDIX 8 (F) — MORTUARY AFFAIRS

MACP at BSA operated by BSB MA team. Human remains evacuation on dedicated vehicle; no collocation with Class I or VIII.

ANNEX G ENGINEER

The scheme of engineer operations is anchored on SAPPER 2 (2d Plt/A/54 BEB, OPCON from 181800ZAPR26) executing the breach of the wire and AT-ditch obstacle belt at NK 138 779 NLT 190445ZAPR26. SAPPER 2 employs one MICLIC on the primary lane (LANE RED) with a second MICLIC in reserve for LANE BLUE; lane-marking is VS-17 panels by day and chemlights by night, with far-side security provided by A Co 1st Plt. Countermobility is not planned in Phase I–II; in Phase III, SAPPER 2 emplaces a hasty point obstacle vic. NK 145 787 to canalize enemy reinforcement along HIGHWAY 22.

Survivability effort prioritizes the CTCP and BN Main CP; SAPPER 2 provides a SEE (Small Emplacement Excavator) to dig in the TOC and CTCP vehicles NLT 190200ZAPR26. No mobility work is planned on MSR CLUB; the route is confirmed trafficable from Scout Plt reconnaissance NLT 190000ZAPR26. General engineering is limited given the training-area constraints and 48-hour operation window.

Environmental considerations are significant: Grafenwoehr Training Area is a German federal training facility with strict restrictions on digging, tree removal, and watercourse crossing. All survivability positions are backfilled NLT 200400ZAPR26; no fires in wooded areas outside designated impact zones; spill response kits at every refuel point. Geospatial products (1:25,000 overprints, obstacle overlays, line-of-sight analysis) are pushed by BCT GEOINT cell through SharePoint and Nett Warrior.

APPENDIX 1 (G) — MOBILITY/COUNTERMOBILITY/SURVIVABILITY

SAPPER 2 breaches obstacle belt at NK 138 779 NLT 190445ZAPR26; survivability for CTCP and BN Main CP NLT 190200ZAPR26; Phase III point obstacle vic. NK 145 787.

APPENDIX 2 (G) — GENERAL ENGINEERING

Limited general engineering; no horizontal construction planned. Route maintenance on MSR CLUB by host-nation Bundeswehr range infrastructure as required.

APPENDIX 3 (G) — GEOSPATIAL ENGINEERING

BCT GEOINT cell pushes 1:25,000 overprints, obstacle overlays, and LOS analysis through SharePoint. BN S-2 integrates into SITEMP and targeting products.

APPENDIX 4 (G) — ENVIRONMENTAL CONSIDERATIONS

Backfill all survivability positions NLT 200400ZAPR26. No fires outside designated impact areas; spill kits at every refuel point. Report environmental incidents to BN S-3 immediately.

ANNEX H SIGNAL

Network operations execute under SOI Edition 04-26, effective 181200ZAPR26 through 200600ZAPR26. FM is primary for BN CMD, O/I, FIRES, ADMIN, and MEDEVAC nets; TACSAT is secondary for BN CMD and O/I, with BCT TACSAT channel assignments per SOI. Nett Warrior provides the common operating picture at platoon leader and higher, synchronized with the BN TOC CPOF every 15 minutes. Data services (SharePoint, email) are available at BN Main CP and CTCP via CPN node from BCT signal company.

The BN S-6 manages organic signal assets and coordinates spectrum use through BCT S-6; JCEOI issued NLT 181600ZAPR26. Frequency-hopping SINCGARS is the standard for all BN nets; single-channel fallback per SOI. COMSEC is loaded NLT 181800ZAPR26 with a 24-hour rollover at 200000ZAPR26; BN S-6 OPCON to CTCP for COMSEC replacement and key management.

Priority of signal support is BN CMD net, then FIRES net, then O/I, then ADMIN. Retransmission is provided by a single retrans team vic. NK 108 775 to cover the 8-km depth of the AO. Troubleshooting procedures are published in the SOI; any net loss reported to BN S-6 within 5 minutes with channel, callsign, and last known functional time. Tactical call signs listed below are campaign-specific and change with each SOI edition; they are not permanent unit designations.

STRUCTURED CONTENT

1. PACE PLANS

ALTERNATE	CONTINGENCY	EMERGENCY	NET NAME	PRIMARY	SHIFT CRITERIA
TACSAT MUOS Narrowband CH 7	HF ALE 5.348 MHz, ALE net ANVIL	JCR/BFT free-text, group BN66CMD	BN CMD	SINCGARS FH Hopset 01 (ASIP), COMSEC Set ALPHA	Shift to ALTERNATE on 2x failed comms checks or confirmed EA.
TACSAT MUOS Narrowband CH 8	HF USB 5.375 MHz	Courier to BN TOC	BN O/I	SINCGARS FH Hopset 02	Immediate shift on PIR-triggered SPOTREP if primary degraded.
SINCGARS SC 41.250 MHz	AFATDS digital fires net	Runner to STEEL 6 FDC	BN FIRES	SINCGARS FH Hopset 03	STEEL 6 DS priority — never without fires means.
TACSAT DUSTOFF push	FM 40.500 MHz SC (MEDEVAC guard)	Phone/courier to BAS	BN MEDEVAC	SINCGARS FH Hopset 05	9-line MEDEVAC always gets through — unbroken chain required.

2. COMSEC SCHEDULE

LOAD DTG:	181800ZAPR26
ROLLOVER DTG:	200000ZAPR26
CONTROLLING AUTHORITY:	BN S-6 COMSEC Custodian (SFC ROURKE), Account 5J4421-A
ZEROIZE TRIGGERS	• Capture imminent

- Overrun of position
- Unauthorized disclosure
- Loss of ECU/fill device

3. RETRANS SITES

GRID	NETS SUPPORTED	PARENT UNIT	SITE NAME	TEAM CALLSIGN
NK108775	BN CMD; BN O/I	HHC/2-503 IN S-6 Section	RETRANS ALPHA	R26

4. CALL SIGN ASSIGNMENTS

TASK FORCE IRON — BATTALION MAIN & STAFF

CALLSIGN	UNIT
IRON 6	BN Commander
IRON 5	BN Deputy Commander
IRON 3	BN S-3 (Operations)
IRON 7	BN Executive Officer
IRON 2	BN S-2 (Intelligence)
IRON 4	BN S-4 (Logistics)
IRON 6-ROMEO	BN S-6 (Signal)
IRON BASE	BN TOC
IRON TAC	BN TAC CP
IRON TRAINS	CTCP (Combat Trains)

MANEUVER COMPANIES — 2-503 IN (ABN)

CALLSIGN	UNIT
ABLE 6	A Co (Decisive Op)
BRAVO 6	B Co (Shaping, fix OBJ ANVIL)
CHARLIE 6	C Co (Reserve)
DOG 6	D Co Weapons (DF support)
HEADHUNTER 6	HHC
RECON 6	Scout Platoon (TACON 173 RSTA until 190430Z)
RED LEG	Mortar Platoon (HHC)

ATTACHED / SUPPORTING ENABLERS

CALLSIGN	UNIT
SAPPER 2	2d Plt / A Co / 54 BEB (Mobility/Breach, OPCON)
STEEL 6	Btry B / 4-319 AFAR (Fires, DS)
DAGGER 11	BN JTAC (with A Co)

CALLSIGN	UNIT
SAVIOR 6	BN Aid Station (Role 1)
SHEPHERD 6	BN UMT (Chaplain)

HIGHER HQ & ADJACENT UNITS

CALLSIGN	UNIT
FALCON 6	173d IBCT (A) Commander
FALCON BASE	173d IBCT (A) TOC
GERONIMO 6	1-503 IN (Follow-on Force)
LION 6	173 RSTA SQDN
DIAMONDBACK 6	54 BEB
MULE 6	173 BSB

AVIATION & CLOSE AIR SUPPORT

CALLSIGN	UNIT
VIPER 11, VIPER 12	CAS Stack (F-16 pair, Spangdahlem)
DUSTOFF 74	Medevac Flight (BCT)
EAGLE EYE	BCT Puma UAS (orbit OBJ HAMMER)
CASINO	Casino / ASOC Duty Controller (BCT)

HOST-NATION & RANGE CONTROL

CALLSIGN	UNIT
RANGE CONTROL	Grafenwoehr Range Control
EAGLE LNO	Bundeswehr Grafenwoehr LNO

5. DISTRIBUTION LIST

- 173d IBCT (A) S-6 / TOC
- 2-503 IN (Airborne), Commander and S-6
- A Co / 2-503 IN (ABLE 6)
- B Co / 2-503 IN (BRAVO 6)
- C Co / 2-503 IN (CHARLIE 6)
- D Co Weapons / 2-503 IN (DOG 6)
- HHC / 2-503 IN
- 2d Plt / A Co / 54 BEB (SAPPER 2)
- Btry B / 4-319 AFAR (STEEL 6)
- 1-503 IN S-6 (follow-on forces)
- 173 RSTA SQDN S-6
- 54 BEB S-6
- 4-319 AFAR S-6
- 173 BSB S-6
- BCT JTAC / CAS stack (VIPER 11/12)
- BCT MEDEVAC cell

- Grafenwoehr Range Control
- Bundeswehr Grafenwoehr Spectrum Office

APPENDIX 1 (H) — COMMUNICATIONS PLAN

This appendix publishes the consolidated radio ladder for IRON STRIKE. All frequencies are SINCGARS hopsets unless otherwise noted; single-channel frequencies are published only for fallback and cross-component use (aviation, range control, host nation). Channels are pre-loaded by BN S-6 NLT 181600ZAPR26 and verified by each company signal NCO during the comms check at 181800ZAPR26.

BATTALION INTERNAL NETS · SINCGARS FH — HOPSET AND LOCKOUT PER SOI ED. 04-26

CHANNEL	FREQUENCY	NAME	PURPOSE
01	HOPSET 01	BN CMD	Battalion command net — CDR, S-3, Co CDRs, TOC
02	HOPSET 02	BN O/I	Operations & intelligence — S-2, Scout Plt, SPOTREP
03	HOPSET 03	BN FIRES	Call for fire — STEEL 6, FSO, JTAC
04	HOPSET 04	BN ADMIN	Logistics & personnel — S-1, S-4, LOGSTAT, PERSTAT
05	HOPSET 05	BN MEDEVAC	9-line MEDEVAC — BAS, DUSTOFF 74 hand-off
06	HOPSET 06	BN RETRANS	Retransmission site vic. NK 108 775
11	HOPSET 11	A Co INT	A Co internal (Plt to Co)
12	HOPSET 12	B Co INT	B Co internal
13	HOPSET 13	C Co INT	C Co internal
14	HOPSET 14	D Co INT	D Co Weapons internal — TOW, MG sections
15	HOPSET 15	SAPPER	SAPPER 2 breach coordination

HIGHER & ADJACENT NETS · MONITORED BY BN TOC; CROSS-TALK AUTHORIZED BY S-3

CHANNEL	FREQUENCY	NAME	PURPOSE
20	HOPSET 20	BCT CMD	FALCON 6 net — BN CDR monitor
21	HOPSET 21	BCT O/I	BCT ops — BN TOC monitor
22	HOPSET 22	BCT FIRES	BCT fires — STEEL 6 cross-talk with BCT FSE
23	HOPSET 23	173 RSTA	Scout Plt under TACON; recon handover
24	HOPSET 24	1-503 BHO	Battle handover net with GERONIMO 6 — Phase III

AVIATION & RANGE CONTROL · UHF/VHF AM SINGLE-CHANNEL — STRICT DISCIPLINE PER RANGE SOP

CHANNEL	FREQUENCY	NAME	PURPOSE
30	242.250 MHz	CASINO	Tactical Aircraft Coordination (ASOC Duty)
31	242.500 MHz	VIPER	CAS check-in — F-16 pair 9-line
32	40.50 MHz FM	DUSTOFF	MEDEVAC coordination — 9-line hand-off
33	139.800 MHz	EAGLE EYE	BCT Puma UAS FMV cue — BN S-2 monitor
34	40.10 MHz FM	RANGE CTL	Grafenwoehr Range Control — emergency & cease-fire
35	243.000 MHz	GUARD	International distress — emergency only

DISTRIBUTION LIST

- 173d IBCT (A) S-6 / S-3 / TOC
- 2-503 IN Commander, S-3, S-6, Company CDRs
- SAPPER 2, STEEL 6, DUSTOFF 74
- 1-503 IN S-6; 173 RSTA SQDN S-6
- Grafenwoehr Range Control; Bundeswehr Spectrum Office

APPENDIX 2 (H) — VOICE, VIDEO, AND DATA NETWORK DIAGRAMS

Network diagrams depict FM nets, TACSAT channels, CPN node topology, and Nett Warrior mesh. Published as a separate product by BN S-6 NLT 181600ZAPR26.

APPENDIX 3 (H) — SATELLITE COMMUNICATIONS

TACSAT channels assigned per SOI; MUOS narrowband reachback for BN CMD. TACSAT is secondary to FM; failover protocol in SOI.

APPENDIX 5 (H) — SPECTRUM MANAGEMENT OPERATIONS

BCT S-6 spectrum manager deconflicts with host-nation Bundeswehr spectrum office; BN submits JSIR reports for any interference within 15 minutes.

APPENDIX 7 (H) — COMSEC

COMSEC loaded NLT 181800ZAPR26; 24-hour rollover at 200000ZAPR26. Lost or compromised COMSEC reported immediately to BN S-6 and BCT COMSEC custodian.

ANNEX J PUBLIC AFFAIRS

Public affairs posture is low-profile; IRON STRIKE is an internal training operation with no embedded media and no planned public release. External release authority rests with the 173d IBCT PAO; BN S-3 routes any inquiry through the BCT PAO without comment. Internal audience messaging emphasizes readiness, airborne infantry proficiency, and the strength of the U.S.–German training partnership at Grafenwoehr.

Soldiers are reminded of OPSEC responsibilities on personal social media: no grids, no timelines, no unit positions, no casualty information. Command Information products (BN newsletter, post-operation photos) are staged through BCT PAO after 200600ZAPR26 with OPSEC review. Any host-nation media encounter on the training area is routed to the BCT HN LNO and BCT PAO.

ANNEX K CIVIL AFFAIRS OPERATIONS

Civil-military operations in IRON STRIKE are limited to training-area coordination and host-nation partnership. ALTENSTADT village vic. NK 115 790 is protected as a no-fire area and off-limits to ground maneuver; any inadvertent entry is reported immediately to BN S-3 and BCT HN LNO. Liaison with the Bavarian Forestry Authority and Grafenwoehr Range Control is continuous through the BCT HN LNO for range deconfliction, fire danger level, and wildlife advisories.

There are no populace and resources control operations, no foreign humanitarian assistance, and no civil administration tasks. Bundeswehr Grafenwoehr Training Area Command is the primary host-nation interface for range infrastructure, ammunition handling, and emergency response. Coordination meetings occur daily at 1700Z at Range Control with BN S-3 representation.

APPENDIX 1 (K) — CIVIL-MILITARY OPERATIONS ESTIMATE

Limited CMO footprint; running estimate maintained by BN S-3 civil affairs planner focuses on host-nation coordination and ALTENSTADT village protection.

APPENDIX 6 (K) — CIVIL-MILITARY OPERATIONS CENTER (CMOC) OPERATIONS

No CMOC established; CMO coordination flows through BCT HN LNO and Grafenwoehr Range Control. BN S-3 attends daily 1700Z range control meeting.

ANNEX L — INFORMATION COLLECTION

Information collection is synchronized to the four PIRs and sequenced by phase. Scout Platoon (TACON to 173 RSTA SQDN through 190430ZAPR26) screens HIGHWAY 22 from 181800ZAPR26, reports any movement south of GRID LINE 80, and provides reconnaissance handover to A Co at PL SILVER. A BCT Puma UAS orbit over OBJ HAMMER from 190430ZAPR26 to 190800ZAPR26 cues A Co and STEEL 6 with full-motion video piped to BN TOC. The BCT MICO provides reinforcing SIGINT against enemy C2 nets.

Priority intelligence requirements are, in order: (1) enemy reinforcement timing and composition along HIGHWAY 22; (2) obstacle belt composition at NK 138 779; (3) Orlan-10 launch and recovery site; (4) location of enemy CP on OBJ HAMMER. Collection assets are matched to PIRs in the ISR Synchronization Matrix (App 4) with named areas of interest keyed to decision points from Annex C. S-2 chairs the ICR working group at BN TOC at 181800ZAPR26 and 190000ZAPR26.

Reconnaissance handover and battle handover criteria are published in Appendix 3; Scout Plt chops back to BN control at 190430ZAPR26 and assumes screen to the north along PL COPPER during Phase III. All collection reports flow on BN O/I net with SALUTE format; time-sensitive PIR triggers use flash-precedence SPOTREP.

APPENDIX 1 (L) — INFORMATION COLLECTION PLAN

PIR-driven collection plan matching assets (Scout Plt, BCT Puma, BCT MICO SIGINT) to NAIs and decision points. Updated every 12 hours by S-2.

APPENDIX 2 (L) — INFORMATION COLLECTION OVERLAY

Overlay depicts NAIs along HIGHWAY 22, obstacle belt, OBJ HAMMER, and suspected Orlan-10 launch site vic. NK 155 795. Published with base order.

APPENDIX 3 (L) — RECONNAISSANCE AND SURVEILLANCE

Scout Plt screens HIGHWAY 22 from 181800ZAPR26; recon handover to A Co at PL SILVER NLT 190430ZAPR26. R&S matrix published by S-2.

APPENDIX 4 (L) — ISR SYNCHRONIZATION MATRIX

Matrix aligns collection assets with PIRs, NAIs, decision points, and LTIOV by phase. Updated at each targeting working group.

ANNEX M ASSESSMENT

The commander's assessment priorities are: (1) seizure of OBJ HAMMER NLT 190800ZAPR26; (2) preservation of combat power below 10% casualties across TF IRON; (3) tempo of transition from Phase II decisive to Phase III consolidation. The BN S-3 assessment cell tracks measures of effectiveness and measures of performance against these priorities, with commander-in-the-loop reviews at the 0600Z BUB and 1800Z commander's update brief.

MOEs include: percent of OBJ HAMMER secured; enemy combat power reduction (%); time elapsed from LD to LOA; A Co combat power remaining at seizure. MOPs include: fires delivered on time per the AGM; breach completed NLT 190445ZAPR26; LOGPAC execution rate; CASEVAC time from point of injury to Role 1 under 30 minutes. Indicators are aligned to each MOE/MOP and reported through BN TOC every 6 hours on BN O/I net.

Assessment products drive re-planning: the S-3 assessment cell produces a written assessment update at each BUB with recommendations for the commander on branch execution, reserve commitment, and transition timing. Post-operation, an AAR at BN level is conducted NLT 202000ZAPR26 with company input, and the product feeds the BCT lessons-learned repository.

APPENDIX 1 (M) — ASSESSMENT FRAMEWORK

Three priorities (seizure of OBJ HAMMER, combat power preservation, transition tempo) with aligned MOEs, MOPs, and indicators. Framework reviewed at 0600Z BUB.

APPENDIX 2 (M) — MOE/MOP MATRICES

Matrices align each MOE and MOP to a phase objective, indicator, data source, and reporting frequency. Maintained by BN S-3 assessment cell.

ANNEX N SPACE OPERATIONS

Space-based enablers are critical to IRON STRIKE. GPS PNT supports all dismounted and mounted navigation; DAGRs are issued to squad leader and higher. SATCOM (MUOS narrowband, TACSAT) provides BN-to-BCT reachback as the secondary communications path. ISR tipping from national and theater space assets flows through the BCT ACE to BN S-2 within 30 minutes of collection. No offensive space effects are planned or authorized.

The space threat assessment is LOW for IRON STRIKE; however, enemy doctrine includes GPS spoofing and jamming, and the Grafenwoehr training area has historically experienced GPS interference during large exercises. Units carry out pre-mission PNT checks, report any GPS anomaly (drift, sudden fix loss, impossible position) through JSIR on BN O/I net within 15 minutes, and fall back to terrain association and map-and-compass when GPS is degraded.

The BN space officer (dual-hatted with S-6) maintains the running space estimate, submits space support requests through the BCT space support element, and integrates space considerations into the targeting and fires cycle. SATCOM outages, GPS anomalies, and tipping delays are reported immediately to the BN CDR.

APPENDIX 1 (N) — SPACE SUPPORT REQUESTS

BN space officer submits SSRs through BCT SSE for ISR, PNT monitoring, and SATCOM priority. Standing request for MUOS priority during Phase II.

APPENDIX 2 (N) — FRIENDLY SPACE ORDER OF BATTLE

Relevant friendly space capabilities: GPS, MUOS, WGS, and national/theater ISR. Integrated view maintained by BCT SSE.

APPENDIX 3 (N) — THREAT SPACE ORDER OF BATTLE

Enemy GPS jamming/spoofing assessed POSSIBLE; Orlan-10 cueing from regimental space integration. Report anomalies via JSIR within 15 minutes.

ANNEX P HOST-NATION SUPPORT

Bundeswehr Grafenwoehr Training Area Command provides range infrastructure (impact areas, maneuver boxes, ammunition supply point), ammunition handling support at the Grafenwoehr ASP, emergency response reachback (German fire brigade and Red Cross), and POL reachback through host-nation contract. USAG Bavaria handles billeting at Camp Aachen, DFAC services, and garrison support functions. Host-nation coordination runs through the BCT HN LNO, with BN S-3 as the primary action officer at battalion level.

Daily synchronization meetings occur at 1700Z at Grafenwoehr Range Control; BN S-3 attends in person with the BCT HN LNO. Any coordination with Bavarian civil authorities (police, forestry, civil defense) flows through Range Control and is not executed at BN level without BCT approval. All host-nation interactions comply with the U.S.–Germany Status of Forces Agreement and Grafenwoehr Range SOP.

ANNEX Q KNOWLEDGE MANAGEMENT

The knowledge management plan structures the BN battle rhythm to support the commander's decision cycle. The daily rhythm is anchored by the Battle Update Brief at 0600Z, the Commander's Update Brief at 1800Z, and a shift-change brief at every TOC hand-off (0600Z and 1800Z). The targeting working group convenes at 181800ZAPR26 and 190000ZAPR26; the sustainment synchronization meeting is at 1200Z daily at the CTCP.

The SharePoint portal hosts OPORD, WARNORD, and FRAGO version control with clear numbering (IRON STRIKE OPORD 26-04, FRAGO 01, FRAGO 02) and a change log maintained by the BN XO. The Common Operating Picture is maintained at the BN Main CP on CPOF, synchronized from Nett Warrior updates (maneuver), S-2 SITEMPs (enemy), and S-4 LOGSTAT (sustainment) every 15 minutes. Knowledge products (running estimates, assessments, lessons learned) are stored in the SharePoint BN IRON STRIKE workspace.

Information management discipline: all staff products carry classification markings (UNCLASSIFIED for this operation), version numbers, and DTG of last update. Email traffic below O-3 is minimized; primary staff communication is the BN TOC CPOF chat and Nett Warrior. The BN XO is the KM authority and resolves portal/COP disputes.

APPENDIX 1 (Q) — KNOWLEDGE MANAGEMENT PLAN

Battle rhythm anchored by 0600Z BUB, 1800Z CUB, and shift-change briefs. SharePoint portal versions OPORD/WARNORD/FRAGO products with XO as KM authority.

APPENDIX 2 (Q) — BATTLE RHYTHM

Daily events: 0600Z BUB, 1200Z sustainment sync, 1800Z CUB, shift-change briefs at hand-off. Targeting working groups at 181800ZAPR26 and 190000ZAPR26.

APPENDIX 3 (Q) — INFORMATION MANAGEMENT

All products marked with classification, version, and DTG. CPOF chat and Nett Warrior are primary staff comms channels; email minimized below O-3.

ANNEX R REPORTS

Required reports are consolidated to minimize administrative load while preserving commander situational awareness. SITREP is submitted every 6 hours on BN CMD net (0000Z, 0600Z, 1200Z, 1800Z) by every company to BN TOC; format per BN TACSOP. SPOTREP is immediate for any PIR trigger, contact, or significant event; flash precedence on BN O/I net in SALUTE format. LOGSTAT is submitted every 8 hours to S-4 on BN ADMIN net; PERSTAT every 6 hours to S-1 on BN ADMIN net.

MEDEVAC requests use the 9-line format on BN MEDEVAC net with launch authority at BN TOC; the 15-line IED/UXO report is used for any unexploded ordnance or IED encounter on BN O/I net. Additional reports: Commander's Critical Information Reports (CCIR) trigger immediate voice report to BN CDR through BN TOC; BN SITREP forward to BCT TOC NLT 30 minutes after each 6-hour cycle.


Report discipline is enforced by the BN TOC battle captain; missed or late reports are logged and addressed at the next BUB. Report formats are published in Appendix 1 and posted at every company CP, BN Main, and CTCP.

APPENDIX 1 (R) — REPORT FORMATS

SITREP, SPOTREP (SALUTE), LOGSTAT, PERSTAT, 9-line MEDEVAC, 15-line IED/UXO, CCIR. Formats published per BN TACSOP and posted at every CP.

ANNEX S SPECIAL TECHNICAL OPERATIONS

Special technical operations are not applicable to IRON STRIKE at the UNCLASSIFIED classification level. Any STO coordination required during execution will be published separately through secure channels and distributed only to personnel with appropriate clearance and need-to-know. Refer questions to the BCT S-3 STO cell.



ANNEX U INSPECTOR GENERAL

Inspector General support is provided by the 173d IBCT IG. No inspections, investigations, or assistance visits are scheduled during the 48-hour operation window of IRON STRIKE. The battalion maintains an open-door policy for Soldiers at all levels; complaints and IG assistance requests flow through the chain of command or, if a Soldier prefers, directly through the BN CSM to the BCT IG. Contact information for the BCT IG is posted at every company CP and at the BN Main CP.

ANNEX V INTERAGENCY COORDINATION

Interagency coordination for IRON STRIKE is limited to U.S. Army Garrison Bavaria and the Bundeswehr. No Department of State, Department of Homeland Security, intergovernmental, or non-governmental organization activity is present in the area of operations. The Bavarian Red Cross provides medical standby at the Grafenwoehr Range Control clinic under the standing host-nation support agreement. All interagency touchpoints run through the BCT HN LNO; BN S-3 is the action officer and does not engage non-DoD partners at battalion level without BCT approval.

APPENDIX 1 (V) — INTERAGENCY PARTNER LIAISON

USAG Bavaria and Bundeswehr are the only interagency partners. Bavarian Red Cross medical standby at Range Control clinic. All coordination via BCT HN LNO.

ANNEX Z DISTRIBUTION

Distribution of OPORD 26-04 (IRON STRIKE) is as follows. Primary recipients (action): Commander, A Co (ABLE 6) — Copy 1; Commander, B Co (BRAVO 6) — Copy 2; Commander, C Co (CHARLIE 6) — Copy 3; Commander, D Co Weapons (DOG 6) — Copy 4; Commander, HHC — Copy 5; Commander, 2d Plt/A/54 BEB (SAPPER 2) — Copy 6; Commander, Btry B/4-319 AFAR (STEEL 6) — Copy 7; BN S-1 — Copy 8; BN S-2 — Copy 9; BN S-3 — Copy 10; BN S-4 — Copy 11; BN S-6 — Copy 12; BN CSM — Copy 13; BN XO — Copy 14; BN CDR — Copy 15.

Adjacent and supporting units (action): Commander, 1-503 IN (follow-on forces for OBJ FALCON hand-off) — Copy 16; Commander, 173 RSTA SQDN — Copy 17; Commander, 54 BEB — Copy 18; Commander, 4-319 AFAR — Copy 19; Commander, 173 BSB — Copy 20.

Information copies: 173d IBCT (A) TOC — Copy 21; 173d IBCT S-3 — Copy 22; 4-319 AFAR TOC — Copy 23; 54 BEB TOC — Copy 24; 173 BSB TOC — Copy 25; Grafenwoehr Range Control — Copy 26; BCT HN LNO — Copy 27; BCT PAO — Copy 28; BCT IG — Copy 29; BN Historical File — Copy 30. Total: 30 copies. Distribution complete NLT 181800ZAPR26 by BN S-1.

§§ **ACKNOWLEDGE.**

MARQUEZ, LTC, IN

OFFICIAL

C. KIRCHMAYER

MAJ, IN, Battalion S-3

DISTRIBUTION

Per BN standard distribution list; plus 173d IBCT TOC, 1-503 IN, 4-319 AFAR, 54 BEB.