

A reusable, production-minded prompt set for recreating the dark cyberpunk portfolio, its interactions, visual language, and deployment workflow.

REFERENCE BUILD

Next.js 14 / App Router / TypeScript / Tailwind CSS

Cursor-controlled and scroll-scrubbed MP4 background

Résumé-grounded data engineering portfolio

1. How to Use This Playbook

Run these prompts in order with an implementation-capable coding agent. First ask the user to upload their résumé PDF and background MP4 into the workspace. Extract personal and professional values from the résumé instead of asking the user to type them manually. Keep the agent working in the repository, and require an executable validation after every substantive edit. The prompts are intentionally specific: they preserve the visual signature while leaving room for the agent to adapt to the actual asset dimensions and résumé facts.

Recommended sequence

01	Project scaffold and asset audit
02	Résumé extraction and content model
03	Cinematic video engine
04	Hero, navbar, and visual system
05	Experience, projects, skills, contact
06	3D certification gallery
07	Responsive and interaction QA
08	Build, deploy, and handoff

Source asset contract

Ask the user to upload a résumé PDF and a background MP4 before implementation. After upload, identify the actual filenames and copy only runtime assets into public. Use **public/video/[UPLOADED_BACKGROUND_VIDEO].mp4** as the interactive background and **public/[UPLOADED_RESUME].pdf** as the source of truth for personal and professional content. Extract values from the résumé; do not ask the user to retype facts already present there. Use bracketed placeholders only when the résumé does not contain a required field, and explicitly flag those fields for confirmation. Do not invent employers, degrees, certifications, metrics, or contact details. The supplied MP4 is approximately 10 seconds and is intended for random-access seeking, not continuous playback.

Prompt 01 / Upload and scaffold

Ask for the source files before requesting personal values.

Ask the user to upload their résumé PDF and background MP4 to the current workspace. Do not ask them to type their name, email, job history, education, skills, or certifications if those values can be extracted from the résumé. After the files are uploaded, inventory every image, PDF, and MP4; inspect dimensions, duration, and filenames. Scaffold a production-ready Next.js 14 App Router project using TypeScript and Tailwind CSS under src/app, src/components, src/components/sections, and public. Validate with npm run build before proceeding.

Prompt 02 / Résumé extraction

Turn the uploaded résumé into factual portfolio content.

Read the uploaded résumé PDF identified from the workspace, not a hardcoded filename. Extract the candidate name, email, phone, location, bio, accomplishments, work history, education, skills, projects inferred

directly from documented work, certifications, and measurable outcomes into a typed content model. Use the résumé as the only source of truth. If a required field is absent, use a bracketed token such as [MISSING_EMAIL] and report it for confirmation; do not guess. Make the content easy to render from components and preserve a download link using the actual uploaded résumé filename.

Prompt 03 / Cinematic video engine

Implement the defining interaction without autoplay.

Build src/components/CinematicVideo.tsx as a client component. Use a video with playsInline, muted, preload="auto", no autoplay, and no loop. Normalize cursor X and document scroll progress. In one requestAnimationFrame loop compute target time from the combined input, then use currentRef.current += (targetRef.current - currentRef.current) * 0.10. Only seek when the difference exceeds 0.001s. Guard every seek with try { video.currentTime = currentRef.current } catch {}. On loadedmetadata or canplay, pause and initialize readiness exactly once. Integrate with Lenis progress if smooth scrolling is used. Add cursor parallax, dynamic spotlight, vignette, grain, scanlines, and a 2px progress bar. Do not use dynamic blur in the RAF loop.

Prompt 04 / Hero and visual system

Create the editorial first viewport from extracted résumé values.

Create a left-aligned editorial hero with Oswald for the display headline: BUILDING IDEAS in white and INTO EXPERIENCES. using a white-to-red clipped gradient and red neon period. Use the candidate name extracted from the uploaded résumé for the outlined watermark. Use the extracted current role for the eyebrow and choose telemetry only from résumé facts, such as education year, documented metric, or experience count. If a telemetry value is absent, use [MISSING_METRIC] and flag it instead of inventing one. Add Explore Work and Download Résumé CTAs. Use dark cyberpunk tokens: --bg #030303, --surface #090909, --accent-red #c40024, --bright-red #e0002a, --text #f5f5f5. Keep all foreground content in normal flow so CTA and telemetry cannot overlap.

Prompt 05 / Core sections

Build the factual portfolio surface around reusable components.

Implement Navbar, About, Experience, Projects, Skills, Contact, CustomCursor, and LenisProvider. Navbar: frosted glass, active section state, mobile drawer. About: terminal inspection panel, factual bio, strengths, interactive skills matrix. Experience: one bilateral timeline combining all résumé work and B.Tech education with All, Work Experience, and Education filters. Projects: three résumé-grounded ETL/data systems with perspective hover, tech tags, and contact links. Skills: categorized pills for Languages, Frontend, Backend, Databases, Cloud & DevOps, Core CS. Contact: accessible form, copy email action, and social links.


Prompt 06 / Certification cylinder

Implement the interactive credential gallery.


Build Certifications.tsx with cards around a vertical cylinder. Use radius 480px desktop, 380px tablet, 275px mobile. Place the cylinder at translateZ(-R) rotateY(angle deg), and cards at translate(-50%, -50%) rotateY(i * step) translateZ(R). Set backfaceVisibility hidden and hide cards where cos(phi) < 0. Use unified pointer events, setPointerCapture, recent pointer samples, release inertia with 0.945 friction, and gentle 0.06 degree auto-spin. Include auto-spin toggle, shortest-path card focusing, pagination dots, and a verification modal with SHA256:// hash, issuer, date, and competencies. Use only résumé-listed certifications.

2. Screenshots and Visual References

These screenshots were captured from the working local build after the interaction and layout passes. They are references for composition, not replacements for responsive testing. The background portrait and lighting are supplied by the uploaded MP4.



Reference 01 / Hero: frosted navigation, portrait video, outlined watermark, editorial headline.



Reference 02 / About: terminal inspection and résumé-grounded system narrative.

YOGESH.

About

Experience

Projects

Skills

Credentials

Contact

● AVAILABLE FOR OPPORTUNITIES

07 / VERIFIED SIGNALS

Credentials in orbit.

Certifications that keep the signal
moving forward.

Reference 03 / Credentials: draggable 3D cylinder and dark glass certification cards.

3. Interaction and Performance Prompts

Prompt 07 / QA matrix

Make the agent verify behavior instead of stopping at compilation.

```
Run a comprehensive browser QA pass at desktop and mobile widths. Check: no console errors, no failed network requests, hero text inside viewport, no horizontal overflow, cursor parallax, video duration/readiness, cursor currentTime movement, scroll currentTime movement, Lenis progress, timeline filters, skills matrix state, certification drag and modal, mobile drawer, résumé HTTP 200, video HTTP 200, and contact form validation. If a dev server has stale .next chunks, restart it from a clean generated-output state before diagnosing source code.
```

Prompt 08 / Deploy and handoff

Prepare a clean free-hosting deployment.

```
Create a push-ready repository. Keep package.json, package-lock.json, Next config, TypeScript config, src, and only runtime assets under public. Add a .gitignore for node_modules, .next, out, .DS_Store, *.tsbuildinfo, and env files. Run npm ci, npx tsc --noEmit, and npm run build. Deploy to Vercel with the default Next.js settings. Verify the homepage, /[YOUR_RESUME].pdf, and /video/[YOUR_BACKGROUND_VIDEO].mp4 return HTTP 200. Mention any dependency audit warnings without hiding them.
```

4. Résumé Extraction Output Map

Populate this map from the uploaded résumé. Do not ask the user to manually enter values already present in the file. Use a bracketed [MISSING_FIELD] token only when extraction cannot find a value, then ask for confirmation before publishing.

Identity	[EXTRACTED_NAME]
Current role	[EXTRACTED_CURRENT_ROLE] / [EXTRACTED_COMPANY] / [EXTRACTED_LOCATION] / [EXTRACTED_START_DATE]
Previous roles	[EXTRACTED_ROLE_1] / [EXTRACTED_COMPANY_1]; [EXTRACTED_ROLE_2] / [EXTRACTED_COMPANY_2]
Education	[EXTRACTED_DEGREE] / [EXTRACTED_INSTITUTION] / [EXTRACTED_YEAR]
Technical skills	[EXTRACTED_LANGUAGES], [EXTRACTED_FRONTEND], [EXTRACTED_BACKEND], [EXTRACTED_DATABASES], [EXTRACTED_CLOUD], [EXTRACTED_CORE_SKILLS]
Certifications	[EXTRACTED_CERTIFICATION_1]; [EXTRACTED_CERTIFICATION_2]; [EXTRACTED_CERTIFICATION_3]
Documented outcomes	[EXTRACTED_OUTCOME_1]; [EXTRACTED_OUTCOME_2]; [EXTRACTED_OUTCOME_3]

5. Final Agent Instruction

```
Work end to end. Read local evidence first, state one falsifiable hypothesis before editing, make the smallest grounded change, run a focused executable validation immediately, and continue until the requested behavior is verified in the browser and in a clean production build. Never replace missing résumé facts with invented claims.
```