

FMAM 2026 rainfall outlook

ECMWF SEAS5 initialized 1 January 2026 · calibrated with CHIRPS v2.0 · FMAM rainfall domain (FMAM $\geq$ 20% of annual and $\geq$ 100 mm)

Research reconstruction — not an official EMI or ICPAC forecast

The forecast is close to climatology in the FMAM rainfall domain (FMAM $\geq$ 20% of annual and $\geq$ 100 mm): no tercile stands out on average. Mean forecast rainfall is 284 mm against a 1993–2025 average of 287 mm (−3 mm, −1%).



Below normal 35% Near normal 32% Above normal 34%

Average local probability: each grid cell has its own tercile probabilities; these are their averages over the 100% of the area that has probabilities, not the probability that the area-total rainfall falls in a category.


Forecast signal: No clear tilt (close to climatology) (largest area-average probability compared with a one-third reference; based on probabilities only).

Historical skill (FMAM rainfall domain (FMAM $\geq$ 20% of annual and $\geq$ 100 mm)): Small estimated improvement; skill uncertain. Probability skill (RPSS) +0.031, cross-validated 1993–2016, 95% interval −0.012 to +0.069; better than climatology in 17 of 24 years. A strong signal is not a confidence rating.

FMAM 2026 | rainfall tercile outlook

January initialization · shared probability blend · CHIRPS reference 1993–2025

FMAM rainfall domain (FMAM $\geq$ 20% of annual and $\geq$ 100 mm) · presentation layer



Display interpolation: 12x; Gaussian $\sigma=0.6$ native cells. Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a January-initialized forecast; not an official EMI/ICPAC product.

All targets, evidence and record

FMAM 2026 — January initialization · FMAM rainfall domain (FMAM $\geq$ 20% of annual and $\geq$ 100 mm)

Target	Below/near/above	Coverage	Anomaly	Verification status
FMAM 2026	35% / 32% / 34%	100%	−3 mm	Verification published
Feb 2026	28% / 40% / 33%	81%	+1 mm	Verification published
Mar 2026	31% / 35% / 34%	91%	+7 mm	Verification published
Apr 2026	36% / 31% / 33%	100%	−4 mm	Verification published
May 2026	36% / 34% / 30%	100%	−6 mm	Verification published

Historical skill, cross-validated (probability skill, RPSS, with whole-year 95% interval)

Target	RPSS (95% interval)	Yrs better	Holm p	In words
FMAM	+0.031 (−0.012 to +0.069)	17/24	0.249	Small estimated improvement; skill uncertain
Feb	+0.036 (0.000 to +0.072)	17/24	0.123	Modest improvement over climatology (interval above zero)
Mar	−0.001 (−0.018 to +0.015)	17/24	1.000	No demonstrated improvement over climatology
Apr	−0.002 (−0.025 to +0.018)	13/24	1.000	No demonstrated improvement over climatology
May	+0.034 (+0.004 to +0.061)	19/24	0.084	Modest improvement over climatology (interval above zero)

Verification against CHIRPS (single season or month)

Target	RPSS	CRPSS	Bias	Forecast / observed anomaly	Observed below/near/above
FMAM 2026	−0.037	−0.071	−58.7 mm	−3 / +56 mm	3% / 45% / 52%
Feb 2026	−0.006	−0.131	+0.2 mm	+1 / 0 mm	32% / 44% / 24%
Mar 2026	+0.040	+0.089	−69.2 mm	+7 / +77 mm	0% / 2% / 98%
Apr 2026	+0.035	+0.050	+11.7 mm	−4 / −16 mm	44% / 37% / 19%
May 2026	+0.014	−0.025	−1.0 mm	−6 / −5 mm	38% / 44% / 18%

Cycle record

Model initialization: 1 January 2026 · ECMWF SEAS5 (system 51), 51 members

Target period: 1 Feb 2026 – 31 May 2026

Forecast record: Frozen 8 Oct 2026 (after the target period ended, before this project downloaded its observations; SHA-256 manifest)

Publication status: Research reconstruction: produced after the initialization date with the published method; not an official EMI or ICPAC forecast

Reference period: CHIRPS v2.0 FMAM 1993–2025 (33 seasons)

Observations processed through: May 2026 (Feb, Mar, Apr, May)

CHIRPS archive: Official CHIRPS v2.0 p25 by_month listing checked 10 Oct 2026: monthly files through Aug 2026; Feb 2026 file not found

Verification last run: 10 Oct 2026


Method / version: Shared climatology blend ($\lambda = 0.43$ for FMAM) · code ca3165c

How to read: terciles split the reference-period rainfall into three equally likely parts. Climatology assigns about one-third to each (the observed tercile frequencies of the training years). Skill scores are decimals: +0.05 means a 5% lower score than climatology. RPSS refers to the blended probabilities; CRPSS and bias to the amount-corrected ensemble.


Limitations: few evaluation years and single verification seasons give wide uncertainty; the 0.25° maps repeat $\sim 1^\circ$ model information; the rainfall domain is for display and summaries only.

Monthly tercile outlooks


FMAM 2026 — January initialization · FMAM rainfall domain (FMAM $\geq 20\%$ of annual and ≥ 100 mm)




Display interpolation: 12x; Gaussian $\phi=0.6$ native cells. Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a January-initialized forecast; not an official EMU/CH2C product.



Display interpolation: 12x; Gaussian $\phi=0.6$ native cells. Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a January-initialized forecast; not an official EMU/CH2C product.



Display interpolation: 12x; Gaussian $\phi=0.6$ native cells. Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a January-initialized forecast; not an official EMU/CH2C product.



Display interpolation: 12x; Gaussian $\phi=0.6$ native cells. Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a January-initialized forecast; not an official EMU/CH2C product.