ONDJ 2026/27 rainfall outlook

ECMWF SEAS5 initialized 1 September 2026 · calibrated with CHIRPS v3.0 · ONDJ R3 (Deyr) rainfall domain

Research reconstruction — not an official EMI or ICPAC forecast


The forecast leans toward above normal rainfall in the ONDJ R3 (Deyr) rainfall domain: averaged over the area, the local probability of above normal is 58%, against about 33% for climatology. Mean forecast rainfall is 265 mm against a 1993/94–2024/25 average of 188 mm (+77 mm, +41%).

Below normal 16% **Near normal 26%** **Above normal 58%**

Average local probability: each grid cell has its own tercile probabilities; these are their averages over the 100% of the area that has probabilities, not the probability that the area-total rainfall falls in a category.

Forecast signal: Strong tilt toward above normal (largest area-average probability compared with a one-third reference; based on probabilities only).

Historical skill (ONDJ R3 (Deyr) rainfall domain): Moderate improvement over climatology (interval above zero). Probability skill (RPSS) +0.133, cross-validated 1993–2016, 95% interval +0.032 to +0.245; better than climatology in 18 of 24 years. A strong signal is not a confidence rating.



Display only: 12× interpolation; Gaussian σ=1.5 native cells (≈0.38°, softens the 1° model grid). Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a September-initialized forecast; not an official EMI/ICPAC product.

All targets, evidence and record

ONDJ 2026/27 — September initialization · ONDJ R3 (Deyr) rainfall domain

Target	Below/near/above	Coverage	Anomaly	Verification status
ONDJ 2026/27	16% / 26% / 58%	100%	+77 mm	Target period ongoing (ends 31 Jan 2027)
Oct 2026	26% / 31% / 42%	100%	+24 mm	Target period ongoing (ends 31 Oct 2026)
Nov 2026	20% / 25% / 54%	100%	+40 mm	Target period starts 1 Nov 2026
Dec 2026	36% / 26% / 38%	100%	+5 mm	Target period starts 1 Dec 2026
Jan 2027	32% / 33% / 36%	62%	+2 mm	Target period starts 1 Jan 2027

Historical skill, cross-validated (probability skill, RPSS, with whole-year 95% interval)

Target	RPSS (95% interval)	Yrs better	Holm p	In words
ONDJ	+0.133 (+0.032 to +0.245)	18/24	0.040	Moderate improvement over climatology (interval above zero)
Oct	+0.091 (+0.025 to +0.159)	19/24	0.037	Modest improvement over climatology (interval above zero)
Nov	+0.077 (−0.030 to +0.182)	15/24	0.257	Small estimated improvement; skill uncertain
Dec	+0.002 (−0.044 to +0.051)	9/24	0.799	Small estimated improvement; skill uncertain
Jan	+0.002 (−0.013 to +0.016)	13/24	0.799	Small estimated improvement; skill uncertain

Verification against CHIRPS (single season or month)

No target has been verified yet.

Cycle record

Model initialization: 1 September 2026 · ECMWF SEAS5 (system 51), 51 members

Target period: 1 Oct 2026 – 31 Jan 2027

Forecast record: Frozen 10 Oct 2026 (after the target period began, before this project downloaded its observations; SHA-256 manifest)

Publication status: Research reconstruction: produced after the initialization date with the published method; not an official EMI or ICPAC forecast

Reference period: CHIRPS v3.0 ONDJ 1993/94–2024/25 (32 seasons)

Observations processed through: None yet

CHIRPS archive: Official CHIRPS v3.0 monthly listing checked 13 Oct 2026: monthly files through Aug 2026

Verification last run: Not run


Method / version: Shared climatology blend (λ = 0.18 for ONDJ) · code fb7425f

How to read: terciles split the reference-period rainfall into three equally likely parts. Climatology assigns about one-third to each (the observed tercile frequencies of the training years). Skill scores are decimals: +0.05 means a 5% lower score than climatology. RPSS refers to the blended probabilities; CRPSS and bias to the amount-corrected ensemble.


Limitations: few evaluation years and single verification seasons give wide uncertainty; the 0.25° maps repeat ~1° model information; the rainfall domain is for display and summaries only.

Monthly tercile outlooks


ONDJ 2026/27 — September initialization · ONDJ R3 (Deyr) rainfall domain




Display only: 12× interpolation, Gaussian σ=1.5 native cells (≈0.38°, softens the 1° model grid). Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a September-initialized forecast; not an official EMI/ICPAC product.



Display only: 12× interpolation, Gaussian σ=1.5 native cells (≈0.38°, softens the 1° model grid). Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a September-initialized forecast; not an official EMI/ICPAC product.



Display only: 12× interpolation, Gaussian σ=1.5 native cells (≈0.38°, softens the 1° model grid). Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a September-initialized forecast; not an official EMI/ICPAC product.



Display only: 12× interpolation, Gaussian σ=1.5 native cells (≈0.38°, softens the 1° model grid). Statistics and exported fields use the original 0.25° grid.
Research reconstruction of a September-initialized forecast; not an official EMI/ICPAC product.