

# JJAS 2026 rainfall outlook

ECMWF SEAS5 initialized 1 May 2026 · calibrated with CHIRPS v2.0 · JJAS R1+R2 rainfall domain

**Research reconstruction — not an official EMI or ICPAC forecast**

The forecast leans toward below normal rainfall in the JJAS R1+R2 rainfall domain: averaged over the area, the local probability of below normal is 55%, against about 33% for climatology. Mean forecast rainfall is 614 mm against a 1993–2025 average of 715 mm (–101 mm, –14%).




**Below normal 55%    Near normal 25%    Above normal 20%**

Average local probability: each grid cell has its own tercile probabilities; these are their averages over the 100% of the area that has probabilities, not the probability that the area-total rainfall falls in a category.

Forecast signal: Strong tilt toward below normal (largest area-average probability compared with a one-third reference; based on probabilities only).

Historical skill (JJAS R1+R2 rainfall domain): Modest improvement over climatology (interval above zero). Probability skill (RPSS) +0.078, cross-validated 1993–2016, 95% interval +0.018 to +0.137; better than climatology in 19 of 24 years. A strong signal is not a confidence rating.



Display interpolation: 12x; Gaussian  $\sigma=0.6$  native cells. Statistics and exported fields use the original 0.25° grid.  
Research reconstruction of a May-initialized forecast; not an official EMI/ICPAC product.

# All targets, evidence and record

JJAS 2026 — May initialization · JJAS R1+R2 rainfall domain

| Target    | Below/near/above | Coverage | Anomaly | Verification status                                            |
|-----------|------------------|----------|---------|----------------------------------------------------------------|
| JJAS 2026 | 55% / 25% / 20%  | 100%     | −101 mm | Awaiting CHIRPS: Sep 2026 file not found (checked 10 Oct 2026) |
| Jun 2026  | 43% / 30% / 27%  | 98%      | −22 mm  | Verification published                                         |
| Jul 2026  | 43% / 30% / 27%  | 100%     | −24 mm  | Verification published                                         |
| Aug 2026  | 48% / 27% / 25%  | 100%     | −27 mm  | Verification published                                         |
| Sep 2026  | 39% / 31% / 30%  | 100%     | −24 mm  | Awaiting CHIRPS: Sep 2026 file not found (checked 10 Oct 2026) |

## Historical skill, cross-validated (probability skill, RPSS, with whole-year 95% interval)

| Target | RPSS (95% interval)       | Yrs better | Holm p | In words                                                  |
|--------|---------------------------|------------|--------|-----------------------------------------------------------|
| JJAS   | +0.078 (+0.018 to +0.137) | 19/24      | 0.055  | Modest improvement over climatology (interval above zero) |
| Jun    | +0.018 (−0.027 to +0.057) | 16/24      | 0.453  | Small estimated improvement; skill uncertain              |
| Jul    | +0.034 (+0.007 to +0.059) | 18/24      | 0.055  | Modest improvement over climatology (interval above zero) |
| Aug    | +0.027 (−0.001 to +0.055) | 16/24      | 0.122  | Small estimated improvement; skill uncertain              |
| Sep    | +0.006 (−0.014 to +0.028) | 14/24      | 0.453  | Small estimated improvement; skill uncertain              |

## Verification against CHIRPS (single season or month)

| Target   | RPSS   | CRPSS  | Bias     | Forecast / observed anomaly | Observed below/near/above |
|----------|--------|--------|----------|-----------------------------|---------------------------|
| Jun 2026 | +0.217 | +0.399 | +9.8 mm  | −22 / −32 mm                | 80% / 15% / 5%            |
| Jul 2026 | +0.196 | +0.253 | +33.6 mm | −24 / −58 mm                | 84% / 11% / 5%            |
| Aug 2026 | +0.356 | +0.440 | +20.6 mm | −27 / −47 mm                | 88% / 10% / 2%            |

## Cycle record

Model initialization: 1 May 2026 · ECMWF SEAS5 (system 51), 51 members

Target period: 1 Jun 2026 – 30 Sep 2026

Forecast record: Frozen 4 Oct 2026 (after the target period ended, before this project downloaded its observations; SHA-256 manifest)

Publication status: Research reconstruction: produced after the initialization date with the published method; not an official EMI or ICPAC forecast

Reference period: CHIRPS v2.0 JJAS 1993–2025 (33 seasons)

Observations processed through: August 2026 (Jun, Jul, Aug)

CHIRPS archive: Official CHIRPS v2.0 p25 by\_month listing checked 10 Oct 2026: monthly files through Aug 2026; Feb 2026 file not found

Verification last run: 5 Oct 2026

Method / version: Shared climatology blend ( $\lambda = 0.50$  for JJAS) · code 34a024a

How to read: terciles split the reference-period rainfall into three equally likely parts. Climatology assigns about one-third to each (the observed tercile frequencies of the training years). Skill scores are decimals: +0.05 means a 5% lower score than climatology. RPSS refers to the blended probabilities; CRPSS and bias to the amount-corrected ensemble.

Limitations: few evaluation years and single verification seasons give wide uncertainty; the 0.25° maps repeat ~1° model information; the rainfall domain is for display and summaries only.


# Monthly tercile outlooks

JJAS 2026 — May initialization · JJAS R1+R2 rainfall domain

Jun 2026 | rainfall tercile outlook

May initialization · shared probability blend · CHIRPS reference 1993-2025

JJAS R1+R2 rainfall domain · presentation layer




Display interpolation: 12x; Gaussian  $\sigma=0.6$  native cells. Statistics and exported fields use the original 0.25° grid. Research reconstruction of a May-initialized forecast; not an official ENSO/CPAC product.

Jul 2026 | rainfall tercile outlook

May initialization · shared probability blend · CHIRPS reference 1993-2025

JJAS R1+R2 rainfall domain · presentation layer




Display interpolation: 12x; Gaussian  $\sigma=0.6$  native cells. Statistics and exported fields use the original 0.25° grid. Research reconstruction of a May-initialized forecast; not an official ENSO/CPAC product.

Aug 2026 | rainfall tercile outlook

May initialization · shared probability blend · CHIRPS reference 1993-2025

JJAS R1+R2 rainfall domain · presentation layer




Display interpolation: 12x; Gaussian  $\sigma=0.6$  native cells. Statistics and exported fields use the original 0.25° grid. Research reconstruction of a May-initialized forecast; not an official ENSO/CPAC product.

Sep 2026 | rainfall tercile outlook

May initialization · shared probability blend · CHIRPS reference 1993-2025

JJAS R1+R2 rainfall domain · presentation layer



Display interpolation: 12x; Gaussian  $\sigma=0.6$  native cells. Statistics and exported fields use the original 0.25° grid. Research reconstruction of a May-initialized forecast; not an official ENSO/CPAC product.