Magasin 206 CR198577-206

BELLEROPHON

206

Verres progressifs

T-One 1,591 Transition Brun HMC

OD : -2(0.5)15° ADD 2.75 HD: 16 OG : -2.5(0.75)135° ADD 2.75 HD: 16

Option(s): Diamètre verre: 65/70
Commentaire: EN SHORT SVP

Magasin 102 CR198580-102

---**------**

ZAIDI 102



A=54 B=38 C=17 D=58 Plastique

Verres progressifs E-Space 1,5 Satin

OD: 0(0.75)170° ADD 2.25 EPD: 33 HD: 25 OG: 0(0.5)0° ADD 2.25 EPD: 33 HD: 25 Tel: 0984089390

Tel: 0143568814

Tel: 0142069996

EPB: 0.1

Magasin 237 CR198582-237

MEHDI MAKHLOUF

237

Verres unifocaux de fabrication

Freestyle SV 1,5 Durci

OD : $0.5(-0.25)20^{\circ}$ HD: 18 OG : $0.25(-0.5)0^{\circ}$ HD: 18

Option(s):Diamètre verre : 65/70

Magasin 312 CR198583-312

KELLAM

312

Verres progressifs

E-Space 1,5 HMC

OD: -0.75(0.75)150° ADD 1.5 OG: -0.25(0.25)70° ADD 1.5

Option(s): Diamètre verre: 70/75

HD: 18 HD: 18

Tel: 0144402820

Tel: 0144402820

Tel: 0144402757

Magasin 312 CR198584-312

KELLAM ISRAEL

312

Verres progressifs

E-Space 1,5 HMC

OD: 0(0.25)0° ADD 1.75 OG: 0(0.5)120° ADD 1.75 Option(s): Diamètre verre: 70/75 HD: 18

HD: 18

Magasin 69 CR198587-69

DANNI

69

Verres progressifs T-One 1,5 HMC

OD: 0.5(0)0° ADD 3 OG: 0.5(0)0° ADD 3 HD: 18

HD: 18

Option(s): Diamètre verre: 70/75

Magasin 312 CR198588-312

GHADHOUM

312

Verres progressifs

T-One 1,6 Satin

OD: -2.5(1.25)20° ADD 2.75

Option(s): Diamètre verre: 70/75

Magasin 237 CR198590-237

HENDA FOFANA

237

Verres unifocaux de fabrication

Freestyle SV 1,5 Durci

OD: 0.25(0)90° HD: 18 OG: 0.75(-0.25)90° HD: 18

Option(s): Diamètre verre: 65/70

Magasin 312 CR198594-312

KOSKAS

312

Verres unifocaux de fabrication

Freestyle SV 1,5 Transition Brun HMC

OD : 2(-0.25)85° HD: 18 OG : 2.25(-0.25)90° HD: 18

Option(s): Diamètre verre: 70/75

HD: 18

Tel: 0144402820

Tel: 0144402820

Tel: 0142069996

Magasin 151 CR198600-151

bouazza 151

Verres progressifs

T-One 1,5 Transition Gris HMC

OD : -3(1.25)120° ADD 1.25 HD: 18 OG : -2.25(0.5)40° ADD 1.25 HD: 18 Tel: 0134291388

Option(s): Diamètre verre : 50/55