

Joseph Dwyer

Mechanical Engineering Candidate

Automation • Robotics • Motion Control • Manufacturing Support • Motorsports
Electronics • Local AI Systems

Portfolio

This portfolio presents a visual record of my engineering work beyond what can fit on a traditional resume. Rather than relying only on descriptions, it shows direct evidence of completed projects involving mechanical design, CAD modeling, 3D printing, fabrication, electrical wiring, troubleshooting, testing, repair, system integration, and team-based problem solving.

The projects shown here reflect hands-on experience across automotive engineering, student leadership, custom 3D printer builds, embedded electronics, local AI server development, and product-style design work. Many of these examples required learning unfamiliar systems, diagnosing failures, improving designs through iteration, and working with real hardware under practical constraints.

Together, these projects demonstrate technical curiosity, persistence, engineering judgment, and the ability to connect software, electronics, mechanical systems, and physical fabrication into functional results.

Systems Builder

Project Management

Mechatronics oriented

Fabrication experience




Engineering profile

Project summation




Small business operations

Started a small business in a team of 4 with the financial support of the growth factory in order to create a grassroots race car electronics business.



Technical sensor setup

Calibrated touch probes, stepper motor virtual endstops, Eddy Probes, Strain gauges, hall effect sensors and RTD sensors on 3D printers built and configured from scratch.



Studied in Robotics and Mechatronics

Attended Sierra College and worked adjacent to the Mechatronics program and took Sacramento States ME165 Robotics course

Experience across: AI server benchmarks • CoreXY printer systems • 3D printing • ABB/Rexroth robotics coursework • senior design • CFM testing • motorsports fabrication • startup prototype work

Project map: six skill complexes

What makes my project background unique



01

Local AI / Industry 4.0 Server

Self-hosted local LLM inference, benchmarks, agent execution, 3D printed Frame and self assembled hardware.



02

Motion-Control Printer Systems

E3NG CoreXY conversion + Voron 2.4 printer build, tuning, and maintenance.



03

ABB / Rexroth Robotics

Robot motion concepts, controller interaction, lab setup, fault isolation, documentation.



04

ME190 Espresso Machine

Senior design project with CAD, drawing package, pressure/thermal/electrical design.



05

UEI / Test Environments

CEC-related energy efficiency work, CFM testing, instrumentation, procedures.





06

Motorsports + Metuned


Club leadership, race prep, fabrication, data acquisition, product prototype.

Local AI Server Automation agent


A self-hosted engineering-assistant platform: hardware build, local model inference, benchmarking, and workflow-agent experiments.



Assembly



Top down view



Front

Skills

- Computer anatomy and networking to create local AI services and other local inference engines. Additionally assembled a self 3D printed chassis to support desired hardware.
- Localized approach to maintain security but accessible through any network with the use of tailscale VPN service.
- Ran benchmarks and have operated the assistant to improve work efficiency throughout the day

Summary

Constructed a server from scratch using enterprise level computer components to run a local AI service. This local deployment allows private experimentation, repeatable benchmarking, and unrestricted workflow testing. The goal will be to connect it to my 3D printers and integrate print failure detection, automatic model slicing from CAD files created in fusion 360 or solidworks, and email management all through prompts sent through either Discord or Imessage. This will eventually function as my senior project team assistant creating time management through a automated calendar and centralizing our files and manufacturing locally.

223.42
tok/s

Highest tok/s

Qwen 3.6
122B

largest Model tested

Llama C++

Inference engine

Benchmark results

Tokens/sec results summary

223.42 tok/s

fastest measured model Qwen 2.5 0.5B

93.31 tok/s

Qwen3 30B MoE


72.91 tok/s

Qwen3.6 35B MoE

10.15–13.13 tok/s

Qwen 3.5 122B MoE

Generation speed comparison




Benchmark results

Raw Tokens/sec results

Model / Alias	Type	Quant / File	Context tested	Offload / MTP enabled	Generation speed
qwen2.5-0.5b-instruct	Dense tiny	qwen2.5-0.5b-instruct-Q4_k_m.gguf	8k	-ngl 99	223.42 tok/s
gemma-4-E2B-it	Dense tiny	gemma-4-E2B-it-UD-Q4_K_XL.gguf	32k	-ngl 99	128.83 tok/s
Qwen3-30B-A3B-Instruct-2507	MoE / active 3B	Qwen3-30B-A3B-Instruct-2507-Q4_K_M.gguf	32k	-ngl 99	93.31 tok/s
gemma-4-E4B-it	Dense tiny	gemma-4-E4B-it-UD-Q4_K_XL.gguf	32k-ish	-ngl 99	87.54 tok/s
Qwen3.6-35B-A3B	MoE	Qwen3.6-35B-A3B-UD-Q4_K_M.gguf	8k / 32k	-ngl 99	~70.21 tok/s
gemma-4-26B-A4B plain	MoE / active 4B	gemma-4-26B-A4B-it-UD-Q4_K_M.gguf	64k	-ngl 99	69.65 tok/s
gemma-4-12B MTP	Dense + MTP	gemma-4-12b-it-UD-Q4_K_XL.gguf + Q8_0-MTP	64k	-ngl 99, MTP	68.51 tok/s
gemma-4-26B-A4B MTP	MoE / active 4B + MTP	gemma-4-26B-A4B-it-UD-Q4_K_M.gguf + Q8_0-MTP	64k	-ngl 99, MTP	73.31 tok/s
Qwen3.6-35B-A3B MTP	MoE + MTP	MTP variant	4k	-ngl 99, MTP	59.37 tok/s
gemma-4-12B	Dense	gemma-4-12b-it-UD-Q4_K_XL.gguf	64k	-ngl 99	47.16 tok/s
mistral-small-3.2-24B	Dense	Mistral-Small-3.2-24B-Instruct-2506-Q4_K_M.gguf	32k	-ngl 99	32.65 tok/s
Qwen3.5-27B dense MTP	Dense + MTP	Qwen3.6-27B-Q4_K_M.gguf	4k	-ngl 99, MTP	30.60 tok/s
Qwen3.5-27B dense	Dense	Qwen3.5-27B-Q4_K_M.gguf	32k	-ngl 99	24.37 tok/s
Qwen3-32B dense	Dense	Qwen3-32B-Q4_K_M.gguf	32k	-ngl 99	23.30 tok/s
gemma-4-31B plain	Dense	gemma-4-31B-it-UD-Q4_K_XL.gguf	32k	-ngl 99	22.15 tok/s
gemma-4-31B MTP	Dense + MTP	gemma-4-31B-it-UD-Q4_K_XL.gguf + Q8_0-MTP	32k	-ngl 99, MTP	30.14 tok/s
Qwen3.5-122B-A10B	Huge MoE	Qwen3.5-122B-A10B-UD-IQ3_S.gguf	16k–24k	-ngl 35	~10.15–13.13 tok/s

Local agent execution

The server also demonstrates usable local workflows: coding tasks, self-tests, and safety constraints.



Agent functions

Some functions I have tested thus far generally involve coding and workflow. These functions are being orchestrated by Odysseus, an open source AI agent manager. Hermes is also being used to act as a persistent agent working in the background for automation functions but is not yet fully configured.

An important goal was to create reliable code and also debugging code which can take Mechanical engineers longer than general computer science or computer engineers to create. One of the first projects I ran was a calculator written in python and additionally post troubleshooting to verify the AI did not hallucinate in the process and create a faulty program. The test was successful and created a command prompt operated calculator that echoes the answer from a series of inputs.

An additional function has been email summation, Junk mail filtering, and automated email drafting. These are simple but time saving functions over the long run and have improved my communication reliability over email.

Additionally there is a function capable of 'deep research' which can take a prompt and then search the web for information and create a report. This rapid data acquisition has been incredibly powerful for working through prototyping phase.


Ender 3 to a CoreXY platform

Custom E3NG conversion, Klipper configuration, board integration, and calibration.



Contribution


- Converted an ender 3 to use a core-xy motion system using the E3NG open source project.
- Self-sourced components, created custom wiring harnesses, and configured from scratch.
- Established a CAN network using a USB to CAN adapter from a RPi 4 and utilized the tool-head board's I2C pins for a EDDY current probe.
- Setup a arduino-cam for live high refresh rate video footage that can be observed over Klipper's web service, mainsail. This also future proofs the AI failure detection.



Bed Leveling



Pi and STM32 controller



Webcam View



EDDY Probe

E3NG systems detail: motion, controls, calibration

The interesting part is the full-system integration, not just a printed frame.



Extrusion Thread Tapping




Toolhead Board



Retraction tuning



Printing Spare Parts



Configuring CAN toolboard





Printing Voron Parts

Controls mindset


- This printer makes use of printed parts modeled by RH3D, the curator of the E3NG project. I made use of a composite ABS-GF15 filament for resistance to heat and creep while also taking advantage of the additional rigidity.
- The Ender 3 pro was my first 3D printer which I purchased in high school, it was incredibly slow and unreliable. This project brought life back into the printer and on a productive scale can outpace the majority of modern consumer units.
- Electronics: BTT SKR E3 mini, Pi 4, BTT U2C/CAN-style interface, Meanwell 350w power supply, custom wiring, and custom hotend.
- Software: Debian, Klipper, Mainsail, Crowsnest, and Katapult.
- The goal of this project was to verify the capability of reusing old hardware to construct a modern 3D printer using bed scanning, input shaping, and linear advance to press speeds and quality. The cost of this project stayed within a budget of 500\$ as a benchmark competing with Bambu's P1P

Voron 2.4 printer

Large-format, enclosed, quiet, manufacturing oriented




Frame Assembly



Updated Gearbox



ASA/ABS toolhead with X1C hotend



Printed Components

What is Voron

The Voron project is an open-source initiative dedicated to developing modular, high-performance 3D printers capable of processing advanced technical materials. I assembled a Voron 2.4, managing everything from meticulous component sourcing to precise system calibration to ensure high-speed stability. The machine features a unique floating gantry architecture designed to decouple the print head's motion from the frame, enabling highly effective input shaping via the stepper motors. This setup also effectively mitigates the 'banding' artifacts common in traditional lead screw-driven systems, ensuring a superior surface finish and dimensional accuracy.

The Build Process

The components to put a Voron together



Printing Parts




Flying Gantry



Completed Motion frame



XY Stepper Motors



Electronics




X1C Hotend

Detailed Assembly

- Printed the parts in ABS filament, later on transitioned into ABS-GF15 due to early part fatigue failure. Noticeable improvements in vibration analysis.
- The flying gantry assembly is critical in the operation of the machine. To maintain squareness Machine blocks were used alongside of large calipers and carpenter's square.
- In the electronics bay, DIN rails were used to mount the electronics and an attempt was made to manage wiring with PVC wiring guides. The printer is powered by a Meanwell 350W 24V PSU and 120V AC power with the use of a Omron SSR. The controller is a BigTreeTech (BTT) Manta M8P running with a PI substitute, a BTT CB1. This Manta M8P has a dedicated CAN port to communicate to a toolhead board that controls the hotend. The toolhead board is a BTT Sb2209 RP2040.
- The toolhead is a standard design referred to as the Stealthburner, however some modifications were applied to maximize performance. The extruder was replaced from stock dual gears to a modified planetary gearbox called Galileo 2. The hotend was also replaced to a bambu X1C hotend as a cheap lightweight high flowrate option.

Robotics coursework with industrial hardware

CSU Sacramento State and Sierra College ME165 Pilot Program




What makes this course unique?

This is a brand new restructuring of Sacramento State's robotics course to partner with Sierra College's Mechatronics department to bring the programs closer to each other. The term I enrolled for this course was the pilot run for the offering with the goal of granting hands-on training with ABB robotic arms controlled through Robot Studio. The programming practice was primarily centered around simulating a welding arm, specifically a laser welder that would eventually make its way into the curriculum. There is additionally time on operating a Bosch/Rex-Roth Arm based controller system to demonstrate how a modern industry controller behaves. While this course involved students who would not have higher-level mathematical skills, the homework involved the calculations required for the robot movements.



Hybrid hand-actuated espresso machine

ME190 senior project: a compact machine designed to produce a double shot at espresso-industry pressure and volume targets.



Design targets

- Create a high quality hobby grade espresso machine that gives the user a premium experience.
- Reach approximately 9 bar / 130 psi brewing pressure and water temperature of 96 C to create the perfect extraction conditions for espresso.
- Produce about 2 oz of espresso within roughly 25-30 seconds.
- Keep user actuation force manageable with a mechanical advantage system through the use of a worm drive and lever arm.
- Fit within the required compact machine envelope of 2 feet cubed.
- Meet a food grade standard by manufacturing decisions and material choices.
- Must be easily repairable and simple to clean by hand or in a dishwasher to combat scale.
- Cosmetically pleasing to give a premium appearance that may be unique as a espresso machine



Our ME190 Presentation and personal contributions

ME190 is the preliminary senior project, this machine is projected to be completed more towards November for the ME191 showcase.



Hybrid Hand-Actuated Espresso Machine

Westley Baird, Gabriel Camacho, Josua Albertsson, Joey Dwyer, Alexis Phipps
Spring 2026
Mechanical Engineering Senior Project: ME 190



Problem Statement

The goal is to produce a double shot of espresso consistently and per espresso industry standards. A single shot of espresso is defined to be 7-9 grams of finely ground coffee beans that is used to produce a 30mL "shot" of espresso and a double shot is 14-18 grams producing a 60mL shot. The extraction process uses 9 bars of pressure, equivalent to approximately 130 psi of pressure that presses water through a tamped "puck" of espresso contained within a 58mm portafilter. A fine mesh shower screen is used to evenly distribute water over the top of the puck during the extraction process. The tamping process uses anywhere from 20-30 lbs of pressure, which is a process that occurs externally from the espresso machine and will be controlled by a calibrated tamper purchased during the testing phase of the build process. The temperature control of the extraction process is also considered with optimal temperature ranges for a shot of espresso being between 105-205 °Fahrenheit, which is to be controlled in the water heating tank. Due to the unique qualities of each type of coffee bean and the interfacing between the brewing machine, the individual user often has to fine-tune the size of the coffee grinds, the amount of dry coffee, and the exact temperature of the water being pulled through the puck.

Function/Constraints

- Pull a double shot of espresso through 58mm portafilter at 9 bar of pressure
- Water tank is to contain enough water for 5 double shots of espresso, accommodating for approx. 15mL of waste fluid per single shot and water is to be heated to approximately 195-205 F before reaching brew chamber
- Actuation force by user is to be around 5 lbs on lever
- The machine is to be able to pull shots with a variance of $\pm 10\%$ volume in 25-30 seconds from beginning of crank action to end
- Appliance must fit within 2x2x2 ft³ area

Background

Espresso is highly concentrated form of coffee, made by pushing near boiling water through finely ground coffee in a quick time frame. The fine ground coffee is poured into the 58mm portafilter and then compressed inside the portafilter. A shower screen is placed on top of the grounds and the portafilter is locked into place in the group head on the machine. For a double shot, approximately 90mL of water is dispensed into the brew chamber. The user then uses the hand-crank to depress the piston into the brew chamber and press the hot water through the coffee puck, producing a delicious shot of espresso.

Design

The Espresso Machine is designed around a system of linkages combined with a worm gear to generate the substantial force required for extraction. This mechanism produces nearly 500 pounds of force, achieving an overall mechanical advantage of approximately 120:1. Water heating is accomplished using a coiled copper tube wrapped with high-resistance wire, forming a compact and efficient resistive heating element. Control and system operation are managed electronically using a Raspberry Pi, with the entire system powered from standard wall power.




Figure 2: Exploded Views



Figure 7: Close-Up Gear Mesh



Figure 1: Rendering of Full Assembly




Figure 3: Isometric View



Figure 4: Section View




Figure 5: Full Electrical Diagram





Figure 6: Full Plumbing Diagram

Analysis



Water Heating: Finding Power requirement

- Energy required: $Q = m \cdot C_p \cdot \Delta T$
- Wattage needed: $W = Q/t$
- Length of wire required to supply wattage
- Length of pipe required using constant surface heat flux condition



Ansys FEA: Deflection of Clamp

- Minimizing deflection of brew chamber to maintain piston alignment.



Testing

Next semester we plan to testing the following parameters:

- Water temperature and volumetric flow.
- Liquid retained in coffee grind puck
- Brew chamber deflection under load
- Actuation force
- Pressure consistency throughout shot



Engineering contribution

- Optimizing electronics for precise water pumping capabilities, optimizing power usage for heating, and upgradability for additional features that could be added later into the projects life-cycle.
- 3D printing parts for the presentation prototype at the ME190 showcase and final production parts as well.
- Electrical diagrams with mathematical verification of power allocation and renderings of the prototype
- CAD assembly contributions in solid works, particularly modeling the electronics section and detail components.

University Enterprises: Lab Assistant in Appliance Auditing

Lab assistant work supporting appliance efficiency and fan airflow/CFM test setup, instrumentation, and documentation.



Construction



Fan Inlet




Static Pressure Reading



Wet/Dry Bulb Temperature



Air Velocity Readings



Cracked Floor

Lab Assistant

As part of a state agreement between CSU Sacramento State, and the California Energy Commission, the school facilitates appliance testing proctored by staff and professors. My main job was to construct an 8ft Cubed room out of wood compliant to HVI 916 standards for whole house fan testing. Plywood, wood screw glue, 2x4 planks, and duct sealant were used to construct the apparatus. Additionally repairs were made during the process of testing using duct sealant and gorilla tape. This was all in order to create as accurate of a CFM rating as possible from the fans in order to verify advertised values.

An additional role I worked in was the setup and testing apparatus of portable spas and food heaters inside of a theoretically adiabatic room. The standards from the CEC require an ambient temperature for each type of appliance and a system internal temperature during these tests. The goals is to verify energy efficiency compliance where the wattage and heat output over a test window are efficient to the states expectations.

Metuned: affordable racecar data acquisition

Startup-style product development for grassroots motorsports electronics and driver-facing instrumentation.

Metuned

MOTORSPORTS



Problem-to-product story

- Started out from RnD that went into custom electronics for the Sierra College motorsports racecar for 24 hours at lemons. As a group of 4 from the race team with diverse disciplines we Founded Metuned.
- The product lineup was planned to include a custom Canbus integrated dash system to allow for use of a stock ECU and data logging products to be sold alongside of it. Additionally components were to be assembled in the US or sourced from non Chinese manufacturers.
- My role focused on mechanical design, additive manufacturing, enclosure layout, product documentation, and prototype planning as the CDO.
- We received initial financial support from the growth factory overseen by Mershad Mansouri and Monique Brown. We were given the opportunity to present at a Growth Factory summit as well.

CAD

3D printing

enclosure design

racing data

startup planning


PCB packaging



CAD enclosure



PCB package



Display Integration



Logo

Metuned prototype: CAD to physical assembly

These are several early stage prototypes using custom PCBs and 3D printed enclosures.



Early Data logger Design



Early Digital Dash Housing



Early Assembly



Photo Shot Of The Prototype



Custom PCB



The Prototype Screen

Prototyping Stage

- With the micro grant support our team received, we developed a process to intercept and decipher CAN data. Additionally the screen outputs were functional at high refresh rates and only needed inputs from the car.
- Since the data logger functioned like a piggyback to the digital dash, the development of accessory electronics were pushed to release after the dash was refined
- Custom PCB and Custom 3D enclosures allow for upgradable linear pathways through the product lineup and future-proofing with upgrade packages.
- A future goal was to have a web-service that allowed people to create up-loadable firmware presets for the hardware to create a self growing community to create support for niche vehicles and inexperienced coders.

What Happened?

Unfortunately we parted ways due to disruptions in supplies for RnD and expense runoffs. The implementations of tariffs and a combination of our inexperience as entrepreneurs crippled company growth and we agreed to conclude our venture for the time being.

Sierra College Motorsports: leadership and community building

From a \$500 Mini Cooper to a race-prep program, Cars & Coffee events, sponsorship, and a student team culture.



Leadership contribution

- Served as Treasurer, Vice President, then President; coordinated planning, funding, outreach, and student tasking.
- Worked as a representative to speak with both student council and the school board for coordinating events and large local collaborative deals with businesses.
- Created Cars & Coffee-style events to generate revenue, attract members, and strengthen relationships with local automotive communities.
- Helped convert and maintain a 2002 Mini Cooper for endurance racing through real deadlines, budget constraints, and race-day pressure.
- Constructed a sim rig to train drivers for the racetrack.
- Maintained club facilities which included a shed, club go kart, club locker, and a club lift



Race Team



24Hrs of lemons



Race Sim Rig



Picking up the car




24 Hours at Lemons


Some photos from my experience in 24 Hours at lemons




Junkyard Transmission



Post Race Trophy




Verifying tolerance



Field welding



Transmission mount



Snapped control arm

My work into the R50 Mini Cooper Race Car

- I oversaw spending control measures and managed purchases. Additionally I worked with the student senate to allocate additional forms of funding to get as many drivers on the roster covered as possible.
- Managed project planning and work delegation between Welders, Mechanics, Engineers, and Technicians.
- Occasionally stepped in to repair the Mini Cooper when short handed especially at the track.
- Troubleshoot electrical problems regarding the wiring and immobilizer on a tight deadline going into the second racing event.
- Went to the junkyard to scavenge for replacement components to repair the race car. Notable parts Pulled included a 6 speed transmission.

Leadership

Racecar driving

Fabrication

Welding


Electronics

Race Team Management




Modern Vehicle Troubleshooting

Diagnosed and repaired a 2014 BMW 328d with a lack of repair resources



Smog issues on a 2014 BMW 328D

- Purchased and used a Foxwell I70 scanner tool in order to see hidden dealer level codes and create spreadsheets of live sensor data.
- There were codes a incorrect NOx readings, failed Particulate Matter sensor, and incorrect DEF volume return from the Selective Catalyst reduction system.
- Initially hoped NOx readings were due to the failing injector and PM sensor. Concluded based upon new test data and a NHTSA Bulletin posting (MC-10160239-9999).



Cross-project technical stack

A summary of some of the base skills generated by my projects

Controls & Automation

- ABB/Rexroth exposure
- Motion Control
- sensors/Probes
- Fault Isolation
- PLC Robotics

Digital Manufacturing

- Klipper
- CoreXY systems
- 3D printer profiles
- Polymer Science
- Machine Configuration
- Machine Maintenance

Lab Space Enviroment

- CFM testing
- Fixture Setup
- Sensor Calibration
- Data Collection
- Procedural Process Management

CAD/CAM & Fabrication



- Fusion 360 / SolidWorks
- MasterCAM
- CNC / laser exposure
- Welding
- Quality Control

Programming & AI

- Python/C/MATLAB
- local LLMs
- Computer Benchmarking
- Agent workflows
- Network Engineering

Leadership

- Club President
- Local Community Curation
- Sponsorship and Business Management
- Project Management



Model	MoE	VRAM	Throughput
gemma-4-26B-A4B-It-UD- 3.1_K_M	15.78 GiB	73.67 tok/s	
Qwen3.6-35B-A3B-UD- 3.1_K_M	20.61 GiB	72.91 tok/s	
	6.86 GiB	47.93 tok/s	


Benchmarks

Thank You for Your Time


Closing Statement

As a soon-to-graduate Mechanical Engineering candidate, my goal is to enter a role where troubleshooting, mechanical design, manufacturing, automation, and product development come together. My project background reflects a consistent pattern of building, testing, repairing, and improving real systems, including printer platforms, robotics, vehicle systems, local AI infrastructure, and product prototypes. These projects translate directly into professional engineering work through failure diagnosis, hardware/software integration, documentation, design iteration, fabrication, and practical system-level problem solving. I am ready to contribute as an entry-level engineer in manufacturing, production, industrial automation, equipment engineering, or product development.

Thank you for taking the time to integrate my work into your consideration.



AI Server



Printer Systems



Robotics



Senior Design



Leadership



Metuned

Joseph Dwyer

Mechanical Engineering Candidate | Sacramento State
jdwyer@csus.edu | Joeyyoungdwyer@gmail.com
linkedin.com/in/joseph-dwyer-10a4131ba
916-755-9100