Continuous (Unit) Testing

- Test your code *early*, *automatically* and *repeatedly*.
  - To maximize the benefits of unit testing.
- Early testing
  - You as a programmer do coding and unit testing at the same time.
- Automated testing
  - Run ALL test cases in an automated way.
    - Never think of selecting and running test cases by hand.
- Repeated testing
  - Run ALL test cases whenever changes are made in the code base.

Benefits of Continuous Testing

- Performing *regression tests* through continuous unit tests
  - Regression
    - A bug that emerges as a by-product in making changes in the code base
      - e.g., adding new code to the code base or revising existing code in the code base.
  - Regression testing
    - Uncovering regressions after changes are made in the code base
  - Seamlessly integrate unit testing and regression testing
- *Immediate*ly getting feedback on regressions to development project members and fix them.
  - DO: Code → unit test → small regression fixes → unit test
  - DON'T: Code → code → code → big regression fixes
    - The amount of regressions (and the cost to fix them) can exponentially increase as time goes without continuous testing.

3 Key Elements for Continuous Testing

- Unit testing
  - Regression testing through repeated unit testing
- Automated building
  - Automate the *entire* build process
    - e.g., compilation of all source code, unit testing, coverage measurement, other testing (if any), packaging, deployment and Javadoc generation.
- Versioning
  - When a regression is found upon a change in the code base, you need to know the difference/delta in b/w the current version and a previous version that has passed all unit tests.
    - The regression comes out from that delta.



Automated Building

- Build tools: Ant, Maven, Gradle, etc.
- Ant
  - Basic build tool
    - Sufficient for solo projects and small-scale team projects.
    - Need to write up a project specification (build.xml) from scratch
    - Need to download all external libraries and set them up (e.g., specify the build paths and environmental variables for those libraries).
      - Need to be careful about library-to-library depenency
      - It could take a half day or even a whole day to just set up your development environment.

- Maven
  - Provides basic Ant-like features, plus extra useful features
    - Project templates
      - No need to always write up a project specification from scratch
    - Library management
      - No need to download and set up external libraries. Just specify the libraries you want to use. They will be automatically downloaded.
        - » No need to download a library when it's newer version is available. Just specify a version number you want to use.
      - No need to check library-to-library dependency. Required libraries will be automatically downloaded.
    - It can be very quick to set up your development environment.
    - A large number of plug-ins are available.
      - Good extensibility. Easy to use plug-ins.
      - Not easy to modify existing plug-ins. Not that straightforward to make a new ones.
    - Integration with JUnit, JaCoCo, Covertura, etc.
    - Concurrent/parallel builds
    - Potential death by XML (POM: Project Object Model)!
      - Need a POM meister in a large-scale project

- Gradle
  - Provide basic Ant-like features, plus extra useful features
  - Library management
  - Groovy-based project specifications
    - You can program whatever you want to do in Groovy.
      - No need to find necessary plug-ins.

```
» task HelloWorld{
    doLast{
      println 'Hello World'
    }
  }
```


Versioning w/ Version Ctrl Systems

- Fully centralized: CVS and Subversion
  - Commit code to the central repository.
  - *Fine-grained* (e.g., per-class or per-method) commits are required to avoid potential conflicts among different commits by different developers
  - Unit/regression testing per commit
  - Too many conflicts could occur in each commit.
- Distributed: Git and Mercurial
  - Commit code to the local repository first and then push it to the central repository
  - *Coarse-grained* (e.g., per-feature/functionality or per-use-case) pushes
  - Unit/regression testing per commit to the local repo and per push to the central repo



Code Inspection (Static Code Analysis)

- Analyzing code without actually executing it.
  - Dynamic analysis: analysis performed by executing code
- Static code analyzers
  - Can automatically detect particular (bad) code smells
  - Various tools available for various languages
    - http://en.wikipedia.org/wiki/List_of_tools_for_static_code_analysis

Static Code Analyzer: FindBugs

- Looks for bugs in Java programs based on bug patterns, which are code idioms that are often error.
  - http://findbugs.sourceforge.net/
  - http://findbugs.sourceforge.net/bugDescriptions.html
  - Can analyze code compiled for any version of Java, from 1.0 to 1.8
  - Can be used from Ant and Eclipse
  - Plug-ins are available for IntelliJ, Maven, Gradle, Jenkins, etc.

Static Code Analyzer: PMD

- Looks for potential problems such as:
  - Possible bugs
    - Empty try/catch/finally/switch statements
  - Dead code
    - Unused local variables, parameters and private methods
  - Suboptimal code
    - Wasteful String/StringBuffer usage
  - Overcomplicated expressions
    - Unnecessary if statements, for loops that could be while loops
  - Duplicate code
    - Copied/pasted code means copied/pasted bugs
  - http://pmd.sourceforge.net/
  - Requires JRE 1.6 or higher to run
  - Can be used from Ant
  - Plug-ins are available for Maven, Eclipse, etc.

Other Static Code Analyzers

- CheckStyle
  - Checks coding conventions
    - http://checkstyle.sourceforge.net/

HW 7-1

- Run FindBugs on your HW 6-1 and 6-2 programs
- Write build.xml to run JUnit and FindBugs
  - Extra points if you run PMD as well as FindBugs.
  - Required to run FindBugs only in this HW
    - Extra point if you run FindBugs in other HWs in the future.

Continuous Testing



Building and testing may be carried out on a single machine.

Testing may require more than one machines in network systems and multi-platform systems.

Automated Deployment

- Fabric
  - http://www.fabfile.org/
- Capistrano
  - http://capistranorb.com/
- Rundeck
  - http://rundeck.org/
- jclouds
  - https://jclouds.apache.org/
  - VM management for major clouds
    - Amazon EC2, Azure, OpenStack, etc.
  - Automates staring multiple VMs at once and installing software on them.

Continuous Testing w/ Config Mgt



If you have many machines for testing, it would be time-consuming and error-prone to manually configure the machines with particular settings.

A configuration mgt tool can be useful.

Configuration Mgt Tools

- a.k.a. System management tools
- Automate system configurations (e.g., OS settings, app installations) for given machines.
  - May apply the identical configurations to all of the machines
  - May apply different configurations to different machines.
- Open-source tools
  - Puppet
    - http://puppetlabs.com/
    - Jason-like DSL (domain specific language)
  - Chef
    - https://www.getchef.com/
    - Ruby-based DSL

Continuous Integration (CI)



Integration Testing

- Testing the integration of multiple modules/packages.
  - e.g. An output from a module goes to the other module correctly?
  - A module's task starts after the other's task is completed?
- GUI testing
  - e.g., Selenium
    - Automates Web browsing and Web app operations
      - » Page loading, page transitions, data entries, etc.
    - Test cases can be written in HTML, Java, Python, Ruby, C#, etc.
    - Selenium IDE can partially generate test cases.
  - e.g., Android SDK testing framework
    - Automates user activities on the Android emulator
      - » Clicking and other finger gestures, data entries, etc.
- Request-response testing for web apps
  - e.g. AsyncHttpClient

Jenkins: a CI Tool

- Jenkins (http://jenkins-ci.org/)
  - Implemented as a Servlet app
    - Cron-like (timer-based) periodic build and integration testing
  - Advanced GUI-based reporting
  - Not only for Java-based development
    - C/C++, Ruby, Python, JavaScript, etc.
  - Automated process for continuous testing
    - Build with Ant, Maven, Gradle, etc.
    - Unit testing with Junit
    - Coverage measurement with JaCoCo, Cobertura, etc.
    - Code inspection with Findbugs, PMD, CheckStyle, Coverity, etc.
    - App deployment to Tomcat, other Servlet engines, clouds
  - Automated integration testing with Selenium, etc.

Continuous Delivery



- Automated release/delivery
  - Release any versions of the product
    - Testers can verify the changes between different versions
    - Support engineers can deploy the product on a testing/staging environment and see if a reported defect is reprodusible.
    - System operators can deploy the product on an operational environment to perform disaster recovery testing, etc.
    - Customers can be satisfied
  - No more manual procedures for releases
    - Procedure documents
      - Copy this step-by-step time consuming
  - Can rollback to a previous version immediately when critical issues are found in the current version.

HW 7-2

- J. Spolsky, "The Joel Test: 12 Steps to Better Code," In Joel on Software, Chapter 3, Apress, 2004.
  - http://www.joelonsoftware.com/articles/fog0000000043.html
- J. Spolsky, "Daily Builds are your friends"
  - http://www.joelonsoftware.com/articles/fog0000000023.html
- J. Spolsky, "The Joel Test: 12 Steps to Better Code"
  - http://www.joelonsoftware.com/articles/fog0000000043.html

In CS 680/1 and CS 682/3

- In CS 680/1
  - Ant is sufficient.
  - No need to use any VCS
    - Small-scale, solo work
- In CS 682/3
  - Ant? Gradle??
  - Use a VCS: Subversion? Git?