

SUMMARY

A frontend developer who keeps users on track through complex business work — surfacing input, progress, and error states clearly, and wiring up the APIs and data handling each screen needs. On production Vue/JavaScript systems I have owned everything from the UI to Spring APIs, SQL, and deployment; in React/TypeScript projects I built dynamic forms, REST-backed dashboards, and user-flow tests. I pin down task order and edge cases with operations staff, and keep fixing what real usage reveals.

KEY ACHIEVEMENTS

- **Removed the root cause of attachment cross-linking from leaked shared Vue state** — Each screen now creates fresh state, and the server also rejects saves that reference another engineer's attachment group.
- **300–400-file bulk downloads turned into a flow with visible progress** — The screen gets a job ID first, shows waiting / running / done / failed, and picks the same job back up after a refresh.
- **School inspections moved from paper to screens** — One flow from schedule approval to sign-off; as of Sep 2026, 14,882 inspection sheets have been saved through it across 71 schools.
- **Public enrollment screens for parents in four education offices** — Parents finish consent, delivery booking, and QR handout checks on mobile without logging in, with deadline locks and error screens for real-world use.

SKILLS

Frontend	WORK PROJECTS JavaScript, Vue, HTML, CSS, WebSquare5 TypeScript, React, React Router, Next.js, Vite, Tailwind CSS In ReachRich I connected FastAPI responses to TypeScript types and shared query helpers, splitting the dashboard, trading journal, and stock ratings into React Router routes.
State · Forms	React Hook Form, TanStack Query, Redux Toolkit, Pinia In SSAFAST, React Hook Form's FormProvider and useFieldArray managed repeated and nested inputs; TanStack Query handled server data and post-save refreshes; Redux Toolkit held shared UI state like theme and toasts.
Responsive UI	CSS Grid, Flexbox, Tailwind CSS My portfolio keeps reading order on small screens — a single column for cards, details, and inputs — expanding to two columns only on wide screens.
Server · DB	SERVER DB Java, Spring Boot, Spring MVC, Python, FastAPI, MyBatis MariaDB, MySQL, Oracle, SQLite At work I build Spring APIs and MyBatis SQL together with each screen's permission, state, and save conditions; in ReachRich I connected FastAPI query APIs and SQLite data to React screens.
Test · Delivery	Vitest, Testing Library, pytest, Git, GitHub Actions, Jenkins, SVN With Vitest and Testing Library I verified loading and empty states, refetch on period change, polling that pauses in hidden tabs and resumes on return, and duplicate-submit prevention. GitHub Actions runs the frontend tests and TypeScript build.

EXPERIENCE

TG Narae LLC Web Developer · Solutions Team

Jun 2024 – Present · Full-time

On a B2B partner portal and the Seoul Metropolitan Office of Education's device-management system, I shape requirements with operations staff and own UI, REST API, and SQL development through user acceptance, deployment, and operations.

B2B Partner Portal (PPS)

Feb 2025 – Present

A portal where headquarters and about 500 partner companies handle partner registration and contracts, plus training, certification, and documentation for 824 field-engineer accounts. I own the Vue screens, Spring APIs and SQL, external-system integrations, and operations.

Tech | Vue · JavaScript · Java 21 · Spring Boot · MyBatis · MariaDB · Oracle · Hazelcast

Highlights

Stopping attachment cross-linking caused by leaked shared Vue state — blocked on both screen and server

Problem	When registering a new field engineer, the previously viewed engineer's attachment group lingered on screen, so the previous person's files could be linked to the new record.
Approach	Rather than just clearing values on open, give every Vue instance fresh state — and have the server block wrong links again at save time.
Implementation	Replaced shallow copies of a shared object with a state-factory function, resetting attachment state on register, detail view, and failed lookups. The server now rejects saves referencing an attachment group owned by another engineer.
Result	Removed the root cause of stale attachments reappearing after navigation, and made sure a UI slip can no longer corrupt stored links.

Async processing and progress UI for bulk downloads — 300–400-file jobs that survive a refresh

Problem	Collecting and zipping attachments for 300–400 engineers in one request kept the screen waiting for minutes, with no way to tell progress from failure.
Approach	Instead of only speeding up compression, separate the HTTP request from the long-running file job and let the screen follow the job's status.
Implementation	A Spring async job returns a job ID immediately; the Vue screen polls waiting / running / done / failed status. The job ID is kept in the browser so the same job can be found again after a refresh.
Result	Users can track progress and download only completed files, without the browser holding an HTTP connection open.

Education Device Management System (TSMS)

Sep 2025 – Present

Manages about 110,000 devices for the Seoul Metropolitan Office of Education's one-device-per-student program — from registration through delivery, installation, repairs, and inspections. I own the WebSquare screens, Spring APIs and SQL, external integrations, user acceptance, and deployment.

Tech | WebSquare5 · JavaScript · Java 11 · Spring MVC · MyBatis · MariaDB

Highlights

Building the school inspection flow — 14,882 inspection sheets across 71 schools

Problem	Schedule approval, roster checks, checklists, e-signatures, and confirmations had to flow together — and multiple staff on the same school risked duplicate approvals or overwriting earlier results.
Approach	Connect the screens in the order staff actually work, but have the server and DB re-verify current state at save time.
Implementation	Linked the WebSquare screens along the real task order and locked school data before approval. Results save only if the version number read at load time still matches; re-inspections preserve earlier confirmations and device records.
Result	One continuous flow from scheduling to sign-off, with duplicates and overwrites blocked server-side; as of Sep 2026, 14,882 inspection sheets saved across 71 of 119 target schools.

Public enrollment screens for parents — four education offices

Problem	Parents handle rental consent, delivery-date booking, and QR handout checks on public screens with no login — so late submissions, duplicates, and mobile rendering issues all had to be handled in the UI.
Approach	Unlike admin screens, put guidance text, error screens, and deadline locking first, and design mobile-first by default.
Implementation	Built consent, QR check, and delivery-booking screens for four education offices (Jeju, Sejong, Gyeonggi, Gangwon), handling submission locks after deadlines, back-navigation guards, a dedicated error screen on parse failures, and QR codes unreadable in dark mode.
Result	Parents complete enrollment from the guidance alone; schedule changes and deadline requests during live periods were applied same-day.

PERSONAL & TEAM PROJECTS

ReachRich · React operations dashboard

Mar 2026 – Present · Personal · Private

Connected FastAPI query APIs to a React + TypeScript UI — dashboard, trading journal, and stock ratings as routes. Polling pauses in hidden tabs and refreshes on return; verified with Vitest and Testing Library (96 web tests, Aug 2026). Private repo; a synthetic-data public demo (quant-lab) is available.

Tech | React · TypeScript · Vite · Vitest · Testing Library · FastAPI · GitHub Actions

ONULSAI · offline dating event service

Sep 2026 – Present · Personal · Private

A service for running offline dating events. I build the participant web app (sign-up, schedule, applications, my applications) and the operator web app (member lookup, event management, application list, cancellation) in Next.js, finalizing each feature's design doc before implementation.

- Request and response types live in one place through NestJS services behind an API Gateway and a shared contract package.
- The server locks the event row so that with one seat left and 20 simultaneous applications, exactly **one** succeeds; on a duplicate application (409) the screen reloads the user's applications.
- Playwright browser E2E runs on GitHub Actions.

Tech | Next.js · React · TypeScript · Tailwind CSS · NestJS · PostgreSQL · Playwright

SSAFST · API spec & testing collaboration tool

Apr 2023 – May 2023 · Team of 6

As the frontend / UI-UX developer, I built the flow from API spec authoring to request execution and result review — React Hook Form for repeated and nested inputs, TanStack Query for server data, Redux Toolkit for shared UI state.

Tech | React · TypeScript · Next.js · React Hook Form · TanStack Query · Redux Toolkit

Personal portfolio · responsive project archive

Mar 2025 – Present · Personal · Public

Built from scratch with Vue 3, TypeScript, Vite, and Tailwind CSS. Single-column on small screens, two-column on wide; the shared detail modal supports keyboard navigation, focus restoration, and reduced motion.

Tech | Vue 3 · TypeScript · Vite · Tailwind CSS · Vitest

EDUCATION

Training	Samsung SW Academy For Youth (SSAFY), 8th cohort · Web development program	Jul 2022 – Jun 2023
Education	Ajou University · B.S. in e-Business (transfer)	Mar 2018 – Aug 2020
Education	California State University, Chico · Business Administration, attended before transfer	Jan 2014 – May 2015
Certification	SQLD (SQL Developer) · Korea Data Agency	Sep 2024