


- Jenkins intro -

Professor Han-gyoo Kim

2022


https://www.jenkins.io/



Jenkins

- Open source automation server (controller, master)
- Automated CI/(CD) tool : Integrator of DevOps
- 1000+ plug-ins
- Successor of Hudson project (2005)
- Kohsuke Kawaguchi, Sun Microsystems
- Released in 2011 as Jenkins
- Written in Java
- Historucally fit in maven/java projects
- CloudBees platform for enterprises (days to hour for build jobs)
- cf) github, gitlab

Jenkins Pipeline



Benefits

- fast feedback to developers
- easy for developers to find and fix issues
- improves developers productivity
- improves code quality
- automates integration flow
- automates SW release process
- release SW updates faster

- (1) Jenkins (master)
 - Default port# 8080
 - Tomcat default port# 8080 (Jenkins runs in Java Servlet in a server like Tomcat)
 - Jenkins Blue Ocean (2.7판 이후의 UI)
 - Master/Slave vs Standalone
- (2) Jenkins Dashboard
 - Jenkins 사용법
 - Jenkins.io
 - 1,000 개 이상의 plug-ins (어렵지 않으나 도구 숙련에 시간 소.
 - Jenkins, The definitive guide, O'Reily, 2011
- (3) Github 연동 pipeline trigger build
 - Push vs Poll
- (4) Pipeline 설정
 - Dependency가 있는 event/job의 연속적 연결
- (5) Jenkinsfile
 - Pipeline as code
 - Pipeline syntax : Apache Groovy script vs declarative https://www.jenkins.io/doc/
 https://www.jenkins.io/solutions/pipeline/





Jenkins

Github webhook, multi-branch Maven 등과 같은 Build tool 연동 (cf. Cmake for C/C++) Selenium 등과 같은 Test tool 연동 최종 service deploy는 container로 만들어 kubernetes deploy Jenkins 자체도 Apache Tomcat과 함께 container 로 서비스 수행

수백 개 이상의 parallel builders, testers 다양한 notification to literally EVERYBODY in the team => from nightly build to no sleep CI/CD

Jenkins notification

- Jabler, IRC, Desktop notification, Notifo, mobile phone, SMS, CATLIGHT, etc.


Jenkins installation for windows

- 1) Java 설치 Caution!!! Not all Java versions are supported by Jenkins
 - => JDK 8 or JDK 11 only
 - => OpenJDK 11 https://www.openlogic.com/openjdk-downloads
 - => <u>https://www.oracle.com/kr/java/technologies/javase/jdk11-archive-downloads.html</u> (오라클 JDK/JRE 는 Linux 에서 package로 설치하지 못하는 License 제약 있음)
 - => Jenkins manual 에는 version 만 같으면 어떤 jdk/jre 배포판도 무관하다고 명기되어 있으나 여러 agent를 사용할 때 동일 배포판을 설치할 것이 권장됨
- 2) Jenkins 설치
 - => https://www.jenkins.io/download/
 - => Download Generic Java package, Jenkins.war
 - => cmd에서 java –jar Jenkins.war (--httpPort=<적당한 포트번호>) 명령 실행

Jenkins installation for Mac

- Similarly to installation on windows
- 또는 homebrew 이용

Jenkins on Windows



Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log (**not sure where to find it?**) and this file on the server:

C:\Users\USER\.jenkins\secrets\initialAdminPassword

Please copy the password from either location and paste it below.

Administrator password

15

Continue



Customize Jenkins

Plugins extend Jenkins with additional features to support many different needs.

Install suggested plugins

Install plugins the Jenkins community finds most useful.

Select plugins to install

Select and install plugins most suitable for your needs.

	ravascript our cip. Acc	▼ Tipenne, octvi otep	+ Tipeline, Groovy	· ripeime, you	The state of the s
	Editor bundle				Pipeline: Stage Tags Metadata Pipeline: Declarative
~	Mailer	✓ Apache HttpComponents	✓ Pineline: Basic Steps	✓ Gradle	Lockable Resources
	maner	Client 4.x API	- Tipeliner Busic Steps	- Gradic	Pipeline
~					Java JSON Web Token (JJWT)
	Pipeline: Milestone Step	✓ Pipeline: Input Step	✓ Pipeline: Stage Step	✓ Pipeline Graph Analysis	OkHttp
					GitHub API
~	Pipeline: REST API	✓ JavaScript GUI Lib: Handlebars bundle	✓ JavaScript GUI Lib: Moment.js bundle	✓ Pipeline: Stage View	Git
					Token Macro
					Plain Credentials
~	Pipeline: Build Step	➤ Pipeline: Model API	✔ Pipeline: Declarative Extension Points API	✓ JSch dependency	GitHub
					GitHub Branch Source
					Pipeline: GitHub Groovy
~	Git client	✓ GIT server	✓ Pipeline: Shared Groovy	✓ Branch API	
			Libraries		Pipeline: Stage View Git
		weganish to the term			SSH Build Agents
~	Pipeline: Multibranch	✓ Pipeline: Stage Tags Metadata	Pipeline: Declarative	✓ Lockable Resources	Matrix Authorization Strategy
					PAM Authentication
700					LDAP
~	Pipeline	✓ Java JSON Web Token (JJWT)	✓ OkHttp	✓ GitHub API	Email Extension
					Mailer
~	Git	✓ GitHub	✓ GitHub Branch Source	✓ Pipeline: GitHub Groovy Libraries	Folders
					Trilead API
					OWASP Markup Formatter
~	SSH Build Agents	✓ Matrix Authorization	➤ PAM Authentication	C) LDAP	Structs
					Pipeline: Step API

Create First Admin User

Username:	I
Password:	
Confirm password:	
Full name:	
E-mail address:	

Instance Configuration

Jenkins URL:

http://localhost:8080/

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD_URL environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.


Jenkins 2.277.2 Not now

Save and Finish

Jenkins is ready!

Your Jenkins setup is complete.





Jenkins Tour

- Manage Jenkins
- New item
- And much more