

Cold Outreach Pack — Setup Guide

The exact system I use to pull leads from Google Maps, find their email, write an icebreaker with Claude, and send it all through Gmail. No fluff, no code. — Manu, founder of [Taiyka](#)

What you're holding

4 n8n workflows that form **one single pipeline**:

[Google Maps]	→	[Email Finder]	→	[AI Icebreaker]	→	[Gmail Send]
Workflow 1		Workflow 2		Workflow 3		Workflow 4

You run the first, a Google Sheet fills up with leads. The next 3 enrich that same sheet until the email gets sent.

One database (your Google Sheet), 4 layers of enrichment.

Prerequisites

Accounts you need (all have free tiers):

- **n8n** — cloud or self-hosted, doesn't matter
- **Google Cloud** — for the Google Maps API key (enable "Places API")
- **Hunter.io** — 25 free searches / month
- **Anthropic** — Claude API key (a few bucks of credit cover 1000 icebreakers)

- **Gmail** — standard Google account, connected to n8n via OAuth

Setup time: budget **45 minutes** the first time. After that it's 2 clicks.

Your Google Sheet: create one with these columns in this order:

```
id | name | websiteUri | address | phone | rating | email | email_source | email_status |  
hunter_first_name | hunter_last_name | hunter_position | hunter_confidence |  
icebreaker | icebreaker_status | icebreaker_model |  
approved | sent_status | sent_at
```

The `id` column must be **unique** per row (a simple 1, 2, 3... sequence works). It's the key used for updates.

How to import a workflow

1. Open n8n
2. "+ Add workflow" → menu ... → **Import from File**
3. Pick the `.json`
4. Connect the requested credentials (Google Sheets, Gmail, etc.)
5. Replace the `PASTE_YOUR_X_HERE` placeholders in the **"Edit Fields"** node at the top
6. Activate and run

Workflow 1 — Google Maps Scraper

File: `01-lead-google-maps.json` **Difficulty:** ★★ **APIs:** Google Maps API + Google Sheets

What it does

You give it a business type + a city (e.g. "barbershops in Toulon"), it pulls up to 100 leads with name, address, phone, website, average rating. Straight into your Google Sheet.

Setup

1. [Create a Google Maps API key](#) → enable **Places API**
2. In the **"Edit Fields"** node, replace:
3. `PASTE_YOUR_GOOGLE_MAPS_API_KEY_HERE` → your key
4. `PASTE_YOUR_GOOGLE_SHEET_ID_HERE` → your sheet ID (in the URL, the long string between `/d/` and `/edit`)
5. Tweak `query` (e.g. "dentists", "real estate agents") and `location` (e.g. "Austin, TX")
6. Connect your Google Sheets account
7. Run → leads land in the sheet

Tip

Add a **filter node** after to keep only profiles with `rating >= 4.0` if you want businesses that are actually running.

Workflow 2 — Email Finder

File: `02-lead-email-finder.json` **Difficulty:** ★★ **APIs:** Hunter.io + Google Sheets

What it does

For each lead with a website but no email yet, it:

1. **Scrapes the website first** for any email (free, silent)
2. **Falls back to Hunter.io** if nothing found — prioritizes decision makers (owner, CEO, founder)
3. **Filters out generic emails** (info@, contact@, noreply@... all auto-rejected)

You keep only real-person emails.

Setup

1. [Create a free Hunter.io account](#) → copy your API key
2. In **"Edit Fields"**:

3. `PASTE_YOUR_HUNTER_API_KEY_HERE` → your Hunter key
4. `PASTE_YOUR_GOOGLE_SHEET_ID_HERE` → same sheet as Workflow 1
5. Run → the `email` column fills up

Tip

Hunter's 25 free searches/month go fast. Website scraping is free and covers ~40-60% of cases — so order matters: **scrape first, Hunter as backup**. Already wired that way in the code.

Workflow 3 — AI Icebreaker (Claude)

File: `03-icebreaker-claude.json` **Difficulty:** ★ ★ ★ **APIs:** Anthropic (Claude) + Google Sheets

What it does

For each lead with an email but no icebreaker yet, the workflow:

1. Reads the row (name, role, city, niche, website)
2. Sends it to **Claude** with a calibrated prompt: max 2 sentences, human tone, no corporate flattery
3. Writes the icebreaker into the `icebreaker` column of the sheet

The system prompt is deliberately strict: **"Slightly imperfect English is fine — it signals a real human wrote it"**. That's exactly the style I use in my own cold emails.

Setup

1. [Get your Anthropic key](#) → generate an API key
2. In **"Edit Fields"**:
3. `PASTE_YOUR_ANTHROPIC_API_KEY_HERE` → your key
4. `PASTE_YOUR_GOOGLE_SHEET_ID_HERE` → your sheet
5. Tweak `sender_first_name` and `sender_offer` (describe your offer in one line)

6. Run → the `icebreaker` column fills up

Tip

Before sending, **re-read the icebreakers in the sheet**. Claude is good but not magic — some will be throwaway. Manually mark `approved = yes` on the ones you keep. That filter is already wired into Workflow 4.

Cost

~\$0.003 per icebreaker with `claude-sonnet-4-5`. 1000 leads = \$3. For massive volumes, switch to `claude-haiku-4-5` in the `claude_model` field (10x cheaper).

Workflow 4 — Gmail Send (with approval gate)

File: `04-gmail-send.json` **Difficulty:** ★★ ★ **APIs:** Gmail (OAuth) + Google Sheets

What it does

For each lead that's **approved** (`approved = yes`) and **not yet sent** (`sent_status ≠ sent`), it:

1. Builds the email from templates (subject + body with `{{first_name}}`, `{{icebreaker}}`, `{{signature}}`)
2. **Dry-run mode by default** — the email is sent to yourself with `[DRY RUN]` in the subject, so you can eyeball the rendering before hitting real prospects
3. When you flip `dry_run = false`, it sends for real and marks `sent_status = sent` + the date

Setup

1. Connect your Gmail account to n8n via OAuth (n8n walks you through)
2. In **"Edit Fields"**:
3. `PASTE_YOUR_GOOGLE_SHEET_ID_HERE` → your sheet
4. Replace `PASTE_YOUR_EMAIL_HERE@example.com` in the **Dry run** node with your own email
5. Tweak `sender_signature`, `subject_template`, `body_template` for your offer

6. Test in dry-run first (`dry_run = true`)

7. When everything looks clean → `dry_run = false` and re-run

Approval workflow

In your Google Sheet, add a data validation on the `approved` column (list: `yes` / `no` / blank). You approve line by line what goes out. **Never skip this step** — one bad icebreaker sent to 100 prospects = 100 bad first impressions.

Deliverability tips

- **Start at 20-30 sends/day max** the first 2 weeks (domain warmup)
 - Send between **Tuesday and Thursday, 9-11am** local prospect time
 - Leave 30-60 seconds between sends (add a **Wait** node if you want)
 - Use a separate sending domain if you scale (don't torch your main inbox)
-

Full pipeline — execution order

1. Run Workflow 1 → 100 leads in the sheet
2. Run Workflow 2 → ~40-60 emails found
3. Run Workflow 3 → ~40-60 icebreakers drafted
4. Review the sheet, set approved=yes on ~20-30 clean leads
5. Run Workflow 4 in `dry_run=true` → check the mails in your own inbox
6. Flip `dry_run=false` → emails fire at prospects

You can put each stage on a Schedule trigger (e.g. every 6h) later, but when you start **keep everything manual**. You want to see what's happening before you automate it.

Troubleshooting

"Google Sheets: column not found" → Your sheet doesn't have all the expected columns.

Double-check the Prerequisites column list (it's strict).

"Hunter: quota exceeded" → The 25 free searches are burned. Either upgrade (~\$49/mo for 500), wait for next month, or swap to another tool (Apollo, Dropcontact, Findymail).

"Anthropic 401" → Your API key is either mispasted (invisible trailing spaces) or not active. Regenerate one.

Gmail "Insufficient permissions" → Re-authorize your Google account in n8n. OAuth scope "send email" must be checked.

All icebreakers feel flat → Edit the prompt in the **"Build prompt"** node (Workflow 3). Add 2-3 examples of icebreakers YOU'D want to receive in the `system` section. Claude follows concrete examples better than abstract rules.

Dry run doesn't send anything → Check that `dry_run = true` AND that you put your real email in `PASTE_YOUR_EMAIL_HERE@example.com` inside the Gmail Dry run node.

Going further

Natural extensions of the pack:

- **Auto follow-up sequence:** add a Workflow 5 that re-reads the sheet 3 days after send and fires a bump if `replied = no`
- **Reply detection:** a Gmail trigger that flips `replied = yes` when a prospect replies → stops the sequence automatically
- **LinkedIn enrichment:** swap the Google Maps scrape for a LinkedIn Sales Navigator scrape (via Apify) if you target B2B tech
- **A/B test on the icebreaker:** generate 2 versions per prospect with 2 different prompts, send 50/50, measure reply rate

If you want all of this already wired + pro-grade prompts calibrated per niche → see below [!\[\]\(51514032c8ca341817228f39f1307b05_img.jpg\)](#)

What's next

This pack gets you from zero to first cold email sent on autopilot. Ready to level up?

- 🤖 **Build your first AI Agent end-to-end** — an agent that qualifies leads, answers their questions, books meetings for you → [Build Your First AI Agent \(\\$29\)](#)
- 🚀 **Join the Skool community** — access to all my products, weekly lives, exclusive templates, direct Q&A with me → [Skool community](#)

Manu · [@manuai.to](#) · [taiyka.com](#)

Stuck somewhere? Reply to the delivery email, I read everything.
