

Glutathione Application Affects Modulation of the ROS, Redox, and Hormone Balance in Cd-exposed Brassica napus

카드뮴에 노출된 유채에서 활성산소종, 산화·환원 및 호르몬균형의 조절에 미치는 글루타치온 처리효과 구명

Ha-il Jung, Eun-Jin Lee, Myung-Suk Kong, Mi-Jin Chae, Tae-Gu Lee, Yi-Hyun Kim, Yoo-Hak **사**

(Authors)

한국토양비료학회 학술발표회 초록집, 2019.8, 177-178(2 pages) 출처

(Source)

한국토양비료학회 발행처

Korean Society Of Soil Sciences And Fertilizer (Publisher)

http://www.dbpia.co.kr/journal/articleDetail?nodeld=NODE08770737 URL

Ha-il Jung, Eun-Jin Lee, Myung-Suk Kong, Mi-Jin Chae, Tae-Gu Lee, Yi-Hyun Kim, Yoo-Hak **APA Style**

Kim (2019). Glutathione Application Affects Modulation of the ROS, Redox, and Hormone Balance in Cd-exposed Brassica napus. 한국토양비료학회 학술발표회 초록집, 177-178

이용정보 이화여자대학교

203.255.***.68 2020/05/18 03:58 (KST) (Accessed)

저작권 안내

DBpia에서 제공되는 모든 저작물의 저작권은 원저작자에게 있으며, 누리미디어는 각 저작물의 내용을 보증하거나 책임을 지지 않습니다. 그리 고 DBpia에서 제공되는 저작물은 DBpia와 구독계약을 체결한 기관소속 이용자 혹은 해당 저작물의 개별 구매자가 비영리적으로만 이용할 수 있 습니다. 그러므로 이에 위반하여 DBpia에서 제공되는 저작물을 복제, 전송 등의 방법으로 무단 이용하는 경우 관련 법령에 따라 민, 형사상의 책 임을 질 수 있습니다.

Copyright Information

Copyright of all literary works provided by DBpia belongs to the copyright holder(s) and Nurimedia does not guarantee contents of the literary work or assume responsibility for the same. In addition, the literary works provided by DBpia may only be used by the users affiliated to the institutions which executed a subscription agreement with DBpia or the individual purchasers of the literary work(s)for non-commercial purposes. Therefore, any person who illegally uses the literary works provided by DBpia by means of reproduction or transmission shall assume civil and criminal responsibility according to applicable laws and regulations.

PE-37

Glutathione Application Affects Modulation of the ROS, Redox, and Hormone Balance in Cd-exposed *Brassica napus*

카드뮴에 노출된 유채에서 활성산소종, 산화환원 및 호르몬균형의 조절에 미치는 글루타치온 처리효과 구명


Ha-il Jung*, Eun-Jin Lee, Myung-Suk Kong, Mi-Jin Chae, Tae-Gu Lee, Yi-Hyun Kim, and Yoo-Hak Kim 정하일*, 이은진, 공명석, 채미진, 이태구, 김이현, 김유학

Division of Soil and Fertilizer, National Institute of Agricultural Science, RDA, Wanju 55365, Korea 농촌진흥청 국립농업과학원 토양비료과

Glutathione (GSH) plays critical roles in the physiological processes, stress defense, growth, and development of plants. Our study investigated the effects of exogenous GSH on the biochemical responses of reactive oxygen species (ROS), redox, and hormone levels in oilseed rape (Brassica napus L. 'Tammi') seedlings under cadmium (Cd) stress. Cadmium (10 µM) alone treatment inhibited the growth; increased the level of superoxide, hydrogen peroxide, and malondialdehyde; and enhanced the uptake of Cd by roots and shoots of the plants grown in Cd-treated hydroponics for 10 days. Furthermore, it reduced GSH content, and GSH-redox ratio, which have been correlated with the decrease in AsA- and NADPH-redox status. However, the exogenous application of GSH in Cd-treated plants reduced the Cd-induced oxidative stress, improved the redox homeostasis by increasing AsA, GSH, and NADPH contents, and increased Cd uptake and accumulation in the roots and shoots. The ratio of IAA/Zeatin, ABA/Zeatin, SA/Zeatin, and JA/Zeatin was significantly increased in the roots and leaves under Cd-stressed condition, respectively, compared with those of the untreated control. However, GSH applications in all organs remarkably decreased ratios of the IAA/Zeatin, ABA/Zeatin, SA/Zeatin, and JA/Zeatin compared to the Cd alone treatment. Therefore, the results suggest that exogenous GSH treatment is a practical approach to alleviate Cd-induced oxidative damages by sustaining sufficient levels of AsA, GSH, and NADPH and maintaining balance of the hormone status.

Keywords: *Brassica napus*, Cadmium, Glutathione, Hormone balance, Reactive oxygen species (ROS), Redox status

Correspondence: hj255@korea.kr (063-238-2442)



Heatmap of Pearson's correlation coefficient (r) for the targeted metabolites of ROS, AsA/GSH/NADPH-redox, and hormone state in the roots (A and B) and shoots (C and D) of the cadmium (Cd)-stressed plants. Red and blue indicate positive and negative correlation coefficients between the targeted metabolites. (B) and (D) show the factors correlated with Cd accumulation in the roots and shoots, respectively.