

Analysis of Factors Affecting the Filling rate of each type of daycare center Using Bigdata Technology

저자 (Authors)	Jeongwon Lee, Byungil Jeon, Semin Kim, Gyujeon Lee, Choong Ho Lee
출처 (Source)	INTERNATIONAL CONFERENCE ON FUTURE INFORMATION & COMMUNICATION ENGINEERING 11(1) , 2019.6, 35-38(4 pages)
발행처 (Publisher)	한국정보통신학회 The Korea Institute of Information and Communication Engineering
URL	http://www.dbpia.co.kr/journal/articleDetail?nodeId=NODE08747401
APA Style	Jeongwon Lee, Byungil Jeon, Semin Kim, Gyujeon Lee, Choong Ho Lee (2019). Analysis of Factors Affecting the Filling rate of each type of daycare center Using Bigdata Technology. INTERNATIONAL CONFERENCE ON FUTURE INFORMATION & COMMUNICATION ENGINEERING, 11(1), 35-38
이용정보 (Accessed)	이화여자대학교 203.255.***.68 2020/05/18 03:59 (KST)

저작권 안내

DBpia에서 제공되는 모든 저작물의 저작권은 원저작자에게 있으며, 누리미디어는 각 저작물의 내용을 보증하거나 책임을 지지 않습니다. 그리고 DBpia에서 제공되는 저작물은 DBpia와 구독계약을 체결한 기관소속 이용자 혹은 해당 저작물의 개별 구매자가 비영리적으로만 이용할 수 있습니다. 그러므로 이에 위반하여 DBpia에서 제공되는 저작물을 복제, 전송 등의 방법으로 무단 이용하는 경우 관련 법령에 따라 민, 형사상의 책임을 질 수 있습니다.

Copyright Information

Copyright of all literary works provided by DBpia belongs to the copyright holder(s) and Nurimedia does not guarantee contents of the literary work or assume responsibility for the same. In addition, the literary works provided by DBpia may only be used by the users affiliated to the institutions which executed a subscription agreement with DBpia or the individual purchasers of the literary work(s) for non-commercial purposes. Therefore, any person who illegally uses the literary works provided by DBpia by means of reproduction or transmission shall assume civil and criminal responsibility according to applicable laws and regulations.

Analysis of Factors Affecting the Filling rate of each type of daycare center Using Bigdata Technology

Jeongwon Lee^{1*}, Byungil Jeon¹, Semin Kim², Gyujeon Lee¹, and Choong Ho Lee¹

¹Department of Information Communication Engineering, Hanbat National University, 34158, South Korea

²Department of Computer Education, Jeonju National University of Education, Jeonju 55101, South Korea

[Email : chlee@hanbat.ac.kr]

Abstract

Emphasizing the government's efforts to strengthen social responsibility and support for daycare center and daycare center for the growing number of working women, and to relieve the stress on the daycare center of working women as a result of the publicity of daycare center policies and the localization of daycare center have.

In this study, the current status of daycare centers and childcare services using public data centered on Seoul and Incheon is investigated and the factors of type of daycare center that affect the filling rate are derived using bigdata technology.


Index Terms: Daycare center, Daycare center fill rate, Data Analysis, Big Data Analysis

I. INTRODUCTION

In order to strengthen social responsibility and support for childcare and childcare for working women, this study was conducted to investigate the status of daycare and childcare services using public data to determine the appropriate daycare center based on scientific data, and to use Big Data technology to derive factors for each type of daycare center affecting the recruitment rate.

II. Analysis Procedure

In order to derive factors by type of day care center, we conducted analysis by data collection and storage, data processing, data analysis and visualization.



A. Data Collection and Storage

1) Data Collection

a) Data extractin technique

- Web Crawling

```

public class ChildCareDetailUrlProperties {
    // ----- 어린이집상세정보 기본 URL -----
    private static final String DETAIL_URL = "http://info.childcare.go.kr/info/pnis;

    // ----- JSP 페이지 정보 -----
    // [HTML]22 어린이집상세-기본현황
    private static final String DETAIL_BASIS_JSP = "BasisPresentConditionSlFu.jsp";
    // [HTML]23 어린이집상세-영유아 및 교직원
    private static final String DETAIL_STAFF_JSP = "ChildStaffSlFu.jsp";
    // [HTML]24 어린이집상세-교육보육과정
    private static final String DETAIL_CARE_JSP = "ChildCareCurriculumSlFu.jsp";
    // [HTML]25 어린이집상세-평가인증
    private static final String DETAIL_AUTH_JSP = "AppraiseAuthenticationSlFu.jsp";

    // ----- flag 정보 -----
    // [HTML]22 어린이집상세-기본현황
    public static final String FLAG_DETAIL_BASIS = "GH";
    // [HTML]23 어린이집상세-영유아 및 교직원
    public static final String FLAG_DETAIL_STAFF = "BG";
    // [HTML]24 어린이집상세-교육보육과정
    public static final String FLAG_DETAIL_CARE = "BB";
    // [HTML]25 어린이집상세-평가인증
    public static final String FLAG_DETAIL_AUTH = "PI";

```

b) Data collection and storage techniques

- Kafka : Managing messages for distributed processing
- Flume : Save Kafka Topinc messages to HDFS

```

# Agent name 설정
Agent_HureryListInfo.sources = Source_Kafka
Agent_HureryListInfo.sinks = Sink_Hdfs
Agent_HureryListInfo.channels = Channel_file

# sources 설정
Agent_HureryListInfo.sources.Source_Kafka.type = org.apache.flume.source.kafka.KafkaSource
Agent_HureryListInfo.sources.Source_Kafka.bootstrapServers = 192.168.10.4:2181,192.168.10.5:2181,192.168.10.6:2181
Agent_HureryListInfo.sources.Source_Kafka.topic = HureryListInfo
Agent_HureryListInfo.sources.Source_Kafka.groupId = HureryKafkaFlume
Agent_HureryListInfo.sources.Source_Kafka.batchSize = 100
Agent_HureryListInfo.sources.Source_Kafka.kafka.consumer.timeout.ms = 100

# sinks 설정 : hdfs
Agent_HureryListInfo.sinks.Sink_Hdfs.type = hdfs
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.path = hdfs://hdp01.tech1.kob.co.kr/nurery/flume/live/HureryListInfo/ky-hd
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.path = hdfs://hdp01.tech1.kob.co.kr/nurery/flume/live/HureryListInfo/ky-hd
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.fileType = DataStream
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.writeFormat = Text
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.filePrefix = kafka_data
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.fileSuffix = .dat
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.threadPoolSize = 10
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.rollCount = 100
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.rollInterval = 30
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.roundValue = 0
Agent_HureryListInfo.sinks.Sink_Hdfs.hdfs.roundUnit = minute

# channel 설정 - file
Agent_HureryListInfo.channels.Channel_file.type = file
Agent_HureryListInfo.channels.Channel_file.checkpointDir = /usr/hdp/current/flume-server/channels/HureryListInfo/checkpoint2
Agent_HureryListInfo.channels.Channel_file.details = /usr/hdp/current/flume-server/channels/HureryListInfo/data2
Agent_HureryListInfo.channels.Channel_file.capacity = 10000000
Agent_HureryListInfo.channels.Channel_file.transactionCapacity = 100000

# channel의 sources와 sinks 매핑
Agent_HureryListInfo.sources.Source_Kafka.channels = Channel_file
Agent_HureryListInfo.sinks.Sink_Hdfs.channels = Channel_file

```

c) Data collection and Upload

- Download demographic data

B. Data Processing

1) Data processing methods and usage techniques

a) Spark SQL : Generate and summarize derivative data

b) Spark ML : association analysis (FPGrowth) utilization

c) association analysis (FPGrowth)

- Subordination variables : crperson_rate_gt_90_yn(whether the recruitment rate is over 90%)

REFERENCES

- [1] Kim Jae-hwan, a researcher on the public standards and evaluation of the Seoul-style daycare center, and the study on national education and childcare administration, 13 (4), 141-173, 2009.
- [2] Ministry of Health and Welfare, Public Nursery Work Manual for each year, 2009.
- [3] The Ministry of Health and Welfare. Press release: “The way that private day care centers become excellent day care centers! - Public and autonomous childcare project plan public hearings –” (Drained from <http://www.mohw.go.kr>), 2011.
- [4] Seo Moon-hee, Yang Mi-sun, and Domi-hyang Transmission. Monitoring and Evaluation of Public-type and Autonomous Nursery School Pilot Projects. Ministry of Health and Welfare, Childcare Policy Research Institute, 2011.
- [5] Seo Moon-hee, Yoo Hae-mi, Kim Jong-sook Shin Yoon-jung Yoon Jae-young Kim Hye-jin, 2012.