# The function "Забравена парола" is working properly

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Functional |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is not signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap on the option "Вписване" in the hamburger menu |
| Input data | |
| Expected result | The user is able to sign in to the app |

| Step | 3 |
|---|---|
| Action | Choose the option "Забравена парола" |
| Input data | |
| Expected result | A message for confirmation that the password is forgotten appears |

| Step | 4 |
|---|---|
| Action | Tap to confirm that the password is forgotten |
| Input data | |
| Expected result | An email for password recovery is sent |

| Step | 5 |
|---|---|
| Action | Navigate to the email inbox and click on the link for password recovery from the app support |

Input data

Expected result   The user is able to enter a new password and confirm it

Step              6

Action            Click to confirm changes

Input data

Expected result   A message that the password is changed appears

# Successful change of the app environment (from UAT to TEST as a guest)

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is not signed in to the profile; Device: Samsung A 52s 5G, Android 11

## Steps to reproduce

| Step | 1 |
|---|---|
| Action | Tap on the app icon |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap 7 times on the heading "Help a paw" between the hamburger menu and the döner menu |
| Input data | |
| Expected result | The environment is successfully switched from UAT to Test environment |

# Successful change of the app environment (from UAT to TEST )

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in to the profile, Device: Samsung A 52s 5G, Android 11

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Enter valid credentials to log in to the app |
| Input data | |
| Expected result | The user is logged in |

| Step | 2 |
|---|---|
| Action | Tap 7 times on the heading "Help a paw" between the hamburger menu and the döner menu |
| Input data | |
| Expected result | The environment is successfully changed from UAT to Test environment |

# Successful change of the app environment (from TEST to UAT as a guest)

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

| Status |
|---|
| Actual |

**Pre-conditions**

The user is not signed in to the profile; Device: Samsung A 52s 5G, Android 11

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap on the app icon |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap 7 times on the heading "Help a paw" between the hamburger menu and the döner menu |
| Input data | |
| Expected result | The environment is successfully switched from Test to UAT environment |

# Successful change of the app environment from TEST to UAT

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in to the profile, Device: Samsung A 52s 5G, Android 11

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Enter valid credentials to log in to the app |
| Input data | |
| Expected result | The user is logged in |

| Step | 2 |
|---|---|
| Action | Tap 7 times on the heading "Help a paw" between the hamburger menu and the döner menu |
| Input data | |
| Expected result | The environment is successfully changed from TEST to UAT environment |

# Login in with google profile

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user does not have a profile in the app

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap on the hamburger menu in the upper left corner and choose "Вписване" |
| Input data | |
| Expected result | The user is able to sign in |

| Step | 3 |
|---|---|
| Action | Tap to choose the option "Google вход" |
| Input data | |
| Expected result | The user is successfully signed in |

# Logout function

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Not set | Other |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in to the profile with Google

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded and the user is signed in to the profile with Google |

| Step | 2 |
|---|---|
| Action | Tap on the hamburger menu and choose "Профил" |
| Input data | |
| Expected result | A page with a few options is loaded |

| Step | 3 |
|---|---|
| Action | Tap on the button "Отписване" |
| Input data | |
| Expected result | The user is logged out from the app |

# Login in with Facebook profile

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

| Status |
|---|
| Actual |

**Pre-conditions**

The user is not signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the appplication |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Choose the option "Вписване" from the hamburger menu |
| Input data | |
| Expected result | A page with a few options to sign in is loaded |

| Step | 3 |
|---|---|
| Action | Tap on the option "continue with Facebook" |
| Input data | |
| Expected result | A popup is opened and the app wants permission to continue with the user`s profile |

| Step | 4 |
|---|---|
| Action | Tap to confirm the profile in Facebook |
| Input data | |
| Expected result | A popup to confirm terms and conditions appear |

| Step | 5 |
|---|---|
| Action | Tap on the option "Приемам" |

Input data

Expected result    The user is successfully signed in to the profile with Facebook

# Creating a registration

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Functional |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is not signed in

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap on the hamburger menu and choose "Вписване" |
| Input data | |
| Expected result | A popup with a few options to sign in appears |

| Step | 3 |
|---|---|
| Action | Tap to choose "Регистрация" |
| Input data | |
| Expected result | The user is able to enter personal data and create a profile |

| Step | 4 |
|---|---|
| Action | Fill in all the fields and tap to the button "Регистрация" |
| Input data | |
| Expected result | A popup with terms and conditions appears |

| Step | 5 |
|---|---|
| Action | Tap on "Приемам" and accept the terms and conditions |

Input data

| Expected result | The user is signed in to the profile |

# Login with invalid email and valid password

| **Severity** | **Priority** | **Behavior** | **Type** |
|---|---|---|---|
| O Normal | ↑ High | Negative | Functional |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is not signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Choose the option "Вписване" from the hamburger menu |
| Input data | |
| Expected result | The user is able to enter credentials and sign in |

| Step | 3 |
|---|---|
| Action | Enter an invalid email and valid password |
| Input data | |
| Expected result | A message for error appears and the user is not able to sign in |

# Login with valid email and invalid password

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Negative | Functional |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is not signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Choose the option "Вписване" from the hamburger menu |
| Input data | |
| Expected result | The user is able to sign in with the proper credentials |

| Step | 3 |
|---|---|
| Action | Enter a valid email and invalid password |
| Input data | |
| Expected result | A message for error appears and the user is not able to sign in |

# Creating registration for already existing user

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Negative | Functional |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user already has a profile in the application

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap on the option "Вписване" in the hamburger menu |
| Input data | |
| Expected result | The user is able to make registration |

| Step | 3 |
|---|---|
| Action | Tap the option "Регистрация" and enter personal data for already existing user |
| Input data | |
| Expected result | A page to confirm terms and conditions appears |

| Step | 4 |
|---|---|
| Action | Tap to accept the terms and conditions |
| Input data | |
| Expected result | A message for already existing user is shown |

# Deleting account

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Positive | Functional |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user already has an account and is logged in the app

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap to choose option "Профил" in the hamburger menu |
| Input data | |
| Expected result | The user is able to delete account or to sign out |

| Step | 3 |
|---|---|
| Action | Tap the button "Изтрийте акаунта" |
| Input data | |
| Expected result | A message for confirmation is shown |

| Step | 4 |
|---|---|
| Action | Tap on the option "Изтрий" |
| Input data | |
| Expected result | The account is successfully deleted |

# Check for signals without profile

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Negative | Functional |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user has no profile in the app

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap on the hamburger menu in the upper left corner |
| Input data | |
| Expected result | Different options appear |

| Step | 3 |
|---|---|
| Action | Tap to choose "Моите сигнали" |
| Input data | |
| Expected result | Registration is needed to see that section |

# Sending empty signal

| **Severity** | **Priority** | **Behavior** | **Type** |
|---|---|---|---|
| O Normal | ↑ High | Negative | Other |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is signed in to the application profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap on the paw icon on the down right corner |
| Input data | |
| Expected result | A popup for sending a signal is shown |

| Step | 3 |
|---|---|
| Action | Tap to send the signal without adding description |
| Input data | |
| Expected result | The signal can`t be sent without description and a message to add it is shown |

# Creating a signal for emergency

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | — Not set | Not set | Other |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap on the paw icon on the down right corner |
| Input data | |
| Expected result | The popup to create signal is open |

| Step | 3 |
|---|---|
| Action | Type the signal text, choose location and status "Спешен случай" and tap "Изпрати" |
| Input data | |
| Expected result | The signal is successfully sent |

# The app is successfully installed

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | — Not set | Not set | Other |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

## Steps to reproduce

| Step | 1 |
|---|---|
| Action | Tap to open Google play and find the App "Help a paw" |
| Input data | |
| Expected result | The app is installable |

| Step | 2 |
|---|---|
| Action | Tap to download the app |
| Input data | |
| Expected result | The app is successfully installed without problems |

# Successful uninstalling the app

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | — Not set | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Navigate to the application icon |
| Input data | |
| Expected result | The icon is visible |

| Step | 2 |
|---|---|
| Action | Tap and hold the finger on the application |
| Input data | |
| Expected result | A few options appear |

| Step | 3 |
|---|---|
| Action | Tap on the option "Uninstall" and choose it |
| Input data | |
| Expected result | The app is successfully uninstalled |

# The user manual is available in the app

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ▬ Not set | Not set | Other |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap on the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Tap on the hamburger menu and choose the option "Често задавани въпроси" |
| Input data | |
| Expected result | The user is able to see how the app is working |

# The mandatory fields are displayed as non- mandatory fields

| **Severity** | **Priority** | **Behavior** | **Type** |
|---|---|---|---|
| O Normal | O Medium | Positive | Functional |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is not signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Tap to choose the option "Вписване" from the hamburger menu |
| Input data | |
| Expected result | The page is k loaded and a few options appear |

| Step | 3 |
|---|---|
| Action | Tap on "Регистрация" |
| Input data | |
| Expected result | The user is able to see the mandatory fields denoted with an asterisk (*) symbol |

# The application minimizes when the user receive a phone call

| **Severity** | **Priority** | **Behavior** | **Type** |
|---|---|---|---|
| O Normal | ─ Not set | Negative | Other |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the app |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Tap to view the options in the hamburger menu and initiate an incoming phone call at the same time |
| Input data | |
| Expected result | The user is still able to work with the app and it doesn`t minimizes |

# The application minimizes when the user receive a phone call (as a guest)

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | — Not set | Negative | Other |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is not signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the app |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Tap to view the options in the hamburger menu and initiate an incoming phone call at the same time |
| Input data | |
| Expected result | The user is still able to work with the app and it doesn`t minimizes |

# The app shows the wright location of the user (as a guest)

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Other |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

## Pre-conditions

The user is not signed in to the profile, and the location of the phone is switched on

## Steps to reproduce

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is successfully opened |

| Step | 2 |
|---|---|
| Action | Check whether the location is the wright |
| Input data | |
| Expected result | The user is able to see the exact location where his phone is |

# The app shows the wright location of the user

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Other |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in to the profile, and the location of the phone is switched on

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is successfully opened |

| Step | 2 |
|---|---|
| Action | Check whether the location is the wright |
| Input data | |
| Expected result | The user is able to see the exact location where his phone is |

# The app shows the nearest vet clinics in the area (as a guest)

| Severity | Priority | Behavior | Type |
|----------|----------|----------|------|
| O Normal | ↑ High | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|-------|----------|-----------|------------|
| Not set | No | - | Not automated |

**Status**

Actual

## Pre-conditions

The user is not signed in to the profile, the location of the phone is switched on

## Steps to reproduce

| Step | 1 |
|------|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|------|---|
| Action | Tap on the cross icon with a paw inside in the right top of the app |
| Input data | |
| Expected result | The user is able to see the vet clinics in the area denoted in blue on the map |

# The app shows the nearest vet clinics in the area

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in to the profile, and the location of the phone is switched on

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Tap on the cross icon with a paw inside in the right top of the app |
| Input data | |
| Expected result | The user is able to see the vet clinics in the area denoted in blue on the map |

# The user is able to reach to the vet clinics in the area successfully (as a guest)

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | — Not set | Not set | Other |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is not signed in to the profile, the location of the phone is switched on

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the app |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Tap on the cross icon with a paw inside in the right top of the app |
| Input data | |
| Expected result | The user is able to see the vet clinics in the area denoted in blue on the map |

| Step | 3 |
|---|---|
| Action | Tap on random vet clinic and then tap on the popup with the name of it |
| Input data | |
| Expected result | A page with information for the clinic is loaded |

| Step | 4 |
|---|---|
| Action | Tap on the button "Навигирай ме" |
| Input data | |
| Expected result | Google maps are loaded and the user is able to reach the clinic`s address successfully |

# The user is able to reach to the vet clinics in the area successfully

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | — Not set | Not set | Other |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is signed in to the profile, the location of the phone is switched on

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the app |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Tap on the cross icon with a paw inside in the right top of the app |
| Input data | |
| Expected result | The user is able to see the vet clinics in the area denoted in blue on the map |

| Step | 3 |
|---|---|
| Action | Tap on random vet clinic and then tap on the popup with the name of it |
| Input data | |
| Expected result | A page with information for the clinic is loaded |

| Step | 4 |
|---|---|
| Action | Tap on the button "Навигирай ме" |
| Input data | |
| Expected result | Google maps are loaded and the user is able successfully to reach the clinic`s address |

# The user is able to comment a signal of another volunteer (as a guest)

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Negative | Other |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is not signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Find a signal from another user and send a comment |
| Input data | |
| Expected result | The user is not able to write a comment if he is not signed in |

# The user is able to change statuses of another volunteer (as a guest)

| **Severity** | **Priority** | **Behavior** | **Type** |
|---|---|---|---|
| O Normal | O Medium | Negative | Functional |

| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is not signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Find a signal from another user and try to change the status |
| Input data | |
| Expected result | The user is not able to change the status, a note that registration is needed appears |

# The user is able to comment a signal of another volunteer

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Positive | Other |

| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is loaded |

| Step | 2 |
|---|---|
| Action | Find a signal from another user and send a comment |
| Input data | |
| Expected result | The user is able to write a comment |

# The user is able to change statuses of another volunteer

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ↑ High | Positive | Other |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the application |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Find a signal from another user and change its status |
| Input data | |
| Expected result | The user is able to change the status of the signal from another user |

# The user is not able to post a picture without a permission given to the app

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | ─ Not set | Negative | Other |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the app |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Tap on a signal that is already published |
| Input data | |
| Expected result | The details of the signal are shown and there is an option to add a picture |

| Step | 3 |
|---|---|
| Action | Tap to add a picture from the device`s gallery |
| Input data | |
| Expected result | The user is asked for permission from the app to allow access to the gallery |

| Step | 4 |
|---|---|
| Action | Tap on the option "забраняване" |
| Input data | |
| Expected result | The user is not able to upload a picture from the device |

# The user is able to post a picture without a permission given to the app (directly taken from the camera)

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | — Not set | Positive | Other |
| **Layer** | **Is Flaky** | **Milestone** | **Automation** |
| Not set | No | - | Not automated |
| **Status** | | | |
| Actual | | | |

**Pre-conditions**

The user is signed in to the profile

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the app |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Tap on a signal that is already published |
| Input data | |
| Expected result | The details of the signal are shown and there is an option to add a picture |

| Step | 3 |
|---|---|
| Action | Tap to add a picture directly via device`s camera |
| Input data | |
| Expected result | The user is able to take a photo without asking for permission from the app |

| Step | 4 |
|---|---|
| Action | Tap "ок" to post the photo |
| Input data | |
| Expected result | The photo is visible in the signal details |

# The application has the option to be shared in the social media (as a guest)

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is not signed in the application

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the app without signing in |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Choose the option "Сподели" from the hamburger menu |
| Input data | |
| Expected result | A page with sharing button is loaded |

| Step | 3 |
|---|---|
| Action | Tap on "Сподели" and choose facebook or another network sharing option |
| Input data | |
| Expected result | The user can successfully share the app with his contacts |

# The application has the option to be shared in the social media

| Severity | Priority | Behavior | Type |
|---|---|---|---|
| O Normal | O Medium | Positive | Functional |

| Layer | Is Flaky | Milestone | Automation |
|---|---|---|---|
| Not set | No | - | Not automated |

**Status**

Actual

**Pre-conditions**

The user is signed in the application

**Steps to reproduce**

| Step | 1 |
|---|---|
| Action | Tap to open the app and sign in |
| Input data | |
| Expected result | The app is successfully loaded |

| Step | 2 |
|---|---|
| Action | Choose the option "Сподели" from the hamburger menu |
| Input data | |
| Expected result | A page with sharing button is loaded |

| Step | 3 |
|---|---|
| Action | Tap on "Сподели" and choose facebook or another network sharing option |
| Input data | |
| Expected result | The user can successfully share the app with his contacts |