



UNIVERSIDAD DE
CUNDINAMARCA
Generación Siglo 21

PARCIAL
LINEA DE PROFUNDIZACION III

JORGE LUIS PORRAS CEPEDA
Cod 1013635351

WILLIAM ALEXANDER MATALLANA PORRAS
DOCENTE LINEA DE PROFUNDIZACION III

UNIVERSIDAD DE CUNDINAMARCA EXTENION CHÍA
PROGRAMA DE INGENIERIA DE SISTEMAS
FALCULTAD DE INGENIERIA
2025



Postman interface showing a GET request to `http://localhost:8080/equipos`. The response is a 200 OK status with a JSON body containing an array of team data.

Query Params

Key	Value	Description
Key	Value	Description

Body

```
{
  "partidosLocal": [],
  "partidosVisitante": [],
  "id_equipo": 7,
  "nombre": "Equipo 7",
  "ciudad": "Milan",
  "fundacion": "1991-01-01",
  "jugadores": [],
  "entrenadores": [],
  "partidosLocal": [],
  "partidosVisitante": []
}
```

Console

```
{
  "type": "Error",
  "name": "JSONError",
  "message": "Unexpected token 'f' at 1:1\nfunction() {return this.streamTr.bufferToArrayBufferToString(this.stream,this.co\n  ^"}
}
```

Log entries:

- POST http://localhost:8080/entrenadores 400 4 ms
- GET http://localhost:8080/equipo 404 6 ms
- GET http://localhost:8080/entrenadores 200 8.85 s
- GET http://localhost:8080/equipos 200 31.62 s

Postman interface showing a POST request to `http://localhost:8080/equipos`. The request body is a JSON object representing a team.

Pre-request

```
4 counter++;
5 pm.collectionVariables.set("equiposCounter", counter);
6
7 // Array of possible cities
8 const cities = ["Madrid", "Barcelona", "Manchester", "Liverpool", "London", "Paris", "Munich", "Milan", "Rome", "Turin"];
9 const randomCity = cities[Math.floor(Math.random() * cities.length)];
10
11 // Generate a random foundation year between 1950 and 2020
12 const randomFoundationYear = Math.floor(Math.random() * (2020 - 1950 + 1)) + 1950;
13 const foundationDate = `${randomFoundationYear}-01-01`; //simplifying to Jan 1st
14
15 const equipoData = {
16   "nombre": `Equipo ${counter}`,
17   "ciudad": randomCity,
18   "fundacion": foundationDate
19 };
20
```

Response

Log entries:

- POST http://localhost:8080/entrenadores 400 4 ms
- GET http://localhost:8080/equipo 404 6 ms
- GET http://localhost:8080/entrenadores 200 8.85 s
- GET http://localhost:8080/equipos 200 31.62 s



Postman interface showing a PUT request to `http://localhost:8080/equipos/7`. The request body is a JSON object:

```
{  "id_equipo": 7,  "nombre": "Equipo 7",  "ciudad": "Milanes",  "fundacion": "1991-01-01",  "jugadores": [],  "entrenadores": [],  "partidosLocal": [],  "partidosVisitante": []}
```

The response is **200 OK** with a status of 737 ms and 318 B. The console shows the following logs:

- POST `http://localhost:8080/entrenadores` (498 ms)
- GET `http://localhost:8080/equipo` (404 ms)
- GET `http://localhost:8080/entrenadores` (298 ms)
- GET `http://localhost:8080/equipos` (298 ms)
- PUT `http://localhost:8080/equipos/1` (498 ms)
- PUT `http://localhost:8080/equipos/7` (298 ms)

Postman interface showing a DELETE request to `http://localhost:8080/equipos/7`. The response is **204 No Content** with a status of 551 ms and 112 B. The console shows the following logs:

- POST `http://localhost:8080/entrenadores` (498 ms)
- GET `http://localhost:8080/equipo` (404 ms)
- GET `http://localhost:8080/entrenadores` (298 ms)
- GET `http://localhost:8080/equipos` (298 ms)
- PUT `http://localhost:8080/equipos/1` (498 ms)
- PUT `http://localhost:8080/equipos/7` (298 ms)
- DELETE `http://localhost:8080/equipos/7` (551 ms)

