



TEAM 1



TEAM 2



TEAM 1



TEAM 2



TEAM 1



TEAM 2



TEAM 1



TEAM 2



TEAM 1



TEAM 2



TEAM 1



mode =

median =

mean =

TEAM 2



TEAM 1



mode = 14.1

median = 15

mean = 15

TEAM 2



range

interquartile
range

range

interquartile
range

boxplot



RANGE

Highest value - Lowest value

RANGE



RANGE



RANGE



$$\begin{aligned}\text{range} &= \\ 19.3 - 10.8 \\ &= 8.5\end{aligned}$$

RANGE



$$\begin{aligned}\text{range} &= \\ 19.3 - 10.8 \\ &= 8.5\end{aligned}$$



RANGE



$$\begin{aligned}\text{range} &= \\ 19.3 - 10.8 \\ &= 8.5\end{aligned}$$



RANGE



$$\begin{aligned}\text{range} &= \\ 19.3 - 10.8 \\ &= 8.5\end{aligned}$$



$$\begin{aligned}\text{range} &= \\ 27.7 - 0 \\ &= 27.7\end{aligned}$$

RANGE

10.8 TEAM 1 19.3



$$\begin{aligned}\text{range} &= 19.3 - 10.8 \\ &= 8.5\end{aligned}$$

0 TEAM 2 27.7



$$\begin{aligned}\text{range} &= 27.7 - 0 \\ &= 27.7\end{aligned}$$

RANGE



$$\text{RANGE} = 30 - 0 = 30$$



$$\text{RANGE} = 30 - 0 = 30$$



RANGE



$$\text{RANGE} = 30 - 0 = 30$$




$$\text{RANGE} = 30 - 0 = 30$$




INTERQUARTILE RANGE




INTERQUARTILE RANGE




INTERQUARTILE RANGE




INTERQUARTILE RANGE



INTERQUARTILE RANGE



INTERQUARTILE RANGE



	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3

	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3

0 5,6 8,7 14,1 14,1 15 17,2 19,2 19,3 24,1 27,7

	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3

0 5,6 8,7 14,1 14,1 15 17,2 19,2 19,3 24,1 27,7



median
/ Q2

	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3


0 5,6 8,7 14,1 14,1 15 17,2 19,2 19,3 24,1 27,7




Q1

median
/ Q2


	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3



	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3



	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3




Q1


median
/ Q2

Q3

	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3





	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3





	Percentage of body covered with tattoos
Player 1	0
Player 2	24,1
Player 3	5,6
Player 4	14,1
Player 5	17,2
Player 6	8,7
Player 7	19,2
Player 8	14,1
Player 9	27,7
Player 10	15
Player 11	19,3


= value lower than $Q1 - 1.5(IQR)$
or higher than $Q3 + 1.5(IQR)$






















































TEAM 1



TEAM 2



RANGE
after removing outliers

