

DEFAULT WINDOWS & LINUX KEYMAP

Editing	
Ctrl + Space	Basic code completion
Alt + Enter	Show intention actions and quick-fixes
Ctrl + P	Parameter info (within method call
	arguments)
Ctrl + Q	Quick documentation lookup
Ctrl + mouse over code	Brief Info
Alt + Insert	Generate code (Getters, Setters,
	Constructors)
Ctrl + O	Override methods
Ctrl + I	Implement methods
Ctrl + Alt + T	Surround with (ifelse, trycatch, for, etc.)
Ctrl + /	Comment/uncomment with line comment
Ctrl + Shift + /	Comment/uncomment with block comment
Ctrl + W	Select successively increasing code blocks
Ctrl + Shift + W	Decrease current selection to previous state
Ctrl + Alt + L	Reformat code
Ctrl + Alt + I	Auto-indent line(s)
Ctrl + D	Duplicate current line or selected block
Ctrl + Y	Delete line at caret
Ctrl + Shift + J	Smart line join (HTML and JavaScript only)
Ctrl + Enter	Smart line split (HTML and JavaScript only)
Shift + Enter	Start new line
Ctrl + Shift + U	Toggle case for word at caret
	or selected block
Ctrl + Shift +] / [Select till code block end/start
Ctrl + Delete	Delete to word end
Ctrl + Backspace	Delete to word start
Ctrl + NumPad+/-	Expand/collapse code block
Ctrl + F4	Close active editor tab
Ctrl+Shift+V	Paste from history
Debugging	
F8	Step over
F7	Step into
Shift + F8	Step out
Alt + F8	Evaluate expression
F9	Resume program
Ctrl + F8	Toggle breakpoint
Ctrl+Shift+F8	View breakpoints
·	

Running	
Shift + F10	Run
Shift + F9	Debug
Ctrl + Shift + F10	Run context configuration from editor
Ctrl + Shift + X	Run command line
Search/Replace	
Ctrl + F/R	Find/Replace
F3/Shift + F3	Find next/previous
Ctrl + Shift + F/R	Find/Replace in path
Usage Search	
Alt + F7 / Ctrl + F7	Find usages / Find usages in file
Ctrl + Shift + F7	Highlight usages in file
Ctrl + Alt + F7	Show usages
Navigation	
Ctrl + N	Go to class
Ctrl + Shift + N	Go to file
Ctrl + Alt + Shift + N	Go to symbol
Ctrl + G	Go to line
Alt + Right/Left	Go to next/previous editor tab
Esc	Go to editor (from tool window)
Ctrl + E	Recent files popup
Ctrl + Alt + Left/Right	Navigate back/forward
Ctrl + Shift + Backspace	Navigate to last edit location
Alt + F1	Select current file or symbol in any view
Ctrl + B or Ctrl + Click	Go to declaration
Ctrl + Alt + B	Go to implementation(s)
Ctrl + Shift + I	Open quick definition lookup
Ctrl + Shift + B	Go to type declaration
Ctrl + U	Go to super-method/super-class
Alt + Up/Down	Go to previous/next method
Ctrl +] / [Move to code block end/start
F2 / Shift + F2	Next/previous highlighted error

Edit source / View source

Refactoring

F5/F6	Copy/Move
Alt + Delete	Safe Delete
Shift + F6	Rename
Ctrl + Alt + N	Inline Variable
Ctrl + Alt + M/V/F/C	Extract Method/Variable/Field/Constant
Ctrl + Alt + Shift + T	Refactor This (shows all available refactorings)

VCS/Local History

Alt + BackQuote (`)	'VCS' quick popup
Ctrl + K	Commit project to VCS
Ctrl + T	Update project from VCS
Alt + Shift + C	View recent changes

General

Double Shift	Search everywhere
Ctrl + Shift + A	Find Action
Alt + #[0-9]	Open corresponding tool window
Ctrl + Alt + F11	Toggle full screen mode
Ctrl + Shift + F12	Toggle maximizing editor
Alt + Shift + F	Add to Favorites
Alt + Shift + I	Inspect current file with current profile
Ctrl + Alt + S	Open Settings dialog
Ctrl + Tab	Switch between tabs and tool window

Live Templates / Snippets

Alt + J	Insert Live Template
eco	'echo' statement
fore	foreach(iterable_expr as \$value) {}
forek	foreach(iterable_expr as \$key => \$value) {}
inc/inco	'include'/'include_once' statement
prif	private function
prof	protected function
pubf	public function
rqr/rqro	'require'/'require_once' statement
and more	

To find any action inside the IDE use

F4 / Ctrl + Enter

Find Action (Ctrl + Shift + A)







jetbrains.com/phpstorm blog.jetbrains.com/phpstorm @phpstorm



DEFAULT OS X KEYMAP

^ Space	Basic code completion
<u>`</u> `	Show intention actions and guick-fixes
жР	Parameter info (within method call
001	arguments)
^ J or Mid. button click	Quick documentation lookup
# + mouse over code	Brief Info
#N,^₽,^N	Generate code (Getters, Setters,
# IN, · · ←, · · IN	Constructors)
^0	Override methods
^I	
-	Implement methods
% ₹ T	Surround with (ifelse, trycatch, for, etc.)
¥/	Comment/uncomment with line comment
% ₹/	Comment/uncomment with block commen
<u>\</u>	Select successively increasing code blocks
<i>Z</i> ↓	Decrease current selection to previous state
#₹L	Reformat code
17^	Auto-indent line(s)
₩ D	Duplicate current line or selected block
	Delete line at caret
^☆ J	Smart line join (HTML and JavaScript only)
₩ ₽	Smart line split (HTML and JavaScript only)
<u>٠</u>	Start new line
ЖûU	Toggle case for word at caret or selected
block	
ፒዕዝ],ፒዕዝ[Select till code block end/start
⊴7	Delete to word end
X	Delete to word start
₩+,₩-	Expand/collapse code block
₩W	Close active editor tab
ЖûV	Paste from history
Debugging	
F8	Step over
F7	Step into
☆ F8	Step out
∵ F8	Evaluate expression
#∵F9	Resume program
** * * *	
⋇ F8	Toggle breakpoint

Running	
^F10	Run
^F9	Debug
^	Run context configuration from editor
Ж û X	Run command line
Search/Replace	
₩F/R	Find/Replace
ж G, ж û G	Find next/previous
ж û F/R	Find/Replace in path
Usage Search	
∵ F7/#F7	Find usages / Find usages in file
ж ଫ F7	Highlight usages in file
% F7	Show usages
Navigation	
ЖN	Go to class
¥ûN	Go to file
NZK	Go to symbol
∺+G	Go to line
^→/←	Go to next/previous editor tab
5	Go to editor (from tool window)
ЖE	Recent files popup
₹ ₩,→ 7 ₩	Navigate back/forward
Ж☆≪	Navigate to last edit location
∵ F1	Select current file or symbol in any view
ജBor ജClick	Go to declaration
₩∖B	Go to implementation(s)
∵Space, #Y	Open quick definition lookup
^ û B	Go to type declaration
жu	Go to super-method/super-class
^↑,^↓	Go to previous/next method
#],# [Move to code block end/start

Next/previous highlighted error

Edit source / View source

F5/F6	Copy/Move
 Belete €	Safe Delete
☆ F6	Rename
M∠Ж	Inline Variable
% ∖ M/V/F/C	Extract Method/Variable/Field/Constant
^ T	Refactor This (shows all available refactoring
VCS/Local Hist	ory
^ V	'VCS' quick popup
 ₩K	Commit project to VCS
жт	Update project from VCS
TûC	View recent changes
General	
企	Search everywhere
մ Ж A	Find Action
₩0₩9	Open corresponding tool window
% ₹ F11	Toggle full screen mode
ж	Toggle maximizing editor
℃☆F	Add to Favorites
1位プ	Inspect current file with current profile
₩,	Open Settings dialog
^ 1	Switch between tabs and tool window
Live Templates	/ Snippets
 #J	Insert Live Template
	'echo' statement
eco	ceno statement
eco fore	foreach(iterable_expr as \$value) {}
	foreach(iterable_expr as \$value) {}
fore	

To find any action inside the IDE use Find Action (企業A)

F2, û F2

F4/#↓



prof

pubf

rqr/rqro

and more...





'require'/'require once' statement

protected function

public function