PSTAT 5LS Lab 0

Joshua Lee

Fall 2025

Section 1

Introduction to PSTAT 5LS

Introduction

Hi everyone, I'm Josh! - PhD in the PSTAT department - Fan of piano / classical music - F1 Racing enthusiast

Office Hours: - Building 434, Room 109: 4pm to 5:30pm on FRIDAYS

Contact: - jlee246@ucsb.edu

Section Logistics

- Sections meet twice a week (Tuesdays/Thursdays 11am 11:50am)
- \bullet Section attendance is worth 10% of your overall grade in PSTAT 5LS
- We understand that sometimes you'll need to miss section, because "life happens". Our course policy will be to drop your lowest 3 attendance scores (absences included)
- Use these 3 drops wisely! Save them for a rainy day!

Homework Logistics

- Each week there will be a homework assignment through Gradescope
- Homework is open for 7 days and is due before 11:59 p.m. Pacific on Thursdays
- Late work is not accepted and extensions are not permitted because the solutions are posted at the deadline
- Your lowest 1 homework score will be dropped
- Use this 1 HW drop wisely! Don't just blow off homework one week and then wish you had that drop later in the quarter!

Section 2

Learning Objectives

R Learning Objectives

- Learn the difference between R, RStudio, and R Markdown
- Become familiar with the RStudio interface
- Understand key components of an R Markdown document
- Learn how to use R to do basic calculations

Statistical Learning Objectives

Understand that technology can be helpful in statistics

Section 3

Lab Tutorial

Joshua Lee PSTAT 5LS Lab 0 Fall 2025 9 / 34

Getting Started: What is R?

In Statistics, we often use computers to analyze data. There are a lot of "statistical computing environments" that can help you do statistical analyses. One of the most popular (and powerful) is called R. R is a programming language that is designed for manipulating data, doing calculations, and making graphical displays. R works by writing **R code**.

That might sound scary, but *don't worry*: this is not a programming class. Over the course of the quarter, you'll learn how to edit and write some basic R code to help you analyze data to answer research questions. Our goal with PSTAT 5LS labs is to help you learn the basics of R and R coding, but through the lens of answering statistical questions.

 Joshua Lee
 PSTAT 5LS Lab 0
 Fall 2025
 10 / 34

What are all these "R" terms?

There are a lot of "R" words floating around. What's going on?

- R is a "statistical computing environment" that's designed for manipulating data, generating plots, and performing analyses. It's also a programming language. You'll be using R this quarter.
- RStudio is an "integrated development environment (IDE)" for R (you'll never have to hear the term IDE again in this class). Basically, RStudio is a pretty interface that makes working with R easier. You use R inside of RStudio. If R is ice cream, RStudio is the cone or cup.
- R Markdown is a way to write pretty analysis reports that combines R code, R output (plots, analysis results, etc.) and text in one document. This lab document is an R Markdown report!

JupyterHub

We will be accessing R and RStudio through JupyterHub. JupyterHub is a web-based multiuser environment that will allow us to share with you the files you need for lab. LSIT has provided us with access to JupyterHub.


Each time we begin a lab or when you work on a data analysis question for homework,navigate to http://bit.ly/47PSVM6. This link will import whatever we are working on for that day. If you just want to open a session and not import the lab or a blank homework file into your directoroy, use this link here. https://pstat5ls.lsit.ucsb.edu/.

This will open your "instance" of JupyterHub and copy all necessary files for your PSTAT 5LS work that week.

Joshua Lee PSTAT 5LS Lab 0 Fall 2025 12 / 34

Initial View of RStudio

Click on the 'pstat5ls-fall25' folder.



R version 4.4.3 (2025-02-28) -- "Trophy Case"


Copyright (C) 2025 The R Foundation for Statist

Platform: x86_64-conda-linux-gnu

Joshua Lee PSTAT 5LS Lab 0 Fall 2025 13 / 34


Accessing the Lab

After you have clicked on the 'pstat-5ls-f25-student' folder, click on the folder for this lab (lab0-intro-to-R) to open it:



 Joshua Lee
 PSTAT 5LS Lab 0
 Fall 2025
 14 / 34

RStudio Project Screen



Working with R in JupyterHub

When you navigate to http://bit.ly/47PSVM6, you are telling JupyterHub to bring in all of the files that have prepared for PSTAT 5LS. This means that any files you have worked on will be overwritten.


To avoid your work being overwritten, **rename** both the notes and report files. For Lab 0, you want to rename lab0-notes.Rmd. You could add your name to the file name (e.g., lab0-notes-brianw.Rmd).

 Joshua Lee
 PSTAT 5LS Lab 0
 Fall 2025
 16 / 34

Renaming Files


To rename a file, check the box next to the file you want to rename. Click "Rename" in the files pane, rename the file, then click OK.

You may also save your work in a separate folder, and there will never be any danger of it being overwritten.



Renaming Files

Your file will then appear with its new name.



Joshua Lee PSTAT 5LS Lab 0 Fall 2025 18 / 34

R Markdown

R Markdown lets you combine text, R code, and plots in one pretty, reproducible report. If you're curious about this, you can find more details on using R Markdown at http://rmarkdown.rstudio.com.

R Markdown runs code contained in "chunks". A chunk looks like this:

```
'``{r helloWorld}
print("Hello world!")

print("Hello world!")
```

```
## [1] "Hello world!"
```

R Markdown Chunk

```
```{r helloWorld}
print("Hello world!")
```
```

Notice that the code, print("Hello world!") is contained between three backticks (```, below the esc key on a US English keyboard; the same key as the tilde) and some stuff in curly braces {}. This is how R Markdown knows where your chunks start and stop. We will almost always provide pre-made chunks for you to use.

 Joshua Lee
 PSTAT 5LS Lab 0
 Fall 2025
 20 / 34

Running a Chunk

You can just run a single chunk by clicking the green "play" button in the upper right corner of the chunk. It's usually a good idea to click the "Run All Chunks Above" button immediately to the left of the play button first. So you should click Run All Chunks Above, then the play button.


```
```{r helloWorld}
print("Hello world!")
```
```

If you can't find the play button, just highlight the code you want to run and click the Run button in the top right corner of the editor pane.

Let's try this code together in the tryIt1 chunk in your notes document. Note that the code is already entered for you in this first code chunk.

Knitting a Document

When you click the **Knit** button in RStudio, a document will be generated that includes both content as well as the output of any embedded R code chunks within the document.



Tips for R Markdown

- Knit and knit often: Frequently knitting your document will help you make sure that all your code works and that the document looks the way you want.
- Onn't be afraid to experiment: Nobody gets things exactly right the first time, and we all forget how things work sometimes. Keep trying, and you'll eventually get what you want!
- Formatting: You can make text bold by surrounding it with two asterisks (**) and italic by surrounding it with one asterisk (*). You can make text look like code by surrounding it with single backticks.

Using R as a Calculator

At it's most basic, R is a fancy calculator.

Let's try this example together in the tryIt2 chunk in your lab notes!

Remember, you can run the code in this chunk by clicking the green "play" button in the upper right corner of the chunk.

[1] 35

When you run the chunk, you'll see a [1] before the output of 35. *Just ignore this. The result is 35.*

All of the symbols you think you'd use to do math work: + for addition, - for subtraction, * for multiplication, / for division, ^ for exponentiation.

Joshua Lee PSTAT 5LS Lab 0 Fall 2025 24 / 34

R Function Syntax

We'll be using R primarily through the use of *functions*. A function generally looks something like this:

```
function.name(argument1, argument2, ...)
```

Notice that we have the name of the function, followed immediately by an open parenthesis '(' without a space, then a sequence of *arguments* to the function, separated by commas ',', then a close parenthesis ')'.

 Joshua Lee
 PSTAT 5LS Lab 0
 Fall 2025
 25 / 34

R "Assignment" Syntax

Often, we want R to remember the results of a calculation so that we can use it later. We can give the result of some code a name by **assigning** it to something.

$$x < -36 / 6$$

We read that code as "x gets 36 / 6". The arrow is made using the less-than symbol (<, shift + comma on a US English keyboard) and a hyphen.

Fill out the tryIt3 code chunk in your notes to assign 36 divided by 6 to the variable x.

Joshua Lee PSTAT 5LS Lab 0 Fall 2025 26 / 34

R "Assignment" Syntax

Now, we've stored the result as x, and R will remember that x is 6. You can see in the environment pane in RStudio (top right) that there's now a "value" called x and it's 6. You can also access the value of x by typing x into R. Check it out:

X

[1] 6

Use the tryIt4 code chunk in your notes to see the value that R stored for the variable x.

Joshua Lee PSTAT 5LS Lab 0 Fall 2025 27 / 34

R is Case-Sensitive

R is "case-sensitive", which means that upper-case letters are $\it different from$ lower-case letters. Notice what happens when we ask R for the value of X:

X

Error in eval(expr, envir, enclos): object 'X' not found

Use the tryIt5 code chunk in your notes to see what happens if you type in a capital X.

When giving things names in R, you can only use a combination of letters, numbers, periods, and underscores, and the **names have to start with a letter or a period**. People tend to use underscores or periods instead of spaces.

Common Errors

1: _hi_mom

##

Watch what happens when you try to assign something to a "bad" name:

```
tik tok <- 12
## Error: <text>:1:5: unexpected symbol
## 1: tik tok
##
4eva <- 4 * 2
## Error: <text>:1:1: unexpected input
## 1: 4ev
##
_hi_mom <- 5^2
```

Error: <text>:1:2: unexpected symbol

 Joshua Lee
 PSTAT 5LS Lab 0
 Fall 2025
 29 / 34

Common Errors

The errors saying "unexpected symbols" or "unexpected input" are R's way of telling you that these names are not allowed, and that you should use a different name. Here's how we'd correct these:

```
tiktok <- 12
forever <- 4 * 2
hi mom <- 5^2
```

 Joshua Lee
 PSTAT 5LS Lab 0
 Fall 2025
 30 / 34

Knit Your Document One Final Time

At the end of any of the labs we do, be sure to knit one more time. This is so you have a finalized version of your work just in case you have made any changes.

Be sure that a popup window shows you the file! Otherwise there is an error in the creation of the document. If this happens, you will need to troubleshoot the R markdown file. I am happy to help you with this.

Also be sure that you read over your file and make sure that it looks right! If pieces are missing, then you have an error somewhere in the creation of the document. You should troubleshoot the R Markdown file.

Where Do We Go from Here?

During our next section meeting, we will use R for data analysis. You'll learn how to

- load a data file
- examine the data file
- create tables, graphical displays, and summary statistics

Joshua Lee PSTAT 5LS Lab 0 Fall 2025 32 / 34

Section 4

Questions

 Joshua Lee
 PSTAT 5LS Lab 0
 Fall 2025
 33 / 34

What Questions Do You Have?