RBR method behind the scenes (AB22/eve, real signal)









RBR method behind the scenes (AB22/mor, real signal)









AB22: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	2.4→1.59 (-33.5%)	2.4→1.64 (-31.6%)	2.23→1.53 (-31.4%)	2.23→1.59 (-28.4%)
Vi/Ti	12.1→17.7 (+46.3%)	12.1→17.5 (+44.7%)	20.3→22 (+8.4%)	20.3→20.5 (+0.7%)
MV (au/min)	421→496 (+17.8%)	421→441 (+4.7%)	504→502 (-0.3%)	504→511 (+1.4%)

RBR method behind the scenes (AG05/eve, real signal)









RBR method behind the scenes (AG05/mor, real signal)









AG05: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.42→1.36 (-4.1%)	1.42→1.23 (-13.3%)	1.48→1.55 (+4.9%)	1.48→1.54 (+4.1%)
Vi/Ti	15.8→16.1 (+1.8%)	15.8→16.4 (+3.6%)	17.1→15.4 (-9.9%)	17.1→15.3 (-10.3%)
MV (au/min)	430→409 (-5.0%)	430→406 (-5.6%)	377→329 (-12.8%)	377→312 (-17.4%)

RBR method behind the scenes (AH19/eve, real signal)









RBR method behind the scenes (AH19/mor, real signal)

AH19/mor full session | rest_pre kept 14, rest_post kept 2, excluded 0 | trials kept 31/38 (green line), 7 rejected (grey line) | trials accepted: 81.6%



rest_pre (193-253s): 14 kept, 0 excluded



rest_post (960-1020s): 2 kept, 0 excluded



Fixation median, Ti (s)



AH19: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.41→1.47 (+4.2%)	1.41→1.42 (+1.0%)	1.5→1.47 (-1.6%)	1.5→1.5 (-0.0%)
Vi/Ti	14.7→15.5 (+5.3%)	14.7→15.5 (+5.4%)	13.8→16 (+16.2%)	13.8→15.6 (+13.7%)
MV (au/min)	316→346 (+9.3%)	316→341 (+8.0%)	261→323 (+23.7%)	261→326 (+25.0%)

RBR method behind the scenes (AK12/eve, real signal)









RBR method behind the scenes (AK12/mor, real signal)





AK12: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	2.12→1.66 (-21.5%)	2.12→1.66 (-21.6%)	1.59→1.6 (+0.6%)	1.59→1.51 (-4.6%)
Vi/Ti	8.06→9.44 (+17.1%)	8.06→8.96 (+11.1%)	13→11 (-15.2%)	13→11.3 (-12.7%)
MV (au/min)	253→260 (+2.5%)	253→248 (-2.1%)	306→297 (-2.9%)	306→297 (-2.9%)

RBR method behind the scenes (AS09/eve, real signal)









RBR method behind the scenes (AS09/mor, real signal)









AS09: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.5→1.23 (-17.7%)	1.5→1.48 (-1.6%)	1.34→1.37 (+2.2%)	1.34→1.31 (-1.6%)
Vi/Ti	7.68→9.91 (+28.9%)	7.68→8.33 (+8.4%)	10.3→10.9 (+6.2%)	10.3→11 (+7.2%)
MV (au/min)	253→263 (+4.1%)	253→233 (-7.8%)	272→288 (+5.9%)	272→313 (+15.2%)

RBR method behind the scenes (AS31/eve, real signal)









RBR method behind the scenes (AS31/mor, real signal)









AS31: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.73→1.58 (-8.9%)	1.73→1.6 (-7.3%)	1.87→1.74 (-6.8%)	1.87→1.82 (-2.5%)
Vi/Ti	20.1→23 (+14.2%)	20.1→21.5 (+6.9%)	16.4→17.1 (+4.6%)	16.4→17.2 (+4.8%)
MV (au/min)	688→714 (+3.9%)	688→691 (+0.4%)	548→571 (+4.3%)	548→574 (+4.8%)

RBR method behind the scenes (EE10/eve, real signal)









RBR method behind the scenes (EE10/mor, real signal)









EE10: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.41→1.44 (+2.7%)	1.41→1.51 (+7.6%)	1.6→1.68 (+5.3%)	1.6→1.73 (+8.0%)
Vi/Ti	11.4→12.3 (+7.5%)	11.4→12.3 (+7.7%)	12.7→14 (+10.9%)	12.7→14.1 (+11.2%)
MV (au/min)	351→360 (+2.6%)	351→362 (+3.1%)	379→417 (+10.1%)	379→409 (+7.8%)

RBR method behind the scenes (ER23/eve, real signal)









RBR method behind the scenes (ER23/mor, real signal)









ER23: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.86→1.8 (-3.2%)	1.86→1.58 (-15.2%)	1.69→1.56 (-7.5%)	1.69→1.59 (-5.5%)
Vi/Ti	16.5→16.8 (+1.4%)	16.5→19.4 (+17.8%)	17.5→19.9 (+13.3%)	17.5→19.7 (+12.6%)
MV (au/min)	412→470 (+14.2%)	412→464 (+12.6%)	504→532 (+5.6%)	504→478 (-5.2%)

RBR method behind the scenes (ES29/mor, real signal)









RBR method behind the scenes (ES32/eve, real signal)









RBR method behind the scenes (ES32/mor, real signal)









ES32: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.49→1.32 (-11.3%)	1.49→1.17 (-21.2%)	1.9→1.48 (-22.0%)	1.9→1.42 (-25.4%)
Vi/Ti	16.7→16.1 (-3.7%)	16.7→15.4 (-7.7%)	3.78→4.7 (+24.5%)	3.78→4.23 (+11.9%)
MV (au/min)	397→400 (+0.7%)	397→379 (-4.6%)	108→91.7 (-15.1%)	108→81.9 (-24.2%)

RBR method behind the scenes (EV15/eve, real signal)









RBR method behind the scenes (EV15/mor, real signal)

EV15/mor full session | rest_pre kept 13, rest_post kept 17, excluded 0 | trials kept 15/38 (green line), 23 rejected (grey line) | trials accepted: 39.5%



rest_pre (128-188s): 13 kept, 0 excluded



rest_post (862-922s): 17 kept, 0 excluded (manual_bad 253-621s)



Fixation median, Ti (s)



EV15: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.65→1.47 (-10.7%)	1.65→1.63 (-1.0%)	1.78→1.79 (+0.8%)	1.78→1.82 (+2.1%)
Vi/Ti	4.78→3.99 (-16.5%)	4.78→4.2 (-12.1%)	7.41→9.95 (+34.3%)	7.41→10.3 (+39.2%)
MV (au/min)	128→101 (-20.6%)	128→112 (-12.4%)	214→286 (+33.7%)	214→294 (+37.5%)

RBR method behind the scenes (LB17/eve, real signal)









RBR method behind the scenes (LB17/mor, real signal)

LB17/mor full session | rest_pre kept 15, rest_post kept 14, excluded 0 | trials kept 35/37 (green line), 2 rejected (grey line) | trials accepted: 94.6%



rest_pre (185–245s): 15 kept, 0 excluded



rest_post (896–957s): 14 kept, 0 excluded



Fixation median, Ti (s)



LB17: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.73→1.65 (-4.7%)	1.73→1.62 (-6.3%)	1.28→1.35 (+5.5%)	1.28→1.39 (+8.4%)
Vi/Ti	12.6→12.3 (-2.7%)	12.6→13.3 (+5.5%)	9.28→9.25 (-0.4%)	9.28→8.58 (-7.6%)
MV (au/min)	358→376 (+5.1%)	358→383 (+7.1%)	190→213 (+12.0%)	190→207 (+8.7%)

RBR method behind the scenes (LG07/eve, real signal)









RBR method behind the scenes (LG07/mor, real signal)





LG07: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	2.21→1.75 (-20.9%)	2.21→1.86 (-16.0%)	2.28→2.42 (+6.4%)	2.28→1.21 (-47.1%)
Vi/Ti	6.83→7.51 (+10.0%)	6.83→6.95 (+1.7%)	4.69→1.75 (-62.8%)	4.69→3.79 (-19.1%)
MV (au/min)	188→211 (+12.0%)	188→196 (+4.1%)	115→55.6 (-51.8%)	115→90.6 (-21.5%)

RBR method behind the scenes (LO21/eve, real signal)









RBR method behind the scenes (LO21/mor, real signal)









LO21: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.32→1.24 (-6.4%)	1.32→1.23 (-6.9%)	1.1→1.22 (+11.2%)	1.1→1.16 (+5.7%)
Vi/Ti	23.8→26.2 (+10.0%)	23.8→25.5 (+7.1%)	29.8→27.3 (-8.5%)	29.8→29 (-2.8%)
MV (au/min)	551→578 (+4.8%)	551→662 (+20.1%)	557→609 (+9.4%)	557→624 (+12.1%)

RBR method behind the scenes (MG14/eve, real signal)









RBR method behind the scenes (MH20/eve, real signal)









RBR method behind the scenes (MH20/mor, real signal)









MH20: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.69→1.62 (-3.7%)	1.69→1.78 (+5.3%)	1.59→1.93 (+20.9%)	1.59→1.95 (+22.3%)
Vi/Ti	19.5→20.9 (+7.5%)	19.5→19.7 (+1.4%)	22.2→25.7 (+15.7%)	22.2→24.3 (+9.4%)
MV (au/min)	556→567 (+2.1%)	556→551 (-0.8%)	553→665 (+20.2%)	553→610 (+10.3%)

RBR method behind the scenes (ML28/eve, real signal)









RBR method behind the scenes (ML28/mor, real signal)





ML28: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.47→1.56 (+5.9%)	1.47→1.57 (+6.6%)	1.67→1.96 (+17.1%)	1.67→2.01 (+19.9%)
Vi/Ti	11.7→12.5 (+6.3%)	11.7→11.5 (-2.1%)	11.4→11.2 (-1.4%)	11.4→10.2 (-10.2%)
MV (au/min)	376→374 (-0.7%)	376→378 (+0.4%)	356→370 (+4.0%)	356→329 (-7.5%)

RBR method behind the scenes (MS13/mor, real signal)









RBR method behind the scenes (MS18/eve, real signal)









RBR method behind the scenes (MS18/mor, real signal)









MS18: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.97→1.49 (-24.6%)	1.97→1.56 (-21.0%)	1.67→1.73 (+3.4%)	1.67→1.7 (+2.1%)
Vi/Ti	28.2→27.2 (-3.6%)	28.2→27.6 (-2.2%)	21.6→25.6 (+18.2%)	21.6→25.3 (+17.0%)
MV (au/min)	683→694 (+1.6%)	683→741 (+8.6%)	507→580 (+14.5%)	507→644 (+27.2%)

RBR method behind the scenes (OA30/eve, real signal)









RBR method behind the scenes (OA30/mor, real signal)









OA30: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.58→1.84 (+16.2%)	1.58→1.39 (-12.2%)	2.13→1.62 (-23.9%)	2.13→1.37 (-35.8%)
Vi/Ti	13.2→14.2 (+7.5%)	13.2→16.4 (+24.2%)	12.1→10.6 (-12.5%)	12.1→10.5 (-13.8%)
MV (au/min)	373→442 (+18.5%)	373→386 (+3.5%)	280→268 (-4.3%)	280→269 (-4.0%)

RBR method behind the scenes (OM16/eve, real signal)









RBR method behind the scenes (OM16/mor, real signal)









OM16: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.57→1.67 (+6.5%)	1.57→1.55 (-0.9%)	1.52→1.6 (+5.5%)	1.52→1.63 (+7.4%)
Vi/Ti	17.5→17.7 (+0.9%)	17.5→17.7 (+1.1%)	18.9→16.9 (-10.6%)	18.9→18.5 (-1.7%)
MV (au/min)	500→556 (+11.4%)	500→510 (+2.1%)	425→416 (-2.1%)	425→451 (+6.2%)

RBR method behind the scenes (RP06/eve, real signal)









RBR method behind the scenes (RP06/mor, real signal)









RP06: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.19→1.02 (-14.5%)	1.19→1.05 (-12.2%)	1.01→1.06 (+5.1%)	1.01→1.04 (+2.8%)
Vi/Ti	10.9→11.9 (+9.3%)	10.9→11.3 (+3.2%)	12.4→11.9 (-3.8%)	12.4→12.2 (-1.4%)
MV (au/min)	265→308 (+16.3%)	265→302 (+14.0%)	307→293 (-4.8%)	307→294 (-4.5%)

RBR method behind the scenes (SH25/eve, real signal)









RBR method behind the scenes (SH25/mor, real signal)









SH25: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.75→1.82 (+4.1%)	1.75→1.76 (+0.8%)	2.26→1.96 (-13.1%)	2.26→1.91 (-15.5%)
Vi/Ti	13.6→14.2 (+3.9%)	13.6→14.5 (+6.2%)	14.3→13.9 (-2.7%)	14.3→15.4 (+7.7%)
MV (au/min)	417→509 (+22.0%)	417→502 (+20.4%)	505→487 (-3.5%)	505→522 (+3.4%)

RBR method behind the scenes (YL26/eve, real signal)









RBR method behind the scenes (YL26/mor, real signal)









YL26: response % change vs rest baseline (kept trials only, rest_pre+rest_post pooled median), by session x valence -- matches trial_change.py session_change_summary

metric	eve change neg	eve change neu	mor change neg	mor change neu
Ti (s)	1.92→1.72 (-10.4%)	1.92→1.87 (-2.6%)	2.06→1.83 (-11.2%)	2.06→2.22 (+7.9%)
Vi/Ti	9.7→9.91 (+2.2%)	9.7→9.45 (-2.6%)	15.1→15.5 (+2.9%)	15.1→19.7 (+31.1%)
MV (au/min)	381→322 (-15.5%)	381→342 (-10.2%)	440→470 (+7.0%)	440→582 (+32.4%)

RBR method behind the scenes (YR08/mor, real signal)