

Vehicle Outdoor Test Data

Parking Lot 1 (Trial No. 1 – 50)						
No.	Ambient Noise (dBA)	Wind Speed (km/h)	Gap Distance (cm)	Latch Status	Successful	Note
1	43.8-52.8	≤2.5	0.5-0.6(only unlatched)	unlatched	Y	Parking lot 1
2	43.8-52.8	≤2.5	0.5-0.6(only unlatched)	unlatched	Y	
3	43.8-52.8	≤2.5	0.9-1.0	unlatched	Y	
4	43.8-52.8	≤2.5	0.5-0.6(only unlatched)	unlatched	Y	
5	43.8-52.8	≤2.5	0.5-0.6(latched)	latched	N	
6	43.8-52.8	≤2.5	0.9-1.0	unlatched	Y	
7	43.8-52.8	≤2.5	1.5-1.6	unlatched	N	
8	43.8-52.8	≤2.5	0.9-1.0	unlatched	Y	
9	43.8-52.8	≤2.5	0.5-0.6(only unlatched)	unlatched	Y	
10	43.8-52.8	≤2.5	0.9-1.0	unlatched	Y	
11	43.8-52.8	≤2.5	0.5-0.6(only unlatched)	unlatched	Y	
12	43.8-52.8	≤2.5	0.9-1.0	unlatched	Y	
13	43.8-52.8	≤2.5	0.9-1.0	unlatched	Y	
14	43.8-52.8	≤2.5	0.9-1.0	unlatched	Y	
15	43.8-52.8	≤2.5	0.5-0.6(only unlatched)	unlatched	Y	
16	43.8-52.8	≤2.5	0.5-0.6(only unlatched)	unlatched	Y	
17	54.2-57.2	≤ 7.5	0.9-1.0	unlatched	Y	
18	54.2-57.2	≤ 7.5	0.5-0.6(latched)	latched	N	
19	54.2-57.2	≤ 7.5	0.9-1.0	unlatched	Y	
20	54.2-57.2	≤ 7.5	0.9-1.0	unlatched	Y	

No.	Ambient Noise (dBA)	Wind Speed (km/h)	Gap Distance (cm)	Latch Status	Successful	Note
21	54.2-57.2	≤ 7.5	1.6-1.7	unlatched	N	
22	54.2-57.2	≤ 7.5	0.9-1.0	unlatched	Y	
23	54.2-57.2	≤ 7.5	0.5-0.6(latched)	latched	N	
24	54.2-57.2	≤ 7.5	0.5-0.6(only unlatched)	unlatched	Y	
25	54.2-57.2	≤ 7.5	0.5-0.6(only unlatched)	unlatched	Y	
26	54.2-57.2	≤ 7.5	0.5-0.6(only unlatched)	unlatched	Y	
27	54.2-57.2	≤ 7.5	0.5-0.6(latched)	latched	N	
28	54.2-57.2	≤ 7.5	0.5-0.6(only unlatched)	unlatched	Y	
29	54.2-57.2	≤ 7.5	0.9-1.0	unlatched	Y	
30	54.2-57.2	≤ 7.5	0.9-1.0	unlatched	Y	
31	54.2-57.2	≤ 7.5	0.5-0.6(only unlatched)	unlatched	Y	
32	54.2-57.2	≤ 7.5	0.9-1.0	unlatched	Y	
33	53.8-57.2	≤ 15.9	0.5-0.6(only unlatched)	unlatched	Y	
34	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
35	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
36	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
37	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
38	53.8-57.2	≤ 15.9	0.5-0.6(only unlatched)	unlatched	Y	
39	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
40	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
41	53.8-57.2	≤ 15.9	0.5-0.6(latched)	unlatched	N	
42	53.8-57.2	≤ 15.9	0.5-0.6(latched)	unlatched	N	
43	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	

No.	Ambient Noise (dBA)	Wind Speed (km/h)	Gap Distance (cm)	Latch Status	Successful	Note
44	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
45	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
46	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
47	53.8-57.2	≤ 15.9	1.5-1.6	unlatched	N	
48	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
49	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	
50	53.8-57.2	≤ 15.9	0.9-1.0	unlatched	Y	

Parking Lot 2 (Trial No. 51 – 100)

No.	Ambient Noise (dBA)	Wind Speed (km/h)	Gap Distance (cm)	Latch Status	Successful	Note
51	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	Parking lot 2
52	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
53	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
54	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
55	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
56	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
57	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
58	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
59	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
60	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
61	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
62	56.8-71.3	≤2.5	0.5-0.6(latched)	latched	N	

No.	Ambient Noise (dBA)	Wind Speed (km/h)	Gap Distance (cm)	Latch Status	Successful	Note
63	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
64	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
65	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
66	56.8-71.3	≤2.5	0.9-1.0	unlatched	Y	
67	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
68	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
69	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
70	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
71	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
72	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
73	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
74	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
75	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
76	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
77	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
78	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
79	57.9-74.5	≤ 7.5	1.6-1.7	unlatched	N	
80	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
81	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
82	57.9-74.5	≤ 7.5	0.9-1.0	unlatched	Y	
83	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
84	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
85	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	

No.	Ambient Noise (dBA)	Wind Speed (km/h)	Gap Distance (cm)	Latch Status	Successful	Note
86	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
87	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
88	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
89	65.8-76.2	≤ 15.9	1.6-1.7	unlatched	N	
90	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
91	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
92	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
93	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
94	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
95	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
96	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
97	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
98	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
99	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	
100	65.8-76.2	≤ 15.9	0.9-1.0	unlatched	Y	

Note: Bold horizontal lines indicate wind speed condition changes. Green = successful attack (Y); Red = failed attack (N).