ExampleVideoRelay · wan3.0 audit

ExampleVideoRelay vs Alibaba Cloud Model Studio • 2026-01-15 • 480P / 720P / 1080P, 2 s each

> **Bottom line: Fictional example**: the video is an Alibaba original (encoder and AIGC tag match), but the link is rehosted on the relay's CDN, usage is missing, and task ids are its own.

Original

Video

encoder and tags match

Wrapped

API

link / task id / usage all replaced

0.8×

Cost

every tier at 80% of official

N/A

Draft / params

wan3 has no draft mode

1 Claimed vs measured

Item	ExampleVideoRelay claims	Measured (vs official)
Match Video source	Alibaba official	encoder + AIGC tag match official
Wrapped Response fields	official-compatible	no usage, no official task id

2 For ExampleVideoRelay to address

1. **Return the official task id and usage**: customers reconcile with official task ids
2. **Official task id**: vendor must return it
3. **usage**: vendor must return it

3 How we tested

Target	Requests	Spent	Baseline
ExampleVideoRelay	3 jobs	¥1.2	official docs + earlier official outputs

All data is fictional.

4 Is it the real thing: authenticity evidence

Evidence	Official (Alibaba Cloud Model Studio)	ExampleVideoRelay
Match Encoder / container fingerprint	official encoder + `AIGC` tag	same
Rehosted Video link domain	Alibaba OSS signed link	`cdn.example-relay.test`
Not tested C2PA content credentials	—	official wan3 outputs carry no C2PA

5 Passthrough: are the official fields kept

All wrapped Rule 15 ③: are the official fields still there?

Field	Official (Alibaba Cloud Model Studio)	ExampleVideoRelay
Rehosted Video link (official bucket)	`output.video_url`	`url` (relay CDN)
Not official Official task id	`output.task_id`	`id` (its own)
Lost Resolution	`usage.SR`	—
Lost Duration	`usage.output_video_duration`	—
Lost Usage	`usage`	—


6 Differences from official (by impact)

Affects integration **1 item(s)**

Item	Official	ExampleVideoRelay
Video link	OSS signed link, valid 24 h	permanent link on relay CDN

7 Cost ratio

Tier	Official (¥ / second)	ExampleVideoRelay (¥ / second)	Ratio	Basis
480P	0.3	0.24	80%	billed in logs
720P	0.6	0.48	80%	billed in logs
1080P	1.2	0.96	80%	billed in logs



Prices are fictional.

Appendix • raw requests and responses

Keys masked; only the server / x-new-api-version / x-request-id response headers kept; long text, base64 and signed links truncated. All raw records are in the task's artifacts/ folder.

Query task

Official request

```
GET {base}/api/v1/tasks/ex-task-official
Authorization: Bearer ***
Content-Type: application/json
```

ExampleVideoRelay request

```
GET {base}/v1/video/generations/relay_task_0001
Authorization: Bearer ***
Content-Type: application/json
```

Official response

```
HTTP 200
{
 "request_id": "ex-off",
 "output": {
  "task_id": "ex-task-official",
  "task_status": "SUCCEEDED",
  "video_url": "https://dashscope-result-example.oss-cn-beijing.aliyuncs.com/....mp4?…"
 },
 "usage": {"output_video_duration": 2, "SR": 480}
}
```

ExampleVideoRelay response

```
HTTP 200
{
 "id": "relay_task_0001",
 "status": "succeeded",
 "url": "https://cdn.example-relay.test/v/0001.mp4"
}
```