

Index

Symbols

`{{ }}` syntax 54
`{% %}` syntax 54

A

access token 124
Amazon EC2
 reference link 186
APIRouter class
 used, for multiple routing 19-22
authentication methods, FastAPI
 basic HTTP authentication 122
 bearer token authentication 122
 cookies 122

B

beanie library
 using 104
bearer tokens 122
Body() class 31

C

create_engine() method 93
CREATE endpoint
 testing 163-166
CRUD endpoint
 testing 160, 161
CRUD operations
 about 110
 create 110
 delete 112
 methods 105
 read 110, 111
 routes/events.py 112-114
 routes/users.py 114-120
 update 111
CRUD todo app
 building 37-41

D

database
 creating 92-97
 events, creating 97-99
 events, deleting 102-104
 events, reading 99, 100
 events, updating 101, 102

- DELETE endpoint
 - testing 168-171
- dependency injection
 - about 123
 - creating 123, 124
 - using 123, 124
- Depends class 98
- deployment preparation,
 - FastAPI applications
- about 176
- dependencies, managing 176, 177
- environment variables, configuring 177
- Docker
 - about 13
 - deploying with 178
 - FastAPI applications,
 - deploying with 178
 - installation link 14
 - setting up 13
- Dockerfile
 - about 14
 - writing 178, 179
- Docker Hub 14
- Docker images
 - building 180, 181
 - databases, deploying 187
 - deploying 186, 187
- documents 104
- DRY (don't repeat yourself) 58

E

- error handling 48-51
- event document class
 - updating 140-145
- event document routes
 - updating 140-145

- event planner application
 - building 73, 74
- event routes
 - updating 136-140

F

- FastAPI
 - about 21
 - authentication methods 122
 - Jinja templates, using 58-67
 - routing 18
 - routing, example 18, 19
- FastAPI application
 - building 15, 16
 - deploying locally 181-183
 - deploying, with Docker 178
 - event document class and routes,
 - updating 140-145
 - event planner application,
 - building 73, 74
 - event routes, updating 136-140
 - models, implementing 74-77
 - routes, implementing 78
 - running 183-185
 - securing, with JWT 124, 125
 - securing, with OAuth2 124, 125
 - structuring 72, 73
 - updating 133
 - user sign-in route, updating 133-136
- FastAPI Automatic Docs
 - about 31
 - ReDoc 34-36
 - Swagger 32, 33
- FastAPI responses
 - about 44
 - response body 44

response header 44
status codes 44, 45

filters

about 54
conversion filters 55
default filter 55
escape filter 55
join filter 55
length filter 55

filters, in Jinja

reference link 56

G

Git

about 4
branch 8
download link 4
installing 4
operations 5-8

Git documentation

reference link 8

Google Cloud Run

reference link 186

H

HS256 algorithm 131

HTTP exception 48

HTTPException arguments

detail 49

headers 49

status_code 49

HTTP request methods 18

HTTP status codes

reference link 45

I

if statements

using 56

isolated development environments

creating, with Virtualenv 9

J

Jinja

about 54

filters 54

if statements, using 56

loops 56

macros 57

template inheritance 58

Jinja's, template inheritance

reference link 58

Jinja templates

using, in FastAPI 58-67

JSON Schema 34

JSON Web Token (JWT)

about 124

creating 129-132

FastAPI application, securing

with 124, 125

need for 124

verifying 129-132

L

loops 56

M

- macros 57
- main branch 8
- Microsoft Azure deployment
 - reference link 186
- MongoDB
 - database, initializing 106-109
 - documents 104, 106
 - setting up 104
- MongoDB atlas
 - reference link 187
- multiple routing
 - with APIRouter class 19-22

N

- non-existent todo
 - retrieving 51

O

- OAuth2
 - application, securing with 125
 - FastAPI application, securing with 124
- Object Document Mapper (ODM) 104

P

- package management
 - with pip 11, 12
- Path class 30
- path parameters 27-30
- pip
 - about 12
 - basic commands 13
 - installation link 13

- installing 12, 13
- package management with 11, 12
- primary key 91
- push and pull operation 14
- Pydantic models
 - nested models 26, 27
 - used, for validating request bodies 23-26
- pytest
 - unit testing with 150-153
- pytest fixtures
 - repetition, eliminating with 153, 154

Q

- query parameters 30

R

- READ endpoint
 - testing 161-163
- ReDoc 34-36
- REST API endpoints
 - CREATE endpoint, testing 163-166
 - CRUD endpoint, testing 160, 161
 - DELETE endpoint, testing 168-171
 - READ endpoint, testing 161-163
 - sign-in route, testing 158-160
 - sign-up route, testing 157
 - tests, writing 156
 - UPDATE endpoint, testing 166-168
- request bodies
 - about 30, 31
 - validating, with Pydantic models 23-26
- response header 44
- response models
 - building 45-48

- routes
 - about 18
 - event routes, implementing 83-87
 - implementing 78
 - user routes, implementing 78-82

S

- schemas 22
- Session class
 - methods 92
- sign-in route
 - testing 158-160
- sign-up route
 - testing 157
- SQLModel
 - rows 91, 92
 - Session class 92
 - setting up 90
 - tables 90, 91
- Swagger 32, 33

T

- template inheritance 58
- test coverage report
 - generating 171-174
- test environment
 - setting up 154-156

U

- unit testing
 - with pytest 150-153
- UPDATE endpoint
 - testing 166-168

- user authentication
 - handling 132, 133
- user passwords
 - hashing 125-129
- user sign-in route
 - updating 133-136
- uvicorn tool 18

V

- validation 23
- variable block 54
- Virtualenv
 - used, for creating isolated development environments 9
- virtual environment
 - about 9
 - activating 9, 10
 - creating 9
 - deactivating 10, 11