

/users

POST /users/login

功能

登录使用接口

接口

```
1 POST /users/login
2 "Content-Type": "application/json"
3
4 {
5     userId: "userId",
6     password: "password"
7 }
```

响应

- 成功 (200 OK)

```
1 {
2     userName: "name",
3     userId: "id",
4     token: "token"
5 }
```

- 失败 (401 Unauthorized)

```
1 {
2 }
```

GET /users/:id

功能

获取用户信息接口

接口

```
1 GET /users/:id
2 "Content-Type": "application/json"
3 "Authorization": "Bearer token"
```

响应

- 成功 (200 OK)

```
1  {
2      "name": "name",
3      "avatar": "https://...",
4      "email": "email"
5  }
```

- 验证失败 (401 Unauthorized)
- 信息不存在 (404 Not Found)

/doc

GET /doc

接口

```
1  GET /doc
2  "Content-Type": "application/json"
```

响应

- 成功 (200 OK)

```
1  {
2      "docList": [
3          {
4              "id": " id",
5              "name": "name",
6              "summary": "sum",
7              "img": "https:....."
8          }
9      ]
10 }
```

- 失败 (404 Not Found)

GET /doc/:d_id

接口

```
1  GET /doc/:d_id
2  "Content-Type": "application/json"
```

响应

- 成功 (200 OK)

```
1  {
2      "docInfo":{
3          "id": " id",
4          "name": "name",
5          "summary": "sum",
6          "img": "https:....."
7      },
8      "docDir":[
9          {
10             "id":"id",
11             "name":"name"
12         },
13     ]
14 }
```

- 失败 (404 Not Found)

GET /doc/:d_id/:c_id

接口

```
1  GET /doc/:d_id/:c_id
2  "Content-Type": "application/json"
```

响应

- 成功 (200 OK)

```
1  {
2      "d_id":"id",
3      "c_id":"id",
4      "title":"titile",
5      "content":"content"
6  }
```

/aichatdoc

GET /aichatdoc/:id

接口

```
1  GET //aichatdoc/:id
2  "Authorization": "Bearer token"
```

响应

- 成功 (200 OK)

```
1  {
2    "id": "",
3    "chat": [
4      {
5        "id": "",
6        "ask": "",
7        "ans": "",
8      }
9    ]
10 }
```

GET /aichatdoc/?u_id=

接口

```
1  GET //aichatdoc/?u_id=
2  "Authorization": "Bearer token"
```

响应

- 成功 (200 OK)

```
1  {
2    "id": "",
3    "u_id": "",
4    "chat": [
5      {
6        "id": "",
7        "ask": "",
8        "ans": "",
9      }
10   ]
11 }
```

POST /aichatdoc/:id

描述

在指定id的对话创建询问

接口

```
1 POST /aichatdoc/:id
2 "Content-Type": "application/json"
3 "Authorization": "Bearer token"
4
5 {
6     "ask": "",
7     "u_id": ""
8 }
```

响应

- 成功 (200 OK)

流式返回

POST /aichatdoc/new

描述

创建一个新的对话

接口

```
1 POST /aichatdoc/
2 "Content-Type": "application/json"
3 "Authorization": "Bearer token"
4
5 {
6     "u_id": ""
7 }
```

响应

- 成功 (200 OK)

```
1 {
2     id="",
3 }
```

/project

GET /project/?u_id=-

描述

获取项目列表（可加筛选条件，指定用户）。

POST /project/

描述

创建新项目

GET /project/:id

描述

获取指定id项目的信息

GET /project/delet/:id

描述

删除指定id的项目

POST /project/ask/:id

描述

询问该项目相关

GET /project/doc/:id

描述

生成该项目相关的学习分析文档

/code

/code/sf

GET /code/sf?u_id={用户id}

POST /code/sf

描述

创建新的简单前端代码生成项目

接口

```
1 POST /code/sf
2 "Content-Type": "application/json"
3 "Authorization": "Bearer token"
4
5 {
6     "u_id": "",
7     "projectName": "",
8     "message": ""
9 }
```

响应

- 成功 (200 OK)

```
1 {
2     sf_id: "",
3     "code": {
4         "html": "",
5         "css": "",
6         "javascript": ""
7     }
8 }
```

POST /code/sf/:id

描述

在id的项目中发起ai对话生成新的代码

接口

```
1 POST /code/sf/:id
2 "Content-Type": "application/json"
3 "Authorization": "Bearer token"
4
5 {
6     "code": {
7         "html": "",
8         "css": "",
9         "js": ""
10    }
11    "message": "",
12    "selectId": ["", ""]
13 }
```

响应

- 成功 (200 OK)

```
1  {
2      sf_id:"",
3      "code":{
4          "html": "",
5          "css": "",
6          "javascript": ""
7      }
8  }
```

GET /code/sf/:id

描述

获取指定id的简易前端项目相关信息

接口

```
1  GET /code/sf/:id
2  "Content-Type": "application/json"
3  "Authorization": "Bearer token"
```

响应

- 成功 (200 OK)

```
1  {
2      sf_id:"",
3      "code":{
4          "html": "",
5          "css": "",
6          "javascript": ""
7      }
8  }
```