
Terminal ▼ Mar 31 12:58 Activities jun@ThinkPad: ~/Lab1 un@ThinkPad:~\$ git clone https://github.com/Youngjun333/Lab1 Command 'git' not found, but can be installed with: sudo apt install git un@ThinkPad:~\$ sudo apt install git [sudo] password for jun: Reading package lists... Done Building dependency tree Reading state information... Done The following packages were automatically installed and are no longer required: libfprint-2-tod1 libllvm10 Use 'sudo apt autoremove' to remove them. The following additional packages will be installed: git-man liberror-perl Suggested packages: git-daemon-run | git-daemon-sysvinit git-doc git-el git-email git-gui gitk gitweb git-cvs git-mediawiki git-svn he following NEW packages will be installed: git git-man liberror-perl 0 upgraded, 3 newly installed, 0 to remove and 2 not upgraded. Need to get 5,468 kB of archives. After this operation, 38.4 MB of additional disk space will be used. Do you want to continue? [Y/n] y Get:1 http://us.archive.ubuntu.com/ubuntu focal/main amd64 liberror-perl all 0.17029-1 [26.5 kB] Get:2 http://us.archive.ubuntu.com/ubuntu focal-updates/main amd64 git-man all 1:2.25.1-1ubuntu3.1 [884 kB] Get:3 http://us.archive.ubuntu.com/ubuntu focal-updates/main amd64 git amd64 1:2.25.1-1ubuntu3.1 [4,557 kB] Fetched 5,468 kB in 4s (1,360 kB/s) Selecting previously unselected package liberror-perl. (Reading database ... 191320 files and directories currently installed.) Preparing to unpack .../liberror-perl_0.17029-1_all.deb ... Unpacking liberror-perl (0.17029-1) ... Selecting previously unselected package git-man. Preparing to unpack .../git-man 1%3a2.25.1-1ubuntu3.1 all.deb ... Unpacking git-man (1:2.25.1-1ubuntu3.1) ... Selecting previously unselected package git. Preparing to unpack .../git 1%3a2.25.1-1ubuntu3.1 amd64.deb ... Unpacking git (1:2.25.1-1ubuntu3.1) ... Setting up liberror-perl (0.17029-1) ... Setting up git-man (1:2.25.1-1ubuntu3.1) ... Setting up git (1:2.25.1-1ubuntu3.1) ... Processing triggers for man-db (2.9.1-1) ... un@ThinkPad:~\$ git clone https://github.com/Youngjun333/Lab1 Cloning into 'Lab1'... remote: Enumerating objects: 3, done. remote: Counting objects: 100% (3/3), done. remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 Unpacking objects: 100% (3/3), 590 bytes | 590.00 KiB/s, done. un@ThinkPad:~\$ ls un@ThinkPad:~\$ cd Lab1 un@ThinkPad:~/Lab1\$ ls README.md d:~/Lab1S git branch add-read-me



Activities № Terminal ▼ Mar 31 12:58 jun@ThinkPad: ~/Lab1 Preparing to unpack .../vim 2%3a8.1.2269-1ubuntu5 amd64.deb ... Unpacking vim (2:8.1.2269-1ubuntu5) ... Setting up vim-runtime (2:8.1.2269-1ubuntu5) ... Setting up vim (2:8.1.2269-1ubuntu5) ... update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vim (vim) in a uto mode update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vimdiff (vimdi ff) in auto mode update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/rvim (rvim) in auto mode update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/rview (rview) in auto mode update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/vi (vi) in aut o mode update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/view (view) in auto mode update-alternatives: using /usr/bin/vim.basic to provide /usr/bin/ex (ex) in aut o mode Processing triggers for man-db (2.9.1-1) ... un@ThinkPad:~/Lab1\$ vim README.md un@ThinkPad:~/Lab1\$ git add . un@ThinkPad:~/Lab1\$ git commit -m "Update readme file." *** Please tell me who you are. Run git config --global user.email "you@example.com" git config --global user.name "Your Name" to set your account's default identity. Omit --global to set the identity only in this repository. fatal: unable to auto-detect email address (got 'jun@ThinkPad.(none)') jun@ThinkPad:~/Lab1\$ git config --global user.email "yjk007@ucsd.edu" jun@ThinkPad:~/Lab1\$ git config --global user.email "Young Kim" jun@ThinkPad:~/Lab1\$ git commit -m "Update readme file." [add-read-me a2cd76e] Update readme file. 1 file changed, 2 insertions(+), 1 deletion(-) un@ThinkPad:~/Lab1\$ git push -all error: did you mean `--all` (with two dashes)? un@ThinkPad:~/Lab1\$ git push --all Username for 'https://github.com': Youngjun333 Password for 'https://Youngjun333@github.com': Enumerating objects: 5, done. Counting objects: 100% (5/5), done. Writing objects: 100% (3/3), 262 bytes | 262.00 KiB/s, done. Total 3 (delta 0), reused 0 (delta 0) remote: remote: Create a pull request for 'add-read-me' on GitHub by visiting: https://github.com/Youngjun333/Lab1/pull/new/add-read-me remote: remote: To https://github.com/Youngjun333/Lab1 * [new branch] add-read-me -> add-read-me
un@ThinkPad:-/Lab1\$ [] * [new branch]