

CJ7 Trading Agent Setup Guide v2.0

Updated: April 25, 2026

A complete blueprint for an AI-powered, mobile-first trading agent using Claude Code, TradingView MCP, Telegram, launchd, and Mac mini.

Designed for crypto and forex traders in Bangkok timezone.
Paper trade first — test two weeks before going live.

By: Wittaya Choolim (CJ7) — Built with Claude Code (CJ7)
Location: Pattaya, Thailand | Session: 9:30 PM Bangkok Time

■ What's New in v2.0

- Migrated from cron to launchd (Apple's modern scheduler)
- Fixed Claude login issue — launchd has Keychain access
- Replaced ETHUSDT with USDJPY in watchlist
- Replaced MACD with Fibonacci Retracement
- New 4-point entry scoring system (EMA + Fibo + RSI + PA)
- On-demand commands: /analyze /prep /phase2 /final from Journey bot
- Auto Git push at 11 PM daily
- UI/UX Pro Max skill installed for dashboard build
- Evening review at 10:30 PM added

Table of Contents

1. What You're Building
2. Why launchd Replaced cron
3. Trading Strategy & Indicators
4. System Architecture
5. Mac Mini Configuration
6. Claude Code + MCP Setup
7. TradingView MCP Connection
8. Telegram Bot Setup (Claude Bot)
9. Journey Journal Bot
10. CLAUDE.md Agent Rules v1.1
11. launchd Scheduler — Daily Automation
12. Daily Trading Workflow
13. On-Demand Commands
14. GitHub Auto-Push
15. Anti-Emotion Rules
16. Token Management
17. Troubleshooting Guide
18. What's Left To Do
19. Replication Checklist
20. Upgrade Path

Part 1 — What You're Building

A mobile-first AI trading assistant that runs automatically on a daily schedule. launchd jobs fire throughout each weekday, starting Claude Code sessions that read your TradingView charts, analyze market conditions, and push reports to your Telegram phone.

Two Bots Working Together:

- **Claude Bot** — AI analysis, chart reading, GO/WAIT signals via launchd
- **Journey Bot** — 24/7 Python bot for journaling + on-demand commands

Daily Automated Schedule:

- **2:00 PM** — Pre-session prep (full market analysis)
- **8:30 PM** — Setup validation (still valid?)
- **9:15 PM** — Final GO/WAIT signal (15 min before entry)
- **9:30 PM** — You trade manually
- **10:30 PM** — Evening review (auto)
- **11:00 PM** — Git push journal to GitHub (auto)

Part 2 — Why launchd Replaced cron

Migrating from cron to launchd was the biggest fix in v2.0. Here's why it matters:

Feature	cron	launchd
Built into macOS	Yes (legacy)	Yes (modern)
Keychain access	NO ■	YES ■
Claude login works	BROKEN	WORKS
User session context	Isolated	Inherits
Auto-retry on failure	No	Yes
XML config	-	Plist files
Apple recommended	Deprecated	Yes since 2005

The Login Problem We Solved:

```
cron runs:
/bin/sh → no user context → no Keychain → 'not logged in' ■

launchd runs:
YOUR user session → has Keychain → 'Hello CJ7!' ■
```

Same Mac, same scripts — just a smarter scheduler that preserves Claude's auth tokens.

Part 3 — Trading Strategy & Indicators

Updated Watchlist (v1.1):

- BTCUSDT — Bitcoin (primary)
- XAUUSD — Gold (secondary)
- USDJPY — Dollar/Yen (tertiary, replaced ETHUSDT)

New Chart Indicators (4 total):

- **EMA 20 + EMA 50** — Trend direction
- **Fibonacci Retracement** — Entry zones (0.5, 0.618, 0.786)
- **RSI 14** — Momentum + OB/OS confirmation
- **Price Action** — Liquidity sweeps + FVG (no indicator)

Entry Score System (1-4 points):

Condition	Points
EMA 20/50 trend aligned	+1
Price at Fibonacci level (0.5–0.786)	+1
RSI confirms direction (not extreme)	+1
Liquidity swept + FVG present	+1
Score 4/4 = GO full size 3/4 = GO half size 2/4 or less = SKIP	

Hard Rules (non-negotiable):

- Max 1% account risk per trade
- Max 3 open trades at once
- Stop trading if daily loss > 2%
- Always SL before TP — no exceptions
- Never move SL against position
- RSI extreme (>75 or <25) = reduce size 50%
- Minimum RR 1:2 — skip if lower

Part 4 — System Architecture

Component	Role	Status
Claude Code CLI v2.1.117	AI brain — analysis + decisions	Active ■
TradingView MCP	Eyes — reads live charts	Active ■
Telegram Claude Bot	Voice — reports + 2-way control	Active ■
Journey Bot (Python)	24/7 journal + on-demand triggers	Active ■
Mac mini M1	24/7 server	Active ■
launchd Scheduler	5 daily jobs (NEW v2.0)	Active ■
GitHub Repo	Auto-push journal nightly	Active ■
UI/UX Pro Max Skill	Dashboard generator	Installed ■
SSH Access	Remote Mac control	TODO ■
Dashboard Website	Trading portfolio site	TODO ■
KuCoin MCP	Hands — trade execution	Phase 3

Updated Data Flow (v2.0):

You (Phone/Telegram)
■■■ Journey Bot (24/7 Python, zero tokens)
/journal /missed /today /weekly /read
/analyze /prep /phase2 /final /consult (NEW v2.0)
(triggers launchctl jobs for Claude tasks)
■■■ Claude Bot (launchd-scheduled)
■■■ TradingView MCP → reads live charts
■■■ Result → curl → Telegram

Part 5 — Mac Mini Configuration

Disable Sleep:

```
sudo pmset -a sleep 0
sudo pmset -a disksleep 0
sudo pmset -a displaysleep 0
sudo pmset -a powernap 0
sudo systemsetup -setrestartpowerfailure on
```

Schedule Wake at 1:55 PM:

```
sudo pmset repeat wakeorpoweron MTWRF 13:55:00
```

Required Permissions (System Settings → Privacy & Security):

- **Full Disk Access** — Add Terminal.app and /usr/sbin/cron
- **Automation** — Allow Terminal to control Apple Events
- **Auto-login enabled** for unattended reboots

Startup Aliases (~/.zshrc):

```
alias tv="open -a TradingView --args --remote-debugging-port=9222"
alias trading="cd ~/trading-agent && claude --channels
plugin:telegram@claude-plugins-official --dangerously-skip-permissions"
alias startjournal="screen -dmS journalbot python3 ~/trading-agent/scripts/journal_bot.py"
alias j="~/trading-agent/scripts/journal.sh"
```

Part 11 — launchd Scheduler — Daily Automation

launchd is Apple's modern replacement for cron. It runs in your user session, has Keychain access, and preserves Claude login. This is the heart of the v2.0 fix.

Active launchd Jobs (5 total):

Plist	Time	Script	Days
com.cj7.preession	2:00 PM	pre_session.sh	Mon-Fri
com.cj7.setupcheck	8:30 PM	setup_check.sh	Mon-Fri
com.cj7.finalcheck	9:15 PM	final_check.sh	Mon-Fri
com.cj7.evening	10:30 PM	evening_review.sh	Mon-Fri
com.cj7.gitpush	11:00 PM	git_push.sh	Mon-Fri
com.cj7.analyze	On-demand	analyze_ondemand.sh	Triggered
com.cj7.consult	On-demand	consult.sh	Triggered (NEW)

Sample Plist (com.cj7.preession.plist):

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<dict>
    <key>Label</key>
    <string>com.cj7.preession</string>
    <key>ProgramArguments</key>
    <array>
        <string>/bin/bash</string>
        <string>/Users/wittayachoolim/trading-agent/scripts/pre_session.sh</string>
    </array>
    <key>StartCalendarInterval</key>
    <dict>
        <key>Hour</key>
        <integer>14</integer>
        <key>Minute</key>
        <integer>0</integer>
        <key>Weekday</key>
        <integer>1</integer>
    </dict>
</dict>
```

Useful launchd Commands:

```
# List all CJ7 jobs
launchctl list | grep cj7

# Trigger job manually
launchctl start com.cj7.preession

# Reload after editing plist
launchctl unload ~/Library/LaunchAgents/com.cj7.preession.plist
launchctl load ~/Library/LaunchAgents/com.cj7.preession.plist
```


Part 12 — Daily Trading Workflow

Time	Trigger	Action	Telegram
1:55 PM	Auto	Mac wakes up	Silent
2:00 PM	launchd	Pre-session prep	PREP report ■
8:30 PM	launchd	Setup validation	VALID/INVALID ■
9:15 PM	launchd	Final GO/WAIT signal	GO/WAIT ■
9:30 PM	YOU	Open paper trade if GO	-
9:31 PM	YOU	/journal entry	■ Logged
Anytime	YOU	/analyze /consult /prep	■
10:30 PM	launchd	Evening review	Review ■
11:00 PM	launchd	Git push journal	■ Pushed

Part 13 — On-Demand Commands (NEW v2.0)

Journey Bot now triggers Claude analysis on-demand from your phone. Send these commands anytime:

Command	What It Does	Use Case
<code>/analyze</code>	Quick chart analysis with score 1-4	Curious about current setup
<code>/prep</code>	Force pre-session report now	Missed the 2 PM auto run
<code>/phase2</code>	Re-validate setups now	Check if setup still valid
<code>/final</code>	Force final GO/WAIT signal	Ready to enter, need confirm
<code>/consult [position]</code>	Live trade advice with %	Already in trade, what to do?
<code>/journal [text]</code>	Log entry to journal.md	After every trade
<code>/missed [symbol]</code>	Log missed trade	When you skip an entry
<code>/today</code>	Show today's entries	Quick recap
<code>/weekly</code>	Wins/losses/win rate	Sunday review

/consult Example:

```
/consult BTC long 84350 SL 83800 TP 85500 now 84620
```

Returns one of:

- **HOLD [X%]** — trend still supports trade
- **CLOSE NOW [X%]** — reversal signs detected
- **MOVE SL to [price] [X%]** — lock profit safely
- **TAKE PARTIAL 50% [X%]** — hedge the position

Part 14 — GitHub Auto-Push

Every weekday at 11:00 PM, the launchd job auto-commits your journal.md to GitHub. This creates a public/private portfolio of your trading journey.

Setup Required Once:

```
cd ~/trading-agent
git init
git remote add origin https://github.com/youngkoi101/cj7-trading.git
git push origin main
```

git_push.sh Script:

```
#!/bin/bash
export HOME=/Users/wittayachoolim
export PATH=...
cd /Users/wittayachoolim/trading-agent
git add journal.md
git commit -m "Journal update $(date +%Y-%m-%d)"
git push origin main
# Notify Telegram on success/fail
curl -X POST .../sendMessage -d text="■ Journal pushed"
```

Part 18 — What's Left To Do

Current status as of v2.0 update. These are remaining tasks before going live with real capital:

Priority	Task	Why It Matters	When
■ HIGH	Revoke exposed bot tokens	Tokens shared in chat must be rotated for security	TONIGHT
■ HIGH	Update tokens in 7 script files	Required after revoke	TONIGHT
■ MED	Set up SSH on Mac mini	Remote control from phone if Mac stuck	Tomorrow
■ MED	Build trading dashboard with UI/UX	Visual portfolio at GitHub Pages	Tomorrow
■ MED	Test all commands one more time	Verify /consult /analyze /prep work	Tomorrow
■ LOW	Order HDMI dummy plug	Run Mac mini headless (~100 baht)	This week
■ LOW	Set up Mac mini auto-restart	Recovery from power outages	This week
■ LOW	Document final journal_bot.py	Reference copy with all v2 commands	This week
■ PHASE 2	Run 2 weeks paper trading	Validate system before real money	Apr 28 - May 9
■ PHASE 2	Sunday weekly review with /weekly	Track win rate + lessons	Each Sunday
■ PHASE 2	Add minimum RR 1:2 filter	Auto-skip low quality setups	Week 2
■ PHASE 3	Add KuCoin MCP for crypto	Live trade execution	Week 3-4
■ PHASE 3	Add weekend BTC-only schedule	If patterns emerge favoring weekends	Week 3+
■ PHASE 4	Add PA + FVG detection skill	Higher quality entries	Month 2
■ PHASE 4	Add Perplexity API for news	Cited research in /prep	Month 2
■ PHASE 5	Add OANDA MCP for forex	Trade XAUUSD/USDJPY live	Month 3
■ PHASE 5	Move to Claude Cloud Routines	Remove Mac dependency	Month 3+

Quick Status — Where You Are Now

What's Working ■	What's Pending ■
launchd 5+ jobs running	SSH remote access (tomorrow)
Claude Bot reports automated	Dashboard website (tomorrow)
Journey Bot 24/7 journal	Token rotation (security)
Auto Git push at 11 PM	KuCoin MCP (Week 3+)
/analyze on-demand from phone	PA/FVG skills (Month 2)
/consult position advice	Forex execution (Month 3)
New EMA+Fibo+RSI+PA scoring	Cloud routines (Month 3+)
UI/UX Pro Max installed	Live trading (After 2 weeks)

Tomorrow's Priorities (Sunday)

- **Morning:** Set up SSH (Termius app on iPhone)
- **Morning:** Verify all 7 launchd jobs run as scheduled
- **Afternoon:** Build trading dashboard with UI/UX Pro Max
- **Afternoon:** Deploy dashboard to GitHub Pages
- **Evening:** Rotate compromised bot tokens
- **Evening:** Run /weekly review of test phase

v2.0 — Updated April 25, 2026
Built by CJ7 with Claude Code (CJ7) in Pattaya, Thailand
Trade safe. Follow the rules. Let Claude be the discipline.