

CJ7 Trading Agent

Setup Guide v3.0

Updated: May 1, 2026

A complete blueprint for an AI-powered, mobile-first trading agent using Claude Code, TradingView MCP, DataBus Indicator, Telegram, launchd, and Mac mini. Designed for crypto and forex traders in Bangkok timezone.

Paper trade first — test two weeks before going live.

By: Wittaya Choolim (CJ7) — Built with Claude Code (CJ7)
Location: Pattaya, Thailand | Session: 9:30 PM Bangkok Time

What's New in v3.0

- DataBus M15 Execute [CJ7] — single Pine Script replacing 2 separate indicators
- 3-Stage hierarchical scoring: 4H Bias → H1 Gate → M15 Execute
- Asset weights: BTC 1.5x, Gold 1.2x, JPY 1.0x
- ATR_RISING filter added — confirms momentum before execution
- Fibo invalidation rule: below 0.382 = hard cancel
- RSI dual role: S/R zone detection + OB/OS filter
- Confidence mark score 0.1–1.0 shown in all messages
- Telegram sender separated into Python module (telegram_send.py)
- gtimeout replacing timeout (Mac compatibility fix)
- Signal files written to ~/trading-agent/signals/ before Telegram send
- Retry logic: 3 attempts before failure logged
- Setup check moved to 7:30 PM Bangkok (was 4:30 PM)
- Evening review: Saturday only
- Git push journal: 12:00 PM daily
- EIGHTCAP:XAUUSD feed for accurate Gold pricing

Table of Contents

- 1. What You're Building
- 2. Why launchd Replaced cron
- 3. Trading Strategy & Indicators
- 4. DataBus Indicator System (NEW v3.0)
- 5. 3-Stage Mechanical Process
- 6. System Architecture
- 7. Mac Mini Configuration
- 8. launchd Scheduler
- 9. Telegram Sender Module (NEW v3.0)
- 10. Daily Trading Workflow
- 11. On-Demand Commands
- 12. GitHub Auto-Push
- 13. CLAUDE.md Rules v1.5.1
- 14. Anti-Emotion Rules
- 15. What's Left To Do
- 16. Replication Checklist

Part 1 — What You're Building

A mobile-first AI trading assistant that runs automatically on a daily schedule. launchd jobs fire throughout each weekday, starting Claude Code sessions that read your TradingView charts via the DataBus indicator, analyze market conditions across 3 timeframes, and push reports to your Telegram phone.

Two Bots Working Together

- Claude Bot — AI analysis, chart reading, GO/WAIT signals via launchd
- Journey Bot — 24/7 Python bot for journaling + on-demand commands

Daily Automated Schedule

Time	Trigger	Action	Telegram
1:55 PM	Auto	Mac wakes up	Silent
2:00 PM	launchd	Pre-session prep — 4H bias	PREP report
7:30 PM	launchd	Setup check — 1H Fibo zone	VALID/INVALID
9:15 PM	launchd	Final scan — all 3 pairs M15	GO/WAIT + mark score
9:30 PM	YOU	Trade manually if GO	—
Saturday 9:30 PM	launchd	Weekly evening review	Review
12:00 PM daily	launchd	Git push journal	Pushed

Part 2 — Why launchd Replaced cron

Feature	cron	launchd
Built into macOS	Yes (legacy)	Yes (modern)
Keychain access	NO	YES
Claude login works	BROKEN	WORKS
User session context	Isolated	Inherits
Auto-retry on failure	No	Yes
Config format	crontab	XML Plist files
Apple recommended	Deprecated	Yes since 2005

The Login Problem We Solved

cron: /bin/sh -> no user context -> no Keychain -> 'not logged in'

launchd: YOUR user session -> has Keychain -> 'Hello CJ7!'

Part 3 — Trading Strategy & Indicators

Watchlist

- BTCUSDT — Bitcoin (primary, weight 1.5x)
- XAUUSD — Gold (secondary, weight 1.2x) — use EIGHTCAP feed
- USDJPY — Dollar/Yen (tertiary, weight 1.0x)

Chart Indicators — DataBus M15 Execute [CJ7]

ONE Pine Script loaded on the 15m chart. Uses both TradingView indicator slots optimally.

Indicator	Role	Timeframe Source
EMA 9, 20, 50	Trend direction + crossover trigger	M15 live + H1 via request.security
Fibonacci (H4 pivot)	Entry zones 0.382/0.5/0.618	H4 swing via request.security
RSI 14	S/R zone detection + OB/OS filter	H1 via request.security
ATR 14	Volatility filter + SL/TP sizing	H1 + M15 live
ATR_RISING	Momentum expansion confirmation	M15 live (NEW v3.0)
Engulfing pattern	Execution trigger candle	M15 live

Part 4 — DataBus Indicator System (NEW v3.0)

The DataBus M15 Execute [CJ7] Pine Script is the core of the system. It pulls H4 and H1 data internally so you never need to switch timeframes. All values are readable by Claude via the TradingView Data Window.

MCP Plot Values — What Claude Reads

Plot Name	Description
H1_SCORE	Weighted confluence score (0–7.5)
H1_GATE	1 = score > 3, proceed to M15. 0 = blocked
H1_DIRECTION	1 = bull, -1 = bear, 0 = neutral
H4_BIAS	1 = H4 bull, -1 = H4 bear
RSI	Current H1 RSI value
RSI_ZONE_LOW / HIGH	Dynamic RSI support/resistance band
ATR_H1	H1 ATR(14) value
ATR_M15	Live M15 ATR(14)
ATR_RISING	1 = ATR expanding (momentum real), 0 = flat
FIB_382 / 500 / 618	Key Fibonacci levels from H4 swing
HTF_SWING_HIGH / LOW	H4 pivot anchor points
EXECUTE_LONG	1 = all conditions met, go long
EXECUTE_SHORT	1 = all conditions met, go short
ENTRY_PRICE	Live M15 close price
SL_LONG / SL_SHORT	Stop loss level
TP_LONG / TP_SHORT	Take profit 1 level (2x ATR)
RR_LONG / RR_SHORT	Current R:R ratio

Setup

- Load DataBus M15 Execute [CJ7] on 15m chart ONLY
- Use EIGHTCAP:XAUUSD for accurate Gold pricing
- One script uses 1 of 2 free indicator slots — slot 2 spare
- Dashboard shown at bottom-right of chart
- Never switch timeframes — all data pulled internally

Part 5 — 3-Stage Mechanical Process

Stage 1 — 4H Bias (2:00 PM Bangkok)

Goal: Set session direction. Buyer or Seller?

Condition	Result
EMA20 > EMA50 AND both sloping UP	Look LONG only
EMA20 < EMA50 AND both sloping DOWN	Look SHORT only
EMA20/50 flat or tangled	NEUTRAL — cancel session
S/R level within 1.5x ATR	No room — SKIP

Stage 2 — H1 Confluence Score (7:30 PM Bangkok)

Gate must be > 3 weighted to proceed to M15.

Point	Condition
+1	H1 EMA aligned with H4 bias (TF agree)
+1	Price in valid Fibo zone (not below 0.382)
+1	RSI in S/R zone (not extreme)
+1	ATR within normal range (50–200% avg)
+1	RSI not extreme against direction

Asset multiplier: BTC x1.5 | Gold x1.2 | JPY x1.0

Hard caps: H1+H4 disagree = cap at 2 | JPY ATR spike = forced to 0

Stage 3 — M15 Execution (9:30 PM Bangkok)

All THREE pairs scanned simultaneously. ALL conditions required:

Condition	Required
H1_GATE = 1 (score > 3)	Mandatory
Engulfing candle in direction of H4 bias	Mandatory
ATR_RISING = 1 (momentum expanding)	Mandatory (NEW v3.0)
9 EMA crosses 20 EMA in correct direction	Mandatory
Price still above Fibo 0.382	Mandatory
R:R >= 1:2 (calculated by DataBus)	Mandatory

Confidence Mark Score

Mark = H1_SCORE / 7.5 (minimum 0.1, maximum 1.0)

Shown in all Telegram messages. You decide which pair to trade.

Part 6 — System Architecture

Component	Role	Status
Claude Code CLI	AI brain — analysis + decisions	Active
TradingView MCP	Eyes — reads DataBus plots	Active
DataBus M15 Execute [CJ7]	Single Pine Script indicator	Active (NEW v3.0)
Telegram Claude Bot	Voice — reports + signals	Active
Journey Bot (Python)	24/7 journal + on-demand triggers	Active
telegram_send.py	Separated sender with retry logic	Active (NEW v3.0)
Mac mini M1	24/7 server	Active
launchd Scheduler	9 daily jobs	Active
GitHub Repo	Auto-push journal daily	Active
8cap Broker	Forex execution (XAUUSD, USDJPY)	Active
Oracle DB (Windows)	Trade data storage + AI analytics	Planned
Google Drive Bridge	Signal file sync Mac to Windows	Planned
MT5 on Windows	Forex execution	Planned

Part 7 — Mac Mini Configuration

Disable Sleep

```
sudo pmset -a sleep 0
sudo pmset -a disksleep 0
sudo pmset -a displaysleep 0
sudo pmset -a powernap 0
sudo systemsetup -setrestartpowerfailure on
```

Schedule Wake at 1:55 PM

```
sudo pmset repeat wakeorpoweron MTWRF 13:55:00
```

Required Permissions

- Full Disk Access — Add Terminal.app
- Automation — Allow Terminal to control Apple Events
- Auto-login enabled for unattended reboots

Useful Aliases (~/.zshrc)

```
alias tv="open -a TradingView --args --remote-debugging-port=9222"
alias startjournal="screen -dmS journalbot python3 ~/trading-agent/scripts/journal_bot.py"
```

Part 8 — launchd Scheduler

9 active launchd jobs — never use cron.

Plist	Time	Script	Days
com.cj7.psession	2:00 PM	pre_session.sh	Mon-Fri
com.cj7.setupcheck	7:30 PM	setup_check.sh	Mon-Fri
com.cj7.finalcheck	9:15 PM	final_check.sh	Mon-Fri
com.cj7.evening	9:30 PM	evening_review.sh	Saturday only
com.cj7.gitpush	12:00 PM	git_push.sh	Mon-Fri
com.cj7.telegramsend	Every 2 min	telegram_send.py	Always
com.cj7.analyze	On-demand	analyze_ondemand.sh	Triggered
com.cj7.consult	On-demand	consult.sh	Triggered
com.cj7.journalbot	Always	journal_bot.py	Always

Useful Commands

```
launchctl list | grep cj7
launchctl start com.cj7.psession
launchctl unload ~/Library/LaunchAgents/com.cj7.psession.plist
launchctl load ~/Library/LaunchAgents/com.cj7.psession.plist
```

Part 9 — Telegram Sender Module (NEW v3.0)

In v3.0 the Telegram send logic is separated from analysis scripts. This fixes the timeout problem where slow analysis caused silent message failures.

New Flow

```
Shell script runs
-> Claude analyzes (gtimeout 90-120s)
-> Writes result to ~/trading-agent/signals/*.txt
-> Exits

telegram_send.py runs every 2 min (via launchd)
-> Reads signal files
-> Sends to Telegram (3 retry attempts)
-> Moves to signals/sent/ on success
-> Logs all activity to logs/telegramsend_*.log
```

Signal Files

File	Created by
signals/presession.txt	pre_session.sh
signals/setupcheck.txt	setup_check.sh
signals/finalcheck.txt	final_check.sh
signals/analyze.txt	analyze_ondemand.sh
signals/consult.txt	consult.sh
signals/evening.txt	evening_review.sh
signals/sent/	Archive of delivered messages

Timeout Fix — gtimeout

Mac does not have Linux timeout command. Install GNU coreutils:

```
brew install coreutils
```

All scripts use gtimeout instead of timeout.

Part 10 — Daily Trading Workflow

Time	Trigger	Action	Telegram
1:55 PM	Auto	Mac wakes up	Silent
2:00 PM	launchd	Pre-session prep	PREP report
7:30 PM	launchd	Setup validation	VALID/INVALID + mark
9:15 PM	launchd	Final scan all 3 pairs	All pairs + mark score
9:30 PM	YOU	Trade manually if GO	—
9:31 PM	YOU	/journal entry	Logged
Anytime	YOU	/analyze /consult /prep	On demand
Saturday 9:30 PM	launchd	Weekly review	Review
12:00 PM daily	launchd	Git push journal	Pushed

Chart Setup

- Stay on 15m chart always — never switch timeframes
- Tab 1: BTCUSDT 15m with DataBus M15 Execute [CJ7]
- Tab 2: XAUUSD 15m — switch to USDJPY before JPY session
- Claude reads all H4/H1 data internally via request.security

Part 11 — On-Demand Commands

Command	What It Does	Use Case
/analyze	Full chart analysis + mark score	Curious about current setup
/prep	Force pre-session report now	Missed 2 PM auto run
/phase2	Re-validate setups now	Check if setup still valid
/final	Force final scan all 3 pairs	Ready to enter, need confirm
/consult [position]	Live trade advice with probability	Already in trade
/journal [text]	Log entry to journal.md	After every trade
/missed [symbol]	Log missed trade	When you skip an entry
/today	Show today's entries	Quick recap
/weekly	Wins/losses/win rate	Sunday review
/late [symbol]	Late entry check vs ATR	Chasing entry
/status	Quick snapshot any pair	Market check

/final Output Format (v3.0)

All 3 pairs shown always. You decide which to trade.

```
FINAL SCAN 21:15 Bangkok
```

```
BTC 15m: EXECUTE LONG
```

```
Mark: 0.9 | Dir: LONG
```

```
Entry: 77,411 | SL: 76,875
```

```
TP1: 78,237 | TP2: 78,650 | RR: 2.0
```

```
XAU 15m: WAIT
```

```
Mark: 0.5 | Gate OPEN – no trigger yet
```

```
JPY 15m: BLOCKED
```

```
Mark: 0.3 | Gate BLOCKED score 2.0
```

Part 12 — GitHub Auto-Push

Every weekday at 12:00 PM, journal.md is auto-committed to GitHub.

Setup Once

```
cd ~/trading-agent
git init
git remote add origin https://github.com/YOUR_USERNAME/cj7-trading.git
git push origin main
```

git_push.sh

```
#!/bin/bash
cd /Users/wittayachoolim/trading-agent
git add journal.md
git commit -m 'Journal update $(date +%Y-%m-%d)'
git push origin main
```

Part 13 — CLAUDE.md Rules v1.5.1

CLAUDE.md is the agent rulebook loaded by Claude Code on every session.

Scoring System

Phase	Time	What Claude Checks
Stage 1 — 4H Bias	2:00 PM	EMA20/50 slope + S/R clearance + H4_BIAS
Stage 2 — H1 Gate	7:30 PM	Fibo zone + RSI zone + ATR + TF agree
Stage 3 — M15 Execute	9:15 PM	Engulfing + EMA cross + ATR_RISING + RR

Hard Rules — Never Break

- Max 1% account risk per trade
- Max 2 open trades at once
- Stop if daily loss > 2%
- Always SL before TP
- Never move SL against position
- ATR recession (<50% avg): SKIP all
- Avoid 30 min before/after major news
- H1 weighted score <= 3: gate blocked
- RR below 1:2: SKIP always
- Fibo below 0.382: CANCEL setup
- ATR not rising on 15m: WAIT
- Gold price: MUST be read live from chart
- JPY ATR spike: full session block

Part 14 — Anti-Emotion Rules

Situation	Response
Revenge trade?	No. Close laptop now.
Increase size after loss?	No. Stick to 1%.
Skip SL?	No SL = no trade.
Fibo below 0.382?	Setup cancelled. Logic stop hit.
ATR not rising?	Wait for momentum. No chase.
Force a trade?	Gate blocked = no trade.
Chase entry?	Run /late first.
Override WAIT?	Your choice — log with /missed.

"H4 sets the stage. H1 opens the gate. M15 pulls the trigger."

"Fibo 0.382 is the logic stop. ATR rising = momentum real. Gold price = live from chart."

Part 15 — What's Left To Do

Priority	Task	When
HIGH	SSH on Mac mini — remote control from phone	Weekend
HIGH	Test all 9 launchd jobs scheduled run	Weekend
MED	Oracle DB schema design on Windows	Weekend
MED	Google Drive signal bridge Mac to Windows	Weekend
MED	MT5 EA to read signal files + execute	Weekend
MED	Update ~/cj7-public website	Weekend
LOW	HDMI dummy plug for headless Mac mini	This week
LOW	Mac mini auto-restart on power failure	This week
PHASE 2	Run 2 weeks paper trading	May 1–14
PHASE 2	Saturday /weekly review	Each Saturday
PHASE 3	Oracle DB AI trade analytics	Month 2
PHASE 3	MT5 live execution via Google Drive	Month 2
PHASE 4	KuCoin MCP for crypto live trading	Month 3

Part 16 — Replication Checklist

What's Working

- launchd 9 jobs running
- DataBus M15 Execute [CJ7] on 15m chart
- Claude reads all 3 TF data from one script
- Telegram messages delivered with retry
- Signal files written before send
- gtimeout protecting all scripts
- 3-stage hierarchical scoring active
- Mark score 0.1–1.0 in all messages
- ATR_RISING filter active
- Fibo 0.382 invalidation rule active
- Gold price from EIGHTCAP feed
- Journal auto git push 12 PM daily
- Evening review Saturday only
- Journey Bot 24/7 on-demand commands

What's Pending

- SSH remote access
- Oracle DB on Windows
- Google Drive signal bridge
- MT5 execution agent
- Website ~/cj7-public update
- Live trading (after 2 weeks paper trade)

v3.0 — Updated May 1, 2026

Built by CJ7 with Claude Code (CJ7) in Pattaya, Thailand

Contact: Telegram @Youngkoi01

Trade safe. Follow the rules. Let Claude be the discipline.