Natalyx MVP Fixes

Work Package 05: Node 0 Free, Pathfinder, and resume

L. Rhodes (plan owner) - A. Zhao (technical feedback reconciled)

2026-07-12

Contents

1 Work Package 05: Node 0 Free, Pathfinder, and resume **2**

1.1 Purpose and outcome 2
1.2 Verified current-state evidence 3
1.3 Architecture and contracts 3
1.4 Explicit PR sequence 7
1.5 Cross-repository coordination 16
1.6 Test and acceptance matrix 16
1.7 Risks and decisions 17
1.8 Existing-work salvage 18
1.9 Ownership recommendation 19
1.10 Definition of done 20

1 Work Package 05: Node 0 Free, Pathfinder, and resume

Review draft only. Ownership and sequencing remain recommendations until Luke and Alan approve the plan together.

Plan	Value
Work package	WP05
Plan file	`WP05 - Node 0 Free, Pathfinder, and resume.md`
Proposed PRs	P05-01, P05-02, P05-03
Inspection snapshot	2026-07-12 19:30 America/New_York

1.1 Purpose and outcome

Problem. Pathfinder contains service/LLM-era routing complexity and Node 0 Free must satisfy the complete-the-match boundary without payment while preserving explicit IP authorship.

Why this package exists. It creates a reviewable boundary so the programme can progress without mixing product, data, security, infrastructure and rollout concerns in one oversized change.

Completed outcome. A deterministic entry router and resumable Node 0 Free flow for education, candidate tracking, preliminary safety checks, outreach guidance, and a willing candidate without a paid case.

Explicit non-goals.

- No weighted ranking

- No GC authenticated soft onboarding
- No paid case
- No final Learn content

1.2 Verified current-state evidence

Classification is explicit: **verified** is observed code/PR/live behavior; **verified limitation** records an evidence gap; **design authority** is an approved planning source; **design decision** is proposed future behavior. None is silently treated as another.

ID	Class	Repository / ref	File, construct or location	Finding
E-010	verified	app / PR #124@84a5a84	app/routes/node0.py:63-90	Opening Node 0 calls create_byos_case_for_ip with is_synthetic=True; there is no separate free workspace or authorized promotion.
E-013	verified	app / PR #124@84a5a84	app/node0.py:252-482,622-878,975-1001	Nineteen IP-entered candidate answers about relationship and third-party circumstances/health derive a 0-100 score, readiness/status, ordering, guide route and evidence packet without per-field provenance or verification.
E-028	verified review	app / PR #124 comment 4948149089	Consolidated review - findings for the WP00 extraction ledger	Alan's completed review classifies #124 as high-value extraction material rather than a merge unit and identifies transaction, privacy, scoring, access, validation, invariant, exposure, retention, performance, CSS and CI findings.

1.3 Architecture and contracts

- Routing is deterministic policy, not LLM authority.
- Candidate responses are provisional IP assertions, never GC-authored or medically verified facts.
- Safety-critical information and complete-the-match capability remain free.

Contract area	Package rule
Ownership boundary	`app`; repository-specific PRs remain separate.
Entities/state	`entry_session`, `node0_workspace`
Authorization	Authenticated subject/service plus entity membership, role, purpose, consent and expected revision; query parameters, links and UI state are never authority.

Contract area	Package rule
API/service	Deterministic route decision response with policy version. Typed workspace-scoped commands reject malformed/oversize input and return neutral questions to clarify, never eligibility flags. UI calls workspace-scoped commands only.
Storage	Use workspace candidates/assertions from WP04 with FKs, uniqueness and one-active-outreach invariants.
Audit	Use the common transition envelope and append-only source/event identifiers; redact tokens, raw documents, prompts and sensitive payloads.
Failure	Fail closed for authorization, provenance, money, document and PHI boundaries; expose a bounded actionable error and preserve retry/repair evidence.
Observability	Correlation, policy/schema/config version, transition and dependency result metrics without PHI/PII payload logging.
Compatibility	Additive/dual-compatible changes, explicit version pins, old/new revision window and named forward repair.
Privacy/PHI	Synthetic only through A2; approved PII only at B1; PHI remains blocked until formal B2.

1.3.1 Applicable state machines

1.3.2 Participant entry and routing (`entry_session`)

Owner: **natalyx-app**. States: `unstarted`, `education`, `identity_required`, `authenticated`, `routed`, `handed_off`, `expired`.

Transition: `unstarted` -> `education`

- **Actor:** visitor
- **Evidence:** GET/explicit entry choice
- **Idempotency key:** `entry:{session}:start`
- **Invalid transitions:** No participant/case write
- **Audit event:** `entry_started`
- **Retry:** Return current session
- **Recovery:** Create fresh anonymous session

Transition: `education` -> `identity_required`

- **Actor:** visitor/policy
- **Evidence:** route requires saved workspace
- **Idempotency key:** `entry:{session}:identity`
- **Invalid transitions:** Cannot grant workspace/case
- **Audit event:** `identity_required`
- **Retry:** Preserve safe return intent

- **Recovery:** Restart at public choice

Transition: `identity_required -> authenticated`

- **Actor:** Cognito/auth provider
- **Evidence:** verified subject/session
- **Idempotency key:** `auth:{subject}:{nonce}`
- **Invalid transitions:** Invalid/expired token
- **Audit event:** `identity_bound`
- **Retry:** Replay returns authenticated session
- **Recovery:** Rechallenge; no partial membership

Transition: `education|authenticated -> routed`

- **Actor:** participant + deterministic policy
- **Evidence:** validated route answers + policy version
- **Idempotency key:** `route:{session}:{answer_hash}`
- **Invalid transitions:** Unknown/unsafe route goes review/education
- **Audit event:** `entry_routed`
- **Retry:** Same input returns same decision
- **Recovery:** Allow corrected answers/new decision revision

Transition: `routed -> handed_off`

- **Actor:** participant
- **Evidence:** accepted destination and authorized target
- **Idempotency key:** `handoff:{session}:{route_version}`
- **Invalid transitions:** Target not authorized/available
- **Audit event:** `entry_handed_off`
- **Retry:** Resume same safe destination
- **Recovery:** Return to route result with explanation

Transition: `any nonterminal -> expired`

- **Actor:** system
- **Evidence:** TTL elapsed/revoked session
- **Idempotency key:** `entry:{session}:expire`
- **Invalid transitions:** No transition from handed_off needed
- **Audit event:** `entry_expired`
- **Retry:** Idempotent
- **Recovery:** New session; no case/access change

1.3.3 Node 0 workspace (`node0_workspace`)

Owner: **natalyx-app**. States: `draft`, `active`, `match_ready`, `promotion_pending`, `promoted`, `archived`.

Transition: `none -> draft`

- **Actor:** authenticated IP
- **Evidence:** first explicit Node 0 start
- **Idempotency key:** `workspace:{owner}:create`
- **Invalid transitions:** Existing active workspace returns existing
- **Audit event:** `workspace_created`
- **Retry:** Unique owner/idempotency key
- **Recovery:** Forward repair orphan membership

Transition: `draft` -> `active`

- **Actor:** IP
- **Evidence:** minimum workspace consent/profile
- **Idempotency key:** `workspace:{id}:activate:{revision}`
- **Invalid transitions:** Missing consent/owner
- **Audit event:** `workspace_activated`
- **Retry:** Return current active revision
- **Recovery:** Correct inputs and retry

Transition: `active` -> `match_ready`

- **Actor:** IP + selected GC evidence policy
- **Evidence:** selected candidate + required provisional/GC-authored fields
- **Idempotency key:** `workspace:{id}:ready:{revision}`
- **Invalid transitions:** Critical unknown/decline/revoked claim
- **Audit event:** `workspace_match_ready`
- **Retry:** No duplicate event
- **Recovery:** Reopen active with reason revision

Transition: `match_ready` -> `promotion_pending`

- **Actor:** promotion event consumer
- **Evidence:** valid byos.workspace_promotion_authorized.v1
- **Idempotency key:** `promotion:{commitment}:v1`
- **Invalid transitions:** No authorization; already promoted; stale config
- **Audit event:** `workspace_promotion_requested`
- **Retry:** Replay resumes/finds same promotion
- **Recovery:** Forward-repair incomplete transaction

Transition: `promotion_pending` -> `promoted`

- **Actor:** promotion service
- **Evidence:** paid case + manifest committed
- **Idempotency key:** `promotion:{commitment}:v1`
- **Invalid transitions:** Projection invariant/privacy failure
- **Audit event:** `workspace_promoted`
- **Retry:** Return same case ID
- **Recovery:** Repair from immutable manifest; never duplicate

Transition: `draft|active|match_ready -> archived`

- **Actor:** IP/operator per policy
- **Evidence:** explicit archive + retention policy
- **Idempotency key:** `workspace:{id}:archive:{request}`
- **Invalid transitions:** Promotion pending/promoted
- **Audit event:** `workspace_archived`
- **Retry:** Idempotent
- **Recovery:** Restore only through new audited revision if policy permits

1.3.4 Data authorship/provenance rules

- Every assertion/revision records subject_ref, semantic_key, author_subject/person/role, authorship_class, provenance, verification_status, visibility, purpose, source_ref, derived_from, supersedes_id, promotion_event_id, policy version and immutable timestamps.
- Class 1 defaults IP-private; class 2 defaults IP-private/internal and visibly says reported by the intended parent, not confirmed by the GC.
- Class 3 is GC-authored and shared only per field/purpose; class 4 is GC-only private; class 5 requires an evidence-linked role-gated reviewer/provider rail.
- GC confirmation appends a class-3 revision referencing the class-2 assertion. Relationship answers can coexist; disagreement is not an overwrite.
- Unselected candidates, raw health assertions, ranking scores and private IP notes do not promote. Derived values inherit the weakest source status.
- Copying, promotion, generic proposal approval, IP assertion or AI inference can never create Natalyx-reviewed, provider-confirmed, medically cleared, legally cleared or insurance-verified truth.

1.4 Explicit PR sequence

Order	ID	Title	Repository	Dependencies	Gate	Local preparation	Merge readiness
1	P05-01	Replace Pathfinder routing with deterministic entry decisions	app	P03-01, P04-01	A1	Not ready; named PR, decision or programme-acceptance prerequisites remain	Blocked pending PR dependencies P03-01, P04-01; Gate A0 active and verified; Alan review

Order	ID	Title	Repository	Dependencies	Gate	Local preparation	Merge readiness
2	P05-02	Rebuild Node 0 Free candidate and outreach domain	app	P04-02, P05-01	A1	Not ready; named PR, decision or programme-acceptance prerequisites remain	Blocked pending PR dependencies P04-02, P05-01; Gate A0 active and verified; Alan review
3	P05-03	Ship resumable Node 0 Free participant surface	app	P03-01, P05-02, P11-03	A1	Not ready; named PR, decision or programme-acceptance prerequisites remain	Blocked pending PR dependencies P03-01, P05-02, P11-03; Gate A0 active and verified; Alan review

1.4.1 P05-01 - Replace Pathfinder routing with deterministic entry decisions

Field	Plan
Repository / base	`app` (`main`)
Gate / size	A1 / Medium
Local preparation status	Not ready; named PR, decision or programme-acceptance prerequisites remain
Merge readiness	Blocked pending PR dependencies P03-01, P04-01; Gate A0 active and verified; Alan review
Technical-decision owner	None; implement the settled founder constraints and approved contracts
Dependencies	P03-01, P04-01
Blocking decisions/checkpoints	None beyond dependencies and plan approval
Source / salvage	Current pathfinder_destinations.py, PR #119 product-alignment doc

1.4.1.1 Objective Route users predictably to Node 0, full IP setup, GC claim, Learn/Ask education, or provider/partner paths using explicit inputs and policy versioning.

1.4.1.2 Scope

- Small versioned decision table
- Clear reason/next-step output
- No LLM dependency for route selection

1.4.1.3 Explicit non-goals

- No final educational content
- No eligibility clearance

1.4.1.4 Expected files or modules

- `app/pathfinder_destinations.py`
- `app/pathfinder_policy.py`
- `app/routes/participant.py`
- `tests/python/test_pathfinder_policy.py`

1.4.1.5 Change map

Area	Planned change
Schema/model	None in this PR; any later schema change stays in its named migration PR.
API/routes	Deterministic route decision response with policy version.
UI/product surface	Clear entry choices and safe review states.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	No migration or backfill.
Security/privacy	Preserve existing fail-closed boundaries; validate the PR-specific privacy/security cases.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.1.6 Tests and validation Objective tests:

- Decision table coverage
- ambiguous/malformed inputs
- GC invite deep link
- service unavailable
- mobile entry

Local validation:

- `python -m unittest discover -s tests/python`
- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A1** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.1.7 Diagnostics and observability Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.1.8 Rollout Deploy behind the narrowest practical feature/config gate, verify the named synthetic flow and diagnostics on a known revision, then widen only at the associated programme gate.

1.4.1.9 Rollback or forward repair Disable the feature or return to the prior compatible image; retain append-only audit/ledger history and repair with a new event/revision rather than destructive mutation.

1.4.1.10 Dependencies and parallel work Hard dependencies: P03-01, P04-01. Parallel opportunities: P05-03

1.4.1.11 Objective acceptance criteria

- ☐ Route users predictably to Node 0, full IP setup, GC claim, Learn/Ask education, or provider/partner paths using explicit inputs and policy versioning.
- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ The planning record has matching dependency, local-preparation, merge-readiness, ownership, gate and disposition fields.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.1.12 Ownership and review

Role	Recommendation
Work-package DRI	Luke
Primary implementer	Luke (proposed; pending Alan review)
Technical-decision owner	None; implement the settled founder constraints and approved contracts
Reviewer	Alan
Final approver	Luke
PR-level ownership exception	None
Required expertise	Python/FastAPI, PostgreSQL, security-aware product engineering
Higher-capability review	Risk-proportionate; not mandatory by programme default

1.4.2 P05-02 - Rebuild Node 0 Free candidate and outreach domain

Field	Plan
Repository / base	`app` (`main`)
Gate / size	A1 / Exceptional
Local preparation status	Not ready; named PR, decision or programme-acceptance prerequisites remain
Merge readiness	Blocked pending PR dependencies P04-02, P05-01; Gate A0 active and verified; Alan review

Field	Plan
Technical-decision owner	None; implement the settled founder constraints and approved contracts
Dependencies	P04-02, P05-01
Blocking decisions/checkpoints	None beyond dependencies and plan approval
Source / salvage	PR #117 direct algorithm/test salvage, PR #124, quiz rewrite worktree

1.4.2.1 Objective Port the useful deterministic candidate, preliminary safety, and outreach behavior onto workspace/provenance contracts while preserving the complete-the-match free boundary.

1.4.2.2 Scope

- Unlimited candidates under bounded command/collection sizes
- Minimum-necessary relationship, outreach and logistics questions only
- Basic outreach sequencing and shareable intro packet
- Migration-backed case/workspace/candidate/outreach constraints
- Batched hydration plus archive/anonymize/delete behavior under D-DATA-02

1.4.2.3 Explicit non-goals

- No weighted ranking or suitability score
- No IP-entered health, substance, mental-health, citizenship, race or eligibility data
- No medical clearance
- No paid feature

1.4.2.4 Expected files or modules

- `app/domain/node0_candidates.py`
- `app/storage/node0.py`
- `app/node0_conversation_guide.py`
- `app/resources/node0_conversation_guide_v1.json`
- `tests/python/test_node0_domain.py`

1.4.2.5 Change map

Area	Planned change
Schema/model	Use workspace candidates/assertions from WP04 with FKs, uniqueness and one-active-outreach invariants.
API/routes	Typed workspace-scoped commands reject malformed/oversize input and return neutral questions to clarify, never eligibility flags.
UI/product surface	No visible participant/operator UI change.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	No migration or backfill.

Area	Planned change
Security/privacy	Preserve existing fail-closed boundaries; validate the PR-specific privacy/security cases.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.2.6 Tests and validation Objective tests:

- Allowed/blocked field matrix
- no ranking/gating
- strict enum/body/collection limits
- author attribution
- candidate isolation
- concurrent outreach invariant
- retention/deletion
- query-count bound
- free feature contract

Local validation:

- `python -m unittest discover -s tests/python`
- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A1** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.2.7 Diagnostics and observability Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.2.8 Rollout Ship expand-only and dark by default; run the one-off migrator, verify readiness/old-revision compatibility, then enable writers/readers in a later compatible step.

1.4.2.9 Rollback or forward repair Prefer application rollback within the expand/contract window and a new forward-repair migration. An irreversible schema reversal requires its own approval and backup evidence.

1.4.2.10 Dependencies and parallel work Hard dependencies: P04-02, P05-01. Parallel opportunities: None inside this package beyond review/test preparation.

1.4.2.11 Objective acceptance criteria

- ☐ Port the useful deterministic candidate, preliminary safety, and outreach behavior onto workspace/provenance contracts while preserving the complete-the-match free boundary.

- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ The planning record has matching dependency, local-preparation, merge-readiness, ownership, gate and disposition fields.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.2.12 Ownership and review

Role	Recommendation
Work-package DRI	Luke
Primary implementer	Luke (proposed; pending Alan review)
Technical-decision owner	None; implement the settled founder constraints and approved contracts
Reviewer	Alan
Final approver	Luke
PR-level ownership exception	None
Required expertise	Python/FastAPI, PostgreSQL, security-aware product engineering
Higher-capability review	Mandatory before merge

1.4.3 P05-03 - Ship resumable Node 0 Free participant surface

Field	Plan
Repository / base	`app` (`main`)
Gate / size	A1 / Large
Local preparation status	Not ready; named PR, decision or programme-acceptance prerequisites remain
Merge readiness	Blocked pending PR dependencies P03-01, P05-02, P11-03; Gate A0 active and verified; Alan review
Technical-decision owner	None; implement the settled founder constraints and approved contracts
Dependencies	P03-01, P05-02, P11-03
Blocking decisions/checkpoints	None beyond dependencies and plan approval
Source / salvage	PRs #121/#124 selective UI port, DS PR #8

1.4.3.1 Objective Provide a coherent mobile-capable Node 0 Free workspace shell for candidate tracking, outreach, guide use, and resume without paid-case language.

1.4.3.2 Scope

- Workspace home and candidate flow
- Shared IP-owner guard across participant and API routes
- Exact public/cloud exposure registry
- Expiry-aware token views and no-store/referrer/noindex response policy

- Route-scoped Node 0 stylesheet
- Honest preliminary labels/empty/error states
- Logout/login resume and mobile navigation

1.4.3.3 Explicit non-goals

- No Complete-only features
- No paid case/journey hero

1.4.3.4 Expected files or modules

- `app/routes/node0.py`
- `app/node0_surface.py`
- `app/templates/node0/*.html`
- `app/static/node0.*`
- `tests/python/test_node0_ui.py`

1.4.3.5 Change map

Area	Planned change
Schema/model	None in this PR; any later schema change stays in its named migration PR.
API/routes	UI calls workspace-scoped commands only.
UI/product surface	Participant DS recipes with responsive interaction and no fake content.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	No migration or backfill.
Security/privacy	Preserve existing fail-closed boundaries; validate the PR-specific privacy/security cases.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.3.6 Tests and validation

Objective tests:

- Clickable Free path
- GC/viewer/staff/nonowner denial without 500
- exact route exposure negatives
- expired-token GET
- cache/referrer headers
- malformed/oversize form/PDF input
- resume
- no-JS/keyboard
- 320/375/768px
- dependency failure

Local validation:

- `python -m unittest discover -s tests/python`

- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A1** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.3.7 Diagnostics and observability Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.3.8 Rollout Deploy behind the narrowest practical feature/config gate, verify the named synthetic flow and diagnostics on a known revision, then widen only at the associated programme gate.

1.4.3.9 Rollback or forward repair Disable the feature or return to the prior compatible image; retain append-only audit/ledger history and repair with a new event/revision rather than destructive mutation.

1.4.3.10 Dependencies and parallel work Hard dependencies: P03-01, P05-02, P11-03. Parallel opportunities: P05-01

1.4.3.11 Objective acceptance criteria

- ☐ Provide a coherent mobile-capable Node 0 Free workspace shell for candidate tracking, outreach, guide use, and resume without paid-case language.
- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ The planning record has matching dependency, local-preparation, merge-readiness, ownership, gate and disposition fields.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.3.12 Ownership and review

Role	Recommendation
Work-package DRI	Luke
Primary implementer	Luke (proposed; pending Alan review)
Technical-decision owner	None; implement the settled founder constraints and approved contracts
Reviewer	Alan
Final approver	Luke
PR-level ownership exception	None
Required expertise	Python/FastAPI, PostgreSQL, security-aware product engineering
Higher-capability review	Risk-proportionate; not mandatory by programme default

1.5 Cross-repository coordination

Repository	Authority after merge
`app`	routing, validation, authorization, participant/case/workflow truth, PHI policy and commercial domain

Merge order inside this package: `P05-01` → `P05-02` → `P05-03`.

Handoff rule: producer contract/version must merge and be pinned before its consumer enables the feature. During a partial merge, consumers fail closed or retain the last approved version; they do not fabricate data or silently broaden access.

Compatibility window: keep prior readers/writers and rollback image usable through the named gate; contract/migration PRs document the exact removal point.

1.6 Test and acceptance matrix

Test dimension	Method	Objective result
Happy path	All deterministic route outcomes; Free candidate/outreach boundary; Resume across sessions; Critical-flag fail-safe; Mobile interaction	Expected state/event/UI and named evidence are produced once.
Authorization failure	Wrong/no subject, role, membership, purpose or consent	403/404 as appropriate; no write or data leak; audit safe failure.
Role differences	Separate IP, GC, operator, provider/service identities	Only the approved lens/projection/actions appear.
Retries/duplicates	Repeat same canonical request/event	Original result returned; no duplicate membership/case/invoice/document/event.
Concurrency	Two writers/claimants/migrators/workers	One valid transition; loser receives deterministic stale/conflict response.
Stale state	Old revision/config/terms/token/artifact	Fail closed or approved compatibility behavior; never silent coercion.
Malformed input	Boundary, encoding, size, enum, redirect and identifier corpus	Validation before side effects; safe error.
Unavailable dependency	Database, intelligence, processor, S3/scanner or auth unavailable	Explicit degraded/blocked behavior; no hallucinated success.
Partial failure	Crash between external effect, DB transaction and outbox	Retry/forward repair converges from durable evidence.
Logout/login/resume	Session expires/restarts mid-flow	Return to authorized current state; no query/link authority.
Mobile/accessibility	320/375/768 widths, keyboard, focus, reduced motion	Core task completes with truthful state and no clipped controls.

Test dimension	Method	Objective result
Synthetic cloud	Known dev revision and synthetic identities/data	Gate artifact records SHA, dependency status, audit and cleanup.
Audit/observability	Inspect events/metrics/logs	Versions, actor/authority, correlation and reason present; no sensitive payload.

1.7 Risks and decisions

Founder outcomes, Alan's remaining technical ownership and external activation dependencies are recorded separately so a final policy is never mistaken for an active control.

ID	Status	Classification	Remaining owner	Affected / latest	Programme effect
D-DATA-03	Resolved by reconciliation	Reconciliation settled	Alan - implementation	P05-02, P06-03; Resolved 2026-07-12	No longer blocks Node 0 implementation planning.

1.7.1 D-DATA-03 - Candidate scoring and sensitive preference policy

Field	Recorded decision or requirement
Decision state	Final
Founder outcome	No candidate ranking, viability/eligibility flag or race preference survives; provisional pre-join input can generate neutral source-labelled questions only.
Founder constraints	No sensitive third-party scoring or gating; No provisional assertion becomes GC/provider truth
What remains for Alan	Remove legacy ranking/gating and preserve neutral-question behavior
Evidence required	Prohibited-field and no-ranking tests
Approval rule	No further founder decision unless ranking or eligibility behavior is proposed.
External dependencies	None
Affected PRs / latest point	P05-02, P06-03; Resolved 2026-07-12
Programme effect	No longer blocks Node 0 implementation planning.
Independent recommendation	No ranking, viability/eligibility flag or race preference survives. Pre-join IP input is limited to minimum-necessary relationship/outreach/logistics context and may produce neutral source-labelled questions only; it never gates claim, onboarding, provider use or critical decisions.

Implementation risk	Owner	Treatment
Paid features leak into Free	Luke	Mitigate through explicit tests, rollout and forward-repair evidence before the associated gate.
Provisional score is overclaimed	Luke	Mitigate through explicit tests, rollout and forward-repair evidence before the associated gate.
Route drift	Luke	Mitigate through explicit tests, rollout and forward-repair evidence before the associated gate.
LLM dependency reintroduced	Luke	Mitigate through explicit tests, rollout and forward-repair evidence before the associated gate.

1.8 Existing-work salvage

Source	Head	Valuable content	Destination	Recommendation	Extraction status/safety
app#117	5ac09f0cdd92	Deterministic candidate questionnaire, scoring/status calculation, conversation-guide resource, routes and extensive Node 0 tests.	P05-02, P05-03	Selective port and rewrite	Unextracted; algorithm/test review required after Alan checkpoint and Luke field/score decision.
app#119	a8cd2f428535	Concise product-leverage framing and boundaries for the MVP flow.	P05-01	Retain as source or merge separately after plan decision	Catalogued; reconcile terminology into approved programme.
app#121	529d377e2337	Primary Node 0 participant model/UI, PDF/guide presentation and focused surface tests.	P05-03	Selective UI/test port, then supersede	Unextracted; #124 may contain later copies but equivalence must be proved by file/commit comparison.

Source	Head	Valuable content	Destination	Recommendation	Extraction status/safety
app#124	84a5a847fea7	Consolidated Node 0 questionnaire/guide/surfaces, GC onboarding, participant case shell, invitation delegation, DS assets and large focused test suites as extraction evidence.	P05-02, P05-03	Fully supersede as a merge unit; preserve selective concepts, copy, assets and tests as evidence	Complete at 84a5a84: all consolidated-review findings are dispositioned and assigned; no mergeable/cherry-pick unit is approved.
detached candidate rewrite	9605d88	substantial uncommitted Node 0 quiz rewrite	P04-02/P05-02	Selective port from protected worktree	Preserve; compare with predecessor and #117/#124 before any discard.
detached predecessor candidate model	dc6a2f0	substantial uncommitted predecessor model	P04-02/P05-02 if unique	Selective port from protected worktree	Preserve until rewrite diff/extraction ledger is complete.

Package source inventory:

- PR #117 quiz/guide algorithms and tests
- PR #121 primary surface
- PR #124 consolidated UI
- Quiz rewrite worktree

1.9 Ownership recommendation

Luke is the proposed DRI and primary implementer; Alan reviews the technical architecture, security and failure behavior. Reconciliation is complete; replacement work waits for WP03/WP04 contracts, and commit/PR/merge waits for Alan's review and joint package acceptance.

PR	WP DRI	Primary implementer	Technical-decision owner	Reviewer	Final approver	Exception
P05-01	Luke	Luke (proposed)	None; implement the settled founder constraints and approved contracts	Alan	Luke	None
P05-02	Luke	Luke (proposed)	None; implement the settled founder constraints and approved contracts	Alan	Luke	None
P05-03	Luke	Luke (proposed)	None; implement the settled founder constraints and approved contracts	Alan	Luke	None

PR ownership inherits the proposed work-package split pending Alan's review. Named technical-decision ownership remains separate and never transfers implementation ownership across work packages; reciprocal and external review requirements remain intact.

1.10 Definition of done

- ☐ Every proposed PR is merged in dependency order or explicitly dispositioned, with its objective acceptance criteria and review record complete.
- ☐ All package blocking decisions are resolved by the named owner; no commercial/privacy/security value is guessed in code.
- ☐ Local, PostgreSQL, role/authorization, retry/concurrency, failure, mobile and synthetic-cloud evidence required by this package is attached.
- ☐ Cross-repository contracts and artifact/migration versions are pinned; partial-merge behavior is fail-closed or explicitly degraded.
- ☐ Observability is sufficient to identify revision, transition, dependency and safe failure without sensitive payloads.
- ☐ Existing PR/worktree value and reviewer findings are extracted before closure; no cleanup occurs without team confirmation.
- ☐ The associated programme gate is accepted by Luke and any required external reviewer; tests/deploy alone do not establish B1/B2.