Natalyx MVP Fixes

Work Package 05: Node 0 Free, Pathfinder, and resume

L. Rhodes (plan owner) - A. Zhao (technical review requested)

2026-07-10

Contents

1 Work Package 05: Node 0 Free, Pathfinder, and resume **2**

1.1 Purpose and outcome 2

1.2 Verified current-state evidence 3

1.3 Architecture and contracts 3

1.4 Explicit PR sequence 7

1.5 Cross-repository coordination 14

1.6 Test and acceptance matrix 14

1.7 Risks and decisions 15

1.8 Existing-work salvage 15

1.9 Ownership recommendation 17

1.10 Definition of done 17

1 Work Package 05: Node 0 Free, Pathfinder, and resume

Review draft only. Ownership and sequencing remain recommendations until Luke and Alan approve the plan together.

Plan	Value
Work package	WP05
Plan file	`WP05 - Node 0 Free, Pathfinder, and resume.md`
Proposed PRs	P05-01, P05-02, P05-03
Inspection snapshot	2026-07-10 20:12 America/New_York

1.1 Purpose and outcome

Problem. Pathfinder contains service/LLM-era routing complexity and Node 0 Free must satisfy the complete-the-match boundary without payment while preserving explicit IP authorship.

Why this package exists. It creates a reviewable boundary so the programme can progress without mixing product, data, security, infrastructure and rollout concerns in one oversized change.

Completed outcome. A deterministic entry router and resumable Node 0 Free flow for education, candidate tracking, preliminary safety checks, outreach guidance, and a willing candidate without a paid case.

Explicit non-goals.

- No weighted ranking

- No GC authenticated soft onboarding
- No paid case
- No final Learn content

1.2 Verified current-state evidence

Classification is explicit: **verified** is observed code/PR/live behavior; **verified limitation** records an evidence gap; **design authority** is an approved planning source; **design decision** is proposed future behavior. None is silently treated as another.

ID	Class	Repository / ref	File, construct or location	Finding
E-010	verified	app / PR #124@84a5a84	app/routes/node0.py:63-90	Opening Node 0 calls create_byos_case_for_ip with is_synthetic=True; there is no separate free workspace or authorized promotion.
E-013	verified	app / PR #124@84a5a84	app/node0.py:252-482,622-878,975-1001	Nineteen IP-entered candidate answers about relationship and third-party circumstances/health derive a 0-100 score, readiness/status, ordering, guide route and evidence packet without per-field provenance or verification.

1.3 Architecture and contracts

- Routing is deterministic policy, not LLM authority.
- Candidate responses are provisional IP assertions, never GC-authored or medically verified facts.
- Safety-critical information and complete-the-match capability remain free.

Contract area	Package rule
Ownership boundary	`app`; repository-specific PRs remain separate.
Entities/state	`entry_session`, `node0_workspace`
Authorization	Authenticated subject/service plus entity membership, role, purpose, consent and expected revision; query parameters, links and UI state are never authority.
API/service	Deterministic route decision response with policy version. Workspace-scoped candidate and guide commands. UI calls workspace-scoped commands only.
Storage	Use workspace candidates/assertions from WP04.
Audit	Use the common transition envelope and append-only source/event identifiers; redact tokens, raw documents, prompts and sensitive payloads.

Contract area	Package rule
Failure	Fail closed for authorization, provenance, money, document and PHI boundaries; expose a bounded actionable error and preserve retry/repair evidence.
Observability	Correlation, policy/schema/config version, transition and dependency result metrics without PHI/PII payload logging.
Compatibility	Additive/dual-compatible changes, explicit version pins, old/new revision window and named forward repair.
Privacy/PHI	Synthetic only through A2; approved PII only at B1; PHI remains blocked until formal B2.

1.3.1 Applicable state machines

1.3.2 Participant entry and routing (`entry_session`)

Owner: **natalyx-app**. States: `unstarted`, `education`, `identity_required`, `authenticated`, `routed`, `handed_off`, `expired`.

Transition: `unstarted` -> `education`

- **Actor:** visitor
- **Evidence:** GET/explicit entry choice
- **Idempotency key:** `entry:{session}:start`
- **Invalid transitions:** No participant/case write
- **Audit event:** `entry_started`
- **Retry:** Return current session
- **Recovery:** Create fresh anonymous session

Transition: `education` -> `identity_required`

- **Actor:** visitor/policy
- **Evidence:** route requires saved workspace
- **Idempotency key:** `entry:{session}:identity`
- **Invalid transitions:** Cannot grant workspace/case
- **Audit event:** `identity_required`
- **Retry:** Preserve safe return intent
- **Recovery:** Restart at public choice

Transition: `identity_required` -> `authenticated`

- **Actor:** Cognito/auth provider
- **Evidence:** verified subject/session
- **Idempotency key:** `auth:{subject}:{nonce}`
- **Invalid transitions:** Invalid/expired token
- **Audit event:** `identity_bound`
- **Retry:** Replay returns authenticated session

- **Recovery:** Rechallenge; no partial membership

Transition: `education|authenticated -> routed`

- **Actor:** participant + deterministic policy
- **Evidence:** validated route answers + policy version
- **Idempotency key:** `route:{session}:{answer_hash}`
- **Invalid transitions:** Unknown/unsafe route goes review/education
- **Audit event:** `entry_routed`
- **Retry:** Same input returns same decision
- **Recovery:** Allow corrected answers/new decision revision

Transition: `routed -> handed_off`

- **Actor:** participant
- **Evidence:** accepted destination and authorized target
- **Idempotency key:** `handoff:{session}:{route_version}`
- **Invalid transitions:** Target not authorized/available
- **Audit event:** `entry_handed_off`
- **Retry:** Resume same safe destination
- **Recovery:** Return to route result with explanation

Transition: `any nonterminal -> expired`

- **Actor:** system
- **Evidence:** TTL elapsed/revoked session
- **Idempotency key:** `entry:{session}:expire`
- **Invalid transitions:** No transition from handed_off needed
- **Audit event:** `entry_expired`
- **Retry:** Idempotent
- **Recovery:** New session; no case/access change

1.3.3 Node 0 workspace (`node0_workspace`)

Owner: **natalyx-app**. States: `draft`, `active`, `match_ready`, `promotion_pending`, `promoted`, `archived`.

Transition: `none -> draft`

- **Actor:** authenticated IP
- **Evidence:** first explicit Node 0 start
- **Idempotency key:** `workspace:{owner}:create`
- **Invalid transitions:** Existing active workspace returns existing
- **Audit event:** `workspace_created`
- **Retry:** Unique owner/idempotency key
- **Recovery:** Forward repair orphan membership

Transition: `draft -> active`

- **Actor:** IP
- **Evidence:** minimum workspace consent/profile
- **Idempotency key:** `workspace:{id}:activate:{revision}`
- **Invalid transitions:** Missing consent/owner
- **Audit event:** `workspace_activated`
- **Retry:** Return current active revision
- **Recovery:** Correct inputs and retry

Transition: `active -> match_ready`

- **Actor:** IP + selected GC evidence policy
- **Evidence:** selected candidate + required provisional/GC-authored fields
- **Idempotency key:** `workspace:{id}:ready:{revision}`
- **Invalid transitions:** Critical unknown/decline/revoked claim
- **Audit event:** `workspace_match_ready`
- **Retry:** No duplicate event
- **Recovery:** Reopen active with reason revision

Transition: `match_ready -> promotion_pending`

- **Actor:** promotion event consumer
- **Evidence:** valid byos.workspace_promotion_authorized.v1
- **Idempotency key:** `promotion:{commitment}:v1`
- **Invalid transitions:** No authorization; already promoted; stale config
- **Audit event:** `workspace_promotion_requested`
- **Retry:** Replay resumes/finds same promotion
- **Recovery:** Forward-repair incomplete transaction

Transition: `promotion_pending -> promoted`

- **Actor:** promotion service
- **Evidence:** paid case + manifest committed
- **Idempotency key:** `promotion:{commitment}:v1`
- **Invalid transitions:** Projection invariant/privacy failure
- **Audit event:** `workspace_promoted`
- **Retry:** Return same case ID
- **Recovery:** Repair from immutable manifest; never duplicate

Transition: `draft|active|match_ready -> archived`

- **Actor:** IP/operator per policy
- **Evidence:** explicit archive + retention policy
- **Idempotency key:** `workspace:{id}:archive:{request}`
- **Invalid transitions:** Promotion pending/promoted
- **Audit event:** `workspace_archived`
- **Retry:** Idempotent
- **Recovery:** Restore only through new audited revision if policy permits

1.3.4 Data authorship/provenance rules

- Every assertion/revision records subject_ref, semantic_key, author_subject/person/role, authorship_class, provenance, verification_status, visibility, purpose, source_ref, derived_from, supersedes_id, promotion_event_id, policy version and immutable timestamps.
- Class 1 defaults IP-private; class 2 defaults IP-private/internal and visibly says reported by the intended parent, not confirmed by the GC.
- Class 3 is GC-authored and shared only per field/purpose; class 4 is GC-only private; class 5 requires an evidence-linked role-gated reviewer/provider rail.
- GC confirmation appends a class-3 revision referencing the class-2 assertion. Relationship answers can coexist; disagreement is not an overwrite.
- Unselected candidates, raw health assertions, ranking scores and private IP notes do not promote. Derived values inherit the weakest source status.
- Copying, promotion, generic proposal approval, IP assertion or AI inference can never create Natalyx-reviewed, provider-confirmed, medically cleared, legally cleared or insurance-verified truth.

1.4 Explicit PR sequence

Order	ID	Title	Repository	Dependencies	Gate	Size	Readiness
1	P05-01	Replace Pathfinder routing with deterministic entry decisions	app	P03-01, P04-01	A1	Medium	Dependencies unmet
2	P05-02	Rebuild Node 0 Free candidate and outreach domain	app	P04-02, P05-01	A1	Exceptional	Dependencies unmet
3	P05-03	Ship resumable Node 0 Free participant surface	app	P03-01, P05-02, P11-03	A1	Large	Dependencies unmet

1.4.1 P05-01 - Replace Pathfinder routing with deterministic entry decisions

Field	Plan
Repository / base	`app` (`main`)
Gate / size / readiness	A1 / Medium / Dependencies unmet
Dependencies	P03-01, P04-01
Blocking decisions/checkpoints	None beyond dependencies and plan approval
Source / salvage	Current pathfinder_destinations.py, PR #119 product-alignment doc

1.4.1.1 Objective Route users predictably to Node 0, full IP setup, GC claim, Learn/Ask education, or provider/partner paths using explicit inputs and policy versioning.

1.4.1.2 Scope

- Small versioned decision table
- Clear reason/next-step output
- No LLM dependency for route selection

1.4.1.3 Explicit non-goals

- No final educational content
- No eligibility clearance

1.4.1.4 Expected files or modules

- `app/pathfinder_destinations.py`
- `app/pathfinder_policy.py`
- `app/routes/participant.py`
- `tests/python/test_pathfinder_policy.py`

1.4.1.5 Change map

Area	Planned change
Schema/model	None in this PR; any later schema change stays in its named migration PR.
API/routes	Deterministic route decision response with policy version.
UI/product surface	Clear entry choices and safe review states.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	No migration or backfill.
Security/privacy	Preserve existing fail-closed boundaries; validate the PR-specific privacy/security cases.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.1.6 Tests and validation

Objective tests:

- Decision table coverage
- ambiguous/malformed inputs
- GC invite deep link
- service unavailable
- mobile entry

Local validation:

- `python -m unittest discover -s tests/python`
- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A1** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.1.7 Diagnostics and observability Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.1.8 Rollout Deploy behind the narrowest practical feature/config gate, verify the named synthetic flow and diagnostics on a known revision, then widen only at the associated programme gate.

1.4.1.9 Rollback or forward repair Disable the feature or return to the prior compatible image; retain append-only audit/ledger history and repair with a new event/revision rather than destructive mutation.

1.4.1.10 Dependencies and parallel work Hard dependencies: P03-01, P04-01. Parallel opportunities: P05-03

1.4.1.11 Objective acceptance criteria

- ☐ Route users predictably to Node 0, full IP setup, GC claim, Learn/Ask education, or provider/partner paths using explicit inputs and policy versioning.
- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.1.12 Ownership and review

Role	Recommendation
DRI	Luke
Implementer	Luke (proposed; pending joint approval)
Reviewer	Alan
Final approver	Joint
Required expertise	Python/FastAPI, PostgreSQL, security-aware product engineering
Higher-capability review	Risk-proportionate; not mandatory by programme default

1.4.2 P05-02 - Rebuild Node 0 Free candidate and outreach domain

Field	Plan
Repository / base	`app` (`main`)
Gate / size / readiness	A1 / Exceptional / Dependencies unmet
Dependencies	P04-02, P05-01
Blocking decisions/checkpoints	CHECK-ALAN-122-124
Source / salvage	PR #117 direct algorithm/test salvage, PR #124, quiz rewrite worktree

1.4.2.1 Objective

Port the useful deterministic candidate, preliminary safety, and outreach behavior onto workspace/provenance contracts while preserving the complete-the-match free boundary.

1.4.2.2 Scope

- Unlimited candidates
- Preliminary hard-criteria check with limitations
- Basic outreach sequencing and shareable intro packet

1.4.2.3 Explicit non-goals

- No weighted ranking
- No medical clearance
- No paid feature

1.4.2.4 Expected files or modules

- `app/domain/node0_candidates.py`
- `app/storage/node0.py`
- `app/node0_conversation_guide.py`
- `app/resources/node0_conversation_guide_v1.json`
- `tests/python/test_node0_domain.py`

1.4.2.5 Change map

Area	Planned change
Schema/model	Use workspace candidates/assertions from WP04.
API/routes	Workspace-scoped candidate and guide commands.
UI/product surface	No visible participant/operator UI change.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	No migration or backfill.
Security/privacy	Preserve existing fail-closed boundaries; validate the PR-specific privacy/security cases.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.2.6 Tests and validation

Objective tests:

- Deterministic metrics
- critical safety blocking
- author attribution
- candidate isolation
- free feature contract

Local validation:

- `python -m unittest discover -s tests/python`
- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A1** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.2.7 Diagnostics and observability Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.2.8 Rollout Ship expand-only and dark by default; run the one-off migrator, verify readiness/old-revision compatibility, then enable writers/readers in a later compatible step.

1.4.2.9 Rollback or forward repair Prefer application rollback within the expand/contract window and a new forward-repair migration. An irreversible schema reversal requires its own approval and backup evidence.

1.4.2.10 Dependencies and parallel work Hard dependencies: P04-02, P05-01. Parallel opportunities: None inside this package beyond review/test preparation.

1.4.2.11 Objective acceptance criteria

- ☐ Port the useful deterministic candidate, preliminary safety, and outreach behavior onto workspace/provenance contracts while preserving the complete-the-match free boundary.
- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.2.12 Ownership and review

Role	Recommendation
DRI	Luke
Implementer	Luke (proposed; pending joint approval)
Reviewer	Alan
Final approver	Joint
Required expertise	Python/FastAPI, PostgreSQL, security-aware product engineering
Higher-capability review	Mandatory before merge

1.4.3 P05-03 - Ship resumable Node 0 Free participant surface

Field	Plan
Repository / base	`app` (`main`)
Gate / size / readiness	A1 / Large / Dependencies unmet
Dependencies	P03-01, P05-02, P11-03
Blocking decisions/checkpoints	CHECK-ALAN-122-124
Source / salvage	PRs #121/#124 selective UI port, DS PR #8

1.4.3.1 Objective Provide a coherent mobile-capable Node 0 Free workspace shell for candidate tracking, outreach, guide use, and resume without paid-case language.

1.4.3.2 Scope

- Workspace home and candidate flow
- Honest preliminary labels/empty/error states
- Logout/login resume and mobile navigation

1.4.3.3 Explicit non-goals

- No Complete-only features
- No paid case/journey hero

1.4.3.4 Expected files or modules

- `app/routes/node0.py`
- `app/node0_surface.py`
- `app/templates/node0/*.html`
- `app/static/node0.*`
- `tests/python/test_node0_ui.py`

1.4.3.5 Change map

Area	Planned change
Schema/model	None in this PR; any later schema change stays in its named migration PR.
API/routes	UI calls workspace-scoped commands only.
UI/product surface	Participant DS recipes with responsive interaction and no fake content.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	No migration or backfill.
Security/privacy	Preserve existing fail-closed boundaries; validate the PR-specific privacy/security cases.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.3.6 Tests and validation

Objective tests:

- Clickable Free path
- resume
- authorization
- no-JS/keyboard
- 320/375/768px
- dependency failure

Local validation:

- `python -m unittest discover -s tests/python`
- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A1** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.3.7 Diagnostics and observability

Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.3.8 Rollout

Deploy behind the narrowest practical feature/config gate, verify the named synthetic flow and diagnostics on a known revision, then widen only at the associated programme gate.

1.4.3.9 Rollback or forward repair

Disable the feature or return to the prior compatible image; retain append-only audit/ledger history and repair with a new event/revision rather than destructive mutation.

1.4.3.10 Dependencies and parallel work

Hard dependencies: P03-01, P05-02, P11-03. Parallel opportunities: P05-01

1.4.3.11 Objective acceptance criteria

- ☐ Provide a coherent mobile-capable Node 0 Free workspace shell for candidate tracking, outreach, guide use, and resume without paid-case language.
- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.3.12 Ownership and review

Role	Recommendation
DRI	Luke
Implementer	Luke (proposed; pending joint approval)
Reviewer	Alan
Final approver	Joint
Required expertise	Python/FastAPI, PostgreSQL, security-aware product engineering
Higher-capability review	Risk-proportionate; not mandatory by programme default

1.5 Cross-repository coordination

Repository	Authority after merge
`app`	routing, validation, authorization, participant/case/workflow truth, PHI policy and commercial domain

Merge order inside this package: `P05-01` → `P05-02` → `P05-03`.

Handoff rule: producer contract/version must merge and be pinned before its consumer enables the feature. During a partial merge, consumers fail closed or retain the last approved version; they do not fabricate data or silently broaden access.

Compatibility window: keep prior readers/writers and rollback image usable through the named gate; contract/migration PRs document the exact removal point.

1.6 Test and acceptance matrix

Test dimension	Method	Objective result
Happy path	All deterministic route outcomes; Free candidate/outreach boundary; Resume across sessions; Critical-flag fail-safe; Mobile interaction	Expected state/event/UI and named evidence are produced once.
Authorization failure	Wrong/no subject, role, membership, purpose or consent	403/404 as appropriate; no write or data leak; audit safe failure.
Role differences	Separate IP, GC, operator, provider/service identities	Only the approved lens/projection/actions appear.
Retries/duplicates	Repeat same canonical request/event	Original result returned; no duplicate membership/case/invoice/document/event.
Concurrency	Two writers/claimants/migrators/workers	One valid transition; loser receives deterministic stale/conflict response.
Stale state	Old revision/config/terms/token/artifact	Fail closed or approved compatibility behavior; never silent coercion.
Malformed input	Boundary, encoding, size, enum, redirect and identifier corpus	Validation before side effects; safe error.

Test dimension	Method	Objective result
Unavailable dependency	Database, intelligence, processor, S3/scanner or auth unavailable	Explicit degraded/blocked behavior; no hallucinated success.
Partial failure	Crash between external effect, DB transaction and outbox	Retry/forward repair converges from durable evidence.
Logout/login/resume	Session expires/restarts mid-flow	Return to authorized current state; no query/link authority.
Mobile/accessibility	320/375/768 widths, keyboard, focus, reduced motion	Core task completes with truthful state and no clipped controls.
Synthetic cloud	Known dev revision and synthetic identities/data	Gate artifact records SHA, dependency status, audit and cleanup.
Audit/observability	Inspect events/metrics/logs	Versions, actor/authority, correlation and reason present; no sensitive payload.

1.7 Risks and decisions

Type	ID / risk	Owner	Affected PRs / latest point	Treatment
Blocking/product/compliance decision	D-DATA-03 - Does any 0-100 candidate ranking or race-based preference survive, and what may provisional third-party answers gate?	Luke	P05-02, P06-03; Before P05-02	D-DATA-03 - Remove candidate ranking and race preference; use source-labelled questions-to-clarify. Unverified IP answers cannot gate claim/onboarding/eligibility.
Implementation risk	Paid features leak into Free	Luke or named PR DRI	Package PRs; before associated gate	Mitigate through the explicit tests, rollout and forward-repair plan
Implementation risk	Provisional score is overclaimed	Luke or named PR DRI	Package PRs; before associated gate	Mitigate through the explicit tests, rollout and forward-repair plan
Implementation risk	Route drift	Luke or named PR DRI	Package PRs; before associated gate	Mitigate through the explicit tests, rollout and forward-repair plan
Implementation risk	LLM dependency reintroduced	Luke or named PR DRI	Package PRs; before associated gate	Mitigate through the explicit tests, rollout and forward-repair plan

1.8 Existing-work salvage

Source	Head	Valuable content	Destination	Recommendation	Extraction status/safety
app#117	5ac09f0cdd92	Deterministic candidate questionnaire, scoring/status calculation, conversation-guide resource, routes and extensive Node 0 tests.	P05-02, P05-03	Selective port and rewrite	Unextracted; algorithm/test review required after Alan checkpoint and Luke field/score decision.
app#119	a8cd2f428535	Concise product-leverage framing and boundaries for the MVP flow.	P05-01	Retain as source or merge separately after plan decision	Catalogued; reconcile terminology into approved programme.
app#121	529d377e2337	Primary Node 0 participant model/UI, PDF/guide presentation and focused surface tests.	P05-03	Selective UI/test port, then supersede	Unextracted; #124 may contain later copies but equivalence must be proved by file/commit comparison.
app#124	84a5a847fea7	Current consolidation of Node 0 questionnaire/guide/surfaces, GC onboarding, participant case shell, invitations, DS assets and large focused test suites.	P05-02, P05-03	Retain unchanged as evidence; selective port/rewrite after checkpoint	Unextracted; Alan review explicitly incomplete and unresolved.
detached candidate rewrite	9605d88	substantial uncommitted Node 0 quiz rewrite	P04-02/P05-02	Selective port from protected worktree	Preserve; compare with predecessor and #117/#124 before any discard.

Source	Head	Valuable content	Destination	Recommendation	Extraction status/safety
detached predecessor candidate model	dc6a2f0	substantial uncommitted predecessor model	P04-02/P05-02 if unique	Selective port from protected worktree	Preserve until rewrite diff/extraction ledger is complete.

Package source inventory:

- PR #117 quiz/guide algorithms and tests
- PR #121 primary surface
- PR #124 consolidated UI
- Quiz rewrite worktree

1.9 Ownership recommendation

Luke leads this work package, with Alan providing technical review. The split is proposed for review and can be amended before implementation begins.

PR	DRI	Implementer	Reviewer	Final approver	External/high-capability review
P05-01	Luke	Luke (proposed)	Alan	Joint	As risk warrants
P05-02	Luke	Luke (proposed)	Alan	Joint	Mandatory
P05-03	Luke	Luke (proposed)	Alan	Joint	As risk warrants

Luke leads implementation and product acceptance for this package; Alan reviews architecture, migration, security and failure behavior. This is a recommendation pending joint review, not a compulsory assignment.

1.10 Definition of done

- ☐ Every proposed PR is merged in dependency order or explicitly dispositioned, with its objective acceptance criteria and review record complete.
- ☐ All package blocking decisions are resolved by the named owner; no commercial/privacy/security value is guessed in code.
- ☐ Local, PostgreSQL, role/authorization, retry/concurrency, failure, mobile and synthetic-cloud evidence required by this package is attached.
- ☐ Cross-repository contracts and artifact/migration versions are pinned; partial-merge behavior is fail-closed or explicitly degraded.
- ☐ Observability is sufficient to identify revision, transition, dependency and safe failure without sensitive payloads.
- ☐ Existing PR/worktree value and reviewer findings are extracted before closure; no cleanup occurs without team confirmation.
- ☐ The associated programme gate is accepted by Luke and any required external reviewer; tests/deploy alone do not establish B1/B2.