Natalyx MVP Fixes

Work Package 06: Node 0 Complete and GC soft onboarding

L. Rhodes (plan owner) - A. Zhao (technical review requested)

2026-07-10

Contents

1 Work Package 06: Node 0 Complete and GC soft onboarding **2**

1.1 Purpose and outcome 2
1.2 Verified current-state evidence 3
1.3 Architecture and contracts 3
1.4 Explicit PR sequence 9
1.5 Cross-repository coordination 16
1.6 Test and acceptance matrix 16
1.7 Risks and decisions 17
1.8 Existing-work salvage 18
1.9 Ownership recommendation 19
1.10 Definition of done 20

1 Work Package 06: Node 0 Complete and GC soft onboarding

Review draft only. Ownership and sequencing remain recommendations until Luke and Alan approve the plan together.

Plan	Value
Work package	WP06
Plan file	`WP06 - Node 0 Complete and GC soft onboarding.md`
Proposed PRs	P06-01, P06-02, P06-03
Inspection snapshot	2026-07-10 20:12 America/New_York

1.1 Purpose and outcome

Problem. Optional paid depth, GC soft onboarding, and readiness reporting need clear entitlement gates without creating a managed case or treating IP assertions as GC answers.

Why this package exists. It creates a reviewable boundary so the programme can progress without mixing product, data, security, infrastructure and rollout concerns in one oversized change.

Completed outcome. Versioned Node 0 Complete entitlement, authenticated low-risk GC onboarding, attributable GC confirmation/replacement, and a readiness report that remains preliminary.

Explicit non-goals.

- No managed case activation
- No provider access

- No medical/legal clearance
- No hard-coded price

1.2 Verified current-state evidence

Classification is explicit: **verified** is observed code/PR/live behavior; **verified limitation** records an evidence gap; **design authority** is an approved planning source; **design decision** is proposed future behavior. None is silently treated as another.

ID	Class	Repository / ref	File, construct or location	Finding
E-010	verified	app / PR #124@84a5a84	app/routes/node0.py:63-90	Opening Node 0 calls create_byos_case_for_ip with is_synthetic=True; there is no separate free workspace or authorized promotion.
E-011	verified	app / PR #124@84a5a84	app/storage/node0.py:400-462; app/routes/node0.py:605-652	Node 0 can issue an unaddressed GC invitation and redemption ultimately creates case membership, collapsing low-risk onboarding possession with case access.
E-013	verified	app / PR #124@84a5a84	app/node0.py:252-482,622-878,975-1001	Nineteen IP-entered candidate answers about relationship and third-party circumstances/health derive a 0-100 score, readiness/status, ordering, guide route and evidence packet without per-field provenance or verification.
E-014	verified	app / PR #124@84a5a84	app/storage/node0.py:42-200,509-600; tests/python/test_node0_py.py:441-490	IP/co-IP own candidate reads; GC onboarding writes separate shared/private facts and does not invoke the IP-assertion. The GC cannot see or correct the IP candidate record.

1.3 Architecture and contracts

- Node 0 Complete is a flat configurable entitlement fully creditable against the JMF.
- GC confirmation appends an attributable revision; it never silently overwrites the IP source.
- GC-private answers stay private; only explicit purpose-limited projections reach the IP.

Contract area	Package rule
Ownership boundary	`app`; repository-specific PRs remain separate.
Entities/state	`node0_workspace`, `workspace_claim`, `workspace_entitlement`

Contract area	Package rule
Authorization	Authenticated subject/service plus entity membership, role, purpose, consent and expected revision; query parameters, links and UI state are never authority.
API/service	Read-only readiness projection with policy version.
Storage	Append-only entitlement events plus current projection. Use assertion/revision contract; onboarding progress events.
Audit	Use the common transition envelope and append-only source/event identifiers; redact tokens, raw documents, prompts and sensitive payloads.
Failure	Fail closed for authorization, provenance, money, document and PHI boundaries; expose a bounded actionable error and preserve retry/repair evidence.
Observability	Correlation, policy/schema/config version, transition and dependency result metrics without PHI/PII payload logging.
Compatibility	Additive/dual-compatible changes, explicit version pins, old/new revision window and named forward repair.
Privacy/PHI	Synthetic only through A2; approved PII only at B1; PHI remains blocked until formal B2.

1.3.1 Applicable state machines

1.3.2 Node 0 workspace (`node0_workspace`)

Owner: **natalyx-app**. States: `draft`, `active`, `match_ready`, `promotion_pending`, `promoted`, `archived`.

Transition: `none -> draft`

- **Actor:** authenticated IP
- **Evidence:** first explicit Node 0 start
- **Idempotency key:** `workspace:{owner}:create`
- **Invalid transitions:** Existing active workspace returns existing
- **Audit event:** `workspace_created`
- **Retry:** Unique owner/idempotency key
- **Recovery:** Forward repair orphan membership

Transition: `draft -> active`

- **Actor:** IP
- **Evidence:** minimum workspace consent/profile
- **Idempotency key:** `workspace:{id}:activate:{revision}`
- **Invalid transitions:** Missing consent/owner
- **Audit event:** `workspace_activated`
- **Retry:** Return current active revision

- **Recovery:** Correct inputs and retry

Transition: `active -> match_ready`

- **Actor:** IP + selected GC evidence policy
- **Evidence:** selected candidate + required provisional/GC-authored fields
- **Idempotency key:** `workspace:{id}:ready:{revision}`
- **Invalid transitions:** Critical unknown/decline/revoked claim
- **Audit event:** `workspace_match_ready`
- **Retry:** No duplicate event
- **Recovery:** Reopen active with reason revision

Transition: `match_ready -> promotion_pending`

- **Actor:** promotion event consumer
- **Evidence:** valid byos.workspace_promotion_authorized.v1
- **Idempotency key:** `promotion:{commitment}:v1`
- **Invalid transitions:** No authorization; already promoted; stale config
- **Audit event:** `workspace_promotion_requested`
- **Retry:** Replay resumes/finds same promotion
- **Recovery:** Forward-repair incomplete transaction

Transition: `promotion_pending -> promoted`

- **Actor:** promotion service
- **Evidence:** paid case + manifest committed
- **Idempotency key:** `promotion:{commitment}:v1`
- **Invalid transitions:** Projection invariant/privacy failure
- **Audit event:** `workspace_promoted`
- **Retry:** Return same case ID
- **Recovery:** Repair from immutable manifest; never duplicate

Transition: `draft|active|match_ready -> archived`

- **Actor:** IP/operator per policy
- **Evidence:** explicit archive + retention policy
- **Idempotency key:** `workspace:{id}:archive:{request}`
- **Invalid transitions:** Promotion pending/promoted
- **Audit event:** `workspace_archived`
- **Retry:** Idempotent
- **Recovery:** Restore only through new audited revision if policy permits

1.3.3 Entitlement (`workspace_entitlement`)

Owner: **natalyx-app commercial domain**. States: `free`, `complete_pending`, `complete_active`, `suspended`, `revoked`.

Transition: `none -> free`

- **Actor:** system
- **Evidence:** active Node 0 workspace
- **Idempotency key:** `entitlement:{workspace}:free`
- **Invalid transitions:** No workspace
- **Audit event:** `entitlement_granted`
- **Retry:** Return current
- **Recovery:** Repair projection from event

Transition: `free -> complete_pending`

- **Actor:** IP/commercial service
- **Evidence:** accepted Complete offer/config
- **Idempotency key:** `entitlement:{workspace}:{commitment}`
- **Invalid transitions:** Unknown price/config/terms
- **Audit event:** `complete_requested`
- **Retry:** Return pending
- **Recovery:** Cancel/expire commitment

Transition: `complete_pending -> complete_active`

- **Actor:** payment domain
- **Evidence:** settled Complete ledger entry
- **Idempotency key:** `entitlement:{payment}:activate`
- **Invalid transitions:** Amount/currency/config mismatch
- **Audit event:** `complete_activated`
- **Retry:** Replay no-op
- **Recovery:** Reconcile and retry from inbox

Transition: `complete_active -> suspended`

- **Actor:** authorized commercial policy
- **Evidence:** refund/reversal or approved pause reason
- **Idempotency key:** `entitlement:{id}:suspend:{event}`
- **Invalid transitions:** Cannot remove free/safety capability
- **Audit event:** `entitlement_suspended`
- **Retry:** No-op if same event
- **Recovery:** Reinstate or revoke through new event

Transition: `complete_active|suspended -> revoked`

- **Actor:** authorized operator/policy
- **Evidence:** fraud/refund/terms revocation evidence
- **Idempotency key:** `entitlement:{id}:revoke:{event}`
- **Invalid transitions:** No silent case cancellation
- **Audit event:** `entitlement_revoked`
- **Retry:** Idempotent
- **Recovery:** Manual reviewed regrant creates new entitlement event

1.3.4 Low-risk workspace identity claim (`workspace_claim`)

Owner: **natalyx-app**. States: `issued`, `pending_identity`, `identity_bound`, `consented`, `claimed`, `mismatch_pending`, `revoked`, `expired`.

Transition: `none -> issued`

- **Actor:** workspace IP
- **Evidence:** selected candidate + allowed claim scope
- **Idempotency key:** `claim:{workspace}:{candidate}:{generation}`
- **Invalid transitions:** Existing live claim superseded
- **Audit event:** `workspace_claim_issued`
- **Retry:** Return current token only at issuance
- **Recovery:** Issue new generation; old revoked

Transition: `issued -> pending_identity`

- **Actor:** link holder
- **Evidence:** valid token landing
- **Idempotency key:** `claim:{id}:land`
- **Invalid transitions:** Expired/revoked token
- **Audit event:** `claim_opened`
- **Retry:** Safe repeat
- **Recovery:** Authenticate or exit; no data grant

Transition: `pending_identity -> identity_bound|mismatch_pending`

- **Actor:** auth provider
- **Evidence:** verified subject/email and binding policy
- **Idempotency key:** `claim:{id}:bind:{subject}`
- **Invalid transitions:** Already claimed/different subject
- **Audit event:** `claim_identity_bound|claim_mismatch`
- **Retry:** CAS no-op or mismatch state
- **Recovery:** Issuer review/new claim

Transition: `identity_bound -> consented`

- **Actor:** GC claimant
- **Evidence:** workspace consent version
- **Idempotency key:** `claim:{id}:consent:{version}`
- **Invalid transitions:** Stale/missing consent
- **Audit event:** `claim_consented`
- **Retry:** Idempotent
- **Recovery:** Display current consent

Transition: `consented -> claimed`

- **Actor:** claim service

- **Evidence:** authorized low-risk workspace membership transaction
- **Idempotency key:** `claim:{id}:complete`
- **Invalid transitions:** Case membership requested or conflicting claimant
- **Audit event:** `workspace_claimed`
- **Retry:** Return same membership
- **Recovery:** Transaction rollback/forward repair

Transition: `issued|pending_identity|identity_bound|consented|mismatch_pending -> revoked|expired`

- **Actor:** issuer/system
- **Evidence:** revocation or TTL
- **Idempotency key:** `claim:{id}:terminal:{event}`
- **Invalid transitions:** No terminal overwrite
- **Audit event:** `claim_revoked|claim_expired`
- **Retry:** Idempotent
- **Recovery:** Fresh claim only

1.3.5 Invitation and identity safety

Retain from updated PR #122:

- hashed tokens
- purpose-specific TTL with a 14-day ceiling
- CAS terminal transitions
- atomic membership creation
- one-live-GC constraint
- self/existing-member refusal
- safe return_to
- portable integrity/concurrency tests

Required replacement contract:

- Exactly one target: workspace_id or case_id; include purpose, role, access_class, recipient_binding_mode and policy version.
- Email-less possession may only open pending low-risk workspace claim; it cannot reveal sensitive data or grant paid-case membership.
- Paid-case invitation is addressed, authenticated, consented and atomically redeemed; mismatch requires explicit policy/issuer handling and preferably fresh bound token.
- Cognito admission and app membership are separate decisions; account creation never equals workspace/case access.
- Verified identity comes from auth claims, not form-entered email; duplicate claims return the original result.
- Never put raw token/email/PHI in general participant timeline payloads; revoke/expire/supersede fail closed.
- Remove generic unconditional status mutation; expose authorized transition commands only.

1.3.6 Data authorship/provenance rules

- Every assertion/revision records subject_ref, semantic_key, author_subject/person/role, authorship_class, provenance, verification_status, visibility, purpose, source_ref, derived_from, supersedes_id, promotion_event_id, policy version and immutable timestamps.
- Class 1 defaults IP-private; class 2 defaults IP-private/internal and visibly says reported by the intended parent, not confirmed by the GC.
- Class 3 is GC-authored and shared only per field/purpose; class 4 is GC-only private; class 5 requires an evidence-linked role-gated reviewer/provider rail.
- GC confirmation appends a class-3 revision referencing the class-2 assertion. Relationship answers can coexist; disagreement is not an overwrite.
- Unselected candidates, raw health assertions, ranking scores and private IP notes do not promote. Derived values inherit the weakest source status.
- Copying, promotion, generic proposal approval, IP assertion or AI inference can never create Natalyx-reviewed, provider-confirmed, medically cleared, legally cleared or insurance-verified truth.

1.4 Explicit PR sequence

Order	ID	Title	Repository	Dependencies	Gate	Size	Readiness
1	P06-01	Add Node 0 Complete entitlement and versioned feature gates	app	P04-01, P07-01, P08-01	A2	Large	Dependencies unmet
2	P06-02	Add GC soft onboarding and attributable confirmation	app	P03-02, P04-02, P06-01	A2	Exceptional	Dependencies unmet
3	P06-03	Add readiness report and role-scoped progress surfaces	app	P06-02, P10-02, P11-04	A2	Large	Dependencies unmet

1.4.1 P06-01 - Add Node 0 Complete entitlement and versioned feature gates

Field	Plan
Repository / base	`app` (`main`)
Gate / size / readiness	A2 / Large / Dependencies unmet
Dependencies	P04-01, P07-01, P08-01
Blocking decisions/checkpoints	D-COM-01
Source / salvage	Business-model Node 0 feature table

1.4.1.1 Objective Model optional Complete access independently from workspace and case, pin the commercial configuration, and expose server-side gates for the approved paid-depth features.

1.4.1.2 Scope

- Grant/suspend/revoke entitlement events
- Commercial-version and payment evidence reference
- Credit accrual link

1.4.1.3 Explicit non-goals

- No hard-coded price
- No paid-case creation

1.4.1.4 Expected files or modules

- `migrations/versions/*_entitlements.py`
- `app/domain/entitlements.py`
- `app/storage/entitlements.py`
- `tests/python/test_entitlements.py`

1.4.1.5 Change map

Area	Planned change
Schema/model	Append-only entitlement events plus current projection.
API/routes	No public API/route contract change.
UI/product surface	No visible participant/operator UI change.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	Apply through the named versioned migration; no ad-hoc startup DDL. Backfill is none unless explicitly listed in scope.
Security/privacy	Every Complete feature checks server entitlement.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.1.6 Tests and validation

Objective tests:

- Grant replay
- suspend/revoke
- config version
- free-feature unaffected
- no case created

Local validation:

- `python -m unittest discover -s tests/python`
- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A2** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.1.7 Diagnostics and observability Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.1.8 Rollout Ship expand-only and dark by default; run the one-off migrator, verify readiness/old-revision compatibility, then enable writers/readers in a later compatible step.

1.4.1.9 Rollback or forward repair Prefer application rollback within the expand/contract window and a new forward-repair migration. An irreversible schema reversal requires its own approval and backup evidence.

1.4.1.10 Dependencies and parallel work Hard dependencies: P04-01, P07-01, P08-01. Parallel opportunities: P06-03

1.4.1.11 Objective acceptance criteria

- ☐ Model optional Complete access independently from workspace and case, pin the commercial configuration, and expose server-side gates for the approved paid-depth features.
- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.1.12 Ownership and review

Role	Recommendation
DRI	Alan
Implementer	Alan (proposed; pending consolidated-plan sign-off)
Reviewer	Luke
Final approver	Luke
Required expertise	Python/FastAPI, PostgreSQL, security-aware product engineering
Higher-capability review	Mandatory before merge

1.4.2 P06-02 - Add GC soft onboarding and attributable confirmation

Field	Plan
Repository / base	`app` (`main`)
Gate / size / readiness	A2 / Exceptional / Dependencies unmet
Dependencies	P03-02, P04-02, P06-01
Blocking decisions/checkpoints	D-DATA-01, D-DATA-02, CHECK-ALAN-122-124
Source / salvage	PRs #123/#124 UX only, GC authorship audit

1.4.2.1 Objective

Let an authenticated GC claim low-risk workspace access, provide GC-owned answers, confirm/replace selected provisional facts, and preserve private boundaries.

1.4.2.2 Scope

- GC-authored profile/intake revisions
- Field-by-field confirmation/replacement
- Purpose-limited IP progress projection

1.4.2.3 Explicit non-goals

- No paid-case membership
- No provider share
- No medical eligibility determination

1.4.2.4 Expected files or modules

- `app/routes/gc_workspace.py`
- `app/storage/gc_onboarding.py`
- `app/templates/node0/gc_onboarding*.html`
- `tests/python/test_gc_soft_onboarding.py`

1.4.2.5 Change map

Area	Planned change
Schema/model	Use assertion/revision contract; onboarding progress events.
API/routes	No public API/route contract change.
UI/product surface	GC consent and privacy explanations.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	No migration or backfill.
Security/privacy	Preserve existing fail-closed boundaries; validate the PR-specific privacy/security cases.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.2.6 Tests and validation

Objective tests:

- Paired IP/GC visibility
- private contact/health fields
- revision lineage
- claim replay/mismatch
- mobile resume

Local validation:

- `python -m unittest discover -s tests/python`

- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A2** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.2.7 Diagnostics and observability Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.2.8 Rollout Ship expand-only and dark by default; run the one-off migrator, verify readiness/old-revision compatibility, then enable writers/readers in a later compatible step.

1.4.2.9 Rollback or forward repair Prefer application rollback within the expand/contract window and a new forward-repair migration. An irreversible schema reversal requires its own approval and backup evidence.

1.4.2.10 Dependencies and parallel work Hard dependencies: P03-02, P04-02, P06-01. Parallel opportunities: None inside this package beyond review/test preparation.

1.4.2.11 Objective acceptance criteria

- ☐ Let an authenticated GC claim low-risk workspace access, provide GC-owned answers, confirm/replace selected provisional facts, and preserve private boundaries.
- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.2.12 Ownership and review

Role	Recommendation
DRI	Alan
Implementer	Alan (proposed; pending consolidated-plan sign-off)
Reviewer	Luke
Final approver	Luke
Required expertise	privacy, accessible forms, authorization
Higher-capability review	Mandatory before merge

1.4.3 P06-03 - Add readiness report and role-scoped progress surfaces

Field	Plan
Repository / base	`app` (`main`)
Gate / size / readiness	A2 / Large / Dependencies unmet
Dependencies	P06-02, P10-02, P11-04
Blocking decisions/checkpoints	D-DATA-01
Source / salvage	PR #124 score/report concepts

1.4.3.1 Objective Produce a preliminary, source-labelled Node 0 readiness report and separate IP/GC progress views without overclaiming clearance or exposing private answers.

1.4.3.2 Scope

- Source/verification labels
- IP and GC lenses
- Promotion-ready projection manifest

1.4.3.3 Explicit non-goals

- No provider-confirmed status
- No final case activation

1.4.3.4 Expected files or modules

- `app/domain/node0_readiness.py`
- `app/templates/node0/readiness*.html`
- `app/node0_surface.py`
- `tests/python/test_node0_readiness.py`

1.4.3.5 Change map

Area	Planned change
Schema/model	None in this PR; any later schema change stays in its named migration PR.
API/routes	Read-only readiness projection with policy version.
UI/product surface	Role-specific report/progress cards.
Infrastructure/workflow	No cloud/infrastructure resource or workflow change.
Migration/backfill	No migration or backfill.
Security/privacy	Preserve existing fail-closed boundaries; validate the PR-specific privacy/security cases.
Architecture/docs/config	Document the contract, version pins and safe partial-merge behavior.

1.4.3.6 Tests and validation Objective tests:

- Provisional labels

- critical missing data
- cross-role redaction
- stale revision
- print/mobile

Local validation:

- `python -m unittest discover -s tests/python`
- Run the focused test module(s) named above against SQLite and PostgreSQL where applicable.

Cloud validation: run only through Gate **A2** on a known revision, using synthetic data until B1 and no PHI until B2. A merge or green deployment is not gate acceptance.

1.4.3.7 Diagnostics and observability Emit correlation/idempotency/policy/version identifiers, transition/result counters and bounded failure reasons; never log tokens, processor payloads, raw documents, prompts, PHI or unnecessary PII.

1.4.3.8 Rollout Deploy behind the narrowest practical feature/config gate, verify the named synthetic flow and diagnostics on a known revision, then widen only at the associated programme gate.

1.4.3.9 Rollback or forward repair Disable the feature or return to the prior compatible image; retain append-only audit/ledger history and repair with a new event/revision rather than destructive mutation.

1.4.3.10 Dependencies and parallel work Hard dependencies: P06-02, P10-02, P11-04. Parallel opportunities: P06-01

1.4.3.11 Objective acceptance criteria

- ☐ Produce a preliminary, source-labelled Node 0 readiness report and separate IP/GC progress views without overclaiming clearance or exposing private answers.
- ☐ Every listed objective test passes locally and at the required gate where applicable.
- ☐ Every explicit non-goal remains out of the diff and no protected worktree/branch is modified during extraction.
- ☐ Rollout/repair evidence is attached before merge; unresolved decisions remain blocked rather than encoded as guesses.

1.4.3.12 Ownership and review

Role	Recommendation
DRI	Alan
Implementer	Alan (proposed; pending consolidated-plan sign-off)
Reviewer	Luke
Final approver	Luke

Role	Recommendation
Required expertise	Python/FastAPI, PostgreSQL, security-aware product engineering
Higher-capability review	Mandatory before merge

1.5 Cross-repository coordination

Repository	Authority after merge
`app`	routing, validation, authorization, participant/case/workflow truth, PHI policy and commercial domain

Merge order inside this package: `P06-01` → `P06-02` → `P06-03`.

Handoff rule: producer contract/version must merge and be pinned before its consumer enables the feature. During a partial merge, consumers fail closed or retain the last approved version; they do not fabricate data or silently broaden access.

Compatibility window: keep prior readers/writers and rollback image usable through the named gate; contract/migration PRs document the exact removal point.

1.6 Test and acceptance matrix

Test dimension	Method	Objective result
Happy path	Entitlement versioning; GC-authored revisions; IP/GC visibility pairs; Revoked/expired claims; No paid-case creation	Expected state/event/UI and named evidence are produced once.
Authorization failure	Wrong/no subject, role, membership, purpose or consent	403/404 as appropriate; no write or data leak; audit safe failure.
Role differences	Separate IP, GC, operator, provider/service identities	Only the approved lens/projection/actions appear.
Retries/duplicates	Repeat same canonical request/event	Original result returned; no duplicate membership/case/invoice/document/event.
Concurrency	Two writers/claimants/migrators/workers	One valid transition; loser receives deterministic stale/conflict response.
Stale state	Old revision/config/terms/token/artifact	Fail closed or approved compatibility behavior; never silent coercion.
Malformed input	Boundary, encoding, size, enum, redirect and identifier corpus	Validation before side effects; safe error.
Unavailable dependency	Database, intelligence, processor, S3/scanner or auth unavailable	Explicit degraded/blocked behavior; no hallucinated success.
Partial failure	Crash between external effect, DB transaction and outbox	Retry/forward repair converges from durable evidence.

Test dimension	Method	Objective result
Logout/login/resume	Session expires/restarts mid-flow	Return to authorized current state; no query/link authority.
Mobile/accessibility	320/375/768 widths, keyboard, focus, reduced motion	Core task completes with truthful state and no clipped controls.
Synthetic cloud	Known dev revision and synthetic identities/data	Gate artifact records SHA, dependency status, audit and cleanup.
Audit/observability	Inspect events/metrics/logs	Versions, actor/authority, correlation and reason present; no sensitive payload.

1.7 Risks and decisions

Type	ID / risk	Owner	Affected PRs / latest point	Treatment
Blocking/product/compliance decision	D-DATA-01 - Which provisional IP assertions may the GC see, which GC answers may the IP see, and which fields survive promotion/provider projection?	Luke	P04-02, P06-02, P06-03, P07-03, P07-04, P09-05, P10-01, P10-02; Before P04-02	D-DATA-01 - Default deny; expose only explicit purpose-limited projections. Class 1/2 and class 4 never automatically cross roles.
Blocking/product/compliance decision	D-DATA-02 - How long to retain unselected candidate assertions and how are GC corrections, conflicting relationship answers, and private IP notes represented?	Luke	P04-02, P04-03, P06-02; Before P04-02	D-DATA-02 - Append revisions with supersedes/derived-from; never silently erase source; shortest justified retention for unselected candidates.

Type	ID / risk	Owner	Affected PRs / latest point	Treatment
Blocking/product/compliance decision	D-DATA-03 - Does any 0-100 candidate ranking or race-based preference survive, and what may provisional third-party answers gate?	Luke	P05-02, P06-03; Before P05-02	D-DATA-03 - Remove candidate ranking and race preference; use source-labelled questions-to-clarify. Unverified IP answers cannot gate claim/onboarding/eligibility.
Blocking/product/compliance decision	D-COM-01 - Set the flat one-time price and tax treatment; it must remain fully creditable against the later JMF.	Luke	P06-01, P07-01, P08-01; Before activation of a Complete configuration	D-COM-01 - Keep no active production value until explicitly approved; test with synthetic configuration.
Implementation risk	Entitlement mistaken for case access	Alan or named PR DRI	Package PRs; before associated gate	Mitigate through the explicit tests, rollout and forward-repair plan
Implementation risk	GC answers exposed to IP	Alan or named PR DRI	Package PRs; before associated gate	Mitigate through the explicit tests, rollout and forward-repair plan
Implementation risk	IP assertions silently converted	Alan or named PR DRI	Package PRs; before associated gate	Mitigate through the explicit tests, rollout and forward-repair plan
Implementation risk	Price hard-coded	Alan or named PR DRI	Package PRs; before associated gate	Mitigate through the explicit tests, rollout and forward-repair plan

1.8 Existing-work salvage

Source	Head	Valuable content	Destination	Recommendation	Extraction status/safety
app#119	a8cd2f428535	Concise product-leverage framing and boundaries for the MVP flow.	P06-01	Retain as source or merge separately after plan decision	Catalogued; reconcile terminology into approved programme.

Source	Head	Valuable content	Destination	Recommendation	Extraction status/safety
app#123	34078f810b63	GC onboarding form/copy, hosted auth return, invite handoff and role-specific surface work.	P06-02, P06-03	Selective UX/test port and rewrite	Unextracted; likely partially copied into #124 but not proven complete.
app#124	84a5a847fea7	Current consolidation of Node 0 questionnaire/guide/surfaces, GC onboarding, participant case shell, invitations, DS assets and large focused test suites.	P06-02, P06-03	Retain unchanged as evidence; selective port/rewrite after checkpoint	Unextracted; Alan review explicitly incomplete and unresolved.
feature/node0-surrogate-onboarding-link	529d377	substantial uncommitted onboarding/invitation work	P03-02/P03-03/P06-02	Selective port from protected worktree	Preserve until file/test extraction is signed off.

Package source inventory:

- PRs #123/#124 onboarding screens
- Dirty onboarding-link branch
- PR #122 paired-lens tests

1.9 Ownership recommendation

Luke decides product visibility and entitlement boundaries; Alan implements. External privacy review is recommended for field-level projections.

PR	DRI	Implementer	Reviewer	Final approver	External/high-capability review
P06-01	Alan	Alan (proposed)	Luke	Luke	Mandatory
P06-02	Alan	Alan (proposed)	Luke	Luke	Mandatory
P06-03	Alan	Alan (proposed)	Luke	Luke	Mandatory

Luke decides product/lifecycle/commercial/privacy/PHI/provider policy and accepts gates. Alan proposes implementation design, decomposition, migrations, code, tests, rollout and repair. This is a recommendation pending Alan's review/sign-off, not a compulsory assignment.

1.10 Definition of done

- ☐ Every proposed PR is merged in dependency order or explicitly dispositioned, with its objective acceptance criteria and review record complete.
- ☐ All package blocking decisions are resolved by the named owner; no commercial/privacy/security value is guessed in code.
- ☐ Local, PostgreSQL, role/authorization, retry/concurrency, failure, mobile and synthetic-cloud evidence required by this package is attached.
- ☐ Cross-repository contracts and artifact/migration versions are pinned; partial-merge behavior is fail-closed or explicitly degraded.
- ☐ Observability is sufficient to identify revision, transition, dependency and safe failure without sensitive payloads.
- ☐ Existing PR/worktree value and reviewer findings are extracted before closure; no cleanup occurs without team confirmation.
- ☐ The associated programme gate is accepted by Luke and any required external reviewer; tests/deploy alone do not establish B1/B2.