371 Mini Project 1

Step one: Determine Requirements

200 OK:

Description: The request was successful, and the server returned the requested resource. The request must be valid, well-formed, and target a file that exists on the server.

Method: GET

Test: Use a valid GET request with an existing HTML to trigger the response.

Request Message:

```
GET /test.html HTTP/1.1
Host: localhost
```

304 Not Modified:

Description: The requested resource has not been modified since the date specified in the If-Modified-Since header. The request must include an If-Modified-Since header with a timestamp. The server checks the last modified time of the requested resource. If it hasn't been modified since that time, it returns 304 Not Modified.

Method: GET

Test: Use a GET request with the If-Modified-Since header and specify a time after the file's last modification.

Request Message:

```
GET /test.html HTTP/1.1

Host: localhost

If-Modified-Since: Wed, 16 Oct 2024 07:28:00 GMT
```

400 Bad Request

Description: The server cannot understand the request due to malformed syntax. The request must be improperly formatted, missing required components, or contain invalid syntax. This could happen if the request line or headers are incorrect.

Method: Any HTTP method can result in a 400 error if the syntax is invalid.

Test: Use an invalid or incomplete HTTP request to trigger a 400 Bad Request.

Request Message:

```
GET /test.html HTTP/1.1
Host localhost
```

404 Not Found

Description: The server could not find the requested resource. The request must target a resource that does not exist on the server.

Method: GET

Test: Use a valid GET request for a non-existent file.

Request Message:

```
GET /test404.html HTTP/1.1
Host: localhost
```

501 Not Implemented

Description: The server does not support the functionality required to fulfill the request.

The request must use an HTTP method that the server does not support (for example, POST, PUT, DELETE, etc.).

Test: Use an unsupported HTTP method such as POST to trigger the 501 Not Implemented response.

Request Message:

```
POST /test.html HTTP/1.1
Host: localhost
```

Step 2

200 Response:

304 Response:

400 Response:

```
ethan@ethan-MS-7A70:~/Desktop/Note/371MP$ telnet 127.0.0.1 8080
Trying 127.0.0.1...
Connected to 127.0.0.1.
Escape character is '^]'.
GET /test.html HTTP/1.1 Host:
HTTP/1.1 400 Bad Request
Connection closed by foreign host.
```

404 Response:

```
ethan@ethan-MS-7A70:~/Desktop/Note/371MP$ curl -i http://127.0.0.1:8080/test404.html HTTP/1.1 404 Not Found
```

501 Response:

```
ethan@ethan-MS-7A70:~/Desktop/Note/371MP$ curl -i -X POST <a href="http://localhost:8080/test.html">http://localhost:8080/test.html</a>
HTTP/1.1 501 Not Implemented
```

Step 3

A web server directly serves its own files or resources to a client, while a proxy server acts as an intermediary between the client and another server. It relays the client's request to the target server and returns the response.

Detailed Specifications

- Listening for Client Requests
- Parsing the Request
- Forwarding Requests
- Handling HTTPS Requests (https via CONNECT)
- Error Handling
- Connection Lifecycle and Concurrency
 - Implement a timeout mechanism and a decision mechanism that allows the application to either wait for a response or close the connection.
 - Handle multiple client connections

Test Procedure

- Visit http with GET:
 - o curl -x localhost:8081 http://127.0.0.1:3000/test.html
 - Receive the html file

Visit https with connect:

- o curl -x localhost:8081 https://www.google.com
- Receive the html file

AyobsKop(nr) 3/1/nr/31m

AyobsKop(nr) 3/1/nr/31m
AyobsKop(nr) 3/1/nr/31m
AyobsKop(nr) 3/1/nr/31m
AyobsKop(nr) 3/1/nr/31m
AyobsKop(nr) 3/1/nr/31m
AyobsKop(nr) 3/1/nr/31m
AyobsKop(nr) 3/1/nr/31m
AyobsKop(n

- See more information:
 - o curl -i -x localhost:8081 http://127.0.0.1:3000/test.html
 - o It is worth to say that the first 200 ok comes from proxy server and the second 200 ok comes form target server. Both of them is necessary.

Multi-thread

- Pro:
 - Thread Creation for Each Client
 - Requesting simultaneously
- Improvement:
 - Increased Throughput
 - Multiple clients
 - Reduced Latency
- Test Procedure
 - Using ab (Apache Benchmark)
 - ab -n 100 -c 5 http://localhost:8080/test.html