HACKER HOUSE GOA 2026


AI × CRYPTO · MULTICHAIN

IntroMesh

Your next customer is one trusted connection away.

The live product: AI-powered warm introductions through a TigerGraph trust graph, consent-first approvals by the person who owns the relationship, and USDC bounties that pay the connector only when the meeting really happens.

LIVE NOW intro-mesh.vercel.app



PRODUCT SHOWCASE

Features / User flows / Worked examples


Sponsor integrations / Architecture / Security

Demo script / Status / What's next

PRODUCT SHOWCASE / OVERVIEW

IntroMesh at a glance

IntroMesh is live. It turns the people you already trust into a searchable route to the people you want to meet: scan to connect, search your trust graph, ask the person who owns the relationship, and settle a USDC bounty when the meeting actually happens.



intro-mesh.vercel.app. The landing page, with "Join the mesh" and "See the live mesh" one tap away.

Live
On Vercel and Supabase, with every integration configured

3 hops
Warm-path search with a TigerGraph GSQL query

6 AI features
gpt-5-nano via AI Grants India; Gemini fallback

3 chains
USDC on Base, Polygon and Arbitrum (testnet by default)

2 ways to pay
Card subscriptions with Dodo Payments, or a 30-day USDC prepay

7 events
Streamed to Slack, Sheets, HubSpot and 1,000+ apps through viaSocket

3 roles
Requester, connector and target, each with their own view and consent step

0 auto-emails
Nothing reaches a target until the connector approves the exact message

Contents

01 From proposal to live product 03
02 The product experience 04
03 Flow 1: Join with an AI profile 05
04 Flow 2: Grow your trust mesh 06
05 Flow 3: Discover warm paths 07
06 Flow 4: Ask, approve and send 08
07 Flow 5: Meet, confirm and settle 09
08 USDC intro bounties 10
09 Plans and billing 11
10 Automations with viaSocket 12
11 Live mesh board and mobile 13
12 Sponsor integrations 14
13 Deep dive: TigerGraph and the AI layer 15
14 Architecture 16
15 Trust, security and consent 17
16 Worked example: one evening in the mesh 18
17 Live demo and judging narrative 19
18 Status, limits and what's next 20

Try it in 60 seconds

Open **intro-mesh.vercel.app** on your phone, sign up, and describe yourself in one sentence (or dictate it). Scan a teammate's QR, search for the kind of person you want to meet, and watch the **/live** board update on the big screen.

About the screenshots: product screens in this document come from the same build as production, run against seeded demo members (fictional names) so that every flow can be shown end to end. In that sandbox, email is recorded rather than sent and graph queries use the Postgres engine; production uses Gmail SMTP and TigerGraph.

PRODUCT SHOWCASE / SECTION 01

From proposal to live product

The 29 October proposal described a B2B partner-intelligence platform. For Hacker House Goa we shipped the version that can earn real usage in four days: a person-to-person trust mesh for the builders, sponsors and mentors in the house, with every sponsor technology doing real work inside the flow.

The central thesis (unchanged)

The fastest route to a customer, investor or partner is a warm introduction from someone they already trust. IntroMesh makes those routes searchable, asks the relationship owner first, and verifies the outcome before anyone is rewarded.

The problem

Invisible paths

The person who can introduce you is often two hops away, but nobody can see that route.

Awkward asks

Asking for an intro means long messages, forwarded context and guesswork about who to ask.

Unclear consent

Contacts get shared and emailed without the owner, or the target, ever agreeing to it.

No reward, no proof

Connectors do the work for nothing, and no one can tell whether an intro became a meeting.

What changed between the proposal and the product

Area	Proposal (v1.0, 29 Oct)	Shipped (v2.0, live 30 Oct)
Audience	B2B companies and partner ecosystems	Builders, founders, sponsors and mentors at the house. B2B workspaces are next.
Building the network	Invite partner businesses; CRM or CSV import	QR handshake in person, plus private contacts added by form or CSV
Recommendations	TigerGraph paths with AI ranking	3-hop GSQL traversal, weighted ranking and an AI "Why this path" for each result
Requests	Typed or dictated reason; owner approval	Dictate or Wispr Flow, "Polish with AI", and an AI draft the connector edits
Outcomes	Track response, meeting and opportunity	Both sides confirm the meeting: in the app, or through a private email link
Payments	Dodo subscriptions; Cake Wallet Bitcoin or Lightning	Dodo card subscriptions, plus USDC on Base, Polygon and Arbitrum from Cake Wallet or any EVM wallet
Rewards	Direct referral rewards	USDC intro bounties: held, refunded or paid out on-chain
Automations	Socket supply-chain checks in CI	viaSocket automations built inside the app (a socket.dev scan still runs in CI)

Who it is for

Primary: founders, BD and partnership leads, investors and builders who live on warm intros. **Pilot:** Hacker House Goa 2026 residents, sponsors and mentors, who connect in person and see the mesh grow on the live board.

PRODUCT SHOWCASE / SECTION 02

The product experience

Three roles share one flow. The requester wants a meeting, the connector owns the relationship, and the target decides whether the meeting was worth it.

REQUESTER
Wants to meet someone
Searches the mesh, picks the warmest path, explains why, and can attach a USDC bounty.

CONNECTOR
Owns the relationship
Reviews the request, edits an AI-drafted intro, then sends or declines it. Earns the bounty.

TARGET
Gets introduced
Receives one clear email with both people CC'd and confirms the meeting through a private link.

Seven steps, end to end

Step	User action	What IntroMesh does	Powered by
01 Join	Sign up and describe yourself in one paragraph, typed or dictated	Extracts a structured profile: headline, role, company, who you want to meet, who you can introduce, topics	AI Grants (OpenAI), Gemini, Wispr Flow
02 Connect	Scan someone's QR at the house; add private contacts	Creates a mutual edge in the trust graph; private contacts stay hidden	TigerGraph
03 Discover	Search for a person, company, role or goal	Expands the query with AI, traverses up to 3 hops, ranks every warm path and explains it	TigerGraph, AI Grants
04 Request	Pick a path, say why, optionally add a USDC bounty	Checks the route, plan limits and duplicates, holds the bounty, notifies the connector	USDC (Cake Wallet), Wispr Flow
05 Approve	Connector edits an AI draft and sends, or declines	Emails the target with both sides CC'd; nothing is shared before approval	AI Grants, Gmail SMTP
06 Meet	Requester and target each confirm the meeting	Records two independent confirmations; the intro moves to "Met"	Private confirmation links
07 Settle	Nothing; it happens automatically	Pays the connector in USDC, or refunds the requester; streams events to your tools	USDC, viaSocket

Hero feature: warm-path intelligence

For every match, IntroMesh shows the exact route (You → Ravi → Priya → Leo), who can make the intro, why the match fits what you are looking for, and the live status of your request. TigerGraph finds the paths, AI explains them, and the relationship owner stays in control.

Built mobile-first

The house runs on phones. Every screen works one-handed, with a bottom tab bar and a QR button in the middle. On desktop it becomes a sidebar app.


Notifications everywhere

In-app notifications and email for every step, mirrored to the member's own automations (Slack, Sheets, CRM) through viaSocket.


PRODUCT SHOWCASE / SECTION 03

Flow 1: Join with an AI profile

Onboarding is one paragraph. Type it, or dictate it with the Dictate button or Wispr Flow, and IntroMesh turns it into a structured, editable profile that powers every match.



Step 1. One paragraph, typed or dictated. A tip reminds members that Wispr Flow works in the box too.



Step 2. The AI profile, fully editable, plus an optional USDC payout address for bounties.

Example: real input and output

Field	Value
Input (dictated)	"I'm Tess, founder of Mesh Labs. We're building AI agents that settle B2B payments in stablecoins. Looking for devrel people at graph database companies and seed investors in AI x payments. Happy to intro people to Bangalore AI founders and Base builders."
Headline	Building AI agents for B2B payments in stablecoins
Role / company	Founder / Mesh Labs
I want to meet	devrel people at graph database companies · seed investors in AI x payments
I can introduce	bangalore ai founders · base builders
Topics	ai, payments, stablecoins, b2b, graph-databases, fintech, startups


How it works

- **Structured output.** The model must return a strict JSON schema, so the profile is always usable data rather than free text.
- **Never blocks signup.** The provider chain runs OpenAI gpt-5-nano (AI Grants), then Gemini 3.5 Flash, then a deterministic parser.
- **Prompt-injection hygiene.** Member text is passed to the model as data, never as instructions.
- **Matching fuel.** "Want to meet" and "can introduce" drive recommendations and the "fits what you're looking for" signal in search.


PRODUCT SHOWCASE / SECTION 04

Flow 2: Grow your trust mesh

Every edge in IntroMesh is a real relationship. Members connect by scanning each other's QR in person, and private contacts add people you can introduce without exposing them to anyone.



Connect. Your personal QR and 6-character code, with tabs for connections and private contacts.



Scan landing. A scan opens the member's card; one tap creates the connection.

QR handshake

- Every member gets a QR card and a 6-character code (for when a camera won't cooperate).
- Scanning opens `/c/CODE`; one tap creates a mutual edge and notifies the other person.
- The new edge syncs to TigerGraph in the background, so it shows up in search straight away.
- The connection, its source (QR) and its strength are stored in Postgres as the source of truth.

Private contacts

- Add people you can introduce by form (with a relationship strength from 1 to 5) or by CSV import.
- Plan limits: 50 on Free, 500 on Pro, 2,000 on Team.
- Others only see a masked name with role and company, for example "K●●●● D●●●● · Partner, Ledger VC".
- Contacts are **leaves**: search can reach them, but never travels through them.

CSV import

```
name,email,company,role,tags
Kiran Desai,kiran@example.com,Ledger VC,Partner,seed
Nina Oberoi,nina@example.com,TigerGraph,PM,graph
```

Common export headers such as First Name, Last Name, Email Address and Position are recognised. Up to 2 MB per file.

What other members see

K●●●● D●●●● · Partner, Ledger VC

Shown in Discover as reachable through Arjun Mehta, who owns the relationship and decides whether to make the intro. No name, no email, no contact list.


Why scanning matters

A QR scan at the house is consent from both people and the strongest signal that a relationship is real. Nobody can add you to their mesh from a scraped list.

PRODUCT SHOWCASE / SECTION 05

Flow 3: Discover warm paths

Search for a person, company, role or goal. IntroMesh expands the query with AI, traverses the trust graph up to three hops, and ranks every warm route with the reasons behind it.



Discover. Query chips, the engine badge with latency, the ranked result, its warm path and "Why this path".

Example: searching "devrel"

Step	Real output
Query expansion (AI)	"devrel" → developer relations, developer advocate, community, dev advocate
Graph traversal	5 people reachable within 3 hops
Top result	Leo Fernandes, DevRel at TigerGraph, 3rd degree, via **You → Ravi Iyer → Priya Shah → Leo**. Connector: Priya.
Why this path (AI)	"Leo Fernandes is a DevRel at TigerGraph, aligning with Tess's DevRel target in graph databases, via a mutual connection (Priya Shah) and Ravi Iyer."
Not in your mesh yet	Ananya Rao (community for builders) matches, but there's no path yet. IntroMesh suggests: "Go say hi."


How results are ranked

Signal	How it counts
Relevance	Keyword hits weighted by field (name 6, company 5, role 4, tags 3, headline 2, can-introduce 1), times 10
Closeness	(4 − hops) × 6, so a 2nd-degree path beats a 3rd-degree one
Redundancy	+2 for each alternative warm path (up to 3)
Fit	+3 for each topic that matches what you're looking for
Privacy	Private contacts are never matched on their (hidden) name


PRODUCT SHOWCASE / SECTION 06

Flow 4: Ask, approve and send

The requester explains why, and the connector decides. Nothing is shared with the target until the connector approves the exact email.



Requester. The path, the reason (typed, dictated or "Polish with AI") and an optional USDC bounty.



Connector. "Make this intro?" An AI draft in the connector's voice, with subject and body both editable.

1. **Request**
   A reason of 15 to 1,500 characters, typed or dictated.
2. **Guardrails**
   The connector must know the target directly. One open request per target. Monthly quota by plan (5, 50 or unlimited). No requests to people you already know.
3. **Connector review**
   "Approve & draft" writes a 70 to 140 word intro, signed by the connector. They can edit, regenerate or decline with a note (any bounty is refunded).
4. **Send**
   One email to the target with the requester and connector CC'd: reply-all continues the thread. A private confirmation link goes to the target only.

Intro: Tess <> Sara
To: Sara Khan · CC: Tess Thomas, Ravi Iyer

Hi Sara,

I'm Ravi Iyer, founder of Settlr. Tess Thomas, founder of Mesh Labs, asked me to reach out. Tess is building AI agents for B2B payments in stablecoins and needs a product designer with crypto UX experience to help redesign wallet onboarding before their pilot. They'd love to connect for 30 minutes to discuss how your UX perspective could help.

If you're open, I can help coordinate a time that works.


Best,
Ravi

Real AI draft from the sandbox run, for the request "I'm looking for a product designer who knows crypto UX to help redesign our wallet onboarding before our pilot." Sent via IntroMesh on behalf of Ravi Iyer.


PRODUCT SHOWCASE / SECTION 07

Flow 5: Meet, confirm and settle

An intro only counts when the meeting happens. The requester and the target confirm independently, and only then does a bounty pay out.



Met. The full route, the original request, a timeline of each step, and "Meeting confirmed by both sides".



Target's private link. "Did you meet Tess Thomas?" No account needed.

Intro lifecycle

Awaiting payment — bounty requests only; 45-minute payment window → **Pending** — connector decides within 7 days → **Accepted** — AI draft being edited → **Introduced** — 14 days to meet and confirm → **Met** — both sides confirmed; bounty paid

Declined — by the connector, with an optional note

Cancelled — by the requester, before approval

Expired — no action in time (daily job)

Held bounty? — refunded automatically on all three

What happens at each confirmation

Who	How they confirm	What IntroMesh does
Requester	"Yes, we met" in the app	Records the confirmation on the timeline and waits for the target
Target (member)	"Yes, we met" in the app	Same, from the target's own view of the intro
Target (contact)	Private link in a separate email	Unguessable token, valid only for that intro; no sign-up required
Both confirmed	Automatic	Status becomes Met, the connector hears "Your intro turned into a meeting", and the bounty is paid


Why two confirmations?

Either side could claim a meeting on their own. Requiring both keeps the stats on the live board honest and makes the bounty a reward for a real outcome rather than for sending an email.


PRODUCT SHOWCASE / SECTION 08

USDC intro bounties

A bounty rewards the connector for a meeting that actually happened. It is held while they decide, refunded if they decline or the request expires, and paid out on-chain when both sides confirm.



Add a bounty. $1 up to the plan cap, on the network of your choice.



Fund it. "Send exactly 5.003827 USDC" by QR or copy-paste. The page watches the chain and flips to Held by itself.

How payment is verified, with no processor in the loop

1. **Unique amount.** Each order adds a random micro-offset (5.003827 USDC for a $5 bounty), so a plain transfer identifies the order. No memo needed.
2. **Pay from any wallet.** A wallet-ready QR link, or copy the address and amount. Cake Wallet or any EVM wallet; 45-minute window.
3. **On-chain check.** The server scans USDC Transfer events into the IntroMesh wallet over public RPCs. Pasting a transaction hash is the fallback.
4. **Hold, then pay or refund.** Payouts go from the IntroMesh wallet to the connector's address on the same network; refunds go back to the payer's address. If a connector has no address yet, the payout queues until they add one.

Network	Mainnet	Testnet (default)
Base	Base	Base Sepolia
Polygon	Polygon PoS	Polygon Amoy
Arbitrum	Arbitrum One	Arbitrum Sepolia

Plan	Bounty cap	Minimum
Free	$5	$1
Pro	$50	$1
Team	$200	$1


Safe by construction

Native USDC only. Testnet mode uses free test USDC, and orders and bounties remember their network, so test funds can never settle a mainnet bounty. Every payout and refund is a guarded state change (held → sending → paid or refunded), which prevents double payment, and failed sends are retried by the daily job.

PRODUCT SHOWCASE / SECTION 09

Plans and billing: one entitlement, two routes

Members choose how to pay: a card subscription through Dodo Payments, or a 30-day prepay in USDC. Either way, access changes only after a verified payment event.



Plans & billing. Current plan, "Subscribe with card" (Dodo) and "Pay 30 days in USDC" on every paid plan, and payment history.

Plans

Plan	Price	Intro requests	Private contacts	Max bounty	For
Free	$0	5 / month	50	$5	Getting started
Pro	$9 / month	50 / month	500	$50	Founders who live on warm intros
Team	$29 / month	Unlimited	2,000	$200	BD and partnership teams

Route A: Dodo Payments (card)

- Hosted checkout session per member and plan (test mode for the event).
- Webhooks verified with the Standard Webhooks signature before anything changes.
- Idempotent: every event is stored once, so replays are ignored.
- active, renewed, plan changed → grant · on hold, past due, paused, failed → end · cancelled, expired → access runs to the end of the paid period.

Route B: USDC (Cake Wallet or any EVM wallet)

- The same unique-amount order flow as bounties, on Base, Polygon or Arbitrum.
- Each payment adds 30 days; renewing early stacks the time.
- Verified on-chain, with transaction-hash fallback.
- Works for members without cards, which is common in a crypto house.


Never by redirect

A success URL alone never grants a plan. Entitlements change only from a signed Dodo webhook or a verified on-chain transfer, and both write to the same plan record.

PRODUCT SHOWCASE / SECTION 10

Automations with viaSocket

IntroMesh activity flows into the tools members already use. viaSocket is embedded inside IntroMesh, so a member can build a flow to Slack, Google Sheets, HubSpot, Notion or 1,000+ other apps without leaving the app.



Settings → Automations. Open viaSocket, paste the flow's webhook URL, save and send a test event.

1 Open viaSocket in the app

The embedded builder is authorised by a per-member signed token (HS256, with org, project and member IDs). The secret never leaves the server.

2 Build a flow

Start with a Webhook trigger and paste its URL into IntroMesh. "Test" sends a sample event right away.

3 Events arrive as JSON


Whenever a matching notification fires, IntroMesh POSTs it to the flow, after the response so the app stays fast.

Event	Fires when
intro_request	Someone asks you for an intro
intro_sent	Your request was approved and sent
intro_received	You were introduced to someone
intro_declined	A connector declined your request
intro_met	An intro turned into a meeting
bounty_paid	You earned a USDC bounty
connection	Someone connected with you

```
POST {your viaSocket webhook}
X-IntroMesh-Event: intro_met
{
  "app": "IntroMesh",
  "event": "intro_met",
  "title": "Your intro turned into a meeting",
  "body": "Your bounty is on its way.",
  "link": "https://intro-mesh.vercel.app/intros/…",
  "occurredAt": "2026-10-30T19:42:07.000Z",
  "member": { "id", "name", "email" }
}
```

Recipes members build

New intro request → Slack DM · Meeting confirmed → HubSpot deal stage · Bounty paid → row in Google Sheets · New connection → Notion CRM page



From the landing page. One request, piped into the tools a team already uses.


Safe outbound webhooks

Only https URLs on public hosts are accepted: no credentials in the URL, and DNS must resolve to public IPs (localhost, private ranges and cloud metadata are blocked). The check runs again at send time, redirects are not followed, and requests time out after 8 seconds.

PRODUCT SHOWCASE / SECTION 11

Live mesh board and mobile

Built for a house full of builders: a big-screen board shows the mesh growing in real time, and the whole app is designed for phones first.




/live, for the big screen. Live counters, the force-directed mesh (gold marks what just happened), a "Join the mesh" QR, top connectors and a "Happening now" feed.

Live counters. Builders, connections, intro requests, intros made and USDC paid to connectors.


Leaderboard. Top connectors get the spotlight; anyone can hide themselves in Settings.

Join QR. Anyone watching can scan straight into signup on their phone.


Mobile-first app




Landing. Join from a QR at the door.



Home. Stats, My QR and "Find a warm path".



Discover. Search, chips and ranked paths.



Connect. Your QR card, ready to scan.

PRODUCT SHOWCASE / SECTION 12

Sponsor integrations

Every sponsor technology changes a real user outcome. Status reflects production on 30 October 2026.

Partner	What it powers	How it is built	Status and evidence
TigerGraph	Warm-path discovery: everyone within 3 hops, with every shortest path	Installed GSQL query `warm_paths` on Savanna; REST token minted from the workspace secret; vertices and edges synced on every connect, contact change and removal; Postgres fallback if the workspace sleeps	LIVE Configured in production with the query installed. On a test graph it returned correct depths in about 240 ms, network included.
AI Grants India	Profiles, query expansion, "Why this path", "Polish with AI", intro drafts, recommendations	OpenAI gpt-5-nano with strict JSON schemas and minimal reasoning for speed; results cached; Gemini 3.5 Flash as automatic fallback; heuristics as the last resort	LIVE Primary provider in production, with automatic Gemini fallback
Wispr Flow	Voice-first input for profiles and intro requests	A Dictate button on long-form fields, and fields designed for Wispr Flow's system-wide dictation; the copy invites members to use it	LIVE Works in every text field, on any device Wispr Flow supports
Cake Wallet	Paying bounties and plans in USDC; receiving payouts	Wallet-ready payment QR, unique amounts, on-chain verification; payout address "from Cake Wallet → Receive"	TESTNET Payment flow live on Base Sepolia, Polygon Amoy and Arbitrum Sepolia with any EVM wallet. Cake Wallet pays on mainnet, one setting away; its addresses already work for payouts.
Dodo Payments	Card subscriptions for Pro and Team	Checkout sessions; Standard Webhooks signature check; idempotent event store; subscription lifecycle mapped to plan access	LIVE in test mode. A signed event was processed, a replay was ignored and a forged signature got a 401.
viaSocket	Member automations to 1,000+ apps	Embedded builder with a per-member signed token; JSON webhook events with SSRF protection	LIVE Embed token accepted by viaSocket; a full flow is part of the demo
Edge City	Demo day	The top Hacker House teams pitch at Edge City's demo day	STAGE Demo script on page 19

Design rule

Sponsor technology has to change what the user experiences: the paths they see (TigerGraph), the words they send (AI Grants), how they speak to the app (Wispr Flow), how they pay and earn (Cake Wallet, Dodo) and where their activity goes next (viaSocket).

Infrastructure

Vercel (hosting and daily cron), Supabase Postgres, Gmail SMTP for email.

Chains

Base, Polygon and Arbitrum via public RPCs with automatic failover.

Supply chain

socket.dev scans dependencies in CI on every push.

PRODUCT SHOWCASE / SECTION 13

Deep dive: TigerGraph and the AI layer

The two engines behind every recommendation: a graph query that finds every warm route, and an AI layer that explains, phrases and drafts, but never decides on its own.

TigerGraph: the warm_paths query (abridged)

```
CREATE VERTEX Person (PRIMARY_ID id STRING,
  kind STRING, name STRING, company STRING, role STRING)
CREATE UNDIRECTED EDGE KNOWS (FROM Person, TO Person,
  strength INT, source STRING)

CREATE QUERY warm_paths(VERTEX<Person> src,
                        INT max_hops) {
  SetAccum<VERTEX<Person>> @parents;  // all parents
  MinAccum<INT> @depth;  OrAccum @visited;
  SetAccum<VERTEX<Person>> @@reached;  INT hop = 0;
  Frontier = {src};
  WHILE Frontier.size() > 0 AND hop < max_hops DO
    hop = hop + 1;
    Frontier = SELECT t
      FROM Frontier:s -(KNOWS:e)-> Person:t
      WHERE t.@visited == FALSE
        AND (s == src OR s.kind == "user") // leaves
      ACCUM t.@parents += s, @@reached += t
      POST-ACCUM t.@visited += TRUE, t.@depth += hop;
  END;
  PRINT Reached[Reached.@parents, Reached.@depth];
}
```

- **One vertex type, two kinds.** Members (`u:`) and private contacts (`c:`) share `Person`; the `kind` flag keeps contacts as leaves.
- **All shortest paths.** Keeping every parent at each depth means the app can show several routes to the same person and rank by redundancy.
- **Live sync.** Connections, contacts and removals are upserted or deleted as they happen; "Resync graph" rebuilds everything from Postgres.
- **Graceful fallback.** If the Savanna workspace is asleep, the same breadth-first search runs over Postgres, and the badge shows which engine answered and how fast.

The AI layer

Feature	Where	Output and guardrail
Profile extraction	Onboarding	Strict JSON profile; deterministic parser as fallback
Query expansion	Discover search	Synonyms ("devrel" → "developer advocate"); cached per query
Why this path	Every Discover result	One sentence grounded only in profile facts on the path
Polish with AI	Request dialog	Tightens the requester's reason; the requester sees it before sending
Intro draft	Connector approval	70 to 140 words in the connector's voice, signature enforced; edited before sending
Recommendations	Home	Short "why you should meet" blurbs for people who fit your goals

Provider chain

OpenAI gpt-5-nano
AI Grants India · primary

→

Gemini 3.5 Flash / Flash-Lite
automatic fallback

→

Deterministic heuristics
signup and search never block

→


Human approval
before anything is sent

Schemas are written once and converted for each provider. Member text always reaches the model inside data tags, and query expansions, path explanations and recommendation blurbs are cached in Postgres, so repeat searches are instant and cost nothing.

PRODUCT SHOWCASE / SECTION 14

Architecture

System overview



Core data entities

users, sessions, connections, contacts, intro_requests, payment_orders, subscriptions, webhook_events, emails, notifications, events, ai_cache. Postgres is the source of truth for who knows whom, every request and every payment. TigerGraph holds a synced copy of the trust graph for traversal and can be rebuilt from Postgres at any time.

Stack

Layer	Technology	Why
Frontend	Next.js 16, React 19, Tailwind v4	One codebase for phone, desktop and the big screen
Database	Supabase Postgres, Drizzle ORM	Typed schema and migrations; PGlite for zero-setup local dev
Graph	TigerGraph Savanna 4.2 (GSQL, RESTPP)	Multi-hop traversal that stays fast as the mesh grows
AI	OpenAI SDK, Google GenAI SDK	Provider-neutral schemas, automatic failover
Crypto	viem, public RPC failover, EIP-681 QR	Self-custodied verification with no payment processor
Billing	Dodo Payments SDK, Standard Webhooks	Card subscriptions with verified, idempotent events
Ops	Vercel cron, /api/health, admin room	Integration health, graph sync, wallet balances and email outbox on one screen

One intro request, through the stack

Step	What runs
Request	A server action validates input with Zod, re-checks the route and plan limits, and writes the intro (and any payment order) to Postgres
Notify	A notification and an outbox email go to the connector; the member's viaSocket webhook fires after the response
Fund	The pay page polls the order while the server scans USDC Transfer logs with viem, then marks the bounty held
Approve	AI draft (OpenAI, then Gemini), edited by the connector, sent over SMTP with CCs plus a private token for the target
Settle	Two confirmations move the intro to Met and viem sends the payout; the daily cron expires, refunds and retries

PRODUCT SHOWCASE / SECTION 15

Trust, security and consent by design

A warm-intro network only works if people trust it with their relationships. These rules are enforced in code, not just written in a policy.

CONSENT

Owner controls every intro

Nothing is shared and no one is emailed until the person who owns the relationship approves the exact message.

PRIVACY

Minimum disclosure

Private contacts appear only as a masked name with role and company. Their emails are never shown to anyone.

PROOF

Verified outcomes

Meetings are confirmed by both sides. Payments are verified on-chain or by signed webhooks, never by a redirect.

Security controls

Area	Control
Accounts	bcrypt password hashing; random session tokens stored only as SHA-256 hashes; httpOnly 30-day cookies; constant-time login so attackers can't tell which emails exist
Data	Row-level security on every table with no public policies; database access is server-side only
Authorization	Every action re-checks the member's role on the intro (requester, connector or target) before acting
Payments	Unique-amount orders; network-pinned settlement; guarded state changes that block double payouts or refunds; automatic refunds on decline or expiry
Webhooks in	Standard Webhooks signature verification for Dodo; idempotent event store; forged or replayed events are rejected
Webhooks out	https only, public DNS only, no credentials, no redirects, re-checked at send time (SSRF guard)
AI	Member text passed as data, never as instructions; strict output schemas; a human approves anything that gets sent
Secrets	API keys and the wallet key live only in server environment variables; socket.dev scans dependencies in CI

Who sees what

Role	Can see	Never sees
Requester	Paths, connectors and public member profiles; private contacts only as role and company	A contact's name or email until the connector sends the intro
Connector	The requester's profile and reason; their own contacts	Other members' private contacts
Target	The intro email with both people CC'd, and their own confirmation link	Anything about the request before the connector approves it
Everyone else	Public profiles and the live board (who connected, intros made, totals)	Private contacts, request reasons, emails and individual bounties

Your network is not a public database

No contact lists, no scraping, no resale, and no automatic emails. Cross-member matches are computed only from what members chose to share, and every introduction needs a human yes.

PRODUCT SHOWCASE / SECTION 16

Worked example: one evening in the mesh

Tess, founder of Mesh Labs, joins the house mesh. Everything below is real output from one end-to-end run with seeded demo members (fictional names).

#	What Tess and others do	What IntroMesh does
1	Tess signs up and dictates one paragraph about herself	Builds her profile: wants "devrel people at graph database companies" and "seed investors in AI x payments"
2	She scans Ravi's QR (code YVMVHH)	Creates the Tess–Ravi edge, notifies Ravi, syncs the graph. Tess can now reach 5 people within 3 hops.
3	She searches "devrel"	Expands the query, ranks Leo Fernandes (DevRel, TigerGraph) via Ravi → Priya, and explains why
4	She asks Priya for an intro to Leo	Notifies Priya in the app and by email ("Review request"); Leo sees nothing yet
5	Priya approves, edits the AI draft and sends it	Emails Leo with Tess and Priya CC'd, plus a private confirmation link to Leo alone
6	Tess and Leo each tap "Yes, we met"	Moves the intro to Met and tells Priya her intro turned into a meeting
7	Tess asks Arjun (BD, Dodo Payments) for a meeting with a $5 bounty	Creates an order for exactly 5.003827 USDC on Base Sepolia and watches the chain
8	Tess asks Ravi to introduce her to Sara, a crypto-UX designer	Ravi's AI draft (page 08) goes out; Sara confirms from her private link

The emails, exactly as generated

To the connector
New intro request · Priya Shah

Tess Thomas (Building AI agents for B2B payments in stablecoins) would like you to introduce them to Leo Fernandes.

Why: "We are building AI agents for B2B payments and want to use TigerGraph for relationship intelligence. Would love 20 minutes with Leo to sanity-check our graph model."

You stay in control: nothing is shared until you approve.

Button: Review request

The introduction
Intro: Tess <> Sara · CC Tess, Ravi

Hi Sara,

I'm Ravi Iyer, founder of Settlr. Tess Thomas, founder of Mesh Labs, asked me to reach out. Tess is building AI agents for B2B payments in stablecoins and needs a product designer with crypto UX experience…

Best,
Ravi

Sent via IntroMesh on behalf of Ravi Iyer. Reply-all to continue the conversation.

To the target, privately
Did you meet Tess Thomas?

Hi Sara,

Ravi Iyer just introduced you to Tess Thomas. Once you've spoken, confirm here:

intro-mesh.vercel.app/m/••••••••

One tap: "Yes, we met". No account needed.

The outcome

In one evening Tess turned one QR scan into three qualified requests (one carrying a $5 bounty) and a confirmed meeting with Leo. Priya and Ravi kept full control of their relationships, and the meeting now counts on the live board.

PRODUCT SHOWCASE / SECTION 17

Live demo and judging narrative

A 90-second stage demo

Time	Show	Proof
0–10 s	"Who here can introduce me to someone at TigerGraph?" Everyone has asked this.	A real, everyday problem
10–25 s	Scan a volunteer's QR on stage; the dot appears on the /live board	Real people, a real edge, live
25–45 s	Search "devrel": You → Ravi → Priya → Leo, with "Why this path" and the TigerGraph badge	Graph query plus grounded AI
45–60 s	Ask Priya with a $5 test-USDC bounty and pay it from a wallet; the page flips to Held	On-chain verification, no processor
60–75 s	The connector approves the AI draft and the intro email lands with everyone CC'd	Consent, then delivery
75–90 s	Both tap "Yes, we met": the bounty pays out (explorer link), Slack pings through viaSocket, counters tick	A verified outcome that flows into real tools

How IntroMesh answers the judging questions

Is it live?

Yes. intro-mesh.vercel.app runs the codebase shown here; `/api/health` shows the database up and AI, email, TigerGraph, crypto and Dodo configured.

Does it work?

Yes. Every flow in this document ran end to end: signup, QR, discovery, request, AI draft, send, double confirmation and the bounty pay page.

Is anyone using it?

Launch is today. QR cards at the house, the live board on the big screen and a social launch turn the residents into the first mesh.

Launch plan

When	What
Fri 30 Oct (Phase 1)	Submit the live product and launch on socials. Seed the mesh with sponsors and mentors; print QR cards for residents; put /live on the big screen.
Sat 31 Oct, 09:59 IST	Final submission: the live URL, this showcase and real usage numbers from /live.
Demo day	Top 5 pitch at Edge City's demo day using the 90-second script above.
Mon 2 Nov	Top 20 pitch to Davin Dong, with numbers from the first days of real use.

The one-line pitch

IntroMesh finds the warmest path to the person you want to meet, drafts the intro with AI, and pays the connector in USDC the moment the meeting happens.

PRODUCT SHOWCASE / SECTION 18

Status, limits and what's next

What is verified, what is still being proven, and where IntroMesh goes after the residency.

Verified

	Check
✓	Production: Postgres answers, and AI, email, TigerGraph, the crypto wallet and Dodo are all configured
✓	Full intro lifecycle end to end: signup → AI profile → QR → discovery → request → AI draft → send → both confirm → Met
✓	TigerGraph warm_paths installed; correct depths and contacts-as-leaves on a test graph
✓	Dodo checkout session created; signed webhook processed, replay ignored, forged signature rejected
✓	Bounty order and pay page on Base Sepolia: unique amount, QR and chain watching
✓	Gmail SMTP login and test delivery; viaSocket embed token accepted; SSRF guard tests pass

Being proven on stage, and honest limits

	Item
•	The first live testnet USDC payment and payout, once the server wallet holds test gas
•	An end-to-end viaSocket flow (for example to Slack) delivered from production
•	Dodo runs in test mode until merchant approval; mainnet USDC is one setting away and stays off for the event
•	Email goes through Gmail SMTP, which is fine for a pilot; a custom domain and transactional provider come next
•	AI drafts vary in quality, which is why the connector always edits and approves before anything is sent

What's next

B2B workspaces

The original proposal: company workspaces, partner ecosystems, team pipelines and referral attribution.

CRM sync

Two-way HubSpot and Salesforce sync through viaSocket, so intros show up as deals.

Semantic matching

Embeddings (text-embedding-3-small via AI Grants) alongside the graph, for "people like this" search.

Connector reputation

Meeting rate and paid intros as a portable, on-chain signal of who makes great introductions.

Who do you want to meet before demo day?

Open **intro-mesh.vercel.app**, scan a QR, and find out how close you already are.