

## Double Door Cooler



## Double Upright Cooler

Net volume	Model No.	Product size	Features & Configuration		Loading qty	
		(W*D*H)mm	shelf	Condenser	20'fcl	40'fcl
800L	SDF-800AL(hinge door)	1000x720x2020	8 wire	2 Skin in compressor compartment	15	33
800L	SDF-800ALS(sliding door)	1000x700x2020	8 wire	2 Skin in compressor compartment	15	33
1000L	SDF-1000AL(hinge door)	1130x720x2020	8 wire	2 Skin in compressor compartment	15	30
1000L	SDF-1000ALS(sliding door)	1130x700x2020	8 wire	2 Skin in compressor compartment	15	30
1200L	SDF-1200AL(hinge door)	1330x720x2020	8 wire	2 Skin in compressor compartment	12	25
1200L	SDF-1200ALS(sliding door)	1330x700x2020	8 wire	2 Skin in compressor compartment	12	25
1400L	SDF-1400AL(hinge door)	1330x820x2020	8 wire	2 Skin in compressor compartment	10	21
1400L	SDF-1400ALS(sliding door)	1330x820x2020	8 wire	2 Skin in compressor compartment	10	21



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.

## Double Door Cooler




### Main Features

1. Fan cooling system
2. self - evaporation water tray
3. two vertical lights
4. digital control with LED display & defrost timer
5. double - glass - layer - door with one in temper
6. With hot air blowing from the front bottom to relieve the condensation on the glass
7. With lock and key
8. With extruded handle for hinged door,  
recessed handle for sliding door
9. 4 casters , and 2 with lock
10. Self-Closing Door
11. Painted Aluminum Interior



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## CURVED GLASS DOOR CHEST FREEZER




### SPECIFICATIONS:

MODEL	Refrigerant	CAPACITY (ltrs.)	DIMENSION (H x W x D) cm	Container Load
SC-350	R-404 Danfoss	350	900X1220X620	40ft: 84 units
SC-400	R-404 Danfoss	450	900X1425X670	40ft: 72 units
SC-600	R-404 Danfoss	600	900X1700X670	40ft: 58 units



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.

## CURVED GLASS DOOR CHEST FREEZER



**1-Unit Type: Tropical**

**2- Castor Wheels**

**3-Temperature:41 Degree C, Relieve Humidity 70%**

**4-Frame Type: Aluminum**

**5-Digital: Available**



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**  
**Steps For Cooling Equipment & Trading Co.**



### single top-open-foaming-door chest freezer range

Net volume	Model No.	Product size (W*D*H)mm	Features & Configuration					Loading qty 40'HQ
			outer cabinet	inner cabinet	basket	lock/key		
108L	FS-108M	525x554x850	painted steel plate	rolled aluminum plate	1 pc	yes	252	
158L	FS-158M	700x554x850	painted steel plate	rolled aluminum plate	1 pc	yes	192	
208L	FS-208M	870x554x850	painted steel plate	rolled aluminum plate	1 pc	yes	156	
248L	FS-248M	980x604x850	painted steel plate	rolled aluminum plate	1 pc	yes	123	
318L	FS-318M	1014x710x850	painted steel plate	rolled aluminum plate	1 pc	yes	99	
358L	FS-358M	1138x710x850	painted steel plate	rolled aluminum plate	1 pc	yes	90	
408L	FS-408M	1435x710x875	painted steel plate	rolled aluminum plate	2 pcs	yes	72	
508L	FS-508M	1660x710x875	painted steel plate	rolled aluminum plate	2 pcs	yes	63	



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.

## chest freezer



**FS-108M**  
**FS-158M**



**FS - 208M**  
**FS - 248M**  
**FS - 318M**  
**FS - 358M**  
**FS - 408M**  
**FS - 508M**

### Main Features

- 1. back-hang-type condenser**
- 2. with bottom-step inside of cabinet**
- 3. 4 casters**
- 4. mechanical control with two indication lights in the thermostat board**



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## Curved glass door chest freezer




Net volume	Type	Model No.	Features			Dimension(W*D*H)	Loading qty	
			basket	lock & key	color		Net(mm)	40'fcl
250L	double glass	WD-250Y	1 wire	no	white	1055 x 625 x 865	68	92
290L	double glass	WD-290Y	1 wire	no	white	1205 x 625 x 865	56	74
330L	double glass	WD-330Y	1 wire	no	white	1325 x 625 x 865	50	66



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.

## DUAL GLASS ISLAND CASE



MODEL	TEMPERATURE	DIMENSION(mm)	DISPLAY AREA	20GP	40GP	40HQ
DL8-15	-16 ~ -20	2440 x 1500 x 810	3.98	4	8	8
DL12-15	-16 ~ -20	3660 x 1500 x 810	5.97	2	6	6



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.


## island freezer



Model	UMD 1850 FR	UMD 2100 FR	UMD 2500 FR
Class	3	3	3
Temperature Range	-18/-23	-18/-23	-18/-23
Voltage	[V]230	[V]230	[V]230
Frequency	[Hz]50	[Hz]50	[Hz]50
Net Volume	[Lt]470	[Lt]653	[Lt]797
Gross Volume	[Lt]666	[Lt]912	[Lt]1109
Width Int/Ext/With Packing	1720/1856/1920	1970/2106/2170	2370/2506/2570
Dept Int/Ext/With Packing	720/858/920	720/858/920	720/858/920
Height Int/Ext/With Packing	525/815/925	600/890/1000	600/890/1000
Refrigerant	R404a / R290	R404a / R290	R404a / R290
20`` Container Capacity:[	[pcs]12	[pcs]10	[pcs] 8
40`` Container Capacity	[pcs]24	[pcs]22	[pcs] 16



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.



MODELS	Ltrs.	DIMENSION H x W x D (cm)	CONTAINER CAPACITY '20 fcl/ '40 'fcl
SG 70 S	400	142 x 70 x 70	40 ft: 45 units



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*



## Feature:

- Custom Designed for Easy Product Access
- Integrated Vertical Lighting in Each Post
- Electronic Temperature Control With Digital Readout
- Automatic Defrost and Heated Drain Pan
- Adjustable Dual Position Shelves
- High Impact Graphics Available



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## Open Front Cooler



**Reliable cooling system with minimum maintenance**

**Maximum display with minimum floor space**

**Adjustable shelves**

**Partly glazed side walls, fully solid is optional**

**Detachable top illuminated panel with switch**

**Polycarbonate logos on lower front & sides**

**Embossing of polycarbonate logo**

**Vertical tube lights on both sides**

**Heavy-duty caster wheels for mobility within premises**


**Energy saving night blind is optional**

**Built-in electronically controlled digital display thermostat**



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**  
*Steps For Cooling Equipment & Trading Co.*

## MEDIUM TEMPERATURE CASE



MODEL	TEMPERATURE	DIMENSION(mm)	DISPLAY AREA	20GP	40GP	40HQ
D5-6A	0 ~ 7	1830 x 995 x 2020	4.71	6	12	12
D5-8A	0 ~ 7	2500 x 995 x 2020	6.29	4	8	8
D5-112A	0 ~ 7	3750 x 995 x 2020	9.43	2	6	6
D5-6B	0 ~ 7	1830 x 950 x 2020	4.72	6	12	12
D5-8B	0 ~ 7	2500 x 950 x 2020	6.29	4	8	8
D5-12B	0 ~ 7	3750 x 950 x 2020	9.43	2	6	6
D5-6C	0 ~ 7	1830 x 950 x 2020	4.72	6	12	12
D5-8C	0 ~ 7	2500 x 950 x 2020	6.29	4	8	8
D5-12C	0 ~ 7	3750 x 950 x 2020	9.43	2	6	6



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.

## Open Front Coolers UOF 3



**Temperature Range:**[°C]+2/+12  
**Voltage:**[V]230  
**Frequency:**[Hz]50  
**Power:**[W]1670  
**Current Consumption:**[A]29  
**Net Volume:**[Lt]750  
**Gross Volume:**[Lt]1100  
**Net Weight:**[Kg]300  
**Gross Weight:**[Kg]318  
**Refrigerant:**[]R404a  
**20` Container Capacity:**[pcs]9  
**40` Container Capacity:**[pcs]21  
**83m3 Truck Capacity:**[pcs]23  
**Width Ext/With Packing:**[mm]1257 / 1300  
**Depth Ext/With Packing:**[mm]975 / 1000  
**Height Ext/With Packing:**[mm]2120 / 2200



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## Open Front Coolers UOF 1



**Temperature Range:[°C]+2/+12**

**Voltage:[V]230**

**Frequency:[Hz]50**

**Power:[W]1450**

**Current Consumption:[A]20**

**Net Volume:[Lt]305**

**Gross Volume:[Lt]670**

**Net Weight:[Kg]213**

**Gross Weight:[Kg]225**

**Refrigerant:[R]R404a**

**20` Container Capacity:[pcs]14**

**40` Container Capacity:[pcs]28**

**83m3 Truck Capacity:[pcs]34**

**Width Ext/With Packing:[mm] 800/ 840**

**Depth Ext/With Packing:[mm] 975 / 1000**

**Height Ext/With Packing:[mm] 2120 / 2200**



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**  
*Steps For Cooling Equipment & Trading Co.*



## Post Mix Soda Fountain Dispenser

Tianwan (shanghai) Intelligent Equipment CO.,LTD

Steps for cooling equipment and Trade Co., Ltd.

2024



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.ر)  
*Steps For Cooling Equipment & Trading Co.*

## Desktop (2-6 Flavors)

- A: Built-in carbonator and ice bank cooling system;
- B: Dispense **carbonated** and non-carbonated drinks;(Can be customized)
- C: Instant cooling, easy to install;
- D: For restaurants and fast food stores;
- E: Customized LED logo and surface stickers;
- F: Connect BIB syrup or stainless syrup tanks.



### Parameter:

Model: TW-M2CD/TW-M3CD/TW-M4CD/TW-H5CD/TW-H6CD  
Voltage: 220V/50Hz or 110V/60Hz  
Power: 638W  
Compressor: 1/3HP+  
Carbonator: 1.6-2.2L  
Ice bank: 8-14.5-18KGS  
Refrigerant: R134a  
Temperature: 2-6°C  
Sparkling output(CO2 water): 4-5L/Min  
Machine size: 315\*655\*650MM/420\*655\*720MM(W\*D\*H)  
Packing size: 950\*420\*760MM/1000\*520\*820MM(L\*W\*H)  
Gross weight: 70-95KGS  
HS code: 8418699090

- What You Need To Supply:**
- Water supply
  - Bag-in-Box(BIB) Syrup
  - CO<sub>2</sub>(Carbon-Dioxide) Gas
  - Electricity




شركة خطوات لتجهيزات التبريد والتجميرة (ذ.م.ر)  
*Steps For Cooling Equipment & Trading Co.*

## Desktop (8 Flavors)

- A: Built-in carbonator and ice bank cooling system;
- B: Dispense **carbonated** and non carbonated drinks;(Can be customized)
- C: Instant cooling, easy to install;
- D: For restaurant and fast food store;
- E: Customized LED logo and surface stickers;
- F: Connect BIB syrup or stainless syrup tanks.
- G: Prepare your own gas cylinders and syrup tanks.

### Parameter :

Model: TW-H8CD  
Voltage: 220V/50Hz or 110V/60Hz  
Power: 680W  
Compressor: 5/8HP+  
Carbonator: 2.24L  
Ice bank: 19-25KGS  
Refrigerant: R134a  
Temperature: 2-6°C  
Sparkling output(CO2 water): 4-5L/Min  
Machine size: 570\*650\*800MM(W\*D\*H)  
Packing size: 1000\*670\*900MM(L\*W\*H)  
Gross weight: 115KGS  
HS code: 8418699090



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## Desktop (2-8 Flavors)

- A: Built-in ice bank cooling system;
- B: Dispense Juice and non carbonated drinks;
- C: Instant cooling, easy to install;
- D: For restaurant and fast food store;
- E: Customized LED logo and surface stickers;
- F: Connect BIB syrup or stainless syrup tanks.



New BIB  
For Concentrate Juice  
Hot&Cold Together

### Parameter :

Model: TW-HC30/TW-M2CD/ TW-M3CD/TW-M4CD/TW-H5CD/TW-H6CD

Voltage: 220V/50Hz or 110V/60Hz

Power: 460W

Compressor: 1/3HP+

Carbonator: 2-2.24L

Ice bank: 10-18KGS

Refrigerant: R134a

Temperature: 2-6°C

Machine size: 395\*550\*770MM/315\*655\*650MM/420\*655\*720MM(W\*D\*H)

Packing size: 650\*500\*920MM/950\*420\*760MM/1000\*520\*820MM(L\*W\*H)

Gross weight: 75-95KGS

HS code: 8418699090



شركة خطوات لتجهيزات التبريد والتجميرة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## Tower Unit (4/6/8 Flavors)

- A: Built-in carbonator and ice bank cooling system;
- B: Dispense carbonated drinks and non carbonated drinks;
- C: Instant cooling, easy to install;
- D: Used in movie theater, supermarket and bars;
- E: Connect BIB syrup.



## Undercounter chiller:

Model: TW-TS\*CD  
Voltage: 220V/50Hz or 110V/60Hz  
Power: 636W  
Compressor: 1/3HP+  
Carbonator: 2.24L  
Ice bank: 14.5-18KGS  
Refrigerant: R134a  
Temperature: 2-6°C  
Sparkling output(CO2 water): 4-5L/Min  
Chiller size: 420\*630\*770MM(W\*D\*H)  
Tower size: 520\*265\*370MM(W\*D\*H)  
Packing size: 1120\*780\*820MM  
Gross weight: 120-130KGS  
HS code: 8418699090



What You Need To Supply:	
	Nitrogen Supply
	Sugars-in-the-loop Syrup
	CO2(Carbon Dioxide) Gas
	Electricity



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## **Bar Gun System (2 Flavors)- Small Size**

A: Built-in carbonator and ice bank cooling system;  
B: Dispense 2 carbonated drinks and sparkling water;  
C: Instant cooling, easy to install;  
D: Popular in movie theater, supermarket and bars;  
E : Connect BIB syrup.

### **Features:**

New 3-button Wunder-bar soda gun  
36" stainless flex hose  
Quick disconnect manifold assembly  
1/4" stainless steel barbed input fittings  
2-piece gun holster with drain tube

### **Undercounter chiller:**

Model: TW-WBM2  
Voltage: 220V/50Hz or 110V/60Hz  
Power: 450W  
Compressor: 1/3HP+  
Carbonator: 1.5L  
Ice bank: 8-14.5KGS  
Refrigerant: R134a  
Temperature: 2-6°C  
Machine size: 360\*615\*525MM(W\*D\*H)  
Packing size: 740\*430\*810MM(L\*W\*H)  
Gross weight: 71KGS  
HS code: 8418699090

## **2-Flavors Soda Gun Fountain System**



**What You Need To Supply:**

Water Supply	Sugarcane/BIB Syrup
CO <sub>2</sub> /Carbon Dioxide Gas	Electricity



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**  
**Steps For Cooling Equipment & Trading Co.**

### **Bar Gun System (4/6/8/12/14 Flavors)**

- A: Built-in carbonator and ice bank cooling system;
- B: Dispense carbonated drinks and non carbonated drinks;
- C: Instant cooling, easy to install;
- D: Popular in movie theater, supermarket and bars;
- E: Connect BIB syrup or stainless syrup tanks.



#### **Undercounter chiller:**

Model: TW-SG6F  
Voltage: 220V/50Hz or 110V/60Hz  
Power: 636W  
Compressor: 1/3HP+  
Carbonator: 2.24L  
Ice bank: 14.5-18KGS  
Refrigerant: R134a  
Temperature: 2-6°C  
Machine size: 420\*630\*770MM(W\*D\*H)  
Packing size: 760\*510\*985MM(L\*W\*H)  
Gross weight: 93-105KGS(95)  
HS code: 8418699090

### **6-Flavors Soda Gun Fountain System**



	What You Need To Supply:
	Water Supply
	Bag-in-Box(BIB) Syrup
	CO2 Carbonating Tank
	Electricity



**شركة خطوات لتجهيزات التبريد والتجميرة (ذ.م.م)**  
**Steps For Cooling Equipment & Trading Co.**

## **Drop-in Dispenser (4/6/8 Flavors)**

It offers maximum beverage cooling capacity in post-mix and pre-mix models. Quick, easy install cold plate inlets and drain connections simplify pre-plumbing and installation.

### **Parameter :**

Model: TW-DI\*CD  
Voltage: 220V/50HZ or 110V/60Hz  
Compressor: No  
Carbonator: 2.24L  
Cooling system: Cold plate  
Machine size: 630\*645\*1196MM(W\*D\*H)  
Net weight: 72KGS  
Packing size: 800\*730\*1300MM(L\*W\*H)  
Gross weight: 85KGS  
HS code: 8418699090

#### **! What You Need to Supply:**

- Water supply
- Bag-in-Box (BiB) syrup
- CO<sub>2</sub> (carbon dioxide) gas
- Electricity



**شركة خطوات لتجهيزات التبريد والتجمارة (ذ.م.م)**  
**Steps For Cooling Equipment & Trading Co.**



<b>Model: SC 105 B</b>
<b>Capacity: 105 Liter</b>
<b>Unit Size (W x D x H) : 36x36.5x188 cm</b>
<b>Inner Size(W x D x H) : 28x28x132.5 cm</b>
<b>Carton Size(W x D x H) : 40.6x44.1x192.4 cm</b>
<b>1 pc/CTN</b>
<b>N.W./G.W.: 60/63 KGS</b>
<b>FCL: 70 PCS/ 20 GP, 145 PCS/ 40 GP, 145 PCS/ 40 HQ</b>
<b>*cooling by compressor(R134 a)</b>
<b>*power supply: 110 V/60 Hz, 220 V-240 V/50 Hz</b>
<b>*input power: 92 W</b>
<b>*power consumption: 1.0 kW·h/ 24 h</b>
<b>*refrigerant: R 134 a/55 g</b>
<b>*climate classification: N</b>
<b>*temperature can be adjustable manually between 0-12 °C</b>



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## Single Upright Cooler



## Single Upright Cooler

Net volume	Model No.	Product size	Features & Configuration		Loading qty	
		(W*D*H)mm	Shelf	Condenser	20 'fcl	40 'fcl
200 L	UD - 200 AL	540 x 620 x 1500	4 wire	Skin in compressor compartment	40	82
280 L	UD - 280 AL	570 x 620 x 1760	4 wire	Skin in compressor compartment	27	57
360 L	UD - 360 AL	600 x 620 x 1960	4 wire	Skin in compressor compartment	27	54
400 L	UD - 400 AL	600 x 690 x 2020	5 wire	Skin in compressor compartment	27	54
550 L	UD - 550 AL	700 x 690 x 2020	5 wire	Skin in compressor compartment	24	48
660 L	UD - 660 AL	700 x 790 x 2020	5 wire	Skin in compressor compartment	21	42



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

# **Single Upright Cooler**

## **Main Features Options:**

- 1. Fan Cooling system**
- 2. self-evaporation water tray**
- 3. single vertical light**
- 4. With hot air blowing from thefront bottom to relieve the condensation on the glass**
- 5. double-glass-layer-door with one in temper**
- 6. With lock and key**
- 7. With extruded handle**
- 8.4 castors and2 in lock**
- 9. Painted Aluminum Interior**
- 10. Type A design of evaporator fan top cover**
- 11. With sticker on2 sides and light box**
- 12. Change to digital temperature controller with LED display**
- 13. Self-closing door**
- 14. Konorcompressor**
- 15. change color for dooframe compressorfront cover lightbox cover**



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**  
**Steps For Cooling Equipment & Trading Co.**

## 4 Side Glass w/ Front Door Curved Design

- Colour:** White ,black  
**Optional:** Silver  
**Optional:** Lock  
**Optional:** Advertisement Stick paper  
**Optional:** LED lamp (4PCS)  
**Optional:** Digital Controller



MODEL	CAPA CITY	Overhead lighting	DIMENSION (HxWxD ) cm	CONTAINER LOAD
RT 58 L-1	58 liters.	no	81 X 42.8 X 38.6	20 /40 " : 122 /258
RT 58 L-2	58 liters.	yes	92.5 X 42.8 X 38.6	20 /40 " : 102 /236
RT 68 L-1	68 liters.	no	88.5 X 42.8 X 38.6	20 /40 " : 115 /242
RT 68 L-2	68 liters.	yes	100 X 42.8 X 38.6	20 /40 " : 102 /236



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*



### **Color Options**

- Black, Blue, White & Red

### **Shelves**

- 3adjustable shelves

### **Doors**

- Singleopening doors
- Convenient Product access & merchandising.

### **Branding**

- 4sides below the glass

**High output bright LED product lighting**



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**  
*Steps For Cooling Equipment & Trading Co.*

## Counter Top Cooler



## Baby Cooler



### Counter Top Cooler

Net volume	Model No.	Product size	Features & Configuration			Loading qty	
		(W*D*H)mm	Shelf	Evaporator	Condenser	20 'fcl	40 'fcl
20L	EV 1 B	29.5 x 36.5 x 55	1 wire	Roll bond plate	Inside	240	504
50L	SS-50 PL	42 x 45.5 x 78	2 wire	Roll bond plate	Inside	165	330
75L	EV 2 A	44 x 43 x 87	2 wire	Roll bond plate	Inside	130	270
80L	SS-80 PL	49 x 45.5 x 93	3 wire	Roll bond plate	Inside	110	230



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.

# **Counter Top Cooler**

## **Counter Top Cooler**



### **Main Features**

- 1 . mechanical control**
- 2 . with horizontal light**
- 3 . With fan inside**
- 4 . Self - evaporating watertray**
- 5 . ABS interior**
- 6 . With recessed handle**
- 7 . With 4 adjustable feet**
- 8 . double - glass - layer - door with one in temper**

## **Baby Cooler**



**Baby Cooler**  
**One adjustable shelf**  
**With your company graphics on 2 Sides and top illuminated canopy**  
**Equipped with foot leg**



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**  
**Steps For Cooling Equipment & Trading Co.**

# CAN COOLER



MODEL	NAME	REFRIGERANT	NET CAPACITY(L)	TEMPERATURE RANGE	CARTON DIMENSION (MM)	LOADING CAPACITY (20FT/40FT/40H.Q)
BC -40 D	CYLINDRIC COOLER SERIES	R134a	40	0°C~10°C	465*465*880	120/250/375
BC -50 D	CYLINDRIC COOLER SERIES	R134a	50	0°C~10°C	465*465*1000	120/250/-
SC -40 T	CYLINDRIC COOLER SERIES	R134a	40	0°C~10°C	465*465*780	180/375/-
SC -50 T	CYLINDRIC COOLER SERIES	R134a	50	0°C~10°C	465*465*900	120/250/-



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

# CAN COOLER

BC -40D/BC -50D



SC-40T/SC -50T



Customized Cover like a real Can

## FEATURES:

Customized silver foam cover can cooler & convenient to open/close door.

Equipped with caster wheels.

Optional toughened glass door or enfold door, flexible to use.

Approved on European and Australian Standard.

For party, bars, hotels, near

cashier (supermarket) & small stores.

Hinge design for easy open/close cover



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
Steps For Cooling Equipment & Trading Co.

## Trolley Chiller



**FEATURES:**  
**Two inner baskets**  
**Equipped w/wheels for easy moving**  
**Silver Color Design**  
**Tropic aliased Cooler**

### SPECIFICATIONS:

MODEL	CAPACITY	DIMENSION (HxWxD) cm	Container Load
SC - 86	100 liters	107 x 52 .2 x 85 .3	40 ' HQ / 246 units



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*



<b>Power Source</b>	Electricity
<b>Type</b>	Compact
<b>Feature</b>	Compressor
<b>Defrost Type</b>	Manual Defrost
<b>Installation</b>	Other
<b>Material</b>	Plastic
<b>Certification</b>	CE
<b>Fridge Capacity</b>	25 L
<b>Freezer Capacity</b>	NO
<b>Power (W)</b>	93
<b>Voltage (V)</b>	220



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

## Special Kiosk Freezers & cooler



### Additional Features :

- **DOUBLE DECKER FREEZER**
- **Two Curved Sliding glass lids each**
- **Temperature range -18 to -30 deg**
- **With baskets**
- **Graphics on 2 OR 3 sides**
- **Equipped with castor wheels**



شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)  
*Steps For Cooling Equipment & Trading Co.*

# SC-70FP GLASS DOOR FREEZER



**Counter top cooler, With Light Box**

**Fan cooling system**

**Unit dimension(cms)**

**H81.5\*W53.5\*D45.5**

**1\*40GP(PCS): 178PCS**

*Steps General Supplies Co. Steps General Supplies Co. Steps General Supplies Co. Steps General Supplies Co.*



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**

***Steps For Cooling Equipment & Trading Co.***

## **SC-20FP (BABY FREEZER)**



**BB COOLER, With Light Box, Lock,  
Fan cooling system  
Unit dimension(cms)  
H56\*W29.5\*D37  
1\*40GP(PCS): 525PCS**



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**  
*Steps For Cooling Equipment & Trading Co.*

## Counter Top Cooler \_ CT 90



### Main Features

**Capacity : 90 liters**

**Climate type: N-ST**

**(working under 32°C ~38°C Ambient temperature)**

**Temprature:0°~10°C**

**Dimension: (63 x 39.4 x 97)cm**

**Packing Dimension: (68 x 41 x 110)cm**

**Refrigerant R134a**

**Cooling Type: Fan Cooling**

**Foaming Blowing Agent: Cyclopentane**

**Shelves: 3**

**Rated Voltage: (220/240-V/50Hz) & (230V/60Hz)**

**Light :Yes**

**Net Weight / Gross weight. : 50kg / 55kg**

**Lock & Key : Yes**

**Container Load 20' GP: 96 pcs.**

**Container Load 40'GP / 40'HQ :194 pcs. / 228pcs**



**شركة خطوات لتجهيزات التبريد والتجارة (ذ.م.م)**

**Steps For Cooling Equipment & Trading Co.**