

```

2
3     using namespace std;
4
5     int main()
6     {
7         int secret_Code=1234;
8         int digit;
9         for(int attempts=1;attempts<=3;attempts++)
10        {
11            cout<<"Pls enter 4-digits:"<<endl;
12            cin>>digit;
13            if(digit==secret_Code)
14            {
15                cout<<"safe unlocked"<<endl;
16                break;
17            }
18            else if(digit>secret_Code)
19            {
20                cout<<"safe locked"<<endl;
21                cout<<"your digit is too high"<<endl;
22            }
23            else
24            {
25                cout<<"safe locked"<<endl;
26                cout<<"your digit is too low"<<endl;
27            }
28
29            cout<<"you still have "<<3-attempts<<" attempts"<<endl;
30        }
31    }
32
33
34
35
36    return 0;
37 }
38

```

```
"D:\Downloads\first file c++\t" × + ∨
Pls enter 4-digits:
6321
safe locked
your digit is too high
you still have 2 attempets
Pls enter 4-digits:
1235
safe locked
your digit is too high
you still have 1 attempets
Pls enter 4-digits:
1234
safe unlocked

Process returned 0 (0x0)   execution time : 22.064 s
Press any key to continue.
|
```

```

1  #include <iostream>
2
3  using namespace std;
4
5  int main()
6  {
7      int battery=100;
8      cout<<"enter how many tasks:"<<endl;
9      int n;
10     cin>>n;
11     int task;
12     for(int i=1; i<=n; i++)
13     {
14         cout<<"what is the cost of task"<<i<<":"<<endl;
15         cin>>task;
16         if(task<=100&&task>0)
17         {
18             battery=battery-task;
19             if(battery<=0)
20             {
21                 cout<<"robot out of"<<endl;
22                 break;
23             }
24             else
25             {
26                 cout<<"the remaining battery: "<<battery<<endl;
27             }
28         }
29         else
30         {
31             cout<<"invalid cost"<<endl;
32         }
33     }
34 }
35

```

```
}  
if (battery<=20)  
{  
    cout<<"battery critical"<<endl;  
}  
else if(battery<=50)  
{  
    cout<<"battery is low"<<endl;  
}  
else  
{  
    cout<<"battery healthy"<<endl;  
}  
  
return 0;  
}
```

```
enter how many tasks:
4
what is the cost of task1:
10
the remaining battery: 90
what is the cost of task2:
10
the remaining battery: 80
what is the cost of task3:
10
the remaining battery: 70
what is the cost of task4:
10
the remaining battery: 60
battery healthy
```

```
Process returned 0 (0x0)   execution time : 8.858 s
Press any key to continue.
```

main.cpp [extrabouns] - Code::Blocks 20.03

File Edit View Search Project Build Debug Fortran wxSmith Tools Tools+ Plugins DoxyBlocks Settings Help

<global>

Management

Projects Files FSy

Workspace

extrabouns

Sources

main.cpp

```
1 #include <iostream>
2 #include <cstdlib>
3 #include <ctime>
4
5 using namespace std;
6
7 int main()
8 {
9     srand(time(0)); //srand means start random from zero.
10
11     int secret_number = rand() % 100 + 1; //rand random number for each run .
12     // %100+1 means the end of random numbers 100 and +1 mean start from 1.
13     int attempts=7;
14     int number;
15     for(int i=1; i<=attempts; i++)
16     {
17         cout<<"pls guess the number: "<<endl;
18         cin>>number;
19         if (number>secret_number)
20         {
21             cout<<"your gussing is too high"<<endl;
22         }
23         else if (number<secret_number)
24         {
25             cout<<"your gussing is too low"<<endl;
26         }
27     }
28     else
29     {
30         cout<<"your gussing is correct"<<endl;
31         break;
32     }
33     cout<<"you still have " <<attempts-i<<" attempts"<<endl;
34
35 }
36
37 cout << "Game Over!" << endl;
38 cout << "The secret number was: " << secret_number << endl;
39
40
41
42
43
44
45
46
47
48
49
```

D:\Downloads\first file c++\extrabouns\main.cpp

:C/C++

Windows (CR+LF)

WINDOWS-1256

Line 3, Col 17, Pos 57

Insert

Read/Write default

27°

12:04 AM 8/26/2026

تم المسح الضوئي بـ CamScanner

```
"D:\Downloads\first file c++\  × + ∨
pls guss the number:
30
your gussing is too low
you still have 6 attempets
pls guss the number:
50
your gussing is too low
you still have 5 attempets
pls guss the number:
70
your gussing is too high
you still have 4 attempets
pls guss the number:
66
your gussing is too low
you still have 3 attempets
pls guss the number:
67
your gussing is too low
you still have 2 attempets
pls guss the number:
68
your gussing is correct
Game Over!
The secret number was: 68

Process returned 0 (0x0)   execution time : 33.550 s
Press any key to continue.
|
```

```

1  #include <iostream>
2  #include <cstdlib>
3  #include <ctime>
4
5  using namespace std;
6
7  int main()
8  {
9      cout<<"enter the starting hour"<<endl;
10     int hour;
11     cin>>hour;
12     cout<<"enter the minutes"<<endl;
13     int minutes;
14     cin>>minutes;
15     cout<<"travel minutes="<<endl;
16     int travel;
17     cin>>travel;
18     int totalminutes=hour*60+minutes+travel;
19     totalminutes = totalminutes % 1440;
20
21     int finalHour = totalminutes / 60;
22     int finalMinutes = totalminutes % 60;
23     cout<<"result:";
24     if(finalHour<10)
25         cout<<"0";
26     cout<<finalHour<<":";
27
28     if(finalMinutes<10)
29         cout<<"0";
30     cout<<finalMinutes<<endl;
31     if (finalHour >= 6 && finalHour < 12)
32     {
33         cout << "Morning" << endl;
34     }
35     else if (finalHour >= 12 && finalHour < 18)
36     {
37         cout << "Afternoon" << endl;
38     }
39     else if (finalHour >= 18 && finalHour < 24)
40     {
41         cout << "Evening" << endl;
42     }
43     else
44     {
45         cout << "Night" << endl;
46     }
47

```

```
*D:\Downloads\first file c++\  X + v
enter the starting hour
22
enter the minutes
45
travel minutes=
90
result:00:15
Night

Process returned 0 (0x0)   execution time : 7.311 s
Press any key to continue.
|
```

```

1  #include <iostream>
2  #include <cstdlib>
3  #include <ctime>
4
5  using namespace std;
6
7  int main()
8  {
9      cout<<"how money do you have?"<<endl;
10     int money;
11     cin>>money;
12     cout<<"how many games do you want?"<<endl;
13     int games;
14     cin>>games;
15     int cost;
16     int counter=0;
17     int allmoneyspent=0;
18
19     for(int i=1; i<=games; i++)
20     {
21         cout<<"the cost of game"<<i<<":"<<endl;
22         cin>>cost;
23         if(money>=cost)
24         {
25             allmoneyspent=allmoneyspent+cost;
26             money-=cost;
27             counter++;
28         }
29         else
30         {
31             cout<<"money not enough"<<endl;
32             continue;
33         }
34     }
35
36     int afterdescount=allmoneyspent;
37     if(counter>=3)
38     {
39         afterdescount=allmoneyspent-(allmoneyspent*10)/100;
40         money+=(allmoneyspent*10)/100;
41     }
42
43     cout<<"number of games bought="<<counter<<endl;
44     cout<<"total money spent after descount="<<afterdescount<<endl;
45     cout<<"total money remaining="<<money<<endl;
46
47

```

```
"D:\Downloads\first file c++\v  X + v
how money do you have?
1000
how many games do you want?
5
the cost of game1:
100
the cost of game2:
200
the cost of game3:
3003
money not enough
the cost of game4:
400
the cost of game5:
600
money not enough
number of games successfilly bought=3
total money spent after descount=630
total money remaining=370

Process returned 0 (0x0)   execution time : 22.020 s
Press any key to continue.
|
```