Football Injuries

By: Youssef Wael

AGENDA

- Dashboard
- Executive Summary
- Key Insights & Analysis
- Injuries Peak (2005-2007)
- Recommendations







110.84K
Total Injuries

53.61
AVG Days Missed

7.19
AVG Games Missed

Injury Reason

- Abdominal muscle strain
- Abdominal problems
- abscess
- Achilles heel problems
- Achilles tendon contusion
- Achilles tendon irritation
- Achilles tendon problems
- Achilles tendon rupture

From Date
01/06/1994 19/09/2025

To Date
01/06/1994 19/09/2025



Filters

Inj... , P...

Executive Summary

The data reveals a significant and positive trend: while the **total number of injuries remains high**, the **severity of those injuries has drastically decreased** over the past two decades. Players are getting injured just as often, but they are missing far fewer days and games per injury. This suggests major improvements in medical treatment, rehabilitation, and proactive management. However, muscular and soft-tissue injuries (hamstrings, knees, ankles) remain the dominant and persistent challenge.

Key Insights & Analysis

1. Dramatic Reduction in Injury Severity
2. High Volume of Injuries with Low Severity
3. Muscular and Soft-Tissue Injuries are the Primary Problem
4. The Impact of Modern Events

Dramatic Reduction in Injury Severity

- What the data shows: The "Average of Days missed" chart shows a steep decline from ~87 days before 2000 to ~56 days in 2025. Even more striking is the "Average of Games missed" chart, falling from over 12 games per injury before 2000 to just 7 games in 2025.

- Interpretation: This is a monumental improvement. It indicates that sports science, medical interventions (like advanced surgeries), and rehabilitation protocols have become vastly more effective. Injuries that were once career-threatening (e.g., Achilles tendon ruptures, cruciate ligament tears) now have much shorter recovery times.

High Volume of Injuries with Low Severity

- **What the data shows:** There are over **110,840 total injuries** (after processing) in the dataset, but the average games missed is only **7.19** and the average days missed is **53.61**.
- **Interpretation:** The injury profile has shifted from long-term absences to a higher frequency of short-term, manageable issues. The ecosystem is better at dealing with injuries quickly, but the sheer volume indicates that the physical demands of the sport are still causing a high rate of incidents.

Muscular and Soft-Tissue Injuries are the Primary Problem

- **What the data shows:** The "Top 10 Injury Reason Percentage" chart is dominated by **Muscle injury (10.7%)**, **Hamstring injury (8.94%)**, **Knee injury (8.13%)**, **muscular problems (6.97%)**, and **Ankle injury (6.74%)**. Together, these categories represent a massive portion of all injuries.
- **Interpretation:** Despite overall improvements, preventing these specific types of injuries remains the biggest unsolved challenge. They are likely linked to modern football's intensity: high-speed running, rapid acceleration/deceleration, congested fixtures, and short recovery periods.

The Impact of Modern Events

- **What the data shows:** "Corona virus" appears in the top 10 injury reasons. The "Days missed and Games missed" line chart also shows noticeable spikes (e.g., around 2020-2021).
- **Interpretation:** External factors like the COVID-19 pandemic disrupted training schedules, fixture congestion, and player health, leading to a measurable spike in injuries and absences. This highlights how external shocks can severely impact player availability.

Injuries Peak (2005-2007)

1. Extreme Fixture Congestion & Accumulated Fatigue
2. The Tactical and Physical Revolution
3. Limits of Sports Science in these years

Extreme Fixture Congestion & Accumulated Fatigue

- Research by BJSM: "The influence of congested fixtures on injury rates in elite football" (Dupont et al., 2010).
- Practical Conclusion: The research established that a minimum of 5 days of recovery is crucial to significantly reduce the risk of soft-tissue injuries in elite football players.
- Key Finding: The study concluded that the risk of injury was 6 to 8 times higher when the recovery period between matches was less than 5 days compared to a recovery period of 6 days or more.
- World Cup Cycle: This period was the peak of the 2005 FIFA Club World Cup 2006 and FIFA World Cup cycle in Germany. Elite players had no meaningful summer break in 2005 (due to qualifiers,) or in 2006 (due to the tournament itself).

The Tactical and Physical Revolution

- Research by STPM: "The Evolution of Physical and Technical Performance Standards in the Premier League" (Barnes et al., 2014).
- The Era of High Pressing: Tactical systems based on aggressive high-pressing after losing the ball (pioneered by coaches such as Benitez and Mourinho) became prevalent.
- Muscular Loading: These tactics require repeated explosive movements (such as sprinting, sudden decelerations, and sharp changes of direction), placing significant stress on the hamstrings and other muscle groups. This is directly related to the most important causes of injuries on the dashboard: muscle injuries, hamstring injuries, and muscular problems.

Limits of Sports Science in these years

- Research by: Comprehensive reviews conducted by Professor Jan Ekstrand, a leading expert in football medicine, published in journals such as the Scandinavian Journal of Sports Medicine and Science.
- Key Finding: Prior to approximately 2010, load management was often based on self-monitoring and raw data. The widespread use of external (GPS) and internal (heart rate) load monitoring was not standard practice in elite clubs.
- The physical demands of the game temporarily exceeded what was available sports science. The subsequent years have been marked by bridging this gap, and this is the success story your data tells.

Recommendations

1. Why Muscle Injury Prevention Methods Are on the Rise
2. What we can to Leverage data for proactive interventions
3. Clubs Strategic Management

Why Muscle Injury Prevention Methods Are on the Rise

- Implement individualized load management: Use GPS and performance data to monitor each player's workload and identify those at high risk of muscular fatigue.
- Enhance recovery protocols: Invest in and mandate the use of top-tier recovery tools (cryotherapy, compression, hydrotherapy) especially during periods of fixture congestion.
- Specialized strengthening programs: Develop position-specific and player-specific programs focused on hamstring, glute, and core strength, which are critical for preventing the most common injuries.

What we can to Leverage data for proactive interventions

- Predictive analytics: Go beyond descriptive dashboards. Use machine learning models on this historical data to predict which players are most susceptible to a particular type of injury based on their load, biomechanics, and injury history.
- Create "muscle health" dashboards: Develop specific metrics for muscle fatigue and readiness, giving medical and coaching staff a daily overview of which players need rest or modified training.

Clubs Strategic Management

- Plan to Combat Congestion: Accept that injuries, especially muscle injuries, are inevitable. Build stronger squads and rotate players strategically during peak periods (e.g., Boxing Days and European weeks) to reduce risk, rather than rushing to deal with injuries after they occur.
- Focus on Pre-Season: Use pre-season not only to improve fitness, but specifically to strengthen the team's ability to cope with injuries—building a solid foundation to withstand the demands of the season.

Thanks