



Phase 7

The Moat

OmniERP — Trust Network, Carrier Integration & COD
Settlement

7a Trust Network & PDPL · **7b** Bosta & Mylerz · **7c** Settlement
Reconciliation

Legal gate on 7a — 6–7 weeks

DOCUMENT	Phase 7 Specification
VERSION	1.0
DATE	26 July 2026
AUTHOR	Principal Architecture & Product
AUDIENCE	Principal Systems Architect & coding assistant
STATUS	Blocking legal dependency (Q-39 to Q-41)

0. Two Things Before the Specification

0.1 A correction I need to own

SRS v1.0 §6.8 and SRS v2.0 §0.3 both cite Egypt's data protection statute as "**Law 151/2018.**" That is wrong. It is **Law No. 151 of 2020**. Every downstream reference in those documents inherits the error. Correct it in your master copies.

0.2 The regulatory ground has moved, and there are ~13 weeks left

When SRS v1.0 was written, the PDPL was principles-only and largely unenforceable in practice. **That is no longer true.**

FACT	SOURCE POSITION
Executive Regulations issued	Minister of Communications and Information Technology Decree No. 816 of 2025, entering into force 2 November 2025 following publication in the Official Gazette
What changed	The Regulations convert the Law's abstract obligations into concrete systems of compliance and oversight — defining licensing categories, security standards, structured consent mechanisms and documentation requirements that previously did not exist
Compliance deadline	A one-year transitional period ending 1 November 2026, after which non-compliance may expose controllers and processors to financial and criminal penalties
Licensing	Prior authorisation from the Personal Data Protection Centre is required as a general rule for most processing activities
DPO	Mandatory appointment of a Data Protection Officer in applicable cases
Breach notification	72-hour notification obligation to the PDPC
Supervisory body	The Regulations empower the Personal Data Protection Centre as the authority responsible for implementing, monitoring and enforcing the PDPL
Portal	The PDPC indicated its electronic portal would launch around mid-June 2026, at which point it begins accepting applications for licences, permits and accreditations
Enforcement posture	On expiry of the grace period, organisations are expected to demonstrate substantive and good-faith compliance

What this means for you, concretely:

The Trust Network is a system that processes personal data (phone-derived identifiers) about data subjects who are **not your customers**, aggregates it **across controllers**, and returns behavioural inferences that materially affect whether those individuals receive service. Under a now-operational licensing regime, that is close to the highest-scrutiny category of processing a private company can undertake in Egypt.

The compliance deadline is **~13 weeks away**. The licensing portal has been open since around mid-June. **You are building the highest-risk feature in your product inside the window where you must also register for it.**

I have asked whether PDPL counsel is engaged four times — Q-5 in SRS v2.0, Q-15 in the v2.0 revision, and twice since. It has never been answered. I am now making it a hard gate rather than a question:

Phase 7a must not ship to production without written Egyptian legal counsel sign-off on the Trust Network design, and without a PDPC licensing position. Build it, test it, run it in a closed pilot — but do not process a real consumer's data across tenants in production until a lawyer has signed the architecture in §4.

I am an architect. The design in §4 is built to minimise exposure and I believe it is defensible. That is an engineering opinion, not a legal one, and the distinction matters more here than anywhere else in this product.

Your decision to host on Egyptian soil (A-19) now looks materially better than it did — it removes the cross-border transfer question, which requires licensing and explicit consent, from the critical path entirely.

One more consequence: the DPO requirement, PDPC registration, and the 72-hour breach notification process are **company obligations, not features**. They belong in Phase 8 (Launch Readiness) as a workstream with an owner, and someone needs to start them now rather than in October.

1. What Phase 7 Actually Is

Phases 1–6 built a very good ERP. A well-funded competitor could replicate it in eighteen months.

Phase 7 builds the part that cannot be replicated by writing code. The Trust Network's value is a function of how many merchants have contributed, for how long. A competitor who starts today starts at zero coverage regardless of their engineering budget. Every month you operate, the gap widens.

Three components, in descending order of defensibility:

PART	WHAT IT IS	WHY IT MATTERS
7a — Trust Network	Cross-tenant COD reputation ledger	The moat. Structurally uncopyable
7c — COD Settlement	Carrier remittance reconciliation	The sleeper. Nobody local does it, it's cheap to build, and it closes deals
7b — Carriers	Bosta/Mylerz shipment + webhook	The plumbing that feeds both of the above

Build order is 7b → 7c → 7a. Carrier integration produces the delivery outcomes that feed the Trust Network, so it must exist first. Settlement reconciliation is independent of the legal gate and can ship regardless. Trust Network hardening lands last, when counsel has ruled.

This ordering also de-risks the phase: if legal sign-off is delayed, **7b and 7c still ship**, and you launch with COD settlement reconciliation as a headline feature while the Trust Network waits.

2. Verification Gates

#	CONFIRM	IF FALSE
V-1	The existing <code>GlobalReputation</code> table and <code>/trust/score/{phone}</code> endpoint from the original build are still present and functioning	Scope changes from "harden" to "build"
V-2	Contact phones are normalised to E.164 on write (SRS FR-202)	Blocking. Inconsistent formats destroy hash match rates and the network silently returns <code>UNKNOWN</code> forever
V-3	Phase 6's Excel import supports historical COD outcome backfill (FR-709)	Cold-start mitigation is unavailable; add 1 week
V-4	Vault holds secrets by reference and supports versioned secrets	Pepper rotation (\$7.2) cannot be implemented safely
V-5	The outbox pattern reliably delivers <code>shipment.status_updated</code> events	Trust contributions will be lossy, which is worse than absent
V-6	A "Cash with Carrier" control account exists, or can be added to the seeded CoA	7c blocked

3. Architectural Goals

1. **The `public` schema never stores a phone number.** Not encrypted, not hashed-without-pepper. A column capable of holding one must not exist.
2. **Aggregate signals out, never records.** A querying merchant learns a risk band and a bucketed volume. Never a count, never a date, never another merchant's identity.
3. **Contribution is the price of access.** Reciprocity is both a privacy control and the growth mechanic.
4. **Every score is contestable and every score decays.** A permanent blacklist with no appeal is unethical, and under an active supervisory authority it is also a liability.
5. **Carrier integration is a plugin, not core.** Bosta and Mylerz sit behind one `CarrierProvider` interface. Adding a third carrier must not touch sales, inventory, or accounting.
6. **COD cash is not cash until the carrier remits it.** Recognising it earlier materially misstates the cash position, and the merchant's whole reason for buying is knowing where their money actually is.
7. **Enumeration is treated as a breach, not a bug.** A tenant scanning the number space is exfiltrating personal data through your API, and under the Regulations that becomes a 72-hour notification obligation.

PART 7a — Trust Network Hardening

4. Privacy Architecture

4.1 Identifier Handling

ID	REQUIREMENT
FR-701	<code>phone_hash</code> = <code>HMAC-SHA256(E.164_phone, PEPPER)</code> , where <code>PEPPER</code> is a server-side secret held in Vault, never in the database, never in application config, never in a log
FR-702	Peppered HMAC, not bare SHA-256. The Egyptian mobile number space is small enough to enumerate exhaustively in minutes on commodity hardware — a bare hash of a phone number is reversible, not pseudonymous. This single design decision is the entire privacy guarantee, and getting it wrong turns the <code>public</code> schema into a plaintext phone directory with extra steps
FR-703	Pepper versioning: <code>phone_hash</code> rows carry <code>pepper_version</code> . Rotation re-hashes progressively (§7.2)
FR-704	The hashing function exists in exactly one module. No other code path may compute a <code>phone_hash</code> . CI-enforced, the way the <code>search_path</code> ban was enforced in Phase 0
FR-705	Schema review checklist: no column in <code>public</code> may hold a phone number, an email, a name, or an address. Enforce with a migration lint rule

4.2 Query Controls

ID	REQUIREMENT
FR-710	k-anonymity gate: no score is returned unless the identifier has activity across ≥ 3 distinct tenants. Below that, return <code>UNKNOWN</code> . This is what prevents a merchant inferring a specific competitor's data about a specific customer
FR-711	Aggregate signals only: risk band, bucketed order volume ("10–20 orders"), banded return rate. Never raw counts, never dates, never values, never merchant identities
FR-712	Reciprocity gate: read access requires $\geq N$ contributed outcomes in the trailing period. A tenant who only consumes is cut off
FR-713	Rate limiting per tenant per window, with a separate stricter limit on distinct-identifier lookups
FR-714	Enumeration detection: sequential patterns, unusually high distinct-identifier ratios, lookups without corresponding order creation. Detection triggers throttle → alert → suspension, and an internal incident with a breach-assessment step (§3.7)
FR-715	Full query audit: tenant, identifier hash, timestamp, result band, source screen. Retained per the retention policy, and it is itself personal data — protect it accordingly
FR-716	Lookups are permitted only from contexts with a legitimate business purpose (order entry, contact detail). No bulk lookup API. No CSV screening endpoint. If a merchant wants to screen a list, that is a feature request to decline

4.3 Consent, Rights & Governance

ID	REQUIREMENT
FR-720	Merchant consent at onboarding: explicit, separately toggleable from other terms, in plain Arabic, stating exactly what is shared and what is received. Opting out disables both contribution and querying

ID	REQUIREMENT
FR-721	Consumer-facing transparency page , publicly reachable without login, in Arabic, explaining the network in plain language: what data, why, who sees what, and how to exercise rights
FR-722	Data subject rights channel : a documented, working process for an individual to request their own band, contest it, and request erasure. Erasure must actually delete the <code>phone_hash</code> row and its contributions — not flag it
FR-723	Identity verification for rights requests (OTP to the number in question), so the rights channel does not itself become a lookup oracle
FR-724	Merchant-facing notice text for invoices and order confirmations, disclosing that delivery outcome data may contribute to a shared reliability network
FR-725	Processing record (Article 30-style register): categories of data, purposes, recipients, retention, and safeguards — maintained as a living document, since the Regulations make documentation an enforceable requirement
FR-726	Retention policy with automated enforcement . Contributions older than N months are aggregated and the underlying rows deleted. Indefinite retention of behavioural data is not defensible
FR-727	Breach response runbook meeting the 72-hour PDPC notification obligation, with a defined severity trigger and an owner

4.4 Scoring Engine

ID	REQUIREMENT
FR-730	Ingest via idempotent consumer on <code>shipment.status_updated</code> and <code>invoice.cod_settled</code> . A replayed event must not double-count
FR-731	Score dimensions: return rate · order volume · recency weighting (a return two years ago matters less than one last month) · cross-tenant consistency · refusal-at-door rate specifically
FR-732	Bands: UNKNOWN (<3 tenants or <5 orders) · NEW · GOOD · CAUTION · HIGH_RISK. Thresholds server-side configurable without deploy
FR-733	Arabic explainability string with every score, exposing no underlying data: "معدل ارتجاع مرتفع عبر عدة تجار خلال آخر 6 شهور"
FR-734	Decay and rehabilitation . Scores drift toward neutral with sustained good behaviour. A customer wrongly banded must be able to recover without human intervention
FR-735	Dispute mechanism : a merchant or a data subject can flag a contribution as erroneous. Disputed contributions are excluded from scoring pending review
FR-736	Anti-poisoning : weight contributions by tenant reliability. Detect a tenant mass-reporting returns to damage a competitor's customer base — a tenant whose return-reporting rate is a wild outlier gets down-weighted and flagged
FR-737	Score lookup p95 < 150ms , Redis-cached with short TTL. Slower than that and it will not be used during 20-second order entry, and an unused control is no control
FR-738	Model the underlying structure as nodes and edges (identifier ↔ tenant ↔ outcome) to permit a future graph export for ring detection (Blueprint I §I.4)
FR-739	Internal network health dashboard: coverage %, hit rate, contribution rate by tenant, dispute volume, k-anonymity rejection rate

5. Domain Entities — 7a

```
public.global_reputation
  phone_hash (PK), pepper_version
  distinct_tenant_count, total_orders, total_returns
  total_refused_at_door
  recency_weighted_return_rate
  band, band_computed_at
  first_seen_at, last_activity_at
  is_disputed, is_erased

public.trust_contribution
  id, phone_hash, tenant_id          -- tenant_id needed for k-anon + anti-poison
  outcome                          delivered | returned | refused | lost
  occurred_at, source_event_id      -- idempotency
  weight, is_disputed, is_excluded
  expires_at                        -- retention (FR-726)

public.trust_query_log
  id, tenant_id, phone_hash, queried_at
  result_band, was_k_anon_blocked, source_context

public.tenant_trust_consent
  tenant_id, consented_at, consented_by, consent_text_version
  is_active, revoked_at

public.trust_reciprocity
  tenant_id, window_start
  contributions_count, queries_count, access_state

public.trust_dispute
  id, phone_hash, raised_by_type      merchant | data_subject
  raised_by_ref, reason, state, resolved_at, resolution

public.trust_rights_request
  id, request_type                  access | rectification | erasure
  identifier_verified_at, state, fulfilled_at

public.pepper_version
  version, created_at, retired_at, vault_ref
```

Note the deliberate absence: no phone, no name, no address, no order value, no invoice reference anywhere in `public`.

PART 7b — Carrier Integration

6. Requirements

ID	REQUIREMENT
FR-750	<code>CarrierProvider</code> interface with <code>BostaProvider</code> and <code>MylerzProvider</code> implementations. Shipped as a plugin per the Phase 6 widget/plugin contract
FR-751	Create shipment from a sales invoice or delivery note; retrieve AWB; print label (thermal + A4, Arabic, via the Phase 5/6 PDF pipeline)

ID	REQUIREMENT
FR-752	Webhook ingestion of status updates, authenticated, replay-protected, idempotent , written to the outbox and processed asynchronously
FR-753	Carrier status → canonical <code>ShipmentState</code> mapping, maintained per carrier. Carriers use different vocabularies for the same physical event
FR-754	Polling fallback for shipments with no webhook update beyond a threshold
FR-755	Pickup request creation and scheduling
FR-756	Return-in-transit tracking. Stock is restored only on physical receipt , never on a carrier status alone. A carrier marking "returned" does not mean the goods are in the warehouse
FR-757	Cancel / reschedule / update delivery address where the carrier supports it
FR-758	Multi-carrier: per-order carrier choice, with default rules by governorate, weight, or COD amount
FR-759	Carrier cost estimation at order entry, feeding true order profitability
FR-760	Every terminal status change emits <code>shipment.status_updated</code> for Trust Network ingestion (7a) and settlement matching (7c)
FR-761	Carrier credential storage in Vault by reference, per tenant
FR-762	Carrier API failure never blocks invoicing. Shipment creation queues and retries

7. Domain Entities — 7b

```

tenant.carrier_accounts
  id, carrier_code, credentials_ref, is_active
  default_pickup_address, webhook_secret_ref

tenant.shipments
  id, invoice_id, delivery_note_id, carrier_code, carrier_account_id
  awb_number, tracking_url
  state
    created|picked_up|in_transit|out_for_delivery
    |delivered|delivery_failed|returning|returned
    |lost|cancelled
  cod_amount, cod_currency
  declared_value, weight, package_count
  consignee_phone_e164, consignee_governorate -- tenant schema only
  estimated_cost, actual_cost
  created_at, delivered_at, returned_at
  return_received_at -- physical receipt (FR-756)
  settlement_line_id

tenant.shipment_events
  id, shipment_id, carrier_status_raw, canonical_state
  occurred_at, received_at, payload jsonb, source_webhook_id

tenant.carrier_webhook_events -- raw inbound, for replay and audit
  id, carrier_code, signature_valid, payload, processed_at, dedupe_key

```

PART 7c — COD Settlement Reconciliation

This is the cheapest high-value feature remaining in the product. The carrier collects your merchant's cash, holds it a week, and remits it net of shipping fees, COD handling fees, and return fees in a file that never quite matches. Reconciling it manually is the single most painful recurring task in a COD business, and no local competitor solves it.

8. Requirements

ID	REQUIREMENT
FR-770	COD receivable posts to a "Cash with Carrier" control account on delivery, not to cash. Cash is recognised only on remittance. Anything else materially misstates the cash position
FR-771	Settlement file import: Bosta and Mylerz formats (CSV/XLSX and API where available), with a mapping layer so a format change is configuration, not a code change
FR-772	Automatic matching on AWB number , with fuzzy fallback on (amount + date + phone-tail) for rows whose AWB is malformed
FR-773	Automatic posting of shipping fees, COD collection fees, and return fees to their expense accounts, per shipment
FR-774	Exception queue with a resolution action for each class: remitted-but-not-delivered · delivered-but-not-remitted · amount mismatch · unknown AWB · duplicate remittance · fee disputed
FR-775	Carrier aging report — how much each carrier owes, and for how long, bucketed. Merchants routinely lose five figures here without noticing
FR-776	True order profitability : revenue – COGS – outbound shipping – COD fee – return shipping – restocking. Available per order, per SKU, per customer, per governorate
FR-777	Settlement dashboard widget: expected next remittance, amount, date, and outstanding exceptions
FR-778	Partial settlement — one AWB settled across two remittance files
FR-779	Reconciliation invariant added to the Phase 0 nightly job: Cash with Carrier control balance = sum of delivered-but-unsettled shipment COD amounts. Divergence is a P1
FR-780	Period close gate: unreconciled settlement exceptions beyond a threshold block hard close

9. Domain Entities — 7c

```
tenant.carrier_settlements
  id, carrier_code, settlement_ref, settlement_date
  gross_amount, total_fees, net_amount, currency
  expected_net, variance
  state             imported|matched|partially_matched|posted|disputed
  source_file_ref, imported_by, posted_journal_entry_id

tenant.settlement_lines
  id, settlement_id, awb_number, shipment_id
  cod_collected, shipping_fee, cod_fee, return_fee, other_fee
  net_remitted
  match_state       matched|fuzzy_matched|unmatched|disputed
  match_confidence, exception_type, resolution, resolved_by

tenant.carrier_receivable_snapshot  -- daily, for aging
  carrier_code, as_of_date, bucket_0_7, bucket_8_14,
  bucket_15_30, bucket_30_plus, total
```

10. GL Posting Map — 7c

EVENT	DEBIT	CREDIT
Invoice posted (COD)	Cash with Carrier (<i>control</i>)	Revenue, Output VAT
Shipment delivered	<i>(no entry — already recognised)</i>	
Shipment returned	Sales Returns, Inventory (<i>on physical receipt</i>)	Cash with Carrier, COGS reversal
Settlement received	Treasury (<i>net</i>), Shipping Expense, COD Fee Expense, Return Fee Expense	Cash with Carrier (<i>gross</i>)
Amount mismatch, in favour of carrier	Carrier Dispute Receivable	Cash with Carrier
Fee disputed	Carrier Dispute Receivable	Shipping Expense
Shipment lost	Loss on Shipment	Cash with Carrier

Design note: "Cash with Carrier" is a **control account** under Phase 4's FR-552 regime — the system posts to it, manual journal entries to it are blocked, and the subledger (open shipments) must reconcile to it continuously.

11. The Hard Problems

11.1 Cold Start — the moat does not work on day one

With 20 tenants, nearly every lookup returns `UNKNOWN`, and the demo that closes deals falls flat. This is certain, not probable. Four mitigations, all cheap, all required:

1. **Concentrated cohort seeding.** Recruit design partners in one segment and one geography — Cairo fashion e-commerce, say. Coverage *within a cluster* is what produces hits; national coverage is irrelevant if no two merchants share customers.
2. **Historical backfill at import** (Phase 6 FR-709). A single merchant importing 5,000 historical COD outcomes is a meaningful day-one contribution. **Make backfill a step in onboarding, not a buried feature.**
3. **Single-tenant fallback value.** Even at zero network coverage, show the merchant *their own* history with that number: "شحنات للرقم ده 4 مرات — 3 رجعوا". Useful with one tenant, and it makes the badge component earn its place immediately.
4. **Honest copy.** UNKNOWN renders as "عميل جديد على الشبكة" — a neutral fact, not a broken feature.

11.2 Pepper Rotation Without Losing the Network

The pepper is the entire privacy guarantee, so it must be rotatable — but rotating it invalidates every stored hash, and the plaintext phones needed to re-hash live in thousands of separate tenant schemas.

The procedure: 1. New pepper version created in Vault; both versions active. 2. New writes use version N+1. Reads compute both and check both. 3. A background job walks tenants, re-hashing from tenant-schema plaintext, migrating `global_reputation` rows to N+1 and merging where both versions exist for one identifier. 4. When migration completes, version N is retired and dual-read is disabled.

Constraint that follows: the network can only be re-keyed from data that still exists in tenant schemas. **A tenant who leaves takes their re-hash capability with them.** Accept that some historical hashes become permanently orphaned at rotation, and size the retention policy (FR-726) so orphans age out rather than accumulating.

11.3 Anti-Poisoning

A merchant realises that mass-reporting returns against a competitor's customer list damages a rival. Or a merchant reports every customer as returned to inflate their own reciprocity quota.

Defences, layered: - Contributions weight by tenant reliability, computed from their own consistency and dispute rate. - A tenant whose return-reporting rate is a statistical outlier is down-weighted automatically and flagged for review. - Contributions must correlate with **real shipment records that have carrier-side status events**. A "return" with no carrier event is inherently weaker evidence than one confirmed by Bosta. - Contribution volume disproportionate to invoice volume is an alert.

The strongest defence is that contributions are carrier-attested, not merchant-asserted. Design ingestion so carrier-confirmed outcomes carry full weight and merchant-asserted ones carry reduced weight. This is a good reason to build 7b before 7a.

11.4 Settlement Matching Is Fuzzy in Practice

Carrier settlement files are not clean. AWBs appear with prefixes, whitespace, or transposed digits. Amounts differ by rounding. One AWB appears twice.

- Match on normalised AWB first; then (amount $\pm$ tolerance + date window + phone tail); then leave it in the exception queue.
- **Never auto-resolve an amount mismatch.** Show it, let the merchant decide, and post their decision.
- Preserve the raw imported row alongside the parsed one, forever. When a merchant disputes with the carrier, the raw file is the evidence.
- Every match carries a confidence and a method, visible in the UI. A merchant who cannot see *why* two rows matched will not trust the reconciliation.

11.5 The Ethics of the Thing

You are building a system that will cause real people to be refused service based on an algorithmic band derived from other merchants' data. Some of them will be wrongly banded — a stolen phone number, a shared household number, a delivery address the courier could never find, a genuinely defective product returned legitimately.

The controls in §4.3 are not compliance theatre. Decay (FR-734), dispute (FR-735), a working rights channel (FR-722), and honest explainability (FR-733) are what make this system defensible to a regulator **and** correct to build. A `HIGH_RISK` band that cannot be escaped is both a legal exposure under an active supervisory authority and a genuine harm to a person who has no relationship with you and never agreed to any of it.

Build the appeal path in the same sprint as the scoring, not the sprint after. If it slips, it never ships.

12. Exit Criteria

7a — Trust Network 1. ☒ No column in `public` can hold a phone number — verified by schema audit and migration lint 2. ☒ `phone_hash` computed only in the single sanctioned module — CI-enforced 3. ☒ A lookup for an identifier known to fewer than 3 tenants returns `UNKNOWN`, verified across every access path 4. ☒ A non-contributing tenant is denied read access by the reciprocity gate 5. ☒ Simulated enumeration (500 sequential numbers) triggers throttle, alert, and an incident record 6. ☒ Erasure request removes the `global_reputation` row and all contributions; a subsequent lookup returns `UNKNOWN` 7. ☒ Pepper rotation completes on a seeded 3-tenant dataset with zero score changes 8. ☒ A poisoning simulation (one tenant reporting 100% returns) is detected and down-weighted 9. ☒ Score lookup p95 < 150ms under load 10. ☒ **Written legal sign-off from Egyptian counsel on the §4 design** — the gate

7b — Carriers 11. ☒ End-to-end on both carriers: create shipment → AWB → label → webhook status → delivered 12. ☒ Replayed webhook is a no-op 13. ☒ Carrier API outage queues shipments; invoicing unaffected 14. ☒ Return status does not restore stock; physical receipt does

7c — Settlement 15. ☒ A real Bosta settlement file and a real Mylerz file both import and match ≥95% of lines automatically 16. ☒ Fees post to correct expense accounts; net cash matches the file's net to the piastre 17. ☒ `Cash with Carrier` invariant holds in the nightly job 18. ☒ Carrier aging report matches a hand-computed figure on a seeded dataset 19. ☒ True order profitability reconciles to the GL for a sample of 20 orders 20. ☒ Exception queue covers all six classes with working resolutions

13. Sequencing (6–7 weeks)

WEEK	WORK
0 (now)	Engage PDPL counsel. Check PDPC portal, licensing category, DPO requirement. This runs in parallel and gates week 6
1	<code>CarrierProvider</code> interface · Bosta integration · webhook ingestion · state mapping
2	Mylerz · labels · returns-in-transit · multi-carrier rules · cost estimation
3	Settlement import + matching engine + exception queue

WEEK	WORK
4	Settlement GL posting · Cash-with-Carrier control · aging · true profitability · invariants
5	Trust Network: pepper/HMAC migration · k-anonymity · reciprocity · rate limiting · enumeration detection
6	Trust Network: consent · rights channel · dispute · decay · anti-poisoning · explainability · badge UI
7	Cold-start seeding · backfill in onboarding · legal remediation · buffer

7b and 7c ship independently of the legal gate. If counsel is delayed, launch with settlement reconciliation and hold the Trust Network behind a feature flag. That is a materially better outcome than delaying the whole phase.

14. Open Questions

#	QUESTION	URGENCY
Q-39	Is PDPL counsel engaged? Fifth time asking. This is now a launch gate, not a question	Blocking 7a production
Q-40	Has anyone checked the PDPC portal for the licensing category applicable to cross-controller behavioural data, and whether the Trust Network needs prior authorisation?	This week
Q-41	Who is your DPO? The Regulations require appointment in applicable cases, and given what you process, you are almost certainly in scope	This week
Q-42	Do you have Bosta and Mylerz partner API credentials? Do their settlement files contain AWB, gross COD, and itemised fees? Get one real file from each before week 3	Week 1
Q-43	Design partner cohort — recruited, and concentrated enough that their customer bases actually overlap? (\$11.1)	Week 5
Q-44	Retention period for contributions. What is defensible and what does counsel advise?	Week 5
Q-45	Does the reciprocity threshold risk locking out genuinely new tenants? Consider a grace allowance for the first 30 days	Week 5

Q-39, Q-40 and Q-41 are one conversation with one lawyer, and it should happen this week. Not because the design is likely wrong, but because the deadline is thirteen weeks out, the portal is open, and this is the one part of your product where being wrong is existential rather than expensive.