

## PASO 1

```
293 #Ejercicio 18 tema 6
294 • use world;
295
```

Output			
Action Output			
#	Time	Action	Message
1	02:18:43	use world	0 row(s) affected

## PASO 2

```
296 • create table paises as (select * from country);
297
298
```

Output			
Action Output			
#	Time	Action	Message
1	02:18:43	use world	0 row(s) affected
2	02:19:17	create table paises as (select * from country)	239 row(s) affected Records: 239 Duplicates: 0 Warnings: 0

## PASO 3

```
299 • create table ciudades as (select * from city);
300
301
```

Output			
Action Output			
#	Time	Action	Message
1	02:18:43	use world	0 row(s) affected
2	02:19:17	create table paises as (select * from country)	239 row(s) affected Records: 239 Duplicates: 0 Warnings: 0
3	02:19:48	create table ciudades as (select * from city)	4079 row(s) affected Records: 4079 Duplicates: 0 Warnings: 0

## PASO 4

```
302 DELIMITER $$
303 • CREATE TRIGGER tr_peninsula_iberica
304 BEFORE UPDATE ON CIUDADES FOR EACH ROW
305 BEGIN
306 IF (OLD.countrycode='ESP') THEN
307 UPDATE paises set region = 'Iberia' WHERE name IN ('Spain','Portugal','Andorra','Gibraltar');
308 END IF;
309 END$$
310 DELIMITER ;
```

Output			
Action Output			
#	Time	Action	Message
1	02:18:43	use world	0 row(s) affected
2	02:19:17	create table paises as (select * from country)	239 row(s) affected Records: 239 Duplicates: 0 Warnings: 0
3	02:19:48	create table ciudades as (select * from city)	4079 row(s) affected Records: 4079 Duplicates: 0 Warnings: 0
4	02:20:01	CREATE TRIGGER tr_peninsula_iberica BEFORE UPDATE ON CIUDADES FOR EACH ROW BEGIN IF (OL...	0 row(s) affected

## PASO 5

```
312 • update ciudades set district = 'Catalunya'
313 where district = 'Katalonia';
```

Output			
Action Output			
#	Time	Action	Message
2	02:19:17	create table paises as (select * from country)	239 row(s) affected Records: 239 Duplicates: 0 Warnings: 0
3	02:19:48	create table ciudades as (select * from city)	4079 row(s) affected Records: 4079 Duplicates: 0 Warnings: 0
4	02:20:01	CREATE TRIGGER tr_peninsula_iberica BEFORE UPDATE ON CIUDADES FOR EACH ROW BEGIN IF (O...	0 row(s) affected
5	02:20:15	update ciudades set district = 'Catalunya' where district = 'Katalonia'	9 row(s) affected Rows matched: 9 Changed: 9 Warnings: 0

PASO 6

315 • select \*

316 from paises

317 where region = 'Iberia';

318

Result Grid

Filter Rows:

Export:

Wrap Cell Contents

	Code	Name	Continent	Region	SurfaceArea	IndepYear	Population	LifeExpectancy	GNP	GNPOld	LocalName	GovernmentForm	HeadOfState	Capital	Code2
▶	AND	Andorra	Europe	Iberia	468.00	1278	78000	83.5	1630.00	10000	Andorra	Parliamentary Coprincipality		55	AD
	ESP	Spain	Europe	Iberia	505992.00	1492	39441700	78.8	553233.00	532031.00	España	Constitutional Monarchy	Juan Carlos I	653	ES
	GIB	Gibraltar	Europe	Iberia	6.00	10000	25000	79.0	258.00	10000	Gibraltar	Dependent Territory of the UK	Elisabeth II	915	GI
	PRT	Portugal	Europe	Iberia	91982.00	1143	9997600	75.8	105954.00	102133.00	Portugal	Republic	Jorge Sampaio	2914	PT

paises 11 x

Read On

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	02:19:48	create table ciudades as (select * from city)	4079 row(s) affected Records: 4079 Duplicates: 0 Warnings: 0	0.094 sec
4	02:20:01	CREATE TRIGGER tr_peninsula_iberica BEFORE UPDATE ON CIUDADES FOR EACH ROW BEGIN IF (...)	0 row(s) affected	0.016 sec
5	02:20:15	update ciudades set district = 'Catalunya' where district = 'Katalonia'	9 row(s) affected Rows matched: 9 Changed: 9 Warnings: 0	0.016 sec
6	02:20:30	select * from paises where region = 'Iberia' LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec