

(الكود) قد تمت مراجعة بيانات الطالب ورقم الجلوس *

?Which of the following statements about GZipStream is true

- .a) It only supports compression and not decompression
- .b) It requires specifying the compression level when creating an instance
- .c) It automatically detects whether the input data is compressed or not
- .d) It is not suitable for compressing large files

?What does the AgentIPAddress property represent in the AgentParameters class

- .a) The IP address of the SNMP manager
-  .b) The IP address of the SNMP agent
- .c) The version of the SNMP protocol
- .d) The type of authentication used in SNMP communication

Logically You can bind your sever to any port number

True

 False

?Which IP address is typically used as the destination address for broadcasting packets

- a) 127.0.0.1
- b) 192.168.1.1
- c) 255.255.255.255
- d) 0.0.0.0

Default socket mode is Blocking

True

False

The correct order of a simple server steps

- a. Create/Bind/listen/accept/Read-write or write – read / shutdown
-  b. Create/ listen /bind /accept/Read-write or write – read / shutdown
- c. Create/connect/ Read-write or write – read / shutdown
- d. No fixed order

(Choose all that apply) :The main difference between Peek() and Read() in Stream reader is that

-  a. Peek puts back the data in the stream
-  b. Read removes the data from the stream
- c. Read don't seek the get_pointer
- d. None of the answers are correct

?Which SNMP operation is used to notify the SNMP manager about significant events

a) GetRequest

b) SetRequest

 c) Trap

d) GetNextRequest

16

The [OnSerializing()] Directive is used to specify the method called **During** Deserialization

True

 False

17

?Which C# class is commonly used for SNMP communication

a) TcpClient

 b) UdpClient

c) WebClient

d) Socket

18

?Which namespace is the WebClient class located in

a) System.Web

 b) System.Net

c) System.Http

d) System.Net.Http

19

_____ We can manage shared vars between threads in C# by using

{ } a. Lock

b. AutoResetEvent

 ☒ c. AutoResetEvent and lock

d. None of the answers is correct

20

Socket types are only connection-oriented and connectionless only

 True

False

21

?Which of the following is a common use case for the GZipStream class

a) Encrypting sensitive data before storage

b) Serializing objects for transmission over the network

 c) Compressing HTTP responses in web servers

d) Parsing XML documents

22

Provides static methods for the creation, copying, deletion, moving, and opening of a single file, and aids in the _____
creation of FileStream objects

a. Directory

b. DirectoryInfo

 c. File

d. FileStreamOptions

23

?Which method is used to compress data using a GZipStream object

()a) Compress

 ()b) Write

()c) CompressData

()d) CompressStream

?Which compression level value in GZipStream results in the highest compression ratio but takes longer to compress

- a) CompressionLevel.Optimal
- b) CompressionLevel.NoCompression
- c) CompressionLevel.Fastest
- d) CompressionLevel.High

The correct order of a simple client steps

- a. Create/Bind/listen/accept/Read-write or write – read / shutdown
- b. Create/ listen /bind /accept/Read-write or write – read / shutdown
-  c. Create/connect/ Read-write or write – read / shutdown
- d. No fixed order

Serialization and deserialization is supported via classes that implement the _____ interface

-  a. Iformatter
- b. IDisposal
- c. IComplier
- d. None of the answers are correct

?What will happen if there is no servers

-  a. Hang up for a while and exception will be thrown
- b. Hang up for a while and error will be thrown
- c. And immediate Exception will be thrown
- d. None of the answers is correct

?Which of the following is NOT a typical property of the AgentParameters class

- a) Community
- b) SecurityLevel
- c) Timeout
- d) Retries

.In a multithreaded server Each client have its own handling thread , socket, and streams

- ☒ True
- ☐ False


(Choose all that apply) Identify the correct statements

- ☒ .a. In socket-based network programming, you do not directly access the network interface device to send and receive packets
- ☒ .b. An intermediary file descriptor is created to handle the programming interface to the network
- ☒ .c. operating system handles the details of determining which network interface device will be used to send out the data and how
- ☒ .d. Socket identify communication domain , type , and protocol only

Exposes static methods for creating, moving, and enumerating through directories and subdirectories. This class _____ cannot be inherited

- ☒ Directory
- ☐ DirectoryInfo
- ☐ File
- ☐ FileStreamOptions

?This is the program output of two threads concurrently accessing one string variable what is the problem



```

C:\Documents and Settings\Owner\My Documents\Visua...
Thread 1 Output --> Hello Thread2
Display Thread 1
Thread 2 Output --> Hello Thread1
Display Thread 2
Thread 1 Output --> Hello Thread2
Display Thread 1
Thread 2 Output --> Hello Thread1
Display Thread 2
Thread 2 Output --> Hello Thread2
Display Thread 2
Thread 1 Output --> Hello Thread2
Display Thread 1
Thread 2 Output --> Hello Thread1
Display Thread 2
Thread 1 Output --> Hello Thread2
Display Thread 1
Thread 2 Output --> Hello Thread1
Thread 1 Output --> Hello Thread1
Display Thread 1
Display Thread 2
Thread 1 Output --> Hello Thread2
Display Thread 1
Thread 2 Output --> Hello Thread1
Display Thread 2

```

a. No problem

b. two threads sharing a common variable in memory

!! c. Thread#1 assigns and thread#2 displays

!! d. Thread#2 assigns and thread#1 displays

 e. Both C and D

.f. The code theoretically is executing the two methods DisplayThread1 and DisplayThread2, simultaneously

?What is the significance of accessing the ResponseHeaders property in the WebClient class

.a) It allows modification of the HTTP response headers

 .b) It allows inspection of the metadata sent by the server

.c) It allows modification of the HTTP request headers

.d) It allows access to the HTTP request body

?What is a potential drawback of using broadcasting packets

.a) It requires a dedicated network infrastructure

.b) It may lead to excessive network traffic on large networks

.c) It provides limited security for transmitted data

.d) It is not supported by most network devices

Which is correct about **Async Callback Class and sockets**

a. NET AsyncCallback class allows methods to start an asynchronous function and supply a delegate method to call when the asynchronous function .completes

.b. The Socket class utilizes the method defined in the AsyncCallback to allow network functions to operate asynchronously in background processing

c. It signals the OS when the network functions have completed and passes program control to the AsyncCallback method to finish the network .function



d. A and B

36

Implements a `TextWriter` for writing information to a string. The information is stored in an _____
 .underlying `StringBuilder`



a. `StringWriter`

b. `StreamWriter`

c. `Stream`

d. `StreamReader`

37

?What is the advantage of broadcasting packets to advertise the presence of a server on the network

.a) It ensures secure communication between the server and clients



.b) It allows clients to easily detect the server without knowing its IP address

.c) It reduces network congestion by limiting communication to specific devices

.d) It enables faster data transfer rates between the server and clients

38

:in the following code , where are the line who actually did the decompress

```

    } if (dlgOpenFile.ShowDialog(this) == DialogResult.OK)
        )GZipStream gz = new GZipStream
,new FileStream(dlgOpenFile.FileName + ".QZip.Compressed",    FileMode.Create, FileAccess.Write)
        ;(CompressionMode.Compress

;FileStream fs = new FileStream(dlgOpenFile.FileName,    FileMode.Open, FileAccess.Read)
        ;()txtSizeBefore.Text = fs.Length.ToString
        ;progressBar1.Maximum = (int)fs.Length
        ;progressBar1.Value = (int)fs.Length
        ;StreamWriter sw = new StreamWriter(gz)
;sw.Write(new StreamReader(fs).ReadToEnd())
        ;()sw.Flush(); sw.Close
txtSizeAfter.Text = new FileStream(dlgOpenFile.FileName +    ".QZip.Compressed", FileMode.Open,
        ;()    FileAccess.Read).Length.ToString

        ;progressBar2.Maximum = (int)fs.Length
;progressBar2.Value = (int.Parse(txtSizeAfter.Text))
        {

;new FileStream(dlgOpenFile.FileName + ".QZip.Compressed",    FileMode.Create, FileAccess.Write),CompressionMode.Compress

        CompressionMode.Compress

```



```
;StreamWriter sw = new StreamWriter(gz)
```

```
;sw.Write(new StreamReader(fs).ReadToEnd())
```

39

(Choose all that apply) : Example of adapter classes are

 a. BinaryReader

 b. BinaryWriter

 c. StreamReader

 d. StreamWriter

 e. StringReader

 f. StringWriter

40

:in the following code , where are the line who actually did the decompress

```
    } if (dlgOpenFile.ShowDialog(this) == DialogResult.OK)
        )GZipStream gz = new GZipStream
,new FileStream(dlgOpenFile.FileName + ".QZip.Compressed",
        FileMode.Create, FileAccess.Write)
        ;(CompressionMode.Compress

;FileStream fs = new FileStream(dlgOpenFile.FileName,
        FileMode.Open, FileAccess.Read)
;()txtSizeBefore.Text = fs.Length.ToString
;progressBar1.Maximum = (int)fs.Length
;progressBar1.Value = (int)fs.Length
;StreamWriter sw = new StreamWriter(gz)
;sw.Write(new StreamReader(fs).ReadToEnd())
;()sw.Flush(); sw.Close
txtSizeAfter.Text = new FileStream(dlgOpenFile.FileName +
        ".QZip.Compressed", FileMode.Open,
;()
        FileAccess.Read).Length.ToString

;progressBar2.Maximum = (int)fs.Length
;progressBar2.Value = (int.Parse(txtSizeAfter.Text))
{
```

```
GZipStream gz = new GZipStream(new FileStream(dlgOpenFile.FileName + ".QZip.Compressed",FileMode.Create,
;FileAccess.Write),CompressionMode.Compress)
```

```
;StreamWriter sw = new StreamWriter(gz)
```

```
;sw.Write(new StreamReader(fs).ReadToEnd())
```

 none of the options is correct

?Which method is used to download the specified resource to a local file using the WebClient class

- a) DownloadStringAsync
- b) DownloadData
-  c) DownloadFile
- d) DownloadString

?What is the purpose of setting a predetermined time interval for broadcasting packets

- a) To ensure that the server remains active on the network
- b) To synchronize communication between the server and clients
- c) To minimize network congestion caused by excessive broadcasts
- d) To allow clients to detect changes in server availability

The [OnSerialized()] Directive is used to specify the method called after Deserialization

True



False

?What is the primary purpose of SNMP in network management

- a) To establish secure encrypted connections between devices
-  b) To monitor and manage network devices and their functions
- c) To perform packet routing within a local network
- d) To secure network infrastructure from cyber attacks

A socket connection type includes a fair amount of overhead involved with establishing the connection, but once it is established, data can be reliably transferred between the devices



a. Connection-oriented

b. Connectionless

c. Raw

d. None of the answers is correct

46

"The "using (type variable = initializer)" can be used in any "type

a. True



b. False

47

(Choose all that apply) :The main difference between Managed Code and native code is that

a. Managed Code is executed directly on the machine



b. Native code doesn't require JIT compiler



c. Managed Code is machine independent



d. Managed Code is converted into MSIL

48

For those attributes which you don't want to serialize put _____ on them

a. [NonSerializing]



b. [NonSerialized]

c. [NonSerial]

d. [Non]

49

Programs reads from Input streams



True

False

?What is the purpose of port 162 in SNMP communication

-  a) To receive SNMP Trap PDUs
- b) To send SNMP GetRequest PDUs
- c) To perform encryption for SNMP messages
- d) To authenticate SNMP agents

?Which network protocol is commonly used for broadcasting packets

- a) TCP
- b) HTTP
-  c) UDP
- d) FTP

What is the length of "simple-types.bin" after execution of this code

```

using System .1
using System.IO .2
}public class BinaryWriteSimpleTypes .3
    .4
    {}()public static void Main .5
    {"string fn = "simple-types.bin" .6
    = using(BinaryWriter bw .7
    }(new BinaryWriter( new FileStream(fn, FileMode.Create)) .8
    ;bw.Write(5) .9
    ;bw.Write(5.5) .10
    ;bw.Write(5555M) .11
    ;bw.Write(5==6) .12
    { .13
    ;FileInfo fi = new FileInfo(fn) .14

```

;Console.WriteLine("Length of {0}: {1}", fn, fi.Length) .15

{ .16

{ .17

a. 24

 b. 29

c. 20

d. 30

53

:what is the problem with this code snippet

a)No problem

b)Exception

c)we didn't set socket option

b and c

54

?#Which method is used to receive data from a UDP socket in C

(a) Receive

(b) Read

(c) Accept

 (d) ReceiveFrom

55

The order Create/bind/RecvFrom/sendto/close belongs to

a. Udp socket

 b. Udp server

c. Udp client

d. None of the answers is correct

?Which SNMP operation is used to retrieve the value of a managed object

- a) GetRequest
- b) SetRequest
- c) GetNextRequest
- d) Trap

.Which type of IPAddress is used to represent no network interface on the system IPAddress

- a. Any
- b. Broadcast
- c. Loopback
-  d. None



يتم إنشاء هذا المحتوى بواسطة مالك النموذج. سيتم إرسال البيانات التي ترسلها إلى مالك النموذج. Microsoft غير مسؤولة عن ممارسات الأمان والخصوصية لعملائها، بما في ذلك ممارسات مالك هذا النموذج. لا تفصح أبداً عن كلمة مرورك.

[إنشاء نموذجي الخاص](#) | **Microsoft Forms** | استطلاعات واختبارات واستقصاءات قائمة على تكنولوجيا الذكاء الصناعي | شروط الاستخدام