☐   ☐   (https://projects.intra.42.fr/scale_teams/1822027/edit#)

(https://profile.intra.42.fr/)

(https://profile.intra.42.fr/searches)

SCALE FOR PROJECT INIT (HTTPS://PROJECTS.INTRA.42.FR/PROJECTS/INIT)

You should evaluate 1 student in this team

☐

Git repository

vogsphere@vogsphere.13   ☐

Introduction

Please respect the following rules:

- Remain polite, courteous, respectful and constructive
throughout the evaluation process. The well-being of the community
depends on it.

- Identify with the person (or the group) graded the eventual
dysfunctions of the work. Take the time to discuss
and debate the problems you have identified.

- You must consider that there might be some difference in how your
peers might have understood the project's instructions and the
scope of its functionalities. Always keep an open mind and grade
him/her as honestly as possible. The pedagogy is valid only if
the peer-evaluation is conducted seriously.

Guidelines

- Only grade the work that is in the student or group's
GiT repository.

- Double-check that the GiT repository belongs to the student
or the group. Ensure that the work is for the relevant project
and also check that "git clone" is used in an empty folder.

- Check carefully that no malicious aliases was used to fool you
and make you evaluate something other than the content of the
official repository.

- To avoid any surprises, carefully check that both the evaluator
and the evaluated students have reviewed the possible scripts used
to facilitate the grading.

- If the evaluated student has not completed that particular
project yet, it is mandatory for this student to read the
entire subject prior to starting the defence.

- Use the flags available on this scale to signal an empty repository,
non-functioning program, a norm error, cheating etc. In these cases,
the grading is over and the final grade is 0 (or -42 in case of
cheating). However, with the exception of cheating, you are

encouraged to continue to discuss your work (even if you have not
finished it) in order to identify any issues that may have caused
this failure and avoid repeating the same mistake in the future.

Attachments

☐ Sujet (https://cdn.intra.42.fr/pdf/pdf/1381/init.fr.pdf)

☐ Subject (https://cdn.intra.42.fr/pdf/pdf/1308/init.uk.pdf)

☐ Subject (https://cdn.intra.42.fr/pdf/pdf/1281/init.en.pdf)

Part 1 - Follow Slash16 around the world
räê É{ëÄäïÁíãïï êéÑ#ɿÄí ÉäÅí äçÕ

The student has followed Slash16 on Linkedin, Facebook and Twitter

The student has followed Slash16 on Linkedin, Facebook and Twitter

☐ Yes	☐ No

Part 2 - Network
\ë{æ{ɿ#â äÅg{çèl DæÄã äçÜ

Get the list of the network interfaces of the machine without displaying any detail

Check that the answer file contains the command which lists the names of the
interfaces of the machine and no other information. For instance:

```
$>`cat 01`
lo0 gif0 stf0 en0 en1 en2 en3 p2p0 awdl0 bridge0
$>
```

☐ Yes	☐ No

Identify and display the Ethernet interface characteristics

Check that the answer file contains the command which
identifies and displays the broadcast address AND all IP adresses
which are part of the same subnet.

☐ Yes	☐ No

Identify the MAC address of the Wi-Fi card

Check that the answer file contains the command which
identifies and diplays the MAC address of the wi-fi board. For instance:

```
$>`cat 03`
xxn: flags=XXXX
ether 00:00:00:00:00:00
$>
```

☐ Yes	☐ No

Identifiy the default gateway in the routing table

Check that the answer file contains the command which
identifies and displays the default gateway in the routing table. For instance:

```
$>sh 04
default 42.42.42.42 UGSc 19 16 en0
$>
```

□ Yes □ No

Identify the IP address of the DNS server which answers to slash16.org

Check that the answer file contains the command which
identifies and displays the IP address of the DNS server. For instance:

```
$>`cat 05`
Server:10.51.1.42
Address:10.51.1.42

Non-authoritative answer:
Name:slash16.org
Address: 195.154.52.157
Name:slash16.org
Address: 195.154.52.158
$>
```

□ Yes □ No

Get the complete path of the file that contains the IP address of the DNS server you're using

Check that the answer file contains the complete path of the file in
which the IP address of the used DNS server is written.

```
$>cat 06
/etc/resolv.conf
$>
```

□ Yes □ No

Query an external DNS server on the same domain name (ex, google 8.8.8.8)

Check that the answer file contains the command which
use another DNS server to solve the same domain name. For instance:

```
$>`cat 07`
Server:8.8.8.8
Address:8.8.8.8

Non-authoritative answer:
Name:slash16.org
Address: 195.154.52.157
Name:slash16.org
Address: 195.154.52.158
$>
```

☐ Yes   ☐ No

Find the provider of slash16.org

Check that student's answer in the file is AWS (Amazon Web Services).

☐ Yes   ☐ No

Find the external IP of 42.fr

Ask the student to show you his approach and explain it.
Check that student's answer in the file is 163.172.250.12 and/or 163.172.250.11.

☐ Yes   ☐ No

Identify the network devices between your computer and the slash16.org domain

Check that the answer file contains the command which
identifies and displays the different network devices between
your computer and slash16.org.
For instance:

```
$>`cat 10`
traceroute to slash16.org (195.154.52.158), 64 hops max, 52 byte packets
1 10.8.0.1 (10.8.0.1) 5.809 ms 6.087 ms 3.124 ms
2 10.42.1.254 (10.42.1.254) 6.005 ms 13.668 ms 7.037 ms
3 nat-1.42.fr (10.60.1.11) 7.530 ms 3.379 ms 9.966 ms
4 dc3.42.fr (62.210.35.1) 7.100 ms 7.587 ms 5.160 ms
5 195.154.1.174 (195.154.1.174) 57.350 ms 168.093 ms 8.906 ms
6 a9k2-45x-s44-2.dc3.poneytelecom.eu (195.154.1.106) 6.590 ms 3.910 ms 5.525 ms
7 195.154.1.179 (195.154.1.179) 4.077 ms 46.904 ms 3.883 ms
8 pub-1.slash16.org (195.154.52.158) 5.699 ms 6.034 ms 7.632 ms
$>
```

☐ Yes   ☐ No

Use the output of the previous command to find the name and the IP address of the device that makes the link between you (local network) and the outside world.

Check that student's answer in the file is the NAT server.

☐ Yes   ☐ No

Find the IP that was assigned to you by dhcp server

Check that the ansewr file contains the command which display the student host's IP

☐ Yes   ☐ No

Thanks prevously answer and DNS server find your hostname

Check that student's answer in the file is student host name.

☐ Yes   ☐ No

What file contains the local DNS entries?

Check that student's answer in the file is /etc/hosts.

☐ Yes   ☐ No

Make the intra.42.fr address reroute to 46.19.122.85

Ask the student to show you his approach and explain it.
Check that student's answer in the file is '46.19.122.85 intra.42.fr'.

☐ Yes   ☐ No

Part 3 - System
\ë{ œ{ ǎÑǎ äÅg{ ¿èⅉ Ɖ«î ééÄà

In what file can you find the installed version of your Debian?

Check that student's answer in the file is /etc/debian_version.

☐ Yes   ☐ No

What command can you use to rename your system?

Check that the answer file contains the command which
rename the system. For instance:

$>`cat 02`
machine.old.name.local
$>

☐ Yes   ☐ No

What file has to be modified to make it permanent?

Check that student's answer in the file is /etc/hostname.

☐ Yes   ☐ No

What command gives your system was last booted?

Check that the answer file contains the command which
gives the time since the last boot of the system. For instance:

$>`cat 04`
17:44 up 1 day, 6:45, 4 users, load averages: 1.33 1.42 1.40
$>

☐ Yes   ☐ No

Name the command that determines the state of the SSH service?

Check that the answer file contains the command which
determines the state of the SSH service. For instance with init.d :

$>`cat 05`
openssh-daemon (pid 22405) is running...
$>

Or with service:

$>`cat 05`
● ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/lib/systemd/system/ssh.service; enabled)
Active: active (running) since Fri 2016-12-02 18:42:05 CET; 1 months 0 days ago
Main PID: 13106 (sshd)
CGroup: /system.slice/ssh.service
 ├── 2461 ssh-agent -s
 ├──13106 /usr/sbin/sshd -D
 ├──27517 sshd: skyline [priv]
 ├──27519 sshd: skyline@pts/0
 ├──27520 -zsh
 ├──27561 sudo su
 ├──27562 su
 ├──27563 zsh
 └──27589 systemctl status sshd.service
$>

         ☐ Yes   ☐ No

Name the command that reboots it.

Check that the answer file contains the command which
reboot the SSH service. For instance with init.d:

$>`cat 06`
Stopping sshd: [OK]
Starting sshd: [OK]
$>

Or with service:

$>`cat 06`
$> service sshd status
● ssh.service - OpenBSD Secure Shell server
Loaded: loaded (/lib/systemd/system/ssh.service; enabled)
Active: active (running) since Fri 2016-12-02 18:42:05 CET; 10s ago
Main PID: 13106 (sshd)
CGroup: /system.slice/ssh.service
 ├── 2461 ssh-agent -s
 ├──13106 /usr/sbin/sshd -D
 ├──27517 sshd: skyline [priv]
 ├──27519 sshd: skyline@pts/0
 ├──27520 -zsh
 ├──27561 sudo su
 ├──27562 su
 ├──27563 zsh
 └──27589 systemctl status sshd.service
$>

The displayed time in Active has to be in seconds because of the reboot of sshd.

☐ Yes   ☐ No

Figure out the PID of the SSHD service

Check that the answer file contains the command which
figure out the PID of the ssh service. For instance:

$>`cat 07`
root 22405 0.0 0.0 66224 1184 ? Ss 17:46 0:00 /usr/sbin/sshd
$>

☐ Yes   ☐ No

What file contains the RSA keys authorized to connect via SSH?

Check that student's answer in the file is .ssh/authorized_keys

☐ Yes   ☐ No

What command lets you know who is connected to the System?

Check that the answer file contains the command which
lets you know who is connected to the system. For instance:

$>`cat 09`
skyline console Mar 23 10:59
skyline ttys000 Mar 24 17:04
$>

☐ Yes   ☐ No

Name the command that lists the partition tables of drives?

Check that the answer file contains the command which
lists the partition tables of drives. For instance:

$>`cat 10`
Disk /dev/sdb: 2000.4 GB, 2000398934016 bytes
255 heads, 63 sectors/track, 243201 cylinders
Units = cylinders of 16065 * 512 = 8225280 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disk identifier: 0x00000000
$>

☐ Yes   ☐ No

Name the command that displays the available the space left and used on the system in an humanly understandable way

Check that the answer file contains the command which
displays the available space left and used on the system in an humanly understandable way.
For instance:

$>`cat 11`
Filesystem Size Used Avail Use% Mounted on

/dev/xvda2 7.8G 1.2G 6.3G 16% /
udev 10M 0 10M 0% /dev
tmpfs 200M 4.2M 196M 3% /run
tmpfs 500M 0 500M 0% /dev/shm
tmpfs 5.0M 0 5.0M 0% /run/lock
tmpfs 500M 0 500M 0% /sys/fs/cgroup
$>

☐ Yes   ☐ No

Figure out the exact size of each folder of /var in a humanly understandable way followed by the path of it.

Check that the answer file contains the command which
displays the exact size of each folders of /var in a humanly understandable way followed by the path of it.
For instance:

$>`cat 12`
4.0K /var/opt
864K /var/spool
1.3M /var/log
111M /var/lib
124M /var/cache
4.0K /var/local
8.0K /var/mail
1.1M /var/backups
4.0K /var/tmp
238M /var
$>

☐ Yes   ☐ No

Name the command that find, in real time, currently running processes

Check that the answer file contains the command which
displays running processes in real time.
For instance:

$>`cat 13`
Tasks: 58 total, 1 running, 57 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.0 sy, 0.0 ni,100.0 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
KiB Mem: 1022952 total, 359176 used, 663776 free, 168200 buffers
KiB Swap: 0 total, 0 used, 0 free. 86924 cached Mem

PID USER PR NI VIRT RES SHR S %CPU %MEM TIME+ COMMAND
1 root 20 0 28740 4760 3064 S 0.0 0.5 0:03.28 systemd
2 root 20 0 0 0 0 S 0.0 0.0 0:00.00 kthreadd
3 root 20 0 0 0 0 S 0.0 0.0 0:00.02 ksoftirqd/0
5 root 0 -20 0 0 0 S 0.0 0.0 0:00.00 kworker/0:0H
$>

☐ Yes   ☐ No

Run the tail -f /var/log/syslog command in background

Check that the answer file contains the command which
runs the command `tail -f /var/log/syslog` in background
For instance:

```
$>`cat 14`
[1] 2660
Mar 25 06:25:03 rsyslogd: [origin software="rsyslogd" swVersion="8.4.2" x-pid="330" x-
info="http://www.rsyslog.com"] rsyslogd was HUPed
Mar 25 07:17:01 CRON[2601]: (root) CMD ( cd / && run-parts –report /etc/cron.hourly)
Mar 25 08:17:01 CRON[2656]: (root) CMD ( cd / && run-parts –report /etc/cron.hourly)
$>
```

☐ Yes   ☐ No

Find the command that kills the background command's process

Check that the answer file contains the command which
kills the process of the tail -f /var/log/syslog command.
For instance:

```
$>`cat 15`
[1]+ Terminated tail -f /var/log/syslog
$>
```

☐ Yes   ☐ No

Find the service which makes it possible to run specific tasks following a regular schedule

Check that student's answer in the file is cron.

☐ Yes   ☐ No

Find the command that allows you to connect via ssh on the VM.

Check that the answer file contains the command which allows you tu connect
via ssh on the VM.

☐ Yes   ☐ No

Find the command that kills ssh service

Check that the answer file contains the command which
kill ssh service.

☐ Yes   ☐ No

List all services which are started at boot time and name this kind of services

Check that the answer file contains the List all services which are started
at boot time and name this kind of services (daemon)
For instance:
abrt-ccpp 0:off 1:off 2:off 3:on 4:off 5:on 6:off
abrt-oops 0:off 1:off 2:off 3:on 4:off 5:on 6:off
...

☐ Yes   ☐ No

List all existing users on the VM

Check that the answer file contains the List all existing users on the VM

☐ Yes   ☐ No

List all real users on the VM

Check that the answer file contains the list all real users on the VM
and not system users

☐ Yes   ☐ No

Find the command that add a new local user

Check that the answer file contains the command that add a new local user

☐ Yes   ☐ No

Explain how connect yourself as new user

Check that the answer file containe contain how to connect yourself as
new user on the VM on ssh session (command etc.) AND on graphic session.

☐ Yes   ☐ No

Find the command that list all packages

Check that the answer file contain the command that list all installed
packages

☐ Yes   ☐ No

Part 4 - Scripting
\ë{ æä“â äÅ£Ä ã{¿èJ Dk}¿ñäãÇ

Write a script which displays only the login, UID and Path of each entry of the /etc/passwd file

Check that the script displays only the login, UID and
Path of each entry of the /etc/passwd file.
For instance:

```
$>sh 1
root:0:/bin/bash
daemon:1:/usr/sbin/nologin
bin:2:/usr/sbin/nologin
sys:3:/usr/sbin/nologin
sync:4:/bin/sync
games:5:/usr/sbin/nologin
man:6:/usr/sbin/nologin
lp:7:/usr/sbin/nologin
mail:8:/usr/sbin/nologin
news:9:/usr/sbin/nologin
uucp:10:/usr/sbin/nologin
proxy:13:/usr/sbin/nologin
```

www-data:33:/usr/sbin/nologin
backup:34:/usr/sbin/nologin
list:38:/usr/sbin/nologin
irc:39:/usr/sbin/nologin
gnats:41:/usr/sbin/nologin
nobody:65534:/usr/sbin/nologin
systemd-timesync:100:/bin/false
systemd-network:101:/bin/false
systemd-resolve:102:/bin/false
systemd-bus-proxy:103:/bin/false
sshd:104:/usr/sbin/nologin
Debian-exim:105:/bin/false
postfix:106:/bin/false
skyline:1000:/bin/bash
$>

☐ Yes   ☐ No

Write a script which delete an ACTIVE user on the VM.

Check that the script delete an ACTIVE user on the VM.
For instance:
Create an user.
Connect you at the VM.
Launch your script.
List all existing users. (New user should not appear)

☐ Yes   ☐ No

Three's a Charm. Write a script of you choice.

Check script's utility and complexity.

Rate it from 0 (failed) through 5 (excellent)

Ratings

Don't forget to check the flag corresponding to the defense

☐ Ok

☐ Empty work   ☐ Incomplete work   ☐ Cheat

Conclusion

Leave a comment on this evaluation

General term of use of the site (https://signin.intra.42.fr/legal/terms/6)

Finish evaluation

Privacy policy (https://signin.intra.42.fr/legal/terms/5)
Legal notices (https://signin.intra.42.fr/legal/terms/3)
Declaration on the use of cookies (https://signin.intra.42.fr/legal/terms/2)
Terms of use for video surveillance (https://signin.intra.42.fr/legal/terms/1)
Rules of procedure (https://signin.intra.42.fr/legal/terms/4)