```
User@DESKTOP-1AT96L8 MINGW64 ~ (main)
$ npx create-react-app 101362082_comp3123_labtest2
Creating a new React app in C:\Users\User\101362082_comp3123_labtest2.
Installing packages. This might take a couple of minutes.
Installing react, react-dom, and react-scripts with cra-template...
added 1314 packages in 2m
259 packages are looking for funding
run `npm fund` for details
Installing template dependencies using npm...
added 46 packages, and changed 1 package in 13s
263 packages are looking for funding
run `npm fund` for details
Removing template package using npm...
removed 1 package, and audited 1360 packages in 4s
263 packages are looking for funding
run `npm fund` for details
8 vulnerabilities (2 moderate, 6 high)
To address all issues (including breaking changes), run: npm audit fix --force
Run `npm audit` for details.
Success! Created 101362082_comp3123_labtest2 at C:\Users\User\101362082_comp3123
Inside that directory, you can run several commands:
     Starts the development server.
   npm run build
     Bundles the app into static files for production.
     Starts the test runner.
  npm run eject
     Removes this tool and copies build dependencies, configuration files and scripts into the app directory. If you do this, you can't go back!
We suggest that you begin by typing:
   cd 101362082_comp3123_labtest2
  npm start
```

```
$ cd 101362082_comp3123_labtest2
      ser@DESKTOP-1AT96L8 MINGW64 ~/101362082_comp3123_labtest2 (main)
  Initialized empty Git repository in C:/Users/User/101362082_comp3123_labtest2/.g
  User@DESKTOP-1AT96L8 MINGW64 ~/101362082_comp3123_labtest2 (master)
$ git remote add origin https://github.com/Youyouccc/101362082_comp3123_labtest2
                             SKTOP-1AT96L8 MINGW64 ~/101362082_comp3123_labtest2 (master)
 $ git add .
 warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
    varning. in the working copy of READMELING, El Will be replaced by CRLF the next time Git touches it
the next time Git touches it
 the next time Git touches it warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it warning: in the working copy of 'public/index.html', LF will be replaced by CRLF the next time Git touches it warning: in the working copy of 'public/manifest.json', LF will be replaced by CRLF the next time Git replaced by GRLF time Git replaced by GRLF the next tim
 RLF the next time Git touches it warning: in the working copy of 'public/robots.txt', LF will be replaced by CRLF the next time Git touches it
the next time Git touches it warning: in the working copy of 'src/App.css', LF will be replaced by CRLF the n ext time Git touches it warning: in the working copy of 'src/App.js', LF will be replaced by CRLF the ne xt time Git touches it warning: in the working copy of 'src/App.test.js', LF will be replaced by CRLF the next time Git touches it warning: in the working copy of 'src/index.css', LF will be replaced by CRLF the next time Git touches it warning: in the working copy of 'src/index.css', LF will be replaced by CRLF the next time Git touches it
  warning: in the working copy of 'src/index.js', LF will be replaced by CRLF the next time Git touches it
  warning: in the working copy of 'src/reportWebVitals.js', LF will be replaced by CRLF the next time Git touches it warning: in the working copy of 'src/setupTests.js', LF will be replaced by CRLF the next time Git touches it
User@DESKTOP-1AT96L8 MINGW64 ~/101362082_comp3123_labtest2 (master) $ git commit -m "initial commit" [master (root-commit) 77c8298] initial commit 18 files changed, 17994 insertions(+) create mode 100644 .gitignore create mode 100644 Package-lock.json create mode 100644 package-lock.json
   create mode 100644 package-lock.json create mode 100644 package.json create mode 100644 public/favicon.ico create mode 100644 public/index.html create mode 100644 public/logo192.png create mode 100644 public/logo512.png create mode 100644 public/manifest.json create mode 100644 public/robots.txt
    create mode 100644 public/logo512.png
create mode 100644 public/manifest.json
  create mode 100644 public/manifest.json create mode 100644 public/robots.txt create mode 100644 src/App.css create mode 100644 src/App.js create mode 100644 src/App.test.js create mode 100644 src/index.css create mode 100644 src/index.js create mode 100644 src/logo.svg create mode 100644 src/reportWebVitals.js create mode 100644 src/reportWebVitals.js create mode 100644 src/setupTests.js
                           SKTOP-1AT96L8 MINGW64 ~/101362082_comp3123_labtest2 (master)
 $ git branch -M main
                           SKTOP-1AT96L8 MINGW64 ~/101362082_comp3123_labtest2 (main)
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.
       ser@DESKTOP-1AT96L8 MINGW64 ~/101362082_comp3123_labtest2 (main)
```

