

Urinary bladder disease

Urinary bladder disease includes <u>urinary bladder</u> <u>inflammation</u> such as <u>cystitis</u>, bladder rupture and bladder obstruction (tamponade). Cystitis is common, sometimes referred to as <u>urinary</u> tract infection (UTI) caused by bacteria, bladder rupture occurs

Urinary bladder disease

Specialty Urology

when the bladder is overfilled and not emptied while bladder tamponade is a result of $\underline{\text{blood clot}}$ formation near the bladder outlet. [1]

Cystitis

<u>Cystitis</u> is a <u>urinary bladder inflammation</u> that results from any one of a number of distinct syndromes. [2] It is most commonly caused by a <u>bacterial infection</u> in which case it is referred to as a urinary tract infection. [3]


Bladder trauma

Bladder rupture (rupture of bladder, N32.4 (https://icd.who.int/browse10/2019/en#/N32.4)) may occur if the bladder is overfilled and not emptied. This can occur in the case of <u>binge drinkers</u> who have consumed large quantities of fluids, but are not conscious of the need to urinate due to <u>stupor</u>. This condition is very rare in women, but does occur. Signs and symptoms include localized pain and <u>uraemia</u> (poisoning due to reabsorbed waste). [4][5]

Intra- and extraperitoneal rupture

Bladder rupture is divided into intraperitoneal and extraperitoneal rupture, with the latter encompassing 85% of post-traumatic bladder rupture. Intraperitoneal rupture is both more rare and associated with greater morbidity, requiring surgical repair due to the risk of non-healing and gram negative sepsis. [6][7]







Ultrasound showing bladder rupture - Week 2^[8]

Bladder tamponade

Bladder <u>tamponade</u> is obstruction of the bladder outlet due to heavy <u>blood clot</u> formation within it. [9] It generally requires surgery. [9] Such heavy bleeding is usually due to bladder cancer. [10]

See also

- Underactive bladder
- Overactive bladder

References

- 1. Meijlink, Jane M (April 2014). "Interstitial cystitis and the painful bladder: A brief history of nomenclature, definitions and criteria: History of IC/painful bladder" (https://doi.org/10.1111% 2Fiju.12307). International Journal of Urology. 21: 4–12. doi:10.1111/iju.12307 (https://doi.org/10.1111%2Fiju.12307). PMID 24807485 (https://pubmed.ncbi.nlm.nih.gov/24807485).
- 2. "Cystitis Nonbacterial eMedicine" (http://emedicine.medscape.com/article/440225-overview). 2019-10-20. {{cite journal}}: Cite journal requires | journal = (help)
- 3. "Cystitis MayoClinic.com" (http://www.mayoclinic.com/health/cystitis/ds00285).
- 4. Lucy Atkins (2007-11-20). "A new report says binge drinking has increased to such an extent that cases of 'exploding bladders' are on the rise in the UK" (https://www.theguardian.com/g 2/story/0,,2213866,00.html). *The Guardian*.
- 5. Dooldeniya MD, Khafagy R, Mashaly H, Browning AJ, Sundaram SK, Biyani CS (2007). "Lower abdominal pain in women after binge drinking" (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2072017). BMJ. 335 (7627): 992–3. doi:10.1136/bmj.39247.454005.BE (https://doi.org/10.1136%2Fbmj.39247.454005.BE). PMC 2072017 (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2072017). PMID 17991983 (https://pubmed.ncbi.nlm.nih.gov/17991983).
- 6. Vaccaro, JP; Brody, JM (2000). "CT cystography in the evaluation of major bladder trauma". *Radiographics*. **20** (5): 1373–81. doi:10.1148/radiographics.20.5.g00se111373 (https://doi.org/10.1148%2Fradiographics.20.5.g00se111373). PMID 10992026 (https://pubmed.ncbi.nlm.nih.gov/10992026).
- 7. Simon, LV; Hashmi, MF; Burns, B (January 2019). "Bladder Rupture". PMID 29262195 (https://pubmed.ncbi.nlm.nih.gov/29262195). {{cite journal}}: Cite journal requires | journal = (help)
- 8. "UOTW #1 Ultrasound of the Week" (https://www.ultrasoundoftheweek.com/uotw-1/). *Ultrasound of the Week*. 19 May 2014. Retrieved 27 May 2017.
- 9. Page 352 (https://books.google.com/books?id=5IAVpCX2eC8C&pg=PT367) in: Guenter Schmidt (2006). *Differential diagnosis in ultrasound: a teaching atlas*. Stuttgart: Thieme. ISBN 3-13-131891-0.
- Miyamae, K.; Otsuka, T.; Otsuka, Y.; Nagayoshi, M.; Hamada, Y. (2006). "Clinical study of bladder tamponade resulting from clots of blood" (https://doi.org/10.5980%2Fjpnjurol1989.9 7.743). Nihon Hinyokika Gakkai Zasshi. The Japanese Journal of Urology. 97 (5): 743–747. doi:10.5980/jpnjurol1989.97.743 (https://doi.org/10.5980%2Fjpnjurol1989.97.743). PMID 16898598 (https://pubmed.ncbi.nlm.nih.gov/16898598).

External links

- http://kidney.niddk.nih.gov/kudiseases/topics/bladder.asp
- "Vesical Diseases" (https://en.wikisource.org/wiki/Encyclop%C3%A6dia_Britannica,_Ninth_ Edition/Vesical_Diseases). Encyclopædia Britannica. Vol. XXIV (9th ed.). 1888. p. 188.

Retrieved from "https://en.wikipedia.org/w/index.php?title=Urinary_bladder_disease&oldid=1184960458"