PASS4FUTURE

Salesforce

SALESFORCE-HYPERAUTOMATION-SPECIALIST Exam

Salesforce Certified Hyperautomation Specialist

THANK YOU
FOR YOUR PURCHASED

QUESTIONS & ANSWERS
(RETAIL VERSION - FULL QUESTIONS SET)

WWW.PASS4FUTURE.COM

Product Questions: 60
Version: 4.0

Question: 1

Northern Trail Outfitters needs to update multiple systems outside of Salesforce based on record updates within Salesforce. A hyperautomation practitioner needs to configure Salesforce to call several APIs created by the MuleSoft development team from within a Salesforce flow.
What specifications must be imported into Salesforce to make external services available to a Salesforce flow that enables external invokable actions?

A. Open API specifications
B. External API specifications
C. RAML API specifications
D. Anypoint API specifications

Answer: A

Explanation:

To enable Salesforce to call external services within a flow, the appropriate specifications must be imported to make these external services available as invokable actions. The correct specification is Open API specifications. OpenAPI Specification (formerly known as Swagger) is a standard for defining APIs which can be easily imported into Salesforce to facilitate the integration and invocation of external services.
Import OpenAPI Specifications: Salesforce allows the import of OpenAPI specifications, which define the available endpoints and operations of an API, making them accessible as invocable actions in a Salesforce flow.
Creating External Services: By importing an OpenAPI definition into Salesforce, it creates an External Service, which you can then use within Flow to interact with the defined APIs.
Flow Integration: Once imported, these services can be integrated into Salesforce Flows to automate processes that require interaction with external systems.
Reference: Salesforce External Services and API Integrations

Question: 2

For a MuleSoft Composer flow, errors can be noted in its Flow Details page.
What other way can MuleSoft Composer send notifications when errors occur?

A. It posts to a configured Chatter profile.

B. It generates a notification in the flow.
C. It sends a message to a configured Slack channel.
D. It sends a notification to the configured email address.

Answer: D

Explanation:

MuleSoft Composer provides a way to handle errors and notify users when something goes wrong in a flow. Aside from viewing errors on the Flow Details page, MuleSoft Composer can also send notifications to alert users about the errors.
Flow Error Handling: When an error occurs in a MuleSoft Composer flow, the error is logged and visible on the Flow Details page.
Email Notifications: MuleSoft Composer can be configured to send notifications to a specified email address. This allows users to be promptly informed of any issues without having to constantly monitor the Flow Details page.
Configuration: This can be set up in the MuleSoft Composer settings, where an email address can be configured to receive these notifications.
Reference: MuleSoft Composer Error Notifications

Question: 3

Northern Trail Outfitters wants to run a bidirectional sync of data between two Salesforce orgs. They want to perform real-time updates between both systems so that if either system is updated, the other one is automatically updated with the new data.
What is the minimum number of Mute-Soft Composer flows needed to meet this requirement?

A. 3
B. 1
C. 2
D. 4

Answer: C

Explanation:

To achieve a bidirectional sync between two Salesforce orgs using MuleSoft Composer, you would need a minimum of two flows.
Flow 1: Sync from Org A to Org B: This flow monitors changes in Org A and updates Org B with the new data whenever a change occurs.
Flow 2: Sync from Org B to Org A: Similarly, this flow monitors changes in Org B and updates Org A with the new data whenever a change occurs.
This setup ensures that any change in either Salesforce org is reflected in the other, maintaining real-time synchronization between the two systems.
Reference: MuleSoft Composer for Salesforce

Question: 4

Northern Trail Outfitters (NTO) is building a hyperautomation solution using Salesforce and MuleSoft.

Their Salesforce admin needs to automate a comprehensive, multi-step process that a single user will execute after a case record is created.
How should the Salesforce Flow solution be structured to meet this requirement?

A. An autolaunched flow that will process user inputs and conditional logic to automate the process in Salesforce
B. A single flow Orchestration that uses Stages and Steps to organize automated actions and process user inputs
C. A screen flow to process user inputs and an autolaunched flow to process backend steps automatically
D. A parent flow with subflows to help organize automated actions and generate reusable components

Answer: B

Explanation:

To address the comprehensive, multi-step process automation requirement at Northern Trail Outfitters (NTO), a single flow orchestration that uses Stages and Steps is the best solution.
Flow Orchestration in Salesforce:
Stages and Steps: Flow Orchestration allows Salesforce admins to build sophisticated automations by structuring the flow into Stages (representing different parts of the process) and Steps (individual actions within each Stage).
User Inputs and Automated Actions: By leveraging Stages and Steps, Salesforce Flow Orchestration can handle both user inputs and backend automated steps seamlessly, ensuring the entire process is automated and organized efficiently.
Error Handling and Conditional Logic: It also allows for conditional logic and error handling, ensuring that the flow can adapt to various scenarios that may arise during the automation process.
Comprehensive Process Automation:
Single User Execution: Given that the requirement specifies that a single user will execute the process after a case record is created, Flow Orchestration is ideal as it can manage the end-to-end process in a structured manner, without requiring multiple flows or complex configurations.
Reference:
Salesforce documentation on Flow Orchestration provides detailed insights on how to design and implement such solutions.

Question: 5

AnyAirlines is attempting to automate a process that triggers when a case is created in Salesforce but requires data to be extracted from a website without an API. It plans to automate the process using MuleSoft Composer and MuleSoft RPA.
During the design phase, it uses RPA Recorder to gather the steps required to interact with the website.
What will automatically be gathered by RPA Recorder when recording a manual activity?

A. Variable information used by the user during the process
B. Conditional decisions made by the user during the process
C. Comments on the purpose of the different steps carried out by the user
D. Documentation on the elements used by the user during the process

Answer: D

Explanation:

When using MuleSoft RPA Recorder to gather steps required for interacting with a website, it automatically collects documentation on the elements used by the user during the process.
MuleSoft RPA Recorder:
Automatic Element Documentation: The RPA Recorder captures all the elements (e.g., buttons, fields, and other UI components) that the user interacts with during the manual process recording.
Metadata Collection: It collects metadata such as element IDs, types, and positions, which are essential for accurately replicating the manual actions during automation.
Why Not Other Options:
Variable Information: While variable information is important, it is not the primary focus of the RPA Recorder. Variables can be defined post-recording.
Conditional Decisions: Conditional logic is typically added during the design phase of the RPA script, not during the initial recording.
Comments: User comments on the purpose of steps are not automatically recorded; this information needs to be added manually.
Reference:
For more detailed information on how MuleSoft RPA Recorder works, refer to MuleSoft's official RPA documentation

Question: 6

Any Airlines is developing a new integration and wants built-in automated testing.
Which tool must be used to satisfy this requirement?

A. MuleSoft RPA
B. MuleSoft Composer
C. Flow Orchestration
D. Anypoint Platform

Answer: D

Explanation:

To implement built-in automated testing for new integrations at Any Airlines, the Anypoint Platform is the appropriate tool.
Anypoint Platform Capabilities:
Automated Testing: Anypoint Platform includes various tools such as MUnit for automated testing of Mule applications. MUnit allows developers to create, design, and run tests natively within Anypoint Studio.
Test Automation Features: It supports comprehensive testing features including unit tests, integration tests, and mock services to ensure robust and reliable integrations.
Continuous Integration and Deployment: Anypoint Platform can be integrated with CI/CD pipelines, allowing automated tests to run as part of the deployment process, ensuring that any new code changes do not break existing functionality.
Why Not Other Options:

MuleSoft RPA: Primarily used for automating repetitive manual tasks, not for testing integrations.
MuleSoft Composer: Focuses on low-code integrations and automation, not specifically designed for automated testing.
Flow Orchestration: While useful for process automation within Salesforce, it does not provide the testing capabilities required for MuleSoft integrations.
Reference:
For detailed information on automated testing with Anypoint Platform and MUnit, refer to the official MuleSoft documentation

Question: 7

Northern Trail Outfitters developed an integration between its two Salesforce orgs using MuleSoft Composer.
Which two actions should be taken before testing the Composer flow? (Choose two.)

A. Ensure the flow trigger is connected to a sandbox instance of Salesforce.
B. Ensure action steps are connected to a sandbox instance of Salesforce.
C. Ensure the credentials to the target production org are still valid.
D. Ensure MuleSoft Composer is installed on both the source and target orgs.

Answer: A, B

Explanation:

Flow Trigger Connection: Before testing any Composer flow, it is crucial to connect the flow trigger to a sandbox instance of Salesforce. This ensures that testing does not impact the production environment. The sandbox provides a safe space to simulate real-world conditions without the risk of data corruption or unintended actions in the live system.
Reference: Salesforce Sandbox Documentation
Action Steps Connection: Similar to the flow trigger, action steps within the Composer flow should also be connected to a sandbox instance. This allows comprehensive testing of the flow's functionality, ensuring that each step performs as expected without affecting the production data.
Reference: MuleSoft Composer Guide
Ensuring Validity of Credentials: While it is important to ensure that credentials to the production org are valid when moving to production, for testing purposes, the emphasis is on sandbox connections. The credentials should be verified to avoid disruptions during testing.
Reference: MuleSoft Composer Flow Setup
Installation of MuleSoft Composer: MuleSoft Composer does not need to be installed on both the source and target orgs as it operates independently and connects to these orgs through provided credentials.
Reference: MuleSoft Composer Installation

Question: 8

A MuleSoft developer at AnyAirlines is tasked with creating a new API for an integration.
According to best practices, what is the first step they need to perform?

A. Create a new project in Anypoint Studio.

B. Install a standalone Mule runtime on their local machine.
C. Create a case in Salesforce.
D. Create a RAML definition in Design Center.

Answer: D

Explanation:

RAML Definition Creation: The first step in creating a new API as per MuleSoft best practices is to create a RAML (RESTful API Modeling Language) definition in the Design Center. This step is critical as it outlines the API's structure, endpoints, methods, and data types, providing a clear blueprint for subsequent development.
Reference: MuleSoft API Design Best Practices
Project Creation in Anypoint Studio: Once the RAML definition is created, the next step would be to generate the API project in Anypoint Studio. This IDE allows developers to implement the API logic as defined in the RAML.
Reference: Getting Started with Anypoint Studio
Mule Runtime Installation: Installing Mule runtime is necessary for running and testing Mule applications locally. However, this step is secondary to defining the API's structure.
Reference: Mule Runtime Installation
Case Creation in Salesforce: Creating a case in Salesforce is not relevant to the API development process but may be necessary for support or project management purposes.
Reference: Salesforce Case Management

Question: 9

AnyAirlines uses an Einstein bot for their customer support. They want it to display a message when a user provides an incorrect answer to a particular question.
Which dialog option should be selected'?

A. Message
B. Action
C. Question
D. Rules

Answer: A

Explanation:

Message Dialog Option: When configuring an Einstein bot to respond to incorrect answers, the 'Message' dialog option should be selected. This allows the bot to display a predefined message to the user, guiding them appropriately or informing them of the incorrect input.
Reference: Salesforce Einstein Bot Setup Guide
Understanding Dialog Options:
Action: Used for initiating backend processes or external actions.
Question : Used for asking the user for information or inputs.
Rules: Used for defining conditional logic to control the flow of the conversation.
Message: Specifically used to provide information or feedback to the user, which is ideal for handling incorrect answers.

Reference: Einstein Bots Dialogue Management

Question: 10

AnyAirlines has an RPA process that is failing in Production.
According to best practices, how should they debug the failure?

A. Download the analysis package from RPA Manager, open it in a text editor, then determine the root cause.
B. Download the analysis package from RPA Manager. revert the RPA process to the Test phase, then import the analysis package to RPA Builder and debug.
C. Download the analysis package from RPA Manager. revert the RPA process to the Build phase, then import the analysis package to RPA Builder and debug.
D. Deactivate the RPA process, enter the inputs manually, the monitor the execution to determine the root cause.

Answer: C

Explanation:

Download the Analysis Package: The first step is to download the analysis package from the RPA Manager. This package contains logs and detailed execution data that are crucial for debugging.
Reference: MuleSoft RPA Manager Documentation
Revert to Build Phase: Reverting the RPA process to the Build phase allows developers to make changes and debug the process. The Build phase is where the RPA process is designed and configured.
Reference: MuleSoft RPA Lifecycle
Import to RPA Builder: Import the analysis package into RPA Builder, which is the tool used to develop and debug RPA processes. This allows for a detailed investigation and identification of the root cause of the failure.
Reference: MuleSoft RPA Builder Guide
Debugging: Use the detailed logs and execution data within RPA Builder to step through the process, identify issues, and implement fixes. This is the most effective method for diagnosing and resolving issues in RPA processes.
Reference: RPA Debugging Techniques

Question: 11

AnyAirlines wants to create a new marketing campaign that sends customers special offers every month based on their accrued loyalty points. There is an existing integration for customer data using MuleSoft's API-led three-tier strategy. Loyalty information exists in an external system that can be accessed via an HTTP endpoint provided by the system, but has no current integration. The external ID used will be email address.
The desired output is a CSV file containing customers that includes only the top 10 percent of loyalty point holders.
What is the most efficient way to meet this requirement?

A. 1. Have the MuleSoft team develop a new integration that includes a System API to the Loyalty

system and uses the existing Customer System API.
2. Create a Process API to output the final results.
3. Create an Experience API for the business consumers to initiate the integration.
B. 1. Create a MuleSoft Composer flow that utilizes the current Customer integration to select all customers.
2. Create an additional MuleSoft Composer flow that retrieves all the Loyalty information.
3. Create a MuleSoft Composer flow that combines the two previous results and outputs the top 10 percent to a CSV file.
C. 1. Have the MuleSoft team develop a new integration that includes a new System API to both the Customer and Loyally systems.
2. Create a Process API to output the final results.
3. Create an Experience API for the business consumers to initiate the integration.
D. 1. Create a Salesforce Flow that retrieves the Contact data.
2. Create a Salesforce Flow that retrieves the Loyalty data.
3. Create a Flow Orchestration that uses the two flows and outputs the result to a CSV file.

Answer: A

Explanation:

Develop System API for Loyalty System: The first step is to develop a new System API that integrates with the Loyalty system. This API will handle communication with the external system via the provided HTTP endpoint.
Reference: MuleSoft API-led Connectivity
Utilize Existing Customer System API: Use the existing System API for customer data to retrieve necessary customer information. Combining these APIs ensures a modular approach and reuse of existing assets.
Reference: API-led Connectivity
Create Process API: Develop a Process API that combines data from both the Customer and Loyalty System APIs. This API will process the data, apply business logic to filter the top 10 percent of loyalty point holders, and format the results.
Reference: Designing Process APIs
Create Experience API: Develop an Experience API to serve the business consumers. This API will provide a user-friendly interface for initiating the integration and retrieving the results as a CSV file.
Reference: API Experience Layer

Question: 12

AnyAirlines selected AWS Cloud services as their infrastructure platform. They need to implement Anypoint Platform as the integration solution along with existing cloud capabilities like vertical/horizontal scalability and zero downtime redeployments.
Which type of deployment strategy is needed?

A. Cloudhub
B. Runtime Fabric
C. Hybrid
D. Private Cloud Edition

Answer: B

Explanation:

Anypoint Runtime Fabric: Anypoint Runtime Fabric (RTF) is designed for deploying Mule applications on any cloud infrastructure, including AWS. It supports vertical and horizontal scalability and enables zero-downtime deployments, which aligns with AnyAirlines' requirements.
Reference: Anypoint Runtime Fabric Overview
Vertical/Horizontal Scalability: RTF allows scaling applications both vertically (adding more resources to existing nodes) and horizontally (adding more nodes to the cluster). This ensures high availability and performance.
Reference: Runtime Fabric Scalability
Zero Downtime Deployments: RTF supports zero-downtime deployments by utilizing rolling updates and canary deployments, ensuring that updates do not disrupt ongoing operations.
Reference: Zero Downtime Deployment with RTF
AWS Integration: RTF can be deployed on AWS, leveraging existing cloud infrastructure capabilities and providing a seamless integration experience.
Reference: Deploying RTF on AWS

Question: 13

Northern Trail Outfitters is developing an API that connects to a vendor's database.
Which two strategies should their Ops team use to monitor the overall health of the API and database using API Functional Monitoring? (Choose two.)

A. Monitor the CloudHub worker logs for JDBC database connection exceptions.
B. Make a call to a health-heck endpoint, and then verity that the endpoint is still running.
C. Monitor the Mule worker logs for "ERROR" statements and verity that the results match expected errors.
D. Make a GET call to an existing API endpoint, and then verify that the results match expected data.

Answer: B, D

Explanation:

Health-Check Endpoint: Creating and regularly calling a health-check endpoint is a common strategy to ensure that the API and its underlying systems are operational. This endpoint typically performs basic checks such as database connectivity and service availability.
Reference: Health Check Pattern
GET Call to Existing Endpoint: Making a GET call to an existing API endpoint and verifying that the results match expected data helps ensure that the API is not only running but also functioning correctly. This approach validates that the API can retrieve data from the database as intended.
Reference: API Monitoring Best Practices
Monitoring CloudHub Worker Logs: While monitoring logs can be useful, it is more of a reactive approach. Proactive strategies like health-check endpoints and GET calls provide immediate validation of the API's operational status.
Reference: CloudHub Monitoring
Verifying Mule Worker Logs for Errors: This approach can complement health-check endpoints and GET calls but should not be the primary strategy. Logs are helpful for diagnosing issues after they

occur rather than ensuring ongoing health.
Reference: Error Handling and Logging

Question: 14

A Salesforce administrator asks for advice on how to build their Salesforce flow. They need to complete several DML actions as part of their Salesforce flow and are running into DML governor limits during testing.
Which two pieces of advice should be given to the Salesforce administrator to improve their flow? (Choose two.)

A. Avoid putting DML statements inside of For Loop occurrences.
B. Use the upsert action to reduce the amount of DML statements required during the flow runtime.
C. Loopthrough a collection variable to save more records with a single DML statement.
D. Use DML statements at the end of the flow wherever possible.

Answer: A, C

Explanation:

Avoid DML in For Loops: Placing DML (Data Manipulation Language) operations inside a loop can quickly exceed Salesforce governor limits, as each iteration performs a separate DML operation. It's best to collect records in a list and perform DML operations outside the loop.
Reference: Salesforce Governor Limits
Use Collection Variables: By looping through a collection variable and adding records to it, you can perform bulk DML operations, which are more efficient and less likely to hit governor limits.
Reference: Apex Collections and Bulk Processing
Use Upsert Action: Using the upsert action can reduce the number of DML statements by combining insert and update operations. However, this strategy depends on the specific flow requirements and data structure.
Reference: Salesforce Upsert Operation
DML Statements at the End: Consolidating DML operations to the end of the flow is advisable, but care should be taken to handle errors and exceptions appropriately.
Reference: Error Handling in Flows

Question: 15

AnyAirlines has MuleSoft Composer installed on their production Salesforce environment.
To test flows with data in multiple non-production environments, what does the hyperautomation specialist need to do?

A. Create a connection to each of the non-production environments within the Composer Ul.
B. Install MuleSoft Composer in each of the non-production Salesforce environments.
C. Install MuleSoft Composer in only one non-production Salesforce environment and create a proxy to all other non-production environments.
D. Use mocked data because non-production data is not available to MuleSoft Composer.

Answer: A

Explanation:

Create Connections: To test flows with data in multiple non-production environments, creating connections to each environment within the MuleSoft Composer UI is necessary. This allows the Composer to access and manipulate data across different environments, ensuring comprehensive testing.
Reference: MuleSoft Composer Connections
Installing Composer in Non-Production Environments: While installing Composer in each environment is technically possible, creating individual connections is more efficient and aligns with best practices.
Reference: Composer Setup and Configuration
Using Mocked Data: Mocked data can be useful for initial testing, but connecting to actual non-production environments provides more realistic test scenarios.
Reference: Testing with Mock Data
Proxy Setup: Creating a proxy to other environments is complex and unnecessary when Composer supports direct connections.
Reference: Proxy Configuration

Question: 16

Northern Trail Outfitters is concerned about security in their Salesforce org regarding their newly created hyperautomation flow that calls a MuleSoft API. A mechanism needs to be implemented that restricts which users can invoke the flow.
Which setting is available to a hyperautomation practitioner that meets this security requirement?

A. Configure OAuth 2.0 in the connected app.
B. Assign an appropriate profile or permission set to users in the external service.
C. Assign an appropriate profile or permission set to users in the connected app.
D. Configure OAuth 2.0 in the external service.

Answer: C

Explanation:

Profiles and Permission Sets: Assigning the appropriate profile or permission set to users in the connected app restricts access to the MuleSoft API. This method ensures that only authorized users can invoke the hyperautomation flow.
Reference: Salesforce Connected App Security
OAuth 2.0 Configuration: Configuring OAuth 2.0 is important for authentication, but it does not directly control which users can invoke the flow. The profile or permission set is used to manage user permissions.
Reference: OAuth 2.0 Overview
External Service Permissions: Assigning permissions in the external service is less relevant than managing permissions within Salesforce, where the flow is executed.
Reference: External Services in Salesforce
Connected App Security: Properly securing the connected app by configuring user profiles and permission sets ensures compliance with security policies and restricts access as required.
Reference: Managing Access with Connected Apps

Question: 17

An RPA developer is building the implementation of an RPA process based on the BPMN created by a colleague. In the BPMN, they see the symbol below:

What does the symbol represent?

A. An activity that is performed if an error occurs during processing
B. A point in the process where different activities are performed under different circumstances
C. One possible endpoint for the process
D. A cleanup activity that is performed at the end of the process to ensure all running applications are closed

Answer: B

Explanation:

Symbol Meaning: The symbol shown is a diamond with an "X" inside, which represents an exclusive gateway in BPMN (Business Process Model and Notation). This gateway is used to control the flow of the process based on certain conditions or circumstances.
Reference: BPMN Gateway Types
Exclusive Gateway: An exclusive gateway routes the process flow into one of several paths based on conditions defined within the process model. Only one path is taken out of the gateway.
Reference: Exclusive Gateway Explanation
Usage in Process: When an exclusive gateway is encountered, the process evaluates the conditions on each outgoing sequence flow and chooses the path that meets the conditions. This ensures different activities are performed based on different circumstances.
Reference: BPMN Exclusive Gateway

Question: 18

A Salesforce admin for AnyAirlines constructs a MuleSoft Composer flow that retrieves a record based on a unique ID using the Get Records action from a Salesforce connector. They will use the result to send a Slack message.
How can they achieve this task?

A. 1. Add a Slack action step after the Salesforce action step.
2. Use the first record from the collection of Salesforce records to construct the message.
B. 1. Add a For Each loop after the Salesforce action step iterating over the collection of Salesforce records.
2. Use a Slack action step to construct the messages from the record being processed.
C. 1. Add an If/Else Block after the Salesforce action step, which contains a branch checking if the Salesforce action step returned exactly one record.
2. In the branch, add a Slack action step and use the record to construct the message.
D. 1. Add a Slack action step after the Salesforce action step.
2. Use the record to construct the message.

Answer: D

Explanation:

Salesforce Action Step: Start by adding a Salesforce action step that uses the Get Records action to retrieve the record based on a unique ID. This action retrieves the specific record needed.
Reference: MuleSoft Composer Salesforce Connector
Add Slack Action Step: After retrieving the record, add a Slack action step. This step will be used to send the message to Slack.
Reference: MuleSoft Composer Slack Connector
Use the Record: Use the retrieved record directly to construct the message in the Slack action step. This ensures the message contains the relevant information from the Salesforce record.
Reference: Building Messages in Composer
No Need for Collection Handling: Since the Get Records action retrieves a single record based on a unique ID, there is no need to handle collections or iterate through records.
Reference: Get Records Action

Question: 19

Northern Trail Outfitters needs to develop an application network that follows a MuleSoft-recommended, API-led connectivity approach and meets the following requirements:
provides data to mobile and web interfaces
aggregates and transforms data
retrieves data from databases
In which API tier should the data aggregation and transformation take place?

A. Experience
B. Process
C. Business
D. System

Answer: B

Explanation:

API-led Connectivity: MuleSoft's API-led connectivity approach divides APIs into three tiers: System, Process, and Experience. Each tier has a specific role in managing data and operations.
Reference: MuleSoft API-led Connectivity
Experience APIs: These APIs are designed to provide data to end-user interfaces, such as mobile and web applications. They typically format the data in a way that is easy for the user interface to consume.
Reference: Experience API Definition
Process APIs: Process APIs are responsible for orchestrating and executing business logic. They aggregate, transform, and process data from multiple sources before passing it to Experience APIs or other downstream systems.
Reference: Process API Role
System APIs: These APIs provide direct access to core systems and data sources. They handle CRUD (Create, Read, Update, Delete) operations and expose data from underlying systems.

Reference: System API Role
Data Aggregation and Transformation: Given the requirements to aggregate and transform data, the Process tier is the appropriate place. Process APIs handle complex business logic and data transformation, making them ideal for aggregating data from multiple sources and transforming it as needed.
Reference: Process APIs and Data Transformation

Question: 20

A Salesforce flow needs to connect to external APIs provided by Northern Trail Outfitters (NTO) and AnyAirlines to retrieve data.
Which three steps should be taken to connect to the external APIs? (Choose three.)

A. Use an Action element to call and consume the appropriate API in the Salesforce flow.
B. Create External Services in Salesforce for NTO and AnyAirlines.
C. Create Named Credentials in Anypoint for NTO and AnyAirlines.
D. Use a Virtual service to call and consume the appropriate API in the Salesforce flow.
E. Create Named Credentials in Salesforce for NTO and AnyAirlines.

Answer: A, B, E

Explanation:

To connect a Salesforce flow to external APIs, follow these steps:
Create Named Credentials in Salesforce:
Named Credentials in Salesforce simplify the authentication process by storing the URL and authentication details needed to call the external service. Set up Named Credentials for both NTO and AnyAirlines APIs.
Navigate to Salesforce Setup > Named Credentials > New Named Credential.
Enter the details for NTO API, including the endpoint URL and authentication settings.
Repeat the process for the AnyAirlines API.
Create External Services in Salesforce:
External Services allow you to register the external APIs with Salesforce so that they can be invoked from a flow.
Navigate to Salesforce Setup > External Services > New External Service.
Use the OpenAPI/Swagger or RAML specification files provided by NTO and AnyAirlines to register their APIs.
This step involves importing the API specifications and configuring the services, which will be used in the flow.
Use an Action Element in Salesforce Flow:
Within Salesforce Flow, use the Action element to call the external services that were registered.
This involves adding an Action to your flow and selecting the appropriate External Service action that corresponds to the API method you want to invoke.
Reference:
Salesforce External Services Documentation
Salesforce Named Credentials Documentation

Question: 21

AnyAirlines wants to share the Flight Path API through their public Anypoint Exchange Portal. What should be configured before the API can be shared?

A. The visibility level of API instances should be set to public.
B. The users that need access to the API should be added to the appropriate role in Anvpoint Platform.
C. The API should be secured using one of the supported authentication/authorization mechanisms.
D. The API should be functional and accessible for users to interact with.

Answer: A

Explanation:

Before sharing an API on the public Anypoint Exchange Portal, several configurations must be in place:
Set Visibility Level to Public:
Ensure the API's visibility level is configured as public within the Anypoint Platform so that it can be shared and accessed by external users.
Navigate to Anypoint Platform > API Manager > Select the API > Settings > Set Visibility to Public.
Ensure API Functionality and Accessibility:
Make sure the API is fully functional and accessible so that users can interact with it once shared.
Configure Security:
While setting the visibility to public is crucial, ensuring that the API is secured using one of the supported authentication/authorization mechanisms is a best practice to control access.
Reference:
MuleSoft Anypoint Exchange Documentation
MuleSoft API Manager Documentation

Question: 22

Northern Trail Outfitters recently purchased another company. Both companies have separate Salesforce orgs. One business user wants to automate a workflow which requires data transfer between both orgs and automates a distinct multi-user workflow within one of the orgs. According to best practices, which two hyperautomation tools should these workflows use? (Choose two.)

A. Flow Orchestration
B. Anypoint Platform
C. MuleSoft RPA
D. MuleSoft Composer

Answer: A, D

Explanation:

To automate a workflow that requires data transfer between two Salesforce orgs and a distinct multi-user workflow within one of the orgs, the following tools are recommended:
MuleSoft Composer:

MuleSoft Composer allows for easy and quick integration between multiple systems, including different Salesforce orgs. It provides a no-code solution for connecting and syncing data across Salesforce instances.
Use MuleSoft Composer to create the integration flows that handle the data transfer between the two Salesforce orgs.
Flow Orchestration:
Salesforce Flow Orchestration is ideal for automating complex, multi-step business processes involving multiple users within a single org.
Use Flow Orchestration to design and automate the distinct multi-user workflow within one of the Salesforce orgs. It helps in coordinating user tasks, approvals, and other business processes seamlessly.
Combining these two tools leverages their strengths to handle both the integration and the complex workflow automation efficiently.
Reference:
Salesforce Flow Orchestration Documentation
MuleSoft Composer Documentation

Question: 23

A non-technical employee from AnyAirlines creates a hyperautomation solution. The solution needs to meet the following criteria:
The process needs to begin when a record is created in Salesforce.
Then, it needs to pass data to a pre-existing RPA process which includes a User Task for data integrity purposes.
The output of the RPA process needs to be used to create a record in NetSuite.
According to best practices, how should this automated process be structured?

A. 1. A MuleSoft Composer flow triggers on the creation of the record and calls the RPA process.
2. Then, the same flow uses the response to create a record in NetSuite.
B 1. A Salesforce flow triggers on the creation of the record and calls too RPA process.
2. Then, the same flow uses the response to create a record in NetSuite.
C. 1. A MuleSoft Composer flow triggers on the creation of the record and calls the RPA process.
2. Then, a second MuleSoft Composer flow triggers when the RPA process is completed and creates a record in NetSuite.
D. 1. A Salesforce flow triggers on the creation of the record and makes an outbound request to a MuleSoft Composer flow.
2. Then, the same MuleSoft Composer flow calls the RPA process and uses the result to create a record in NetSuite.

Answer: A

Explanation:

To structure the automated process to meet the given criteria, the following approach is recommended:
MuleSoft Composer Flow Triggers on Record Creation:
Use MuleSoft Composer to create a flow that is triggered when a new record is created in Salesforce. This is done by setting up a trigger event in MuleSoft Composer that listens for new record creation events in Salesforce.

Call the RPA Process:
Once the flow is triggered, it should call the pre-existing RPA process. MuleSoft Composer can invoke MuleSoft RPA bots, and you can pass the necessary data from the Salesforce record to the RPA process.
The RPA process will include the User Task for data integrity purposes.
Use the RPA Process Output to Create a Record in NetSuite:
After the RPA process completes, the MuleSoft Composer flow can capture the output from the RPA process.
The same MuleSoft Composer flow will then use this output to create a record in NetSuite, ensuring a seamless data transfer and process automation.
Reference:
MuleSoft Composer Documentation
MuleSoft RPA Documentation

Question: 24

Northern Trail Outfitters set up a MuleSoft Composer integration between Salesforce and NetSuite that updates the Order object in Salesforce with data from NetSuite.
When an order in Salesforce is updated as complete, the Last Order Date custom field on the related account should automatically update with the date the order was marked complete.
What is the best practice to achieve this outcome?

A. Update the MuleSoft Composer integration to also update the related account when the order is marked complete.
B. Replace the MuleSoft Composer integration with a three-tier API integration between Salesforce and NetSuite using Anvpoint Platform.
C. Create a record-triggered flow on the Order object that updates the related account when the order is marked complete.
D. Create a MuleSoft RPA bot that updates the related account when the order is marked complete.

Answer: C

Explanation:

To update the Last Order Date custom field on the related account when an order is marked complete in Salesforce, the best practice is to use a record-triggered flow:
Create a Record-Triggered Flow:
Use Salesforce Flow to create a record-triggered flow on the Order object.
Set the flow to trigger when a record is updated (specifically, when the order status is updated to complete).
Update the Related Account:
In the flow, use a Get Records element to fetch the related Account record.
Use an Update Records element to update the Last Order Date custom field on the related Account with the date the order was marked complete.
This approach ensures that the data remains within Salesforce and is updated immediately as part of the same transaction, providing a robust and efficient solution.
Reference:
Salesforce Flow Builder Documentation

Question: 25

An AnyAirlines employee regularly performs a manual process to extract customer and flight information from multiple legacy systems. AnyAirlines recently purchased MuleSoft automation and wants to automate this process using MuleSoft RPA.
During an evaluation of the candidate RPA process, which two key qualifiers should be considered? (Choose two.)

A. Is the process rule-based?
B. Is the process risky?
C. Is the process data-driven?
D. Is the process speed-sensitive?

Answer: A, C

Explanation:

When evaluating a candidate process for RPA automation using MuleSoft RPA, consider the following key qualifiers:
Is the Process Rule-Based?:
RPA is well-suited for processes that follow clear, predefined rules. If the process involves repetitive tasks with defined rules and decision points, it is a good candidate for RPA automation.
Rule-based processes can be accurately automated by RPA bots without the need for complex decision-making.
Is the Process Data-Driven?:
Data-driven processes involve manipulating, transferring, and extracting data, making them ideal for RPA automation.
If the manual process involves working with structured data (e.g., extracting customer and flight information), it is a good fit for RPA, as bots can efficiently handle data operations.
Other considerations like risk and speed sensitivity are also important but focusing on rule-based and data-driven aspects ensures that the process is structured and systematic, making it easier to automate reliably.
Reference:
MuleSoft RPA Documentation
RPA Best Practices

Question: 26

Which type of integration project should be implemented with MuleSoft Composer?

A. Automating Ul interactions using image recognition
B. Data transformation from a source system to a target system by a non-technical user
C. Batch processing of larger-than-memory files with conditional logic within the batch steps
D. Long running workflows that require manual steps and approvals by users

Answer: B

Explanation:

MuleSoft Composer is designed for business users to create integrations without deep technical knowledge. It is ideal for scenarios that involve:
Data Transformation and Integration:
Non-technical users can easily connect different systems, automate data transfers, and transform data from one system to another using a no-code interface.
MuleSoft Composer provides pre-built connectors and an intuitive interface to set up these integrations.
Simplified Automation:
The platform is optimized for creating straightforward, rule-based automations where complex coding is not required.
Therefore, automating data transformation tasks by a non-technical user fits perfectly with MuleSoft Composer's capabilities.
Reference:
MuleSoft Composer Documentation

Question: 27

Northern Trail Outfitters (NTO) has a new business channel that requires exposing their existing non-MuleSoft APIs to the public. They do not have an Anypoint Flex Gateway.
The NTO digital channel team wants to leverage Anypoint Platform as its API management tool.
What is the most time-efficient mechanism of securing their backend systems?

A. Rewrite the existing APIs using MuleSoft.
B. Create a proxy in front of each existing API.
C. Expose each endpoint as a basic endpoint.
D. Use a basic endpoint with a configured consumer endpoint.

Answer: B

Explanation:

To expose existing non-MuleSoft APIs and secure them efficiently using Anypoint Platform, you can create API proxies. This approach provides several benefits:
API Proxy Creation:
Creating a proxy involves setting up an intermediary that forwards requests to the existing backend APIs. This allows you to leverage Anypoint Platform's API management capabilities without rewriting the existing APIs.
Proxies can be created quickly and configured to apply various security and governance policies.
Security and Management:
By creating a proxy, you can secure the APIs using Anypoint Platform's features such as rate limiting, authentication, and monitoring.
This method is time-efficient and leverages the robust security features of the Anypoint Platform without significant redevelopment effort.
Reference:
Anypoint Platform API Proxy Documentation

Question: 28

Northern Trail Outfitters is building a hyperautomation solution using Salesforce and MuleSoft. They need to use Salesforce Flow to automate a multi-departmental process in an external system and capture the outcome in Salesforce.
How should the Salesforce Flow solution be structured to meet this requirement?

A. An autolaunched flow invoked by REST API to update Salesforce after the process is completed
B. A Flow Orchestration to automate the multi-departmental process and update Salesforce records
C. Parent and subflows invoked by REST API to capture user inputs and update Salesforce records
D. An evaluation flow which evaluates when the process is completed and updates Salesforce records

Answer: B

Explanation:

Salesforce Flow Orchestration is designed to manage complex, multi-step business processes that span multiple departments and systems. Here's how it can be structured to meet the requirement:
Automate Multi-Departmental Process:
Use Flow Orchestration to define and manage the steps involved in the multi-departmental process. It allows you to break down the process into stages and define the sequence of actions and approvals required.
Capture Outcome in Salesforce:
After completing the external process, Flow Orchestration can be configured to update Salesforce records with the outcome. This ensures that the results of the automated process are reflected within Salesforce.
Orchestration Capabilities:
Salesforce Flow Orchestration provides features such as task assignments, decision elements, and complex branching logic, which are ideal for managing multi-departmental workflows.
Reference:
Salesforce Flow Orchestration Documentation

Question: 29

AnyAirlines releases a new REST API that exposes access to an RPA process. The RPA process can only handle a limited number of interactions per second before the API begins returning errors.
Which policy should AnyAirlines apply to prevent the API from being overloaded?

A. JSON threat protection
B. Rate Limiting - SLA
C. Spike Control
D. Client ID Enforcement

Answer: C

Explanation:

To prevent an API from being overloaded, the Spike Control policy is suitable. It helps manage sudden bursts of traffic by limiting the rate at which requests are processed. Here's how it works:
Preventing Overloads:
Spike Control smooths out bursts of incoming requests by enforcing a rate limit over a short period,

protecting the backend systems from being overwhelmed by excessive traffic.
Configuration:
Apply the Spike Control policy to the API to define the maximum number of requests allowed within a specific timeframe.
This ensures that the API can handle a limited number of interactions per second, preventing errors due to overload.
Implementation:
In Anypoint Platform, configure the Spike Control policy to the desired thresholds, ensuring the RPA process can handle the load effectively without errors.
Reference:
Anypoint Platform Spike Control Documentation

Question: 30

The customer support team at Northern Trail Outfitters manages and maintains customer service cases using Service Cloud. The team collaborates with other stakeholders such as the sales, product, and technical support teams to resolve cases using Slack.
The team needs to use a MuleSoft Composer flow to automatically trigger when a case is created or modified in Service Cloud with notifications in Slack. Based on these specific case requirements, the team routes the cases to the sales, product, or the technical support team.
What flow component must the customer support team use to route the cases?

A. For Each
B. If/Else
C. Switch/Case
D. Swimlane

Answer: C

Explanation:

To route cases based on specific criteria to different teams (sales, product, or technical support) using MuleSoft Composer, the Switch/Case component is the most appropriate choice:
Create a MuleSoft Composer Flow:
Start by creating a flow in MuleSoft Composer that triggers when a case is created or modified in Service Cloud.
Use the Switch/Case Component:
Add a Switch/Case component to the flow. This component allows you to define multiple conditions and route the flow based on these conditions.
Define the different case routing criteria (e.g., case type, priority) within the Switch/Case component. For each case, specify the condition that determines which team the case should be routed to.
Configure Notifications in Slack:
For each case defined in the Switch/Case component, configure the corresponding actions to send notifications to the appropriate Slack channels.
The Switch/Case component enables complex conditional logic, making it ideal for routing cases to different teams based on predefined criteria.
Reference:
MuleSoft Composer Documentation

Question: 31

AnyAirlines is creating a hyperautomation solution that will run any time a record is created in NetSuite and will update a record in Salesforce. Many records present in Salesforce need to be related to the updated record. AnyAirlines wants to automatically update each of these dependent records.
When combined, which two hyperautomation solutions should be used to automate this process without involving IT? (Choose two.)

A. Anypoint Platform
B. Salesforce Flow
C. MuleSoft RPA
D. MuleSoft Composer

Answer: B, D

Explanation:

To automate the process of updating related records in Salesforce when a record is created in NetSuite, combining Salesforce Flow and MuleSoft Composer is ideal:
MuleSoft Composer:
Use MuleSoft Composer to create a flow that triggers when a new record is created in NetSuite. Configure the flow to update the corresponding record in Salesforce. This ensures that changes in NetSuite are automatically reflected in Salesforce.
Salesforce Flow:
Use Salesforce Flow to create a record-triggered flow that updates all dependent records whenever the primary Salesforce record is updated.
This flow can be set to trigger on updates to the primary record and include logic to identify and update all related records.
Combining MuleSoft Composer for integration and Salesforce Flow for in-Salesforce automation ensures that the entire process is streamlined and automated without requiring IT involvement.
Reference:
MuleSoft Composer Documentation
Salesforce Flow Documentation

Question: 32

AnyAirlines implements a credit card program that requires customer applications to go through a review process before approval. They want to develop a series of hyperautomation solutions that will integrate to process the applications and enter the customer's information into a legacy system once approved.
They want to complete the following components:
An Einstein bot that will initiate the credit card application and create a record of an existing Salesforce Custom Object
A Salesforce flow that marks the credit card application as approved in Salesforce
An RPA process that interacts with multiple applications and websites
A simple MuleSoft Composer flow that triggers if a credit card application is approved and then

invokes an RPA process
Which component will likely require the most effort to complete?

A. A simple MuleSoft Composer flow that triggers if a credit card application is approved and then invokes an RPA process
B. A Salesforce flow that marks the credit card application as approved in Salesforce
C. An RPA process that interacts with multiple applications and websites
D. An Einstein bot that will initiate the credit card application and create a record of an existing Salesforce Custom Object

Answer: C

Explanation:

Developing an RPA process that interacts with multiple applications and websites typically requires the most effort due to several factors:
Complexity of Interaction:
RPA processes involve simulating human actions to interact with different user interfaces. This includes navigating web pages, filling out forms, and clicking buttons, which can be complex and time-consuming to script and test.
Integration Challenges:
The RPA process must handle different applications and websites, each with unique behaviors and potential for errors. Ensuring reliable and consistent interaction across these systems requires thorough testing and potentially custom handling for each system.
Maintenance and Updates:
RPA processes need to be maintained and updated as the applications or websites they interact with change. This ongoing effort can be significant compared to other components.
Reference:
MuleSoft RPA Documentation

Question: 33

Northern Trail Outfitters (NTO) has outgrown its custom Extract-Transform-Load (ETL) solution and needs to migrate its ETL jobs to a new tool. One of the requirements is a single interface to view and manage the ETL jobs. Some of these ETL jobs interact with systems that are hosted on-premises. According to Salesforce's hyperautomation best practices, how should Salesforce's various hyperautomation solutions be combined to meet NTO's requirements?

A. Migrate all integrations to MuleSoft Compose.
Use the Salesforce UI to view all MuleSoft Composer integrations.
Leverage MuleSoft RPA for on-premises systems.
B. Implement a three-tier API-led strategy to migrate its ETL jobs to a new tool.
Use Anypoint API Manager to view and manage all API integrations.
C. Migrate integrations with simple transformations to MuleSoft Composer and complex integrations to Anypoint Platform.
Use Anypoint Exchange to view and manage all API integrations.
D. Use External Services in Salesforce to connect with Anypoint Platform.
Use Orchestrator to coordinate the different ETL jobs in a single UI.
Leverage MuleSoft RPA for on-premises systems.

Answer: C

Explanation:

To meet NTO's requirements of migrating ETL jobs and managing them efficiently, the following approach is recommended:
Migrate Simple Integrations to MuleSoft Composer:
MuleSoft Composer is suitable for simple transformations and straightforward data integrations that do not require complex logic or custom coding. This allows non-technical users to manage and automate these processes easily.
Migrate Complex Integrations to Anypoint Platform:
For more complex integrations that involve intricate business logic, large data volumes, or require advanced features like error handling, use Anypoint Platform. Anypoint Platform provides robust capabilities for building, deploying, and managing APIs and integrations.
Use Anypoint Exchange:
Anypoint Exchange serves as a centralized repository for all API assets, including those created using Composer and Anypoint Platform. It provides a single interface to view, manage, and share API integrations.
This approach leverages the strengths of both tools and ensures that all API integrations are efficiently managed and monitored.
Reference:
Anypoint Platform Documentation
Anypoint Exchange Documentation

Question: 34

Northern Trail Outfitters wants to create an automation which runs on a fixed schedule to enter sales data into NetSuite running as a process in the background. The business product owner chose MuleSoft Composer as the tool for this task.
The Salesforce admin wants to advise the product owner about how the MuleSoft Composer scheduling functionality works.
Which two options are available for use as the time mechanism within MuleSoft Composer? (Choose two.)

A. Schedule based on a formula
B. Every 30 minutes
C. Every 30 days
D. Every 5 minutes

Answer: B,D

Explanation:

MuleSoft Composer provides scheduling functionality that allows you to set up automated flows to run at specified intervals. The available options for scheduling within MuleSoft Composer include:
Every 30 minutes:
This option allows you to set up a flow to run every half hour, ensuring that your automation process is executed at regular intervals throughout the day.

Every 5 minutes:
This option enables the flow to run at a higher frequency, executing the automation process every 5 minutes, which is useful for scenarios that require more frequent updates or processing.
These scheduling options ensure that you can automate tasks at the desired frequency without manual intervention.
Reference:
MuleSoft Composer Documentation

Question: 35

Which API policy can be applied to limit the number of requests an individual client can make to an API?

A. Client ID Enforcement
B. Spike Control
C. Rate limiting - SLA-Based
D. OAuth 2.0 access token enforcement

Answer: C

Explanation:

The Rate Limiting - SLA-Based policy in Anypoint Platform is designed to control the number of requests an individual client can make to an API. This policy is highly configurable and allows you to set specific limits based on service level agreements (SLAs).
Rate Limiting - SLA-Based:
This policy helps protect APIs from being overwhelmed by too many requests by enforcing a limit on the number of requests a client can make within a specified time frame.
You can define different rate limits for different tiers of clients, ensuring fair usage and protecting backend services.
Reference:
Anypoint Platform Rate Limiting Documentation

Question: 36

Northern Trail Outfitters evaluates multiple standards for the exit criteria of a stage in their Flow Orchestration. Based on their criteria, they want the flow to go down one of three paths.
How should this be built in Flow Orchestration to meet this requirement?

A. Use the evaluation flow to determine the exit criteria for the current stage. Then, use a separate evaluation flow to determine the entry criteria for each of the three paths.
B. Have the evaluation flow return a number variable, and use a decision element to determine which path to execute.
C. Create two evaluation flows, and execute the second evaluation flow if the first evaluation flow returns false.
D. Evaluate the criteria for the first two paths in an evaluation flow. Then, use the default path functionality of the decision element for the third path.

Answer: B

Explanation:

To implement branching logic based on multiple criteria in Flow Orchestration, you can use the following approach:
Evaluation Flow Returns a Number Variable:
Create an evaluation flow that assesses the exit criteria for the current stage and returns a number variable indicating which path to take (e.g., 1, 2, or 3).
Decision Element:
Use a decision element in Flow Orchestration to evaluate the number variable returned by the evaluation flow. Based on the value of the variable, the decision element will determine which path to execute next.
This approach allows for clear and maintainable branching logic, ensuring that the flow can proceed down one of three paths based on the defined criteria.
Reference:
Salesforce Flow Orchestration Documentation

Question: 37

AnyAirlines is developing an RPA process and is implementing testing best practices. They want to take the RPA process through rigorous testing.
During these tests, where do RPA process test plans execute?

A. On a configured RPA Bot
B. In RPA Manager
C. In RPA Builder
D. In an RPA process runtime

Answer: A

Explanation:

During testing of an RPA process, test plans are executed on a configured RPA Bot. This allows you to simulate real-world scenarios and ensure the RPA process works correctly under various conditions:
On a Configured RPA Bot:
RPA Bots are configured to execute the automated tasks defined in the RPA process. By running test plans on these bots, you can verify the functionality and performance of the RPA process.
This approach ensures that the RPA process is thoroughly tested in an environment that closely mirrors production conditions.
Reference:
MuleSoft RPA Documentation

Question: 38

AnyAirlines needs to select a tool for developing an integration between Salesforce and an ERP system in the cloud. The requirements state that the systems must communicate bidirectionally and as close to real time as possible. The ERP system can be accessed via a SOAP-based web service.
Which tool meets the requirements of this integration?

A. Anypoint Studio
B. MuleSoft Composer
C. Orchestrator
D. MuleSoft RPA

Answer: A

Explanation:

Anypoint Studio is the most suitable tool for developing an integration between Salesforce and an ERP system in the cloud, especially when bidirectional communication in near real-time is required. Here's why:
SOAP-Based Web Services Support:
Anypoint Studio supports SOAP-based web services, which is essential since the ERP system can be accessed via SOAP.
Bidirectional Communication:
Anypoint Studio allows for complex integrations that require bidirectional communication. You can set up flows that handle both inbound and outbound data seamlessly.
Real-Time Integration:
With Anypoint Studio, you can design integrations that process data in near real-time, ensuring timely updates between Salesforce and the ERP system.
Advanced Integration Capabilities:
Anypoint Studio offers advanced capabilities for data transformation, error handling, and connecting various systems, making it ideal for complex integration scenarios.
Reference:
Anypoint Studio Documentation

Question: 39

The current date and time is September 28, 2022, at 9:00 a.m.
A process running in a single Secured Session is scheduled to start September 28, 2022, at 10:00 a.m., and run every 45 minutes.
If the process takes one hour to complete when it runs for the first time, when will it run for the second time?

A. September 28, 2022, at 11:30 a.m.
B. September 28, 2022, at 10:45 a.m.
C. After the first execution is complete
D. September 28, 2022, at 10:30 a.m.

Answer: C

Explanation:

The process running in a single Secured Session is scheduled to start at 10:00 a.m. and run every 45 minutes. If the process takes one hour to complete the first time, it will start the next run only after the current execution finishes because it's within a single secured session:
First Run:

Scheduled to start at 10:00 a.m.
Takes 1 hour to complete, finishing at 11:00 a.m.
Next Run:
Since the first run takes 1 hour, the next execution can only start after the first one completes.
The subsequent run will then start 45 minutes after the completion of the first run, which is at 11:00 a.m. + 45 minutes = 11:45 a.m.
So, the process will run for the second time at 11:45 a.m.
Reference:
MuleSoft Scheduler Documentation

Question: 40

What is the difference between Run and Debug modes in Flow Builder?

A. Debug mode displays details for debugging the flow.
B. Debug mode uses AI to fix any bugs in the flow.
C. Run mode uses the latest version of the flow.
D. Run mode is only available for active flows.

Answer: A

Explanation:

In Flow Builder, Run and Debug modes have distinct functionalities:
Run Mode:
Executes the flow as it is, allowing you to see the end-to-end execution based on the latest saved version.
Typically used to verify that the flow works as expected under normal conditions.
Debug Mode:
Provides detailed information for each step of the flow, including input and output data, and any errors encountered.
Useful for troubleshooting and identifying issues within the flow, allowing developers to understand how the flow executes and where problems may arise.
Debug mode is specifically designed to aid in diagnosing and fixing issues by providing a granular view of the flow's execution.
Reference:
Salesforce Flow Builder Documentation

Question: 41

Northern Trail Outfitters (NTO) wants to automate a multi-step process that spans several departments.
How do Interactive Steps in Flow Orchestration help NTO involve users at key steps of the process?

A. They allow the user to interact directly with external systems through the Salesforce UI.
B. They allow the user to interact with the process in between automated backend steps.
C. They enable users to collaborate on specific work items.
D. They leverage AI processing to automatically interact with the customer and collect customer

data.

Answer: B

Explanation:

Interactive Steps in Flow Orchestration are designed to involve users at specific points within an automated process. Here's how they help NTO:
User Interaction:
Interactive Steps enable users to engage with the process during key stages. These steps are inserted between automated tasks to require human input or decision-making.
This ensures that critical user actions, such as approvals or data entry, are seamlessly integrated into the flow.
Process Continuity:
Once the user completes the required interaction, the process can automatically proceed to the next step. This creates a cohesive workflow that combines automated and manual tasks efficiently.
Use Case Examples:
Approving a document, entering additional information, or making decisions based on presented data are typical scenarios where Interactive Steps are beneficial.
Reference:
Salesforce Flow Orchestration Documentation

Question: 42

An RPA process is invoked by a MuleSoft Composer flow. The RPA process has a User Task that can take up to 24 hours to complete.

A. Using best practices, how should the results be consumed by MuleSoft Composer?
B. Wait for the RPA process to complete and invoke a second MuleSoft Composer flow via REST API.
C. Create a second MuleSoft Composer flow that starts when the RPA process is complete.
D. Wait for the RPA process to complete and use the results in the same MuleSoft Composer flow.
E. Create a second MuleSoft Composer flow that runs on a schedule and checks if the RPA process is complete.

Answer: C

Explanation:

When an RPA process involves a User Task that can take a significant amount of time (up to 24 hours) to complete, it is best to use a follow-up mechanism to handle the results once the process is finished:
Second MuleSoft Composer Flow:
Create a second MuleSoft Composer flow that is triggered when the RPA process completes. This ensures that the first flow is not held up while waiting for the long-running RPA process to finish.
The second flow can start based on an event, such as the completion status of the RPA process, ensuring timely and efficient processing of the results.
Trigger Mechanism:
Configure the RPA process to notify MuleSoft Composer when it is complete, possibly using a REST API or another integration method.

Best Practices:
This approach adheres to best practices by keeping flows modular and focused on specific tasks, making them easier to manage and troubleshoot.
Reference:
MuleSoft Composer Documentation
MuleSoft RPA Documentation

Question: 43

AnyAirlines has a MuleSoft Composer flow between NetSuite and Salesforce. One of the data elements coming from NetSuite is a string that needs to be put into a Boolean field in a Salesforce object.
Which Composer function should be used to change the datatype of the value?

A. today()
B. fromBooleanToString()
C. fromStringToBoolean()
D. substitute()

Answer: C

Explanation:

To convert a string from NetSuite into a Boolean field in a Salesforce object within MuleSoft Composer, you should use the fromStringToBoolean() function:
Function Purpose:
The fromStringToBoolean() function is specifically designed to convert string values to Boolean values. It interprets common Boolean strings like "true", "false", "yes", "no" and converts them into their corresponding Boolean values.
Usage:
Within MuleSoft Composer, use this function in a transformation step to ensure the data coming from NetSuite (as a string) is correctly transformed into a Boolean value before it is mapped to the Salesforce object.
Example:
If the string value from NetSuite is "true", fromStringToBoolean("true") will convert this to true in the Boolean field in Salesforce.
Reference:
MuleSoft Composer Functions Documentation

Question: 44

Northern Trail Outfitters develops an API to look up manufacturer rebates. This API will be consumed internally by the website's backend and the RPA boots used by its customer service representatives. How should this API be shared within the organization?

A. The API's RAML specification should be stored in a SharePoint repository.
B. The API asset should be published to the private Exchange portal.
C. Example assets should be published to the private Exchange.

D. The API asset should be published to the public Exchange portal.

Answer: B

Explanation:

To effectively share an API internally within an organization, publishing the API asset to the private Exchange portal is the best approach:
Private Exchange Portal:
The private Exchange portal within MuleSoft Anypoint Platform is designed for sharing APIs, connectors, templates, and other assets within an organization. It provides a central repository that is accessible to all relevant teams and departments.
Access Control and Security:
By using the private Exchange, you can control access to the API, ensuring that only authorized internal users, such as the website's backend team and customer service representatives using RPA bots, can consume it.
Ease of Use:
Publishing to the private Exchange makes it easy for internal teams to discover, access, and reuse the API, promoting consistency and reducing duplication of effort.
Reference:
MuleSoft Anypoint Exchange Documentation

Question: 45

Northern Trail Outfitters (NTO) has a complicated process that involves several departments.
How should stages be used in Flow Orchestration to organize this process?

A. Organizing individual steps to be run in parallel to one another throughout the process.
B. Assigning individual steps to specific users or groups that interact with the process.
C. Grouping steps based on the systems and tools that will be used to implement the process.
D. Grouping steps of the process based on hand-offs or key branches of the process.

Answer: D

Explanation:

In Flow Orchestration, stages should be used to organize a complicated process by grouping steps based on hand-offs or key branches of the process:
Stages in Flow Orchestration:
Stages help structure the overall process by grouping related steps. Each stage can represent a major phase in the process, which might involve a transition of responsibility or a significant decision point.
Grouping by Hand-offs:
Organizing steps by hand-offs ensures that when responsibility shifts from one department to another, the transition is clear and manageable. This approach aligns with the natural flow of work across departments.
Key Branches:
Key branches in the process often represent decision points or significant changes in the workflow. Grouping steps that belong to these branches within specific stages helps in managing and tracking progress more effectively.

Reference:
Salesforce Flow Orchestration Documentation

Question: 46

AnyAirlines is developing an RPA process to extract information from a legacy system. To capture the manual workflow, they leverage RPA Recorder.
Which two best practices should they be aware of when working with the autogenerated workflow code? (Choose two.)

A. All autocaptured information is for documentation purposes only.
B. Some autogenerated code must be replaced with more robust or specialized action steps.
C. The autogenerated workflows may contain sensitive information that must be removed.
D. All keystrokes and mouse clicks in the autogenerated code must be disabled before deploying to production.

Answer: B, C

Explanation:

When developing an RPA process using RPA Recorder, it is essential to be mindful of the following best practices concerning the autogenerated workflow code:
Replace Autogenerated Code:
Robustness: Some of the autogenerated code may not be optimized for robustness or specific use cases. It is often necessary to review and replace parts of the autogenerated workflow with more robust or specialized action steps to ensure reliability and accuracy.
Specialization: Customizing the workflow to fit the specific requirements of the process can improve performance and handle exceptions better.
Remove Sensitive Information:
Sensitive Data: Autogenerated workflows might capture sensitive information such as usernames, passwords, or other confidential data. It is crucial to identify and remove or mask this information before deploying the RPA process to production to maintain security and compliance.
Compliance: Ensuring that sensitive information is handled appropriately helps in adhering to data protection regulations and organizational policies.
Reference:
MuleSoft RPA Documentation

Question: 47

A MuleSoft developer at AnyAirlines wants to retrieve customer data from an external system. Before designing a new integration, what should they use to determine if the integration exists and can be reused?

A. Design Center
B. Anypoint Studio
C. Anypoint Exchange
D. MuleSoft Composer

Answer: C

Explanation:

To determine if an integration exists and can be reused, the MuleSoft developer should use Anypoint Exchange:
Anypoint Exchange:
Anypoint Exchange is a repository where developers can publish, share, and discover reusable assets such as APIs, connectors, templates, and examples. It serves as a centralized location for all reusable components within the MuleSoft ecosystem.
By searching Anypoint Exchange, the developer can find existing integrations or assets that might fulfill the requirements for retrieving customer data, avoiding the need to design and develop a new integration from scratch.
Reference:
Anypoint Exchange Documentation

Question: 48

Which component of Anypoint Platform is responsible for enforcing API policies?

A. API Analytics
B. API Runtime
C. API Gateway
D. API Manager

Answer: C

Explanation:

The component of Anypoint Platform responsible for enforcing API policies is the API Gateway:
API Gateway:
The API Gateway is a runtime component that enforces policies applied to APIs. It acts as an intermediary that manages API traffic, security, and performance by applying the policies configured in API Manager.
Policies such as rate limiting, security, transformation, and monitoring are enforced at the API Gateway to ensure that APIs are accessed securely and efficiently.
Reference:
Anypoint Platform API Gateway Documentation

Question: 49

Northern Trail Outfitters publishes REST APIs to Anypoint Exchange. They write the REST APIs using RAML and share these APIs with internal and external users.
In which language or languages can a user download these APIs?

A. RAML and OAS only
B. RAML, OAS, and Apiary
C. RAML only
D. RAML and Apiary only

Answer: A

Explanation:

Users can download REST APIs published to Anypoint Exchange in the following languages:
RAML (RESTful API Modeling Language):
RAML is a modeling language for defining APIs, used by MuleSoft for creating REST APIs.
OAS (OpenAPI Specification):
OAS, also known as Swagger, is another widely-used standard for defining APIs.
MuleSoft supports both RAML and OAS formats, allowing users to choose between these two standards when downloading API definitions.
Reference:
Anypoint Exchange API Documentation
MuleSoft RAML and OAS Documentation

Question: 50

The MuleSoft development team at Northern Trail Outfitters creates a Mule application that interacts with several APIs and RPA processes. The team needs to share this application with other teams to help them create similar applications.
How should the Mule application be published in Anypoint Exchange to meet this requirement?

A. Template asset
B. Custom asset
C. Connector asset
D. API asset

Answer: A

Explanation:

To share a Mule application that interacts with several APIs and RPA processes with other teams for creating similar applications, publishing it as a Template asset is the best approach:
Template Asset:
A Template in Anypoint Exchange is designed to provide a reusable solution that can be easily adapted for different use cases. It includes predefined integration logic and configurations that can be used as a starting point for new projects.
By publishing the Mule application as a Template, other teams can leverage this pre-built solution, customize it to their specific needs, and ensure consistency in integration practices across the organization.
Reference:
Anypoint Exchange Templates Documentation

Question: 51

Northern Trail Outfitters must create a near real-time inventory API that can be used within its retail POS systems, across its mobile and online stores, and by its strategic B2B e-commerce partners. The API must provide accurate and up-to-date product inventory levels. The data currently resides in

both SAP and NetSuite.
According to best practices, which hyperautomation tool should be used to build this solution?

A. Salesforce Flow
B. MuleSoft Composer
C. MuleSoft RPA
D. Anypoint Platform

Answer: D

Explanation:

To create a near real-time inventory API that integrates data from SAP and NetSuite and can be used across various platforms and partners, the Anypoint Platform is the most suitable tool:
Anypoint Platform:
Anypoint Platform provides comprehensive integration capabilities, including real-time data processing, API management, and connectivity to various systems like SAP and NetSuite.
It supports building robust, scalable APIs that can handle near real-time data synchronization, ensuring accurate and up-to-date inventory levels across multiple channels.
Best Practices:
Using Anypoint Platform, you can design and manage APIs with fine-grained control over security, performance, and monitoring, adhering to best practices for enterprise integration.
Reference:
Anypoint Platform Documentation

Question: 52

Which MuleSoft deployment strategy consists of the control plane and runtime plan hosted by the client?

A. IPrivate Cloud Edition
B. CloudHub
C. Runtime Fabric
D. Hybrid

Answer: D

Explanation:

A hybrid deployment strategy in MuleSoft involves hosting the control plane (Anypoint Platform management and design tools) in the cloud, while the runtime plane (where Mule applications run) is hosted by the client, either on-premises or in their own private cloud:
Hybrid Deployment:
The control plane is managed by MuleSoft and provides centralized management, monitoring, and deployment capabilities.
The runtime plane is hosted by the client, providing flexibility and control over where and how the Mule applications are executed, whether on-premises or in a private cloud environment.
Benefits:
This approach combines the advantages of cloud-based management with the control and

customization available in on-premises or private cloud deployments, making it suitable for organizations with specific hosting and compliance requirements.
Reference:
MuleSoft Hybrid Deployment Documentation

Question: 53

An employee at AnyAirlines uses RPA Recorder to capture actions performed when carrying out a business process automation.
How does this help expedite RPA process development?

A. BPMN is autogenerated, including documentation in the form of images and a fully functional RPA process with workflows and conditional branching.
B. BPMN is autogenerated, which includes documentation in the form of images and a complete recording of keyboard actions and wait times.
C. BPMN is autogenerated with complete test plans and run configurations that can be executed in the test and production phases.
D. BPMN is autogenerated with documentation and workflows containing the recorded actions that are automatically created during the build phase.

Answer: B

Explanation:

Using RPA Recorder to capture actions performed during a business process automation helps expedite RPA process development in the following way:
Autogenerating BPMN:
The RPA Recorder captures the business process as it is performed and autogenerates a Business Process Model and Notation (BPMN) diagram. This diagram includes a visual representation of the process, making it easier to understand and modify.
Detailed Documentation:
Along with the BPMN, the recorder generates detailed documentation that includes images of the steps performed, as well as a complete recording of keyboard actions and wait times. This provides a comprehensive view of the process, which can be reviewed and refined.
Expediting Development:
By automating the creation of BPMN and detailed documentation, the RPA Recorder significantly reduces the time required to document and design the RPA process manually. This allows developers to focus on refining and optimizing the process rather than starting from scratch.
Reference:
MuleSoft RPA Recorder Documentation

Question: 54

The MuleSoft team at Northern Trail Outfitters wants to create a project skeleton that developers can use as a starting point when creating API implementations with Anypoint Studio. This will help drive consistent use of best practices within the team.
Which type of Anypoint Exchange artifact should be added to Exchange to publish the project skeleton?

A. RAML trail definitions to be reused across API implementations
B. A custom asset with the default API implementation
C. A MuleSoft application template with key components
D. An example of an API implementation following best practices

Answer: C

Explanation:

To create a project skeleton that developers can use as a starting point for API implementations with Anypoint Studio, the best approach is to use a MuleSoft application template:
MuleSoft Application Template:
A MuleSoft application template includes key components and configurations that follow best practices. It provides a consistent starting point for new projects, ensuring that all developers adhere to the same standards.
Benefits:
Using a template helps enforce best practices, reduces the setup time for new projects, and ensures consistency across different implementations.
Publishing to Anypoint Exchange:
Once the template is created, it can be published to Anypoint Exchange where it is accessible to the entire development team. Developers can then use this template to kickstart their API projects, ensuring a uniform approach across the organization.
Reference:
Anypoint Exchange Templates Documentation

Question: 55

Northern Trail Outfitters (NTO) uses Flow Orchestration to automate quote development. The "Review Quote" work item is performed by their team of technical writers but can be fulfilled by any technical writer on the team.
How can NTO ensure the "Review Quote" work item is assigned to the correct Salesforce user?

A. Use backend steps to automate work item assignment to the next available technical writer.
B. Create a Group for the team of Salesforce Users and assign the work item to the group.
C. Use MuleSoft RPAto review the document and submit it for approval if no issues are found.
D. Create a user collection variable and assign the work item to the user collection.

Answer: B

Explanation:

To ensure the "Review Quote" work item is assigned to the correct Salesforce user within the team of technical writers, the following approach can be used:
Creating a Group:
Create a Group in Salesforce that includes all the technical writers who are eligible to perform the "Review Quote" work item. This group acts as a collective resource pool.
Assigning the Work Item to the Group:
When the "Review Quote" work item is created in Flow Orchestration, assign it to the group rather

than an individual user. Salesforce will then allow any available technical writer within the group to pick up and complete the task.
Ensuring Flexibility and Availability:
This method ensures that the work item can be completed by any technical writer in the team, providing flexibility and improving the chances of timely completion by utilizing the group's collective availability.
Reference:
Salesforce Flow Orchestration Documentation

Question: 56

AnyAirlines needs to automatically sync Salesforce accounts with NetSuite customers using a MuleSoft Composer flow. The Address field in the Salesforce Account object is a compound field consisting of the simple fields: Street, City, State, Zip, and Country.
However, the Address field in the NetSuite Customer entity is a list consisting of the simple fields: Street, City, State, Zip, and Country.
Which task must be performed to map fields of the Salesforce Address compound field to the corresponding fields of the NetSuite Address list in the flow?

A. Combine the Salesforce address-related fields into a list using a custom formula field in Salesforce.
B. Combine the Salesforce address-related fields into a list using a custom expression in Composer.
C. Combine the Salesforce address-related fields into a list using the Get records action in Composer.
D. Break up the NetSuite Address list into fields that match Salesforce address-related fields using a custom formula field in NetSuite.

Answer: B

Explanation:

To map fields of the Salesforce Address compound field to the corresponding fields of the NetSuite Address list in MuleSoft Composer, you need to perform the following task:
Custom Expression in Composer:
Use a custom expression in MuleSoft Composer to combine the individual address-related fields from Salesforce (Street, City, State, Zip, Country) into a format that matches the NetSuite Address list.
This custom expression will concatenate the individual simple fields from Salesforce into a structured format that can be mapped directly to the NetSuite Address list.
Mapping the Fields:
Once the custom expression is created, map the resulting list to the corresponding fields in the NetSuite Customer entity within the Composer flow.
This ensures that each simple field in the Salesforce compound Address field is correctly mapped to the respective field in the NetSuite Address list.
Reference:
MuleSoft Composer Documentation

Question: 57

The Ops team at AnyAirlines needs to periodically check the status of an API to see it the connected

database is down for maintenance.
Where should the Ops team set up a scheduled API call and view the status history?

A. API Manager Analytics
B. API Functional Monitoring
C. API Manager Alerts
D. API Monitoring Dashboard

Answer: B

Explanation:

To periodically check the status of an API and see if the connected database is down for maintenance, the Ops team should use API Functional Monitoring:
API Functional Monitoring:
API Functional Monitoring allows you to set up scheduled tests and monitor the functional performance of your APIs. It can be configured to periodically make API calls and check for specific conditions, such as whether the database is down for maintenance.
Scheduled API Calls:
Set up the necessary tests within API Functional Monitoring to periodically call the API and verify its status. These tests can be scheduled to run at regular intervals.
View Status History:
API Functional Monitoring provides a dashboard where you can view the history of these tests, including their results and any failures. This helps in tracking the availability and performance of the API over time.
Reference:
MuleSoft API Functional Monitoring Documentation

Question: 58

An AnyAirlines employee determines that an RPA process is a strong candidate for automation. When approving the process, the employee needs to specify a group of potential users to manage the RPA process throughout its lifecycle.
According to best practices, which group should the employee choose?

A. Scrum team
B. Center for Enablement
C. Center of Excellence
D. Multiple project managers

Answer: C

Explanation:

When approving an RPA process and specifying a group of potential users to manage it throughout its lifecycle, the best practice is to choose the Center of Excellence (CoE):
Center of Excellence (CoE):
The CoE is a team of experts who are responsible for overseeing the implementation, governance, and management of RPA processes within the organization.

They ensure that best practices are followed, provide guidance and support to project teams, and manage the overall RPA strategy and roadmap.
Lifecycle Management:
The CoE is well-equipped to manage the RPA process from initial development through deployment and ongoing maintenance. They have the expertise to handle any issues that arise and ensure the process remains efficient and effective.
Best Practices:
By involving the CoE, the organization ensures that the RPA process adheres to established best practices, maintains high quality, and delivers the expected benefits.
Reference:
MuleSoft RPA Documentation
RPA Center of Excellence Best Practices

Question: 59

Which Connected App scope should be used to connect RPA Manager with an Anypoint Platform account?

A. Application Creator
B. API Catalog Contributor
C. RPA Integrator
D. Exchange Administrator

Answer: C

Explanation:

To connect RPA Manager with an Anypoint Platform account, the appropriate Connected App scope is RPA Integrator:
RPA Integrator Scope:
The RPA Integrator scope is designed to provide the necessary permissions for integrating RPA Manager with Anypoint Platform. This scope allows the connected app to interact with the RPA Manager and manage RPA processes.
Connected App Configuration:
When setting up a connected app in Anypoint Platform, select the RPA Integrator scope to ensure that the integration can access and manage the RPA processes as required.
Reference:
MuleSoft RPA Documentation
Anypoint Platform Connected Apps Documentation

Question: 60

Northern Trail Outfitters has deployed a MuleSoft RPA process to automate the extraction of sales data from CSV files. To integrate this RPA process with Sales Cloud, an action step is created that calls this RPA process in a MuleSoft Composer flow.
Which next step must be added to the flow to make use of the RPA process results?

A. Create Record action in Sales Cloud

B. If/Else block
C. Create or Update Record action in Sales Cloud
D. For Each loop

Answer: C

Explanation:

To integrate an RPA process that extracts sales data from CSV files with Sales Cloud using MuleSoft Composer, you need to take the following steps:
Invoke RPA Process:
Create an action step in the MuleSoft Composer flow that calls the RPA process to extract the sales data from the CSV files.
Next Step - Create or Update Record:
After the RPA process completes and returns the extracted data, the next step in the flow should be to update Sales Cloud with the new information.
Use the Create or Update Record action to insert the new sales data into Sales Cloud. This action ensures that existing records are updated if they already exist, or new records are created if they don't.
This approach ensures that the results from the RPA process are correctly reflected in Sales Cloud.
Reference:
MuleSoft Composer Documentation
Salesforce Sales Cloud Documentation

Thank You for Purchasing SALESFORCE-HYPERAUTOMATION-SPECIALIST PDF

Test Your Preparation with Practice Exam Software

Use Coupon "**20OFF**" for extra 20% discount on purchase of Practice Test Software. Practice Exam Software helps you validate your preparation in simulated exam environment.

Download Free Practice Test Demo from Here:

https://www.pass4future.com/SALESFORCE-HYPERAUTOMATION-SPECIALIST.html