# Person

<u>Ssn</u>	age	gende	er	firstNam	e	lastName	Gld
Company							
<u>cName</u>		cAdd	cAddress			Gld	
Guest							
Gld	guestTyne		OrdId		VId		status

注: Guest 的 union type 的实现方式是 surrogate key.

FacilityId	ServiceId		Session	
Facility				
<u>FacilityId</u>		size		
ChessRoom		,		
raciiityiu		туре		
<u>FacilityId</u>		type		
Gym				

注: Facility 的 union type 的实现方式是 inheit the same key.

# Food

FoodId	ServiceId	deliveredTime
--------	-----------	---------------

注: Specialization Food & Facility 的实现方式是 a. Multiple Relations – superclass and subclass.

# Service

Serviceld	RoomId
-----------	--------

注: Relationship Orders 的实现方式是 Foreign key.

# Room

RoomIdavailablepriceBigFlagDoubleFlagSingleFlag	
---	--

注: Specialization BigRoom & DoubleRoom & SingleRoom 的实现方式是 d. Single relation with multiple type attributes.

### Administrator

<u>UserId</u>	password
---------------	----------

# **Employee**

_ ' <i>'</i>	
UserId	password

注: Specialization User 的实现方式是 b. Multiple relations – subclass relations only.

Bill

GId Billid Resid Eld payDate total
------------------------------------

注: weak entity 继承了 owner entity 的 primary key – Gid.

Pays

Gld	BillId
<del></del>	<u> </u>

注: Relationship pays 的实现方式是 Relationship relation.

# Contact

Gld	telNo	1
<u>diu</u>	tenvo	

注: telNo 是 Multivalue attribute.

# Reserve

Empld Gld	Roomld	ResId	startDate	endDate	Ī
-----------	--------	-------	-----------	---------	---

注: Reserve 是 3-ary relationship. 实现方式是 Relationship relation.