Perl - Regular Expressions

Because Perl makes heavy use of strings, regular expressions are a very important component of the language.
They can be used:

- in conditional expressions to test whether a string matches a pattern
  e.g.   checking the contents of a string
     `if ($name =~ /[0-9]/) { print "name contains digit\`
- in assignments to modify the value of a string
  e.g.   convert McDonald to MacDonald
     `$name =~ s/Mc/Mac/;`
  e.g.   convert to upper case
     `$string =~ tr/a-z/A-Z/;`

Perl Regular Expressions

Because Perl makes heavy use of strings, regular expressions are a very important component of the language.
They can be used:

- in conditional expressions to test whether a string matches a pattern
  e.g. checking the contents of a string
  ```
  if ($name =~ /[0-9]/) { print "name contains digit\n";
  ```
- in assignments to modify the value of a string
  e.g. convert McDonald to MacDonald
  ```
  $name =~ s/Mc/Mac/;
  ```

Perl Regular Expressions

Perl extends POSIX regular expressions with some shorthand:

\d	matches any digit, i.e. [0-9]
\D	matches any non-digit, i.e. [^0-9]
\w	matches any "word" char, i.e. [a-zA-Z_0-9]
\W	matches any non "word" char, i.e. [^a-zA-Z_0-9]
\s	matches any whitespace, i.e. [\t\n\r\f]
\S	matches any non-whitespace, i.e. [^ \t\n\r\f]

Perl Regular Expressions

Perl also adds some new anchors to regexps:

\b   matches at a word boundary

\B   matches except at a word boundary

And generalises the repetition operators:

patt*   matches 0 or more occurences of *patt*

patt+   matches 1 or more occurences of *patt*

patt?   matches 0 or 1 occurence of *patt*

patt{n,m}   matches between *n* and *m* occurences of *patt*

Perl Regular Expressions

The default semantics for pattern matching is "first, then largest".

E.g. /ab+/ matches *abbb*abbbb not *ab*bbabbbb or abbb*abbbb*

A pattern can also be qualified so that it looks for the shortest match.

If the repetition operator is followed by ? the "first, then shortest" string that matches the pattern is chosen.

E.g. /ab+?/ would match *ab*bbabbbb

Perl Regular Expressions

Regular expressions can be formed by interpolating strings in between /.../.
Example:

```
$pattern = "ab+";
$replace = "Yod";
$text = "abba";

$text =~ s/$pattern/$replace/;

# converts "abba" to "Yoda"
```

Note: Perl doesn't confuse the use of $ in $var and abc$, because the anchor occurs at the end.

Using Matching Results

In a scalar context matching & substitute operators return how many times the match/substitute succeeded.
This allows them to be used as the controlling expression in if/while statements.
For example:

```
print "Destroy the file system? "
$answer = <STDIN>;
if ($answer =~ /yes||ok|affirmative/i) {
   system "rm -r /";
}

s/[aeiou]//g or die "no vowels to replace";
```

Using Matching Results

In a list context the matching operators returns a list of the matched strings.
For example:

```perl
$string = "-5==10zzz200_";
@numbers = $string =~ /\d+/g;
print join(",", @numbers), "\n";
# prints 5,10,200
```

If the regex contains ()s only the captured text is returned

```perl
$string = "Bradley, Marion Zimmer";
($family_name, $given_name) = $string =~ /([^,]*), (\S+)/;
print "$given_name $family_name\n";
# prints Marion Bradley
```

Pattern Matcher

A Perl script to accept a pattern and a string and show the match (if any):

```perl
#!/usr/bin/perl

$pattern = $ARGV[0];    print "pattern=/$pattern/\n";

$string = $ARGV[1];     print "string =\"$string\"\n";

$string =~ /$pattern/;  print "match  =\"$&\"\n";
```

You might find this a useful tool to test out your understanding of regular expressions.