关于提案的声明

该提案最初由李元健博士发起和撰写，旨在申请 Leverhulme Trust Early Career Fellowship。该提案已于 2023 年初提交至 Leverhulme Trust，尽管未被评审团选中，我保留对此提案所含内容的全部版权和知识产权。任何使用、复制或传播此提案或其任何部分的行为，须注明李元健博士为原作者。李元健博士保留所有权利。

Author's Note on Proposal

This proposal was originally initiated and authored by Dr. Yuanjian Li for the Leverhulme Trust Early Career Fellowship. It was submitted to the Leverhulme Trust in early 2023 as part of my application for the fellowship. While the proposal was not selected by the panel, I retain full copyright and intellectual ownership over the content presented herein. Any use, reproduction, or distribution of this proposal or any part thereof must acknowledge Dr. Yuanjian Li as the original author. All rights are reserved.

Quantum Federated Reinforcement Learning for 6G Wireless Systems

Background The sixth-generation (6G) wireless systems, inter alia, cell-free distributed multiple-input multiple-output (MIMO) networks, internet of everything (IoE), digital twin, e-finance and e-health, have been envisioned to be *artificial intelligence (AI)-native networks*, by industry, academia, and standardization bodies [1]. An AI-native wireless network is one in which the entire protocol stack, from the physical layer to the application layer, is designed using data-driven machine learning (ML) techniques. Radio resource management is one of the major building blocks for realizing agile and robust 6G networks, which would be designed using data-driven ML approaches. Deep reinforcement learning (DRL) is one well-known type of ML frameworks, which is the backbone enabling the mind-blowing AlphaGo and ChatGPT. Thanks to its adaptive and flexible decision-making ability via learning unknown environments in a model-free and trial-and-error manner [2], DRL is believed to be a competitive candidate to realize efficient and intelligent radio resource coordination for intelligent 6G systems. To enable the practically real-time application of AI-enabled solutions within extreme-large-scale and highly heterogeneous future 6G wireless systems, existing ML frameworks that are inherently based on centralized training inevitably suffer from inefficiency of scaling, e.g., significant latency and overhead for coordinating massive networks, not to mention that data privacy and security amid wireless transmissions among 6G transceivers fundamentally require to be taken more serious care of, e.g., genetic/biometric data, trade secret and marketing strategies. Among other ML techniques, federated learning (FL) is standing out to help deal with the key constraints of model scalability and data privacy, blessed by FL's nature of decentralized learning where distributed clients train their provincial models from locally collected data while the server trains the global model via aggregating model parameters extracted from distributed clients, rather than raw privacy-sensitive data. Recent advancements in quantum computing devices, e.g., quantum supremacy reported by IBM and Google, and the latest Nobel prize in Physics for ground-breaking experiments with quantum entangled particles, further reveal the promise and importance of quantum computing for leading the next industrial revolution. Besides, recent works on quantum machine learning (QML) showed that quantum computing is beneficial for improving efficiency [3] and enhancing generalization [4] for ML systems, e.g., comparable or better learning performance with much lighter parameter updating of quantum DRL algorithm has been reported in [5], compared to the conventional deep neural network (DNN)-based DRL. To leverage quantum advantages into decentralized privacy-preservative ML regime, a handful of related works in the interdisciplinary area of quantum FL (QFL) has emerged in recent years, e.g., FL-inspired variational quantum algorithm (VQA) with distributed data [6] and ML framework with federated training on hybrid quantum-classical learning models [7]. These works reported that QFL can help achieve favourable scalability and meanwhile safeguard privacy/security-sensitive data.

Motivation Unfortunately, there remains a research blank where quantum computing together with decentralized privacy-preservative ML and DRL is invoked to support 6G wireless systems. To fill this gap and thus pioneer this infant yet promising research direction, this project proposes *a novel interdisciplinary framework of QFL-aided DRL (QFRL) for intelligently allocating radio resources for future 6G wireless systems*, where distributed training, model scalability and data privacy/security will be achieved. *A fundamental question* here is whether one can build a novel QFRL framework that can be used to design AI-native 6G wireless systems, to achieve practical scalability and preserve data privacy with low latency and high reliability. *Another inherent challenge* is how to leverage quantum advantages to help deal with drawbacks or shortcomings of existing ML frameworks with federated training.

Aim and Methodology The *aim of this project* is thus to lay the theoretical foundations of *distributed privacy-preservative* QFRL for optimizing transmission performance of AI-native 6G wireless systems and protocols. 1) A first key goal is to develop new QFRL algorithms tailored towards solving optimization problems in 6G networks with distributed wireless transceivers, in terms of radio resource coordination, e.g., beamforming design, spectrum access, resource (power, bandwidth) allocation, and energy efficiency. Hereby, QFRL solutions will be designed and developed. Specifically, decentralized RL clients will be redesigned with variational quantum circuit (VQC) including state encoding as well as parametric quantum circuit (PQC) and quantum measurements, while VQC-based server aggregates model parameters reported from clients to

formulate the global model. Here, we will investigate the impact of various existing PQC ansatzes, and then design novel ansatzes that can better adapt to 6G transmission scenarios. Furthermore, we will investigate the signalling overhead and information sharing among distributed clients, and we will theoretically and empirically show how and when quantum designs can reduce such overhead, while identifying its impact on the learning in impactful use cases within 6G networks. Moreover, our designs will incorporate practical considerations on partial observability of complex 6G wireless environments. The application of VQC-aided training architecture for QFRL can significantly reduce the number of training parameters, which thus can potentially help overcome the scalability and latency challenges. Next, we will leverage promising techniques such as space compression, meta-learning and transfer learning to enhance the robustness and scalability of the proposed QFRL framework for large-scale and heterogeneous 6G networks. 2) Within practical 6G wireless systems, heterogenous and/or multi-modal clients' training data would not anymore be independent and identically distributed (non-i.i.d.), which could significantly deteriorate the learning performance of variants of classical FL. Therefore, we will investigate how skewed non-i.i.d. data affect the proposed QFRL framework, in terms of, e.g., learning efficiency and robustness, via both theoretical and numerical analyses. Then, we will focus to propose solutions to improve the proposed QFRL framework's trainability over non-i.i.d. wireless data, e.g., *data augmentation* via enabling clients to collectively train a generative model and then augment their local data towards achieving i.i.d. dataset, *multi-task learning* and *knowledge distillation*. 3) In the current noise intermediate-scale quantum (NISQ) era, quantum errors caused by quantum decoherence and imprecision of quantum gates will inevitably jeopardize the learning performance of VQC-based schemes. Hence, we will explicitly investigate the *fundamental effects of quantum noise on our QFRL* solutions, and we will propose efficient strategies to counter this shortcoming, including hybrid optimization, ensemble learning, and use of kernel matrices. 4) To make the proposed QFRL solution more communication-efficient when coping with time-varying 6G wireless channels, we will study the depth-manageable architecture of VQC over its depth-fixed counterpart. Inspired by the slimmable FL (SFL) technique, we aim to initiate entangled slimmable PQC with multiple depths to rebuild the proposed QFRL framework as entangled silimmable QFRL. Herein, the clients of entangled silimmable QFRL will communicate superposition-coded parameters to realize federated training. Then, we will aim to develop an optimal power allocation strategy for superposition coding which is used to encode clients' model parameters. However, entangled slimmable PQC may lead entangled silimmable QFRL to be less trainable, as significant entanglement entropy and inter-depth interference would be inevitably introduced. We will thus try to tackle this challenge by adopting advanced techniques from quantum computing, e.g., entanglement controlled universal gates and in-place fidelity distillation regularizer.

Outcomes The proposed research will *contribute simultaneously to AI, machine learning, quantum computing, and 6G wireless systems* thus providing scientific foundations for pioneering the emerging yet promising interdisciplinary area of QFRL applied to 6G wireless systems. We plan to submit high-impact papers to leading communications (e.g., IEEE Transactions on Wireless Communications), AI (e.g., IEEE Transactions on Pattern Analysis and Machine Intelligence), and quantum (e.g., Quantum Information Processing) venues, while regularly publishing in top-tier international conferences, e.g., IEEE GLOBECOM, IEEE ICC, NeurIPS and ICML. Besides, this project's scientific outcomes can potentially contribute to the development of future 6G standards, by introducing quantum to aid the AI-native nature of 6G networks.

References [1] Talwar, Shilpa, et al. "6G: Connectivity in the era of distributed intelligence." IEEE Communications Magazine 59.11 (2021): 45-50. **[2]** Li, Yuanjian, et al. "Path planning for cellular-connected UAV: A DRL solution with quantum-inspired experience replay." IEEE Transactions on Wireless Communications (2022). **[3]** Liu, Yunchao, et al. "A rigorous and robust quantum speed-up in supervised machine learning." Nature Physics 17.9 (2021): 1013-1017. **[4]** Caro, Matthias C., et al. "Generalization in quantum machine learning from few training data." Nature Communications 13.1 (2022): 1-11. **[5]** Chen, Samuel Yen-Chi, et al. "Variational quantum circuits for deep reinforcement learning." IEEE Access 8 (2020): 141007-141024. **[6]** Huang, Rui, et al. "Quantum federated learning with decentralized data." IEEE Journal of Selected Topics in Quantum Electronics 28.4 (2022): 1-10. **[7]** Chen, Samuel Yen-Chi, et al. "Federated quantum machine learning." Entropy 23.4 (2021): 460.

Published:

1. **Y. Li**, A. H. Aghvami, and D. Dong, "Path Planning for Cellular-Connected UAV: A DRL Solution with Quantum-Inspired Experience Replay," IEEE Transactions on Wireless Communications, vol.21, pp.7897-7912, 2022. (*the most prestigious wireless networking journal*)

2. **Y. Li** and A. H. Aghvami, "Covertness-Aware Trajectory Design for UAV: A Multi-Step TD3-PER Solution," IEEE International Conference on Communications (ICC), Seoul, May, 2022. (*one of two flagship wireless networking conferences*)

3. **Y. Li** and A. H. Aghvami, "Intelligent UAV Navigation: A DRL-QiER Solution," IEEE International Conference on Communications (ICC), Seoul, May, 2022. (*one of two flagship wireless networking conferences*)

4. **Y. Li**, A. H. Aghvami, and D. Dong, "Intelligent Trajectory Planning in UAV-mounted Wireless Networks: A Quantum-Inspired Reinforcement Learning Perspective," IEEE Wireless Communications Letters, vol.10, pp.1994–1998, 2021.

5. **Y. Li**, R. Zhao, Y. Deng, F. Shu, Z. Nie, and A. H. Aghvami, "Harvest-and-Opportunistically-Relay: Analyses on Transmission Outage and Covertness," IEEE Transactions on Wireless Communications, vol.19, pp.7779–7795, 2020. (*the most prestigious wireless networking journal*)

6. **Y. Li**, R. Zhao, Y. Wang, G. Pan, and C. Li, "Artificial Noise Aided Precoding with Imperfect CSI in Full-Duplex Relaying Secure Communications," IEEE ACCESS, vol.6, pp.44107–44119, Aug., 2018.

7. **Y. Li**, R. Zhao, L. Fan, and A. Liu, "Antenna Mode Switching for Full-Duplex Destination-Based Jamming Secure Transmission," IEEE ACCESS, vol.6, pp.9442–9453, Jan., 2018.

8. **Y. Li**, R. Zhao, X. Tan, and Z. Nie, "Secrecy Performance Analysis of Artificial Noise Aided Precoding in Full-Duplex Relay Systems," IEEE Global Communications Conference (GLOBECOM), Singapore, Dec., 2017. (*one of two flagship wireless networking conferences*)

9. D. Ouyang, R. Zhao, **Y. Li**, R. Guo, and Y. Wang, "Antenna Selection in Energy Harvesting Relaying Networks Using Q-Learning Algorithms," China Communications, vol.18, pp.64–75, Apr., 2021.

10. D. Ouyang, R. Zhao, and **Y. Li**, "Analysis and Optimization of Wireless Powered Untrusted Relay System with Multiple Destinations," Physical Communication, vol.42, pp.101161, Jul., 2020.

11. D. Ouyang, R. Zhao, **Y. Li**, and X. Tan, "Wireless Energy Harvesting Relaying Networks Combined with Antenna Selection," IEEE International Symposium on Wireless Personal Multimedia Communications (WPMC), Portugal, Dec., 2019.

12. X. Tan, R. Zhao, and **Y. Li**, "Large-Scale Antennas Analysis of Untrusted Relay System with Cooperative Jamming," IEEE International Conference on Network and Service Management (CNSM), Japan, Nov., 2017.

Submitted:

1. **Y. Li** and A. H. Aghvami, "Radio Resource Management for Cellular-Connected UAV: A Learning Approach," ***Minor Revision*** for IEEE Transactions on Communications, Feb. 2023. (*prestigious wireless networking journal*)