Blockchain

IPFS & Pinata

目錄

- IPFS
- Pinata



IPFS

IPFS

- Unlike HTTP which loads files from one server at a time, content addressing decouples data from its location.
- IPFS retrieves files from multiple sources at once in a peer-to-peer fashion.
- Fingerprint your data
 - ☐ Content identifiers (CIDs) give every piece of content, data, or file a permanent hash address that you can "pin" to keep.
- Store & distribute content freely
 - ☐ Our peer-to-peer network joins thousands of nodes so you can find all nodes with the content you want and help others discover the content you have.
- Optimize content delivery
 - ☐ IPFS caches and stores data on local servers, saving bandwidth via more efficient distribution and delivery.

Install IPFS




https://chrome.google.com/webstore/detail/ipfscompanion/nibjojkomfdiaoajekhjakgkdhaomnch




https://addons.mozilla.org/firefox/addon/ipfscompanion/

IPFS-Browser Extension



IPFS-Browser Extension



IPFS-Browser


- Browser需要安裝ipfs plug-in, 否則無法直接顯示。
- ipfs://QmSAmYXcYiAMJn6XmoAbDSYx5EHLXRJPh zivnMFBaVBkMA

等同於https://ipfs.io/ipfs/...表示

https://ipfs.io/ipfs/QmSAmYXcYiAMJn6XmoAbDSYx5 EHLXRJPhzivnMFBaVBkMA


無聊猿NFT-ERC721

https://opensea.io/collection/boredapeyachtclub




無聊猿NFT-Smart Contract

https://etherscan.io/address/0xbc4ca0eda7647a8ab7 c2061c2e118a18a936f13d



IPFS-Example-無聊猿 NFT #4822

https://opensea.io/assets/ethereum/0xbc4ca0eda764 7a8ab7c2061c2e118a18a936f13d/4822




無聊猿 NFT #4822-metadata

https://ipfs.io/ipfs/QmeSjSinHpPnmXmspMjwiXyN6zS


4E9zccariGR3jxcaWtq/4822





無聊猿 NFT #4822-image

https://ipfs.io/ipfs/QmSAmYXcYiAMJn6XmoAbDSYx5 EHLXRJPhzivnMFBaVBkMA




Pinata

IPFS - Pinata


- ■IPFS 可以自行下載節點來「Pin」檔案,或者透過第三方服務,上傳到他們的機器由他們幫你「Pin」。
- ■本課程以Pinata網站為主,該站有提供免費 1GB


(https://www.pinata.cloud/pricing) 的額度,不用綁信用卡,申


請即可使用。





Pinata Sign in
























Modify Metadata(.json)


※上傳metadata時,請先檢查延伸檔名是否需要.json


```
□0 ×
        "dna": "608749df3601613dd5b10d237e64316f",
        "name": "MyNFT #0",
        "description". "My first NFT project "
        "image": "REPLACE-THIS-WITH-YOUR-URL/0.png",
        "date": 1720148481487,
        "attributes": [
  9
            "trait type": "Background",
            "value": "1"
 11
 12
            "trait type": "Body",
 13
            "value": "1"
 14
 15
 16
 17
            "trait type": "Flag",
            "value": "1"
 18
 19
 20
 21
            "trait type": "Animal",
            "value": "1"
 22
 23
 24
 25
        "compiler": "mintables.club"
 26
```


```
"dna": "608749df3601613dd5b10d237e64316f",
"name": "MvNFT #0",
"description": "My first NFT project.".
"image": "https://magenta-retired-roundworm-860.mypinata.cloud/ipfs/OmyjCVxZarVZpOCLuZBtYJ9BZZ91GeuYGmokipHf9AP9C7/0.pnc
"date": 1720140401407,
"attributes": [
                          1.把正式的Pinata URL補上去
                          當然也可以用IPFS URL
   "trait type": "Background",
  "value": "1"
                         2.記得要把每一個metadata都要改
  "trait type": "Body",
  "value": "1"
  "trait type": "Flag",
  "value": "1"
  "trait type": "Animal",
   "value": "1"
"compiler": "mintables.club"
```











































Thank you!

