

UNIVERSITY OF SOUTHAMPTON
Faculty of Engineering and Physical Sciences
School of Electronics and Computer Science

A project report submitted for the award of
BSc Computer Science

Supervisor: Dr Tom Blount
Examiner: Professor Kirk Martinez

**Mobile application to guide users
in applying cognitive behavioural
therapy techniques.**

by Yuehua Yin

April 30, 2024

UNIVERSITY OF SOUTHAMPTON

ABSTRACT

FACULTY OF ENGINEERING AND PHYSICAL SCIENCES
SCHOOL OF ELECTRONICS AND COMPUTER SCIENCE

A project report submitted for the award of BSc Computer Science

by Yuehua Yin

Cognitive behavioural therapy (CBT) is a popular and effective psychological treatment commonly used to treat patients with mental health issues like anxiety and depression. Preferably with the guidance of a professional, patients learn techniques to manage their symptoms and use worksheets to complete exercises. However, pen-and-paper worksheets can be inconvenient to use and patients may lose motivation, especially if they are unable to receive regular support from a professional. A mobile application has the potential to provide an accessible and engaging solution to this problem.

This report discusses current literature on CBT and existing case studies before detailing the design and development of a novel prototype mobile app to guide users through CBT exercises with the goal of increasing and maintaining user engagement. Test users found it highly usable and engaging, with notable advantages over traditional paper worksheets.

Statement of Originality

- I have read and understood the [ECS Academic Integrity](#) information and the University's [Academic Integrity Guidance for Students](#).
- I am aware that failure to act in accordance with the [Regulations Governing Academic Integrity](#) may lead to the imposition of penalties which, for the most serious cases, may include termination of programme.
- I consent to the University copying and distributing any or all of my work in any form and using third parties (who may be based outside the EU/EEA) to verify whether my work contains plagiarised material, and for quality assurance purposes.

You must change the statements in the boxes if you do not agree with them.

We expect you to acknowledge all sources of information (e.g. ideas, algorithms, data) using citations. You must also put quotation marks around any sections of text that you have copied without paraphrasing. If any figures or tables have been taken or modified from another source, you must explain this in the caption and cite the original source.

I have acknowledged all sources, and identified any content taken from elsewhere.

If you have used any code (e.g. open-source code), reference designs, or similar resources that have been produced by anyone else, you must list them in the box below. In the report, you must explain what was used and how it relates to the work you have done.

Resources were used to aid in implementing generic Android SDK functions and are referenced in the code.

You can consult with module teaching staff/demonstrators, but you should not show anyone else your work (this includes uploading your work to publicly-accessible repositories e.g. Github, unless expressly permitted by the module leader), or help them to do theirs. For individual assignments, we expect you to work on your own. For group assignments, we expect that you work only with your allocated group. You must get permission in writing from the module teaching staff before you seek outside assistance, e.g. a proofreading service, and declare it here.

I did all the work myself, or with my allocated group, and have not helped anyone else.

We expect that you have not fabricated, modified or distorted any data, evidence, references, experimental results, or other material used or presented in the report. You must clearly describe your experiments and how the results were obtained, and include all data, source code and/or designs (either in the report, or submitted as a separate file) so that your results could be reproduced.

The material in the report is genuine, and I have included all my data/code/designs.

We expect that you have not previously submitted any part of this work for another assessment. You must get permission in writing from the module teaching staff before re-using any of your previously submitted work for this assessment.

I have not submitted any part of this work for another assessment aside from the progress report.

If your work involved research/studies (including surveys) on human participants, their cells or data, or on animals, you must have been granted ethical approval before the work was carried out, and any experiments must have followed these requirements. You must give details of this in the report, and list the ethical approval reference number(s) in the box below.

A study was approved (ERGO/FEPS/90840) before being carried out.

Contents

1	Introduction	1
1.1	Motivation	1
1.2	Goals	2
1.3	Scope	2
2	Background	3
2.1	Overview of CBT	3
2.2	Barriers To Accessing CBT	4
2.3	Mobile Applications For CBT Self-Help	4
2.4	The Psychology of Motivation	5
2.5	Case Studies	5
3	Design	8
3.1	Stakeholder Analysis	8
3.2	User Personas	8
3.3	Requirements	10
3.4	Prototypes and Wireframes	11
3.4.1	Home Screen	11
3.4.2	Journal, Activity Log and Goals	12
3.4.3	Motivational Features	14
3.4.4	CBT Exercise Adaptations	14
3.4.5	Further Support Screen	16
3.5	Class Diagram	17
4	Implementation and Testing	19
4.1	Tools Used	19
4.2	Building the Application	19
4.2.1	CBT Exercises	20
4.2.2	Motivational Features	21
4.2.3	Data Storage	23
4.2.4	Home Screen	24
4.2.5	Notifications	25
4.3	Functional Testing	26
5	Evaluation	30

5.1	Evaluation Design	30
5.2	Results and Discussion	31
5.3	Changes Made Due To Evaluation	34
6	Project Management	36
6.1	Project Planning	36
6.2	Sprint Planning	38
6.3	Risk Management	39
7	Conclusion	41
7.1	Project Summary	41
7.2	Future Work	42
7.3	Final Conclusions	43
A	Copy of Original Project Brief	48
B	Additional Wireframes	50
C	Additional App Screenshots	53
D	Motivational Feature Evaluation	57
E	Copy of Ethics Application	60
F	Questionnaire	63
G	Evaluation Results	67
H	Project Management	76
I	Design Archive Table of Contents	79
J	Word Count	80

Chapter 1

Introduction

1.1 Motivation

According to the NHS, cognitive behavioural therapy (CBT) is a psychological talking therapy which helps patients to manage problems by changing the way they think and act (2). It is one of the most popular types of therapy and can be extremely effective for alleviating symptoms of mental health issues such as anxiety and depression (31; 24). During CBT, patients learn techniques to identify and manage unhelpful emotions, thoughts and behaviours, often using pen and paper workbooks to complete activities to practice these techniques (16). Ideally this is done with the guidance of licensed professionals, however due to a multitude of reasons patients may also be using these workbooks and exercises as part of self-help to teach themselves beneficial techniques.

However, using pen and paper workbooks can present challenges for users, for example they may be inconvenient to regularly fill in and be unengaging. This can lead to a decrease in motivation to complete the workbooks and practise applying the techniques, a risk that can be exacerbated by the fact that a lack of motivation is a common symptom of mental health issues (27). This project aims to alleviate these risks by creating a mobile application which will adapt CBT exercises to a more convenient and engaging mobile form.

1.2 Goals

- The app will guide users in applying self-help strategies based on CBT exercises to situations in their everyday lives. Therefore, the app must clearly and effectively teach these exercises to users.
- Motivational features will be present in the app to encourage users to complete exercises regularly over a longer period of time.
- The unique features of mobile devices should be utilised such that, when compared to pen and paper CBT activity sheets, using the mobile app should provide users with an easier and more convenient experience.

1.3 Scope

- I will not be discussing the validity or effectiveness of the CBT techniques themselves.
- The app will focus on effectively adapting self-help worksheet exercises rather than trying to adapt as many as possible.
- The app is not intended as a replacement for therapy, it is a tool to help users apply CBT exercises to their lives to help them cope with problems. Ideally, CBT techniques would be used in conjunction with professionally administered therapy.

Chapter 2

Background

2.1 Overview of CBT

Cognitive behavioural therapy (CBT) is a type of therapeutic treatment that aims to help patients improve their mood by identifying, understanding and altering unhelpful thought patterns (22; 24). According to the NHS (2), it is one of the most popular treatments for alleviating symptoms of mental illnesses and is highly recommended for those suffering from low mood, anxiety and other mild symptoms of mental illness. Among other factors, this is due to its effectiveness for alleviating symptoms and providing an increased quality of life to patients. CBT has been extensively studied over the years and there are many papers and studies which corroborate this (31; 11; 5).

A core concept of CBT is that those suffering from low mood and mental health issues hold distorted thoughts and beliefs which influence their moods and behaviours (24), with treatment focusing on helping patients to identify and challenge these thoughts (16). Additionally, behaviours also influence moods and thoughts so another focus is encouraging patients to engage in more helpful and positive behaviours (16). CBT can be delivered in a variety of formats, from in-person sessions with a therapist to self-help, with patients commonly receiving exercise worksheets to help them apply CBT techniques to their everyday life. While all these formats have been shown to improve symptoms of depression in patients compared to no treatment, self-help without the involvement of a therapist was found to be less effective than with a therapist (10), therefore it can be concluded that the presence of a professional during the treatment process increases the effectiveness and acceptability of CBT.

2.2 Barriers To Accessing CBT

However, it is not always possible for someone suffering from mental health issues to be able to receive regular support from a therapist. Mental health issues are highly prevalent globally, with studies estimating that at any time approximately 20% of adults over 16 meet criteria for common mental disorders (30). Furthermore, this number has been increasing in recent years according to government studies, potentially exacerbated by the Coronavirus pandemic (6). With demand for therapy skyrocketing and a rising vacancy rate of medical professionals working in mental health services in the UK (4), individuals may find themselves waiting up to 79 days for treatment (7).

At the same time there are barriers that might prevent someone from seeking professional help in the first place. A survey found that 35% of young adults (18-25) who reported difficulties with their mental health did not seek help, citing concerns such as the stigma surrounding mental health, with over 80% of participants feeling discouraged to seek help due to shame and embarrassment (26), a disproportionately common concern in ethnic minority communities (20). Additionally, there is a negative perception among young people of consulting a GP for mental health issues, with fears that they would not be taken seriously being common (8). Seeking help is not always easy, and there are many people who receive no support for their mental health issues.

2.3 Mobile Applications For CBT Self-Help

A mobile application that guides users through CBT exercises could be a solution to the barriers preventing access to support. Due to the high usage rate of mobile phones it would be able to reach a wide range of people and be an easy and inexpensive solution that people experiencing stigma would be able to access without shame. Self-help intervention without guidance from therapists, although less effective than when used with guidance from therapists, is still much better for patients than no intervention at all (5). Therefore a mobile app to teach users CBT techniques, and encourage them to seek additional support from professionals if needed, would be a good solution as a first step towards recovery.

However, a significant factor which affects the extent to which CBT is effective is the motivation and engagement of patients. The client's active role in therapy and willingness to engage and enact change in their lives is crucial for positive outcomes (14). Self-guided therapy has been shown to struggle with engagement rates, with one online CBT study

reporting that only 14% of patients completed all the provided sessions (15). This low engagement is a limiting factor in how effective mobile applications for CBT can be, therefore it is crucial that the mobile application is designed with features to encourage user engagement.

2.4 The Psychology of Motivation

To understand what drives engagement, research was conducted into self determination theory, a physiological framework used to describe motivation. The theory proposes that motivation is connected to 3 basic needs: competence, autonomy and relatedness (25). Respectively, these refer to the needs to feel effective, in control of one's actions and understood by others. For mobile apps, motivational features should be designed around fulfilling these needs, for example the ability to set notifications to encourage healthy behaviour fulfils the need for autonomy by helping the user to decide, and follow through on, desirable actions (32).

Another important aspect to consider is the difference between intrinsic and extrinsic motivation. Intrinsic motivation refers to when a person is motivated to engage in an activity due to finding it inherently rewarding, while extrinsic motivation is motivation that comes from an external reward or outcome (25). In the long term, intrinsic motivation leads to more sustainable engagement, however those suffering from depression and other mental illnesses often have difficulties motivating themselves (27). Therefore, a reasonable approach would be to find ways of facilitating both intrinsic and extrinsic motivation, guided by the 3 needs mentioned previously.

2.5 Case Studies

As part of my research, I examined existing CBT mobile apps on the market. I downloaded 5 apps with the keyword 'cognitive behavioural therapy' and examined what kinds of CBT exercises were implemented, of which I was able to identify 5 that seemed relatively popular. I also investigated features encouraging mindfulness (a technique that encourages being focused on the present without judgement) which, although not part of CBT, is a popular feature for mental health apps to have (29). Additionally, I examined what engagement or motivational features, if any, were present and evaluated whether features of mobile phones had been utilised to provide the user with a different experience

compared to writing in a pen-and-paper workbook. The results of my investigation can be found in Figure 2.1.

Existing apps seem to already cover a good range of therapeutic features, with exercises for recording moods and challenging thoughts being present in all the investigated apps. However, the way the exercises were adapted meant there was largely not a lot of difference between writing in an app and writing on a worksheet besides the convenience of always having the app on hand, likely due to the way the exercises themselves work. Features like linking to other resources and playing media can help to provide a better user experience without changing the fundamental CBT exercises.

I found that motivational features were generally lacking, with 3 out of 5 apps not containing any at all. Of the 2 that did, MindShift featured a forum where users could submit and reply to posts, and CBT Tools for Healthy Living featured a system where users could earn points by completing activities such as writing diary entries or tracking their mood. However, there was nothing to use the points on so the only motivation to earn more points was to watch the number increase, which I found became boring quickly.

	Setting goals	Recording moods	Decatastrophising	Identifying situations, moods, thoughts	Challenging automatic thoughts	Mindfulness	Other therapeutic features	Engagement features	Usage of phone features
CBT Companion		Diary, setting daily emotions	What if' exercise and thinking of possible solutions	Write down situation, thoughts, core beliefs etc.	Write down thought and more balanced thought	Guided breathing exercises	Guided lessons with information about CBT		Very little, mostly focused on prompting users to write thoughts
Mindshift	Setting goals with notifications	Daily mood and journaling	Identifying fears and brainstorming steps to overcome		Schedule an experiment to test thought	Guided breathing and muscle exercises with audio		Community forum (social)	Phone numbers for further support which open in phone app, notifications
What's Up	Setting goals with notifications	Diary with mood rating	Information about managing worry		Information about cognitive distortions	Information about breathing exercises			Little, not a lot of engagement encouraged, mostly information pages, notifications
My Possible Self	Add enjoyable activities and set goal date (no reminders)	Journal with mood rating		Write down situation, physical symptoms, moods, beliefs	Choose cognitive distortions for a thought, enter reframed thought	Breathing exercise videos	Podcasts and articles by therapists on various topics		Links to phone numbers and websites with further support, media such as videos
CBT Tools for Healthy Living	Set goals (no reminders)	Diary with mood selection		Listing thoughts and emotions	Prompt to write a challenge to a thought		Tests to assess mental state	Points measuring how much you have used the app	Points every time you use the app, leading to feelings of achievement

FIGURE 2.1: Results of investigation into existing CBT mobile apps.

Chapter 3

Design

3.1 Stakeholder Analysis

The primary stakeholder for my app will be users who are looking to improve their mental health by completing CBT exercises. They may have a range of symptoms and will have different levels of motivation. In order to make the app more generalised I will mainly target users with symptoms of anxiety and depression, the most common mental illnesses worldwide (19). Additionally, I will be aiming for an age range of 18-25 because adults between these ages are the most likely to develop mental health issues but the least likely to seek support (21), meaning there is increased potential for a mobile application. Users will be directly interacting with the app and providing inputs into the system.

The secondary stakeholders are healthcare professionals and therapists who work with users of the app. They will be motivated to understand more about patients and their issues in order to provide the best treatment. Healthcare professionals will be interacting with saved completed CBT exercises, the outputs of the app.

3.2 User Personas

To better understand and empathise with the needs of the target users, the following personas for primary stakeholders were created:

Name: Emily

Age: 19

Occupation: Student

Background: Emily is a first-generation university student who puts great pressure on herself to succeed. Her family has high expectations for her, and when she underperforms she experiences low mood and feelings of worthlessness. Due to cultural reasons, she is embarrassed to speak to a therapist and does not want anyone to know she is struggling.

Needs:

- Easy-to-follow CBT exercises to challenge negative thoughts and increase self-confidence.
- A list of resources for more professional support.

Name: Ashley

Age: 21

Occupation: Fast food worker

Background: Ashley has a history of anxiety and saw a private therapist for a few months due to long NHS wait times. They had to stop due to financial struggles, but found the exercise worksheets useful and want to continue using them. They have been finding the fast-paced environment of work stressful but do not have time to get out and complete a worksheet during work breaks.

Needs:

- Easily accessible and easy to use CBT adaptations of worksheets.
- A way to store and revisit completed exercises.

Name: Kevin

Age: 20

Occupation: Unemployed

Background: Kevin has diagnosed depression and has been unable to hold down a job. He struggles with motivation and spends much of his time shut in his room playing video games. He has weekly therapy sessions over the phone but finds it difficult to complete his assigned exercises, resulting in little progress being made.

Needs:

- Extrinsic motivation to complete exercises.
- A way to set notifications to encourage healthy behaviours.

3.3 Requirements

Requirements that the app will fulfil were formulated and are listed in the following table. They have been prioritised using MoSCoW priority, with 'must' requirements being crucial to the project, down to 'won't' requirements which are included to prevent scope creep.

ID	MoSCoW Priority	Description
1	MUST	The application must guide users through CBT exercises to identify and challenge distorted thoughts and feelings.
2	MUST	Completed CBT exercises must be stored in the app, with the user being able to easily access and view them.
3	MUST	Users must be able to set goals with notifications to encourage them.
4	MUST	There must be motivational features which encourage the user to open and use the app every day.
5	MUST	There must be motivational features which encourage the user to spend more time completing CBT exercises on the app.
6	MUST	The application must contain links to further resources for users who need more support.
7	SHOULD	Users should be able to record their daily moods and activities through writing journal entries.
8	SHOULD	Completed CBT exercises should be able to be exported to a document format in order to be easily shared with others.
9	COULD	The app could recommend generic goals that can help the user improve their mood in their daily life.
10	COULD	Periodic notifications could be used to remind the user to engage with the app if they have not opened it in a while.
11	COULD	The user could be able to customise the UI of the app.
12	COULD	The app could play relaxing and calming music in the background.
13	WON'T	There won't be any online community features (eg. forums, message boards) due to a lack of moderation resources.
14	WON'T	Artificial intelligence will not be used to guide users through completing CBT exercises.
15	WON'T	The user's activity outside of the app won't be tracked.




FIGURE 3.1: Wireframes of the home screen and side bar.

3.4 Prototypes and Wireframes

Following the identified requirements, wireframes were created using Figma to prototype how the app would function. Important wireframes are discussed below while additional wireframes can be found in Appendix B.

3.4.1 Home Screen

The first screen the user sees when they start the app will be the home screen, shown in Figure 3.1 left. The user will use a sidebar menu to navigate through the app, shown on the right.

On the home screen, the user will find 6 circles which correspond to moods from the feelings wheel (23), and can tap on them to record that they have felt it. The moods will then be tracked on the activity log screen (Section 3.4.2).

Underneath, there will be a list of the upcoming tasks that the user has set and when notifications have been set to remind them to complete the task. The tasks can be checked off when they are completed.




FIGURE 3.2: Wireframes of the journal and journal tip screen.

At the bottom of the screen, the current points and a button to claim daily bonus points can be found. (see Section 3.4.3).

3.4.2 Journal, Activity Log and Goals

Figure 3.2 shows wireframes of the journal page (left) which will allow the user to write about their day. A tip screen (right) can be accessed which will encourage the user to focus on positive occurrences and write down 3 things they are grateful for. This is because focusing on positivity and gratitude has been proven to have positive effects on mood (12; 17).

The Activity Log screen is shown in Figure 3.3 left. Here there will be a calendar overview of the user's emotions with each day having a colour depending on which moods were picked (from Figure 3.1). Underneath, completed CBT exercises and journal entries from that day will be displayed. There will be an option to export activity logs to a PDF document, where the user will be able to select a range of dates or use buttons to easily select the last week or last month of dates (Figure 3.3 right).

The goals screen (Figure 3.4 left) will display the goals that the user has set for themselves. Each goal can be tapped to show why the user set the goal (in order to remind and motivate them) and there will be recommended goals such as exercising and calling a friend. Figure 3.4 right shows the interface for adding new goals.




FIGURE 3.3: Wireframes of the activity log and export screens.




FIGURE 3.4: Wireframes of the goal screens.




FIGURE 3.5: Wireframes of the achievements and stats screens.

3.4.3 Motivational Features

Figure 3.5 shows the proposed motivational features. These comprise of a point system where users earn points for each exercise or task they complete, as well as daily bonus which the user can earn every day which helps fulfil requirement 4. There will also be achievements/trophies which the user can earn based on how much they are using the app, including for earning certain amounts of points, which helps meet requirement 5. Users are able to view all their stats, which can be beneficial to those who are more naturally motivated.

3.4.4 CBT Exercise Adaptations

The app will feature 3 CBT exercises: Understanding a Situation, Problem Solving and Thought Record. These exercises were chosen due to inspiration from existing mobile apps (see Section 2.4) and the user personas, as well as from personal experience with what I found to be most useful. Each of the exercises will begin with an information page about the exercise and end with a summary and review page.

The 'Understanding a situation' exercise (Figure 3.6) is primarily based on the exercise 'Separating Situations, Moods, and Thoughts' from *Mind Over Mood* by Greenberger and Padesky (16). The user will be prompted to identify and record a situation and add

The first screen, titled 'What was the situation? (hint: be specific, five Ws)', has a text input field and a 'Next' button at the bottom right.

The second screen, titled '[Situation]:', contains a text input field for 'What were you feeling at the time?' with a '+' icon, an 'Intensity:' slider ranging from 0 to 10, a 'Back' button at the bottom left, and a 'Next' button at the bottom right.

The third screen, titled 'Select a thought to challenge:', shows two identical boxes, each containing '[Thought]' and 'Belief: X', with a 'Back' button at the bottom center.

FIGURE 3.6: Wireframes of the 'Understanding a Situation' exercise.

The first screen, titled 'What thought do you want to examine?', has a text input field, a 'Belief:' slider ranging from 0 to 10, a 'Back' button at the bottom left, and a 'Next' button at the bottom right.

The second screen, titled 'Arguments against: [Thought]', includes a 'Tips' button, two colored rectangular boxes (one light blue, one light grey), a 'Text message' input field, a 'Switch sides' button at the bottom left, and a 'Next' button at the bottom right.

The third screen, titled 'Balanced thought:', has a text input field, a 'Belief:' slider ranging from 0 to 10, a 'Back' button at the bottom left, and a 'Next' button at the bottom right.

FIGURE 3.7: Wireframes of the 'Thought Record' exercise.

feelings and thoughts that were present at the time. For each of these, the user will rate the intensity (of feeling) or belief (in the thought) using a slider. The user can then select one of the identified thoughts to challenge, which will automatically lead to the Thought Record exercise (Figure 3.7) with the selected thought filled in.

The 'Thought Record' exercise (Figure 3.7) is based on the exercise of the same name in




FIGURE 3.8: Wireframes of the 'Problem Solving' exercise.

Mind Over Mood (16) and resources provided by the NHS (1). The user will be prompted to identify a thought and rate their belief in it. They will then be prompted to argue for why they believe the thought is true, then switch sides and argue against the thought, using an interface similar to a messaging app to evoke the feeling of being in an actual text message exchange. The user will be able to switch back and forth between sides until they decide to proceed and enter a more balanced alternative thought.

The 'Problem Solving' exercise (Figure 3.8) is based on resources from the NHS Every Mind Matters website (1). The user will enter a problem they are facing and identify how this problem makes them feel. Then they will be prompted to brainstorm and add possible solutions and reorder the solutions based on which ones they most prefer. For each solution, they will be able to add a notification, which will then be added to the goals section along with details about what problem it will solve.

3.4.5 Further Support Screen

The app will feature a screen which will recommend further support for users who want additional help or urgent support (Figure 3.9). When the user presses on a phone number or website link it will automatically open in the phone app or browser, quickly linking users to helpful resources. This showcases an example of utilising the unique benefits of

a mobile app to enhance the user experience.





FIGURE 3.9: Wireframe of the further support screen.

3.5 Class Diagram

The following class diagram was constructed to aid development:



Chapter 4

Implementation and Testing

4.1 Tools Used

- **Android Studio:** I chose to develop an Android app over a web app in order to allow offline access for additional availability, and chose Android over other operating systems like IOS due to needing to test the app on my own Android phone. Android Studio is a popular IDE that supports Java, the language I chose to use over Kotlin due to having more prior experience. It also features an easy-to-use and reliable layout manager for creating XML layouts which makes the process of designing and building the front-end quick and easy. Additionally, the IDE is very similar to IntelliJ, which I have used in projects before, adding a level of familiarity and comfort that made this my preferred tool.
- **GitHub:** Version control was crucial during the development of the app due to needing to occasionally reverse changes when new features were not working as intended. GitHub was used over alternatives like GitLab due to its reliability and personal preference from being a tool that I was already experienced in.

4.2 Building the Application

In the following section, important design and implementation decisions are discussed. Additional screenshots of app screens can be found in Appendix C.

The figure displays two side-by-side mobile app screens. The left screen is titled 'What did you do in response to the situation?' and features a purple button with a '+' icon. Below this is a section labeled 'Behaviour 1' with a horizontal line. Underneath is the question 'How happy are you that you did this?' followed by a horizontal scale from 0 to 10 with a dot at approximately 6. At the bottom are 'Back' and 'Next' buttons. The right screen is titled 'What physical reactions did you notice?' and also has a purple '+' button. Below is a section labeled 'Reaction 1' with a horizontal line. Underneath is the question 'Intensity' followed by a horizontal scale from 0 to 10 with a dot at approximately 6. At the bottom are 'Back' and 'Next' buttons.

FIGURE 4.1: The added screens to enter behaviours (left) and physical reactions (right) in the 'Understanding a Situation' exercise.

4.2.1 CBT Exercises

As mentioned in Section 3.4.4, the app features 3 adaptations of CBT exercises based on paper worksheets. An important CBT technique is identifying automatic thoughts and feelings, which is an integral part of all 3 exercises. As shown in the wireframes and in Figure 4.1, the app implements separate screens for each different phenomena where users can add and rate as many examples as they want.

In general, implementation went according to design with only a few changes. One was the addition of 2 extra screens to the 'Understanding a Situation' exercise for the user to enter behaviours and physical reactions that they noticed in response. Although these were not included in the original exercise in *Mind Over Mood* (16) that this exercise is based on, the book also identifies 5 interconnected areas that influence each other: situations, physical reactions, moods, thoughts and behaviours. I felt that all these areas were extremely important when unpacking and understanding complicated situations, which is why I added the remaining 2 areas to the exercise. The layout of these screens is the same as the screens for entering thoughts and feelings and can be seen in Figure 4.1.




FIGURE 4.2: The collectible screen (left) and the pop-up which appears when a new collectible is earned (right).

4.2.2 Motivational Features

During development, several disadvantages with the original motivation features detailed in Section 3.4.3 were identified, expanded on in Appendix D. Most importantly, the achievement system had little integration with the points, with there being no use for the points earned aside from earning achievements based on amount. Therefore, I decided to select a more appropriate and well-integrated way of keeping users engaged by identifying several possible motivational features based on research and my own personal experiences and preferences. I then evaluated how useful and appropriate each feature would be in the context of my app, shown in Appendix D.

Based on my evaluation, the motivational feature deemed most appropriate was the addition of in-app collectibles which can be earned through a random chance system. This system, shown in Figure 4.2, avoid the issues with the achievements system by allowing points to be 'used' to earn collectibles, giving them a greater purpose which lasts a longer time. Additionally, the stats page from the original design was kept due to its straightforward implementation and is shown in Figure 4.3. Here the user can to view their statistics (ie. number of exercises completed, points earned etc.) for a numerical representation of their progress, fostering and increased sense of competence.




FIGURE 4.3: The stats screen.

The random chance system operates similar to a lottery where the user rolls for a 'random' collectible every time they 'level up'. The original points system was repurposed so that users earn points from completing exercises (20 points) or claiming daily bonuses (10 points), 'levelling up' once they reach a certain amount of points. This amount follows a linear growth, starting at 20 points and increasing by 40 for every level. The low starting amount helps introduce users to the collectible system early and increasing the amount of points for each level creates a sense of progression which can be appealing for users (28).

Another feature to note is that the collectibles are not weighted equally when rolling, with some collectibles having a greater likelihood of being rolled than others (eg. there is a 20% chance of rolling collectible 4 but only a 5% chance for collectible 6). This means that there is a high chance that the user will get a collectible that they have already obtained, in which case they will earn a 'repeat'. Once a user has earned 3 'repeat's, they will be able to exchange them for an extra roll. All of this contributes to increasing the time needed to obtain every collectible and therefore the amount of time the user is motivated to use the app due to the collectibles. Additionally, the process of creating more collectibles and adding them to the app is quick and easy, meaning that this feature could be easily scaled to add new collectibles for users to work towards obtaining.

4.2.3 Data Storage

Due to my inexperience with Android development, an aspect that I struggled with was storing data locally. Initially I planned on writing information to a local file in order to save data between instances, an approach that has worked well in previous projects. This is how user statistics like number of points earned and exercises completed is stored: the data is written to a text file in local storage that is read when the app is opened.

However, when implementing the storage and retrieval of completed CBT exercises, this method became unsuitable due to the complexity of the data being stored. It was also necessary to be able to retrieve all completed exercises from a given day so that they could be displayed on the activity log screen, something which would be too complicated to implement using text files. Instead, the Android local database Room, which provides an abstraction layer for an SQL database, was used. Objects (in this case activity logs containing the date, text and type of CBT exercise) are stored as entities which correspond to a table in the database. The tables can be accessed and modified through SQL commands in a data access object. Notifications are also stored in this manner, with the entity containing the notification text, time, weeks to repeat and days to repeat on.

Yet another approach to data storage was utilised to store collectible progress. This is because for each of the 9 collectibles a variable needed to be stored indicating whether the corresponding collectible had been obtained. Since this is only a small and unchanging number of variables, it would be unnecessarily time-consuming to use Room since I would need to create a new table, entity, and new commands. Instead, SharedPreferences was used, which stores simple data as key-value pairs so that each collectible could have a corresponding Boolean variable stored to indicate if it had already been obtained.

As well as being simple to implement, SharedPreferences has the added benefit of being able to easily update data, with data automatically overwriting if the key is the same. Additionally, when trying to access data which does not exist, a default value can be specified. Because of this, SharedPreferences was also used for the daily streak and daily bonus point features: when a bonus is claimed on the home screen, the Boolean 'true' is stored with the key being the current date. To check if the user has claimed the daily bonus, the application tries to access the value corresponding to the current date, with the default value of 'false' returned if a value is not found. If the value corresponding to yesterday's date is also 'false' the daily streak has been broken and is subsequently reset to 0, while if it is 'true' the streak can be increased by one.




FIGURE 4.4: Comparison of the wireframe (left) and actual implementation (right) of the home screen.

4.2.4 Home Screen

The home screen underwent a major redesign compared to the original wireframes (Figure 4.4) because of the journal and mood selection features being discontinued due to time constraints (see Section 6.2). The choice was also made to remove the overview of upcoming tasks/notifications because, although an integral feature of the app, notifications are not the main purpose of the app. I wanted the focus of the app to be the CBT exercises since there are already many existing apps for notifications and goal settings, therefore the home screen was re-designed to place a greater emphasis on the motivational features to encourage users to complete more exercises.

The new design features a circular progress bar which fills up according to the current points earned and the amount of points needed to level up, providing a visual way for users to track their point acquisition. Above the progress bar, the current streak of the user is shown along with the button to claim the daily bonus points. An information button is present in the top-right corner which opens a pop-up containing guidance and disclaimers for using the app. This new design is less cluttered and more simplistic than the old design which I felt was important so that the user is not overwhelmed with information when they open the app.




FIGURE 4.5: The notification screen (left) with the notification pop-up at the bottom and the screen to set notifications (right).

4.2.5 Notifications

As mentioned in Section 4.2.3, notifications are stored in a Room database once they have been added, making for easy retrieval and display in the notifications screen (shown in Figure 4.5 left). Notifications can be added either through this screen of the 'Problem Solving' exercise.

The layout of the screen where users set notifications (Figure 4.5 right) was inspired by the alarm setting screen of the Samsung alarm app. This was due to my opinion that its popularity and intuitiveness allow users to quickly and easily learn how it works. Also, this design places greater emphasis on repeating alarms over one-off alarms, fitting well with CBT's aim of promoting better mental health through formation of healthy habits over a longer period of time (13).

When a notification goes off, a pop-up appears on screen (shown in the bottom of Figure 4.5 left) displaying the name of the notification, along with a short sound effect. If the notification repeats, the next notification automatically sets itself, while if there are no more repeats the notification is deleted from the database.

4.3 Functional Testing

Throughout development, the functionality of the app was tested against the 6 'must' requirements from Section 3.3.

- **The application must guide users through CBT exercises to identify and challenge distorted thoughts and feelings.**

Black-box testing was used to assess this requirement from the perspective of an end user. The following tests specify which area each is for by using this key:

S: 'Understanding a Situation' exercise

P: 'Problem Solving' exercise

T: 'Thought Record' exercise

M: CBT Menu

Area	Test	Result (P/F)
M	Can start an exercise by selecting from the exercise menu	P
S/P/T	Exercises start at the information screen for that exercise	P
S/P/T	'Next' and 'Back' buttons navigate to respective screens	P
S/P	Can enter a situation to understand/problem to solve	P
S/P	Can add feeling/thought/behaviour/physical symptom and edit the text	P
S/P	Can change slider for feeling/thought/behaviour/physical symptom	P
S/P	Can scroll list of feelings/thoughts/behaviours/physical symptoms	P
S/P/T	Can select 'Tip' button to open tip pop-up	P
S/P/T	Review screen at end of exercise shows what has been entered	P
S	'Challenge a thought' button opens screen with the entered thoughts	P
S	Clicking thought in 'Challenge a thought' screen opens thought record exercise with selected thought already entered	P
S/P/T	'Finish' button exits to home screen	P
P	Can add possible solutions	P
P	Can scroll through possible solutions	P
P	Can reorder possible solutions by dragging	P
P	Can add a notification to a solution	P
P	Can edit existing notifications for solutions	P
T	Entering text into message box and pressing send displays text on screen as a text message	P

T	Pressing 'Switch sides' button changes title text and colour/placement of new text messages	P
T	Can enter and rate thought to examine and balanced thought	P

- **Completed CBT exercises must be stored in the app, with the user being able to easily access and view them.**

Figure 4.6 shows the activity log screen which contains a calendar display on the top half. The user can select a date on the calendar (with the default date being the current date) to display the completed CBT exercises for that day in the bottom half of the screen.




FIGURE 4.6: The activity log screen.

- **Users must be able to set goals with notifications to encourage them.**

Users can set notifications from both the notification screen and as part of the 'Problem solving' exercise. Section 4.2.5 contains more details on the implementation of the notifications. Notifications were tested across the span of one week and consisted of a range of times and repetitions, including notifications that repeated each day and ones that repeated in various patterns. All went off at the right time.

Unfortunately, due to time limitations, tests of repeated notifications for longer than one week were not possible.

- **There must be motivational features which encourage the user to open and use the app every day.**

These motivational features are the daily streak and daily bonus points which were tested with the other motivational features below.

- **There must be motivational features which encourage the user to spend more time completing CBT exercises on the app.**

These motivational features are the points system, statistics page and random-chance collectibles discussed in Section 4.2.2. The following tests were conducted to make sure they, and the daily motivational features mentioned previously, work as intended.

Test	Result (P/F)
Default statistics of 0 are created when app is first opened	P
Stat screen displays current level, points, exercises completed, current streak, highest streak and collectible progress	P
Clicking 'Finish' on a CBT exercise increases points by 20	P
Clicking a thought to challenge in 'Understanding a Situation' exercise increases points by 20	P
Clicking 'Finish' on a CBT exercise increases exercises completed by 1	P
Earning enough points increases level by 1 and resets points to 0	P
Points needed to level up starts at 20 and increases by 40 for each level	P
Clicking the 'Claim daily bonus' button increases points by 10	P
Clicking the 'Claim daily bonus' button increases streak by 1	P
'Claim daily bonus' button disables after being clicked	P
'Claim daily bonus' button re-enables the next day	P
Current streak resets if bonus is not claimed for 2 consecutive days	P
Highest streak updates automatically in stats screen	P
Home screen displays current streak and level	P
Home screen displays points in progress bar proportionate to points needed to level up	P

Collectible roll pop-up appears when user levels up	P
Collectible roll is 'random'	P
Collectibles obtained can be seen in collectibles screen while ones not obtained are hidden	P
'Back' and 'To collectables' buttons on collectible roll pop-up close the pop-up and open the collectible screen respectively	P
Number of 'repeats' increases by 1 if user obtains an already obtained collectible	P
Can press button to roll again if there are 3 or more 'repeats'	P
Number of repeats decreases by 3 once the repeat roll button has been pressed and the button deactivates if there are then less than 3 'repeats'	P
Collectible progress updates based on how many unique collectibles have been obtained	P

- **The application must contain links to further resources for users who need more support.**

Figure 4.7 shows the further support screen which has links to the phone numbers of the emergency services and the Samaritans. When pressed, the phone app opens with the number entered. There is also a link to the NHS Talking Therapies website which opens on the phone's default browser.




FIGURE 4.7: The further support screen.

Chapter 5

Evaluation

5.1 Evaluation Design

In order to evaluate the app from a qualitative standpoint, a user study targeting fellow students at the University was conducted. The study was approved by the University of Southampton Ethics Committee under ERGO/FEPS/90840 (see Appendix E for a copy of the ethics application) and received 13 participants.

During the study, participants were given a brief explanation on CBT and the role of the app. A scenario was provided in order to help participants get into the frame of mind of a user who wants to manage their emotions through CBT. The scenario was as follows: "Pretend you are extremely anxious about an upcoming exam and are finding it hard to focus on revision due to the anxiety". I chose this scenario due to the high likelihood that most of the participants had experienced something similar before, meaning they would find it easy to relate. Additionally, despite being a common scenario, it is also moderate enough to avoid participants feeling too uncomfortable. They were then presented with a mobile phone which had the app opened, and given free range to explore the features.

After about 10 minutes, most participants had explored all the features, at which point they were asked to fill in a digital questionnaire (included in Appendix F). The questionnaire assesses whether the participant would use the app over pen-and-paper worksheets, what factors influenced their decision, their experience of the CBT exercises, and general questions about the app's usability. The full questionnaire results can be found in Appendix G.

On a scale of 1 to 5, how likely would you be to use the mobile app over a pen-and-paper worksheet?

13 responses




FIGURE 5.1: Responses for question 1

5.2 Results and Discussion

As shown in Figure 5.1, 76.2% of participants gave scores of 4 or 5 when asked if they would be likely to use the app over pen-and-paper worksheets. These scores correspond to 'agreeing' and 'strongly agreeing' respectively, clearly showing the positive reception the app received. Most users cited the availability of phones as the factor most influencing this decision (10 users), with the ease of storing and accessing completed exercises coming second (8 users). Although other features like notifications and points were well-received, with 2 out of 8 long-form responses for question 9 highlighting notifications as a particularly useful feature, only 6 and 5 users respectively said it influenced their decision. It seems the inherent convenience of using a mobile app is the biggest deciding factor, with the other features being seen as added bonuses.

The CBT exercise adaptations also received mainly positive feedback, with one comment noting that "having already set questions really helps process your thoughts". Figure 5.2 shows the average of how clear and useful each of the 3 exercises were. Most participants felt that the understanding the situation and problem solving exercises were clear and easy to use, with averages of over 4.4 out of 5 for clarity and 4.0 for usefulness. However, the average score for the thought record exercise was slightly lower, at 3.8. The reasons for this were elaborated on verbally and are discussed in Section 5.3. All 3 exercises were deemed very useful by participants, with all having average scores of 4 or above. Based on responses to the long-answer question, the thought record exercise was noted as especially useful, which is clearly shown in the data with an average of 4.6, the highest of the 3




FIGURE 5.2: Average scores for questions 3-8.

exercises. One respondent said they "didn't really see the point of [the] problem solving [exercise]", but this is not particularly reflected by the average scores, however I thought this was important to note as a possible indication that the information explaining the exercise's purpose, which is provided at the start of the exercise, could be improved.

Questions 3-8 were taken from the System Usability Scale (9), a widely used method for evaluating usability. Because I felt that some of the questions were too similar to each other (eg. "I thought the system was easy to use." and "I found the system very cumbersome to use."), I condensed the questions to the 5 that I felt most important and distinct out of the original 10. This was an oversight on my part since it meant the normal formula for calculating SUS score could not be used, but since all 5 questions were originally odd questions where a higher score is better, a simple calculation of the average of each participant's total score gives a rough estimation of the usability of the app. The average total score was 19.7 out of 25, or around 78.8 out of 100, which is within the top 70th percentile and considered an above average score.

Figure 5.3 shows the average score and standard deviation for the SUS questions. Questions 11-14 follow roughly the same distribution, with a mean of around 4.0 and standard deviation of around 0.8. However, question 10 ("I thought the app was easy to use") differs from this trend with a lower average (3.5) and higher standard deviation (1.0). Furthermore, a comment from question 16 states that "the reliance on a big chunk of text to explain the exercise (sic) is not so good" and that it might be more readable if the text was spread out throughout the exercise, a possible contributor to the lower score.




FIGURE 5.3: Average score and standard deviation for questions 10-14

Despite this, the majority of participants thought that most people would be able to learn to use the app very quickly which is a positive result.

Participants were also asked to rate how much each motivational feature made them want to return to the app, with Figure 5.4 showing the average and standard deviation for each. Since motivation is a very subjective topic, the standard deviation was expected to be high. This was indeed the case, with a standard deviation of up to 1.0 (for 'earning points for the sake of points'), with one big exception: 'earning points in order to obtain collectibles' had a standard deviation of 0 and an average score of 4. Out of the 13 responses, only 1 person gave a rating other than 4 or 5, making it is clear that the collectibles were a superior choice over only earning points for the sake of points that successfully increased the engagement of almost every participant. It should be noted that, due to time constraints, a study across multiple days was not able to be conducted, therefore participants could not use the daily streak and daily bonus point features in the way they were designed for. Based on only using the app for a short time, the daily streak feature increased engagement more than the bonus points, possibly due to loss aversion where the loss of a streak feels more impactful than gaining extra points, but a longer evaluation is needed to verify this hypothesis.

Participants were also given the chance to add any further comments and feedback. One person brought up whether a level up system could have negative connotations, for example a user might see that they have a high level and interpret it as them having "many issues" instead of perceiving it as a reflection of their efforts to improve their mental




FIGURE 5.4: Average score and standard deviation for questions 15

wellbeing. This was a big concern throughout the project and reflects the unconscious stigma deeply entrenched in society that those who seek therapeutic help have something “wrong” with them. A limitation of this project is that the users who download the app are assumed to have a positive view of therapy, so the app does not focus on alleviating the surrounding stigmas.

Overall, the app was positively received, with all 3 exercises being rated more than 3.5/5 for clarity and 4/5 for usefulness. The usability of the app was rated well by participants, although there is room for improvement in terms of making the app more user-friendly. Motivational features were also successful in increasing user engagement, especially the collectible feature which 12 out of 13 respondents said made them want to use the app more. However, a significant limitation of the evaluation was its short time-frame, with users being unable to experience the features, particularly notifications, daily streak and daily bonus points, across multiple days. In the future, a longer study would be greatly beneficial to observe how the users’ attitude and engagement change over time. Finally, possible areas for improvement and future work were identified such as breaking down the introductory text for exercises into smaller sections and introducing features to challenge stigmas surrounding therapy. These ideas are expanded upon in Section 7.2.

5.3 Changes Made Due To Evaluation

During the testing of the app, some participants expressed confusion on how to switch sides during the Thought Record activity, assuming that the sides would switch automatically between messages. The exercise was able to be finished without switching sides

at all, something which testers felt was unsatisfactory due to the purpose of the exercise being to prompt the user to consider both reasons for and against their thought. To remedy this, changes were made (after the conclusion of the study) so that the 'Next' button is initially deactivated and only activates once the user has pressed the 'Switch sides' button (Figure 5.5). The colour of the button was also changed to make it stand out so that it would be more noticeable for users.



FIGURE 5.5: The thought record exercise after changes.

Additionally, some of the testers expressed that the information about the app (which is shown when the user presses the 'Info' button on the home screen), in particular the disclaimer about the app not being a replacement for therapy, is of vital importance and should be shown to users on start-up so they are guaranteed to see it. The information pop-up now opens automatically when the app starts.

Chapter 6

Project Management

6.1 Project Planning

Due to the length of this project, a project plan with estimated time-frames was necessary in order to manage time and prevent tasks from overrunning. A rough Gantt chart was made at the start of the project (included in Appendix H) and was refined after the progress report. More details were added, mainly in the implementation phase, which was split into 4 sub-sections. The first is a short period allowing time for setting up and learning the basics of Android Studio. After that, the development of the app begins proper, with the CBT exercises to be implemented first before focusing on other features. Finally, I allowed 2 weeks dedicated to catching up and ensuring the quality of the app. The updated planning chart is shown in Figure 6.1.

Throughout the project, progress was tracked with a separate Gantt chart which is also shown in Figure 6.2. The most notable difference between the planned and actual time-frames is in the implementation, which was started a week later than planned due to needing more time to refine the design, pushing subsequent tasks back by a week. Additionally, the development of the CBT exercises and other features each took roughly a week longer than planned (see Section 6.2). However, this situation was anticipated and accounted for with the extra time in the plan allotted for catch up, therefore implementation only ran over by one week in total. Overall, the time spent writing the final report had to be cut down by 2 weeks, however this was a manageable reduction in time. All in all, the actual progress of the project followed the plan sufficiently well.




FIGURE 6.1: Planning Gantt chart made after progress report.




FIGURE 6.2: Gantt chart documenting project progress.

6.2 Sprint Planning

An agile methodology was utilised for the implementation of the app, with development being organised into short, iterative sprints. This approach was chosen due its emphasis on adaptivity and producing working software as soon as possible (18). As more research was being undertaken at the same time as the development, requirements were likely to change, therefore an agile approach was optimal for allowing the requirements of the app to evolve while ensuring that the a working version of the software would still exist no matter what changes were made.

Each sprint lasted 2 weeks, with tasks based on the requirements in Section 3.3 identified and formulated at the start of each sprint. The IDs of each task identify which requirement they fulfil (eg. task 1.1 fulfils requirement 1), with IDs beginning with 'APP' correlating to tasks that do not fulfil a specific requirement but that I deemed necessary for the quality of the user experience of the app.

Tasks were prioritised based on both the priority of the requirement it fulfilled and the importance of the task itself. Tasks prioritised as 'must' were given the highest priority, with the exception being the implementation of the motivational features which only occurred in the final sprint. While a vital part of my project, implementation was delayed due to my decision to re-think what motivational features would be most suited to the project (see Section 4.2.2). However, this was not a significant issue as the nature of agile methodology supports being able to change requirements during development. Developmental delays also occurred due to lack of previous experience developing Android apps, leading to inefficient code in some places. All of these factors made it clear that features would need to be cut to keep to a reasonable time-frame.

Notably, the journal (Section 3.4.2) and mood-selection (Section 3.4.1) features were included in the design but cut from the prototype. These features were chosen to be discontinued due to only being prioritised as 'should', as well as the fact that they are mostly independent features which other features do not rely on, meaning the impact of removing them is small and the app still functions well without them. Additionally, there are several existing journalling apps with mood tracking features already available, therefore I decided to shift the focus of the app more towards other features, particularly the motivational ones.

Burndown charts were constructed for each sprint and colour-coded based on task priority. As an example, Figure 6.3 shows the chart for sprint 2 while the rest can be found in Appendix H.

ID	MoSCoW	Description	Size
1.3	MUST	Implement 'Thought Record' exercise (carried over)	3
2.1	SHOULD	Store and view completed exercises	4
APP1	COULD	Sidebar menu navigation	2
5.1	MUST	Points for completing exercises	2




FIGURE 6.3: Tasks and burndown chart for Sprint 2.

6.3 Risk Management

Identifying risks and mitigation strategies at the start of the project was instrumental to project success and ensured quick recovery from unforeseen circumstances. My risk assessment is shown below:

Risk	Severity	Probability	Total	Mitigation
Underestimated scope of project	4	3	12	Prioritise the most important features when implementing the app. Allow for some features to be able to be removed or simplified.

Loss/corruption of files	4	2	8	Use version control software for code (GitHub) and make sure it is always up to date. Keep frequently updated backups of other important files in cloud storage.
Lack of participants for evaluation	4	2	8	Use existing connections and social media to advertise.
Illness or other unfortunate situation	5	2	10	Familiarise myself with the special considerations process so I can apply for them if needed. Keep in regular contact with the project supervisor.
Clashes with other deadlines	3	2	6	Be aware of deadlines well in advance and plan time accordingly. Leave extra time in the project plan so I may take a few days to prioritise another deadline if needed.
Underestimated duration of tasks	4	3	12	The project planning Gantt chart allows for 2 weeks dedicated to catching up on tasks which took longer than expected.

Chapter 7

Conclusion

7.1 Project Summary

During this project, a literature review into cognitive behavioural therapy (CBT) found that factors such as lack of medical personnel and the stigma of mental health issues can pose barriers to accessing support (26). During CBT, patients are guided through exercises and techniques, commonly involving filling in paper worksheets. These worksheets can also be used as part of self-help, where users work through exercises by themselves, an appealing choice for those experiencing barriers to accessing professional therapy. However, existing self-help resources have suffered from a lack of adherence, leading to a decrease in efficiency (14). To combat this, a mobile app to guide users through CBT exercises and increase engagement through motivational features was proposed as an accessible and convenient solution.

Requirements for the app were formulated based on an analysis of stakeholders and user personas, and a detailed design was created. A prototype for an Android app was subsequently developed using agile methodologies. To ensure fulfilment of the requirements, functional testing was carried out before a critical evaluation involving 13 participants was conducted. Evaluation results revealed that over 75% of the participants expressed a preference for the app over pen-and-paper worksheets, with the CBT exercises being well received and the motivational features, particularly the in-app collectibles, notably increasing engagement.

7.2 Future Work

Since the app features a modular approach to CBT exercises, new exercises can be easily added, for example the fear ladder and activity record from Mind Over Mood (16), which would especially benefit from the ability to access them at any time, are particularly well-suited to the app. More motivational features can also be added to further increase engagement, especially social features to fulfil the need of relatedness, although careful consideration would be needed due to the risk of negative interactions causing distress. A possible idea could be letting users connect with friends and send motivational notes, moderated with keyword filtering and machine learning. This would also help to decrease the stigma surrounding therapy by fostering a supportive and positive environment.

Due to time constraints, several features present in the original design were not implemented, for example journal and mood selection/tracking features, which could be added. Additionally, improvements can be made to existing features, notably splitting up the introductory text for exercises into shorter, more readable sections to create a more guided experience. One method for this could be a tutorial-like system where each new screen of an exercise is introduced with a small amount of text and a visual demonstration. Another recommendation from the evaluation was including built-in suggestions for feelings, which could take the form of a selectable diagram of the feelings wheel (23) or a drop-down menu. This idea could also be extended to thoughts, physical sensations and behaviours.

An interesting future expansion could be to move healthcare professionals from secondary to primary stakeholders by allowing them to connect with patients and view their completed exercises on the app. Chat and messaging features could also be added to allow patients to easily receive advice and guidance, which could even be extended to phone and video calls so users can complete exercises with real-time assistance from professionals. Since sensitive information would have to be stored online, sufficient security measures would be necessary to consider.

Finally, a longer study to investigate how users interact with the app over a longer period of time would offer beneficial data on how to improve the app. An additional study with medical professionals could also prove insightful by drawing on their extensive training and experience to consider a unique viewpoint.

7.3 Final Conclusions

This project saw the proposal, design and development of a prototype mobile app for CBT exercises, successfully translating pen-and-paper worksheets to digital form and increasing engagement of test users. The app shows great potential, and areas for improvement and future work have been identified to increase performance further. It is hoped that future developments in this area can lead to greater accessibility for mental health and wellbeing support so that we can strive for a world where everyone has the necessary resources to overcome adversity and enjoy the full extent of a happy, healthy life.

Bibliography

- [1] Every Mind Matters, May 2021. Publisher: NHS. Retrieved November 22, 2023 from <https://www.nhs.uk/every-mind-matters/>.
- [2] Overview - Cognitive behavioural therapy (CBT), Feb. 2021. Publisher: NHS. Retrieved November 22, 2023 from <https://www.nhs.uk/mental-health/talking-therapies-medicine-treatments/talking-therapies-and-counselling/cognitive-behavioural-therapy-cbt/overview/>.
- [3] Overview | Depression in adults: treatment and management | Guidance | NICE, June 2022. Publisher: NICE. Retrieved November 22, 2023 from <https://www.nice.org.uk/guidance/ng222>.
- [4] Mental health pressures data analysis, Nov. 2023. Publisher: BMA. Retrieved November 22, 2023 from <https://www.bma.org.uk/advice-and-support/nhs-delivery-and-workforce/pressures/mental-health-pressures-data-analysis>.
- [5] ANGELAKIS, I., HUGGETT, C., GOODING, P., PANAGIOTI, M., AND HODKINSON, A. Effectiveness of cognitive-behavioural therapies of varying complexity in reducing depression in adults: systematic review and network meta-analysis. *The British Journal of Psychiatry* 221, 2 (Aug. 2022), 459–467.
- [6] ATTWELL, C., MULLIS, R., LEWIS, B., AND VIZARD, T. Cost of living and depression in adults, Great Britain - Office for National Statistics, 2022. Retrieved April 29, 2024 from <https://www.ons.gov.uk/>.
- [7] BAKER, C., AND KIRK-WADE, E. Mental health statistics: prevalence, services and funding in England. Retrieved April 29, 2024 from <https://commonslibrary.parliament.uk/research-briefings/sn06988/>.
- [8] BIDDLE, L., DONOVAN, J. L., GUNNELL, D., AND SHARP, D. Young adults' perceptions of GPs as a help source for mental distress: a qualitative study. *The British Journal of General Practice: The Journal of the Royal College of General Practitioners* 56, 533 (Dec. 2006), 924–931.

- [9] BROOKE, J. SUS: A 'Quick and Dirty' Usability Scale. In *Usability Evaluation In Industry*. CRC Press, 1996.
- [10] CUIJPERS, P., NOMA, H., KARYOTAKI, E., CIPRIANI, A., AND FURUKAWA, T. A. Effectiveness and Acceptability of Cognitive Behavior Therapy Delivery Formats in Adults With Depression. *JAMA Psychiatry* 76, 7 (July 2019), 700–707.
- [11] CUIJPERS, P., QUERO, S., NOMA, H., CIHAROVA, M., MIGUEL, C., KARYOTAKI, E., CIPRIANI, A., CRISTEA, I. A., AND FURUKAWA, T. A. Psychotherapies for depression: a network meta-analysis covering efficacy, acceptability and long-term outcomes of all main treatment types. *World Psychiatry* 20, 2 (2021), 283–293.
- [12] EMMONS, R. A., AND MCCULLOUGH, M. E. Counting blessings versus burdens: An experimental investigation of gratitude and subjective well-being in daily life. *Journal of Personality and Social Psychology* 84, 2 (Feb. 2003), 377–389.
- [13] FENN, K., AND BYRNE, M. The key principles of cognitive behavioural therapy. *InnovAiT* 6, 9 (Sept. 2013), 579–585. Publisher: SAGE Publications.
- [14] GONZALEZ, D. M. Client variables and psychotherapy outcomes. In *Humanistic psychotherapies: Handbook of research and practice (2nd ed.)*, D. J. Cain, K. Keenan, and S. Rubin, Eds. American Psychological Association, Washington, 2016, pp. 455–482.
- [15] GRAAF, L. E. D., GERHARDS, S. A. H., ARNTZ, A., RIPER, H., METSEMAKERS, J. F. M., EVERS, S. M. A. A., SEVERENS, J. L., WIDDERSHOVEN, G., AND HUIBERS, M. J. H. Clinical effectiveness of online computerised cognitive-behavioural therapy without support for depression in primary care: randomised trial. *The British Journal of Psychiatry* 195, 1 (July 2009), 73–80. Publisher: Cambridge University Press.
- [16] GREENBERGER, D., AND PADESKY, C. A. *Mind over mood: Change how you feel by changing the way you think, 2nd ed.* Guilford Press, New York, NY, US, 2016.
- [17] KOMASE, Y., WATANABE, K., HORI, D., NOZAWA, K., HIDAKA, Y., IIDA, M., IMAMURA, K., AND KAWAKAMI, N. Effects of gratitude intervention on mental health and well-being among workers: A systematic review. *Journal of Occupational Health* 63, 1 (Nov. 2021), e12290.
- [18] KUMAR, G., AND BHATIA, P. Impact of Agile Methodology on Software Development Process. *International Journal of Computer Technology and Electronics Engineering (IJCTEE)* 2 (Aug. 2012), 2249–6343.

- [19] McMANUS, S., BEBBINGTON, P., JENKINS, R., AND BRUGHA, T. *Mental health and wellbeing in England: Adult Psychiatric Morbidity Survey 2014 : a survey carried out for NHS Digital by NatCen Social Research and the Department of Health Sciences, University of Leicester*. NHS Digital, Leeds, 2016. OCLC: 974511137.
- [20] MEMON, A., TAYLOR, K., MOHEBATI, L. M., SUNDIN, J., COOPER, M., SCANLON, T., AND DE VISSER, R. Perceived barriers to accessing mental health services among black and minority ethnic (BME) communities: a qualitative study in South-east England. *BMJ Open* 6, 11 (Nov. 2016), e012337.
- [21] MITCHELL, C., McMILLAN, B., AND HAGAN, T. Mental health help-seeking behaviours in young adults. *British Journal of General Practice* 67, 654 (Jan. 2017), 8–9.
- [22] NAKAO, M., SHIROTSUKI, K., AND SUGAYA, N. Cognitive-behavioral therapy for management of mental health and stress-related disorders: Recent advances in techniques and technologies. *BioPsychoSocial Medicine* 15, 1 (Oct. 2021), 16.
- [23] PAPROTSKY, R. Feelings Wheel | Connect With Yourself. Retrieved April 29, 2024 from <https://feelingswheel.app/>.
- [24] POWELL, V. B., ABREU, N., OLIVEIRA, I. R. D., AND SUDAK, D. Terapia cognitivo-comportamental da depressão. *Revista Brasileira de Psiquiatria* 30, suppl 2 (Oct. 2008), s73–s80.
- [25] RYAN, R. M., AND DECI, E. L. Self-Determination Theory and the Facilitation of Intrinsic Motivation, Social Development, and Well-Being. *American Psychologist* (2000).
- [26] SALAHEDDIN, K., AND MASON, B. Identifying barriers to mental health help-seeking among young adults in the UK: a cross-sectional survey. *The British Journal of General Practice: The Journal of the Royal College of General Practitioners* 66, 651 (Oct. 2016), e686–692.
- [27] SMITH, B. Depression and motivation. *Phenomenology and the Cognitive Sciences* 12, 4 (Dec. 2013), 615–635.
- [28] STANCU, V., FRANK, D.-A., LÄHTEENMÄKI, L., AND GRUNERT, K. G. Motivating consumers for health and fitness: The role of app features. *Journal of Consumer Behaviour* 21, 6 (2022), 1506–1521. eprint: <https://onlinelibrary.wiley.com/doi/pdf/10.1002/cb.2108>.

-
- [29] STAWARZ, K., PREIST, C., TALLON, D., WILES, N., AND COYLE, D. User Experience of Cognitive Behavioral Therapy Apps for Depression: An Analysis of App Functionality and User Reviews. *Journal of Medical Internet Research* 20, 6 (June 2018), e10120.
- [30] STEEL, Z., MARNANE, C., IRANPOUR, C., CHEY, T., JACKSON, J. W., PATEL, V., AND SILOVE, D. The global prevalence of common mental disorders: a systematic review and meta-analysis 1980–2013. *International Journal of Epidemiology* 43, 2 (Apr. 2014), 476–493.
- [31] TWOMEY, C., O'REILLY, G., AND BYRNE, M. Effectiveness of cognitive behavioural therapy for anxiety and depression in primary care: a meta-analysis. *Family Practice* 32, 1 (Feb. 2015), 3–15.
- [32] VILLALOBOS-ZÚÑIGA, G., AND CHERUBINI, M. Apps That Motivate: a Taxonomy of App Features Based on Self-Determination Theory. *International Journal of Human-Computer Studies* 140 (Aug. 2020), 102449.

Appendix A

Copy of Original Project Brief

Problem:

According to the NHS, cognitive behavioural therapy (CBT) is a psychological talking therapy which helps patients to manage problems by changing the way they think and act. It is one of the most popular types of therapy and can be extremely effective for alleviating symptoms of anxiety, depression etc. A core part of CBT is learning techniques to identify and manage unhelpful emotions, thoughts and behaviours, with self-help leaflets and workbooks readily available online to encourage and guide users to apply these techniques in everyday life. These workbooks are generally made to be printed out and filled in by the user, however there are many issues that this can cause, for example they may be inconvenient to regularly fill in and be unengaging to the user. This can lead to a decrease in motivation to complete the workbooks and practise applying the techniques.

Goals:

The goal of this project is to create a mobile application which will adapt NHS recommended self-help exercises to a more convenient mobile form. The app will guide users in applying ‘practical self-help strategies’ [1] based on CBT techniques in their everyday lives, making use of the unique features of mobile devices to increase motivation and engagement of users. Therefore, the app must clearly and effectively teach these techniques to users. Additionally, when compared to pen and paper CBT activity sheets, the app should make users feel encouraged to more frequently apply the techniques learnt in their everyday life.

Scope:

- I will not be discussing the validity or effectiveness of CBT or the techniques themselves.
- I will focus on exploring how to most effectively translate self-help worksheet exercises to app form rather than trying to adapt as many as possible.
- The app is not intended as a replacement for therapy, it is a tool to help users apply techniques which are used in CBT to their lives to cope with problems. Ideally, CBT techniques would be used in conjunction with professionally administered therapy.

[1] <https://www.nhs.uk/every-mind-matters/>

Appendix B

Additional Wireframes

<div>Goal 1</div> <div>I want to work towards this goal because.... (answer from user)</div> <div>Notification: Time: XX:XX Repeats: (M) Tu W (Th) F Sa Su</div> <div>Back</div>	<div>Recommended goals:</div> <div>Exercise for 10 minutes</div> <div>Write a journal entry</div> <div>Meditate for 10 minutes</div> <div>Call a friend</div> <div>Back</div>	<div>CBT Exercises:</div> <div>Understand a situation</div> <div>Thought Record</div> <div>Problem Solving</div>
--	---	--

Understand a situation:

Information about the exercise

Back Next

[Situation]:

What were you feeling at the time?

+

Back Next

[Situation]:

Tips

What were you thinking at the time?

+

Belief:

0 10

Back Next

[Situation]:

Tips

Stuck? Try asking yourself these questions:

- What was going through my mind just before I started to feel this way?
- What images or memories do I have in this situation?
- What does this mean about me? My life? My future?
 - What am I afraid might happen?
- What is the worst that could happen? What does this mean about how the other person(s) feel(s)/think(s) about me?
- What does this mean about the other person(s) or people in general?
- Did I break rules, hurt others, or not do something I should have done?
- What do I think about myself that I did this or believe I did this?

OK

Back Next

Review:

Situation:

I felt:

[Mood]	Intensity: X
[Mood]	Intensity: X

I had these thoughts:

[Thought]	Belief: X
[Thought]	Belief: X

Challenge a thought

Back Finish

Thought record:


Information about the exercise


Back Next


<p>Arguments for: Tips</p> <p>[Thought]</p> <div></div> <div>Text message</div> <div>Switch sides</div> <div>Next</div>	<p>Review:</p> <div>Initial thought: Belief: X</div> <div>Arguments for and against: [For] [For] [Against]</div> <div>Balanced thought: Belief: X</div> <div>Back</div> <div>Finish</div>	<p>Problem solving</p> <div>Information about the exercise</div> <div>Back</div> <div>Next</div>
<div>What is the problem? _____</div> <div>Back</div> <div>Next</div>	<p>[Problem]: Time</p> <div>Stuck? Try</div> <div>OK</div> <div></div> <div></div>	<div>[Solution]</div> <div>Problem this will help to solve: [Problem]</div> <div>Notification: Time: XX:XX Repeats: (M) Tu W (Th) F Sa Su</div> <div>Back</div> <div>Add notification</div>


Appendix C

Additional App Screenshots









Appendix D

Motivational Feature Evaluation

57

Motivational Feature	Pros	Cons	Conclusion
Achievements for reaching milestones (eg. complete 100 exercises). My original idea for the app.	Encourages feeling of competence once achievement has been reached. Gives users goals to work toward which can be helpful if they need a specific target to aim towards.	May decrease sense of autonomy for users by giving them specific targets to work towards. Lack of variation of achievements to implement (can only think of ones that relate to completing a number of exercises or logging in for a number of days).	While a good feature that has been used successfully in a range of apps, I cannot think of an interesting range of achievements for my app. Also, having users work towards getting achievements may backfire and make users drastically lose motivation to use the app again once all achievements have been earned.

Sharing progress or milestones through social media	Allows users to receive validation and support from others, fulfilling the need of relatedness.	Users may not want to share that they are using a therapy app. Could lead to negative responses (or lack of responses), causing demotivation and negative feelings (32)	Overall, this is not an appropriate feature to add, especially since difficulties interacting with others socially is a symptom of mental health issues (3) which could make users less likely to want to use the feature.
Leaderboards comparing points earned with other users	Motivates users through relatedness by comparing them to others so they can judge their own efficiency. If reset periodically, can encourage competitiveness indefinitely.	May negatively affect users if they have less points than others. Promotes a competitive approach to therapy which is not appropriate.	This is not a good feature for this app due to the nature of CBT and the risks associated with the target users who may have lower moods and more negative attitudes.
Story which is progressed by the user completing activities	Progressively rewards users with the next part of a story. Extra effective if users are emotionally invested in story.	Time consuming to implement and expand on, also requires more competence in story writing than I have. Would be hard to write a story appropriate for a mental health app.	Overall, this feature is not a suitable feature. I also feel like the this feature would end up making the app more of a story progressed by completing CBT exercises than a CBT app with a story as motivation.

In-app collectibles which can be unlocked through using the app	Motivates users by through extrinsic rewards. Does not impact what the user chooses to work towards, unlike achievements. Also easier to create new collectibles than achievements.	Users might not care about collectibles.	A worthwhile feature to add that avoids a lot of the issues with achievements and provides users with extrinsic motivation. Users who are more intrinsically motivated can also easily choose to ignore the feature.
---	---	--	--

Appendix E

Copy of Ethics Application

Reference number: ERGO/FEPS/90840	Submission version: 1	Date: 2024/02/19
Name of investigator(s) : Yuehua Yin		
Name of supervisor(s) (if student investigator(s)): Tom Blount		
Title of study: Mobile application to guide users in applying cognitive behavioural therapy techniques.		
<p>Note that failure to follow the University's policy on Ethics may lead to disciplinary action concerning Misconduct or a breach of Academic Integrity.</p> <p>By submitting this application, the investigator(s) undertake to:</p> <ul style="list-style-type: none">• Conduct the study in accordance with University policies governing: Ethics (http://www.southampton.ac.uk/ris/policies/ethics.html); Data management (http://www.southampton.ac.uk/library/research/researchdata/); Health and Safety (http://www.southampton.ac.uk/healthandsafety/); Academic Integrity (http://www.calendar.soton.ac.uk/sectionIV/academic-integrity-statement.html).• Ensure the study Reference number ERGO/FEPS/<u>xxxx</u> is prominently displayed on all advertising and study materials, and is reported on all media and in all publications;• Conduct the study in accordance with the information provided in the application, its appendices, and any other documents submitted;• Submit the study for re-review (as an amendment through ERGO) or seek FEPS EC advice if any changes, circumstances, or outcomes materially affect the study or the information given;• Promptly advise an appropriate authority (Research Integrity and Governance team) of any adverse study outcomes;• Submit an end-of-study form if required to do so.		

STUDY DETAILS

What are the aims and objectives of this study?

The aim of the study is to collect and evaluate user opinions of a cognitive behavioural therapy (CBT) mobile application which aims to guide users through therapeutic activities in order to improve their wellbeing.

Background of the study (a brief rationale for conducting the study)

As part of my COMP3200 project I am making a mobile app for CBT to provide an accessible and engaging way to guide users through CBT exercises. CBT is a type of therapy often used to treat symptoms of low mood but patients using CBT exercises to improve their wellbeing can find paper worksheets unengaging and inconvenient to carry around and fill out, which is where a mobile app could be a good tool.

Key research question (Specify hypothesis if applicable)

The key research question is whether a CBT mobile application is a useful way to guide users through CBT activities and whether the accessibility and convenience of a mobile application is beneficial to users compared to physical mediums such as pen and paper worksheets.

Study design (Give a **brief** outline of the study design and why it is being used)

The study will compose of the participant being presented with a demo of the mobile application on a mobile phone and asked to explore the different feature of the app. Afterwards, they will fill in a questionnaire asking about their opinions and experience of using the app.

PRE-STUDY

Characterise the proposed **participants**

The participants will be University of Southampton students aged 18 and over.

Describe how **participants** will be approached

Participants will be approached through word of mouth and social media.

Describe how inclusion / exclusion criteria will be applied (if any)

Describe how **participants** will decide whether or not to take part

Before the study they will get a participant information sheet and consent form detailing the purpose, procedure and risks of the study.

DURING THE STUDY

Describe the study procedures as they will be experienced by the **participants**

Participants will be provided with a digital participant information sheet and consent form. They will receive a brief explanation of the project and background information about cognitive behavioural therapy. They will be presented with the mobile application on a phone and asked to use it as if they were a user who wanted to complete CBT exercises to improve their wellbeing. Their interactions with the application will be observed. After they feel as though they have sufficiently explored the application, they will be presented with a questionnaire which will have questions pertaining to the quality, usability and features of the app as well as subjective opinions like enjoyability and if they would prefer it to a pen-and-paper worksheet.

Identify how, when, where, and what kind of data will be recorded (not just the formal research data, but including all other study data such as e-mail addresses and signed consent forms)

Completed questionnaires will be stored digitally on secure University of Southampton servers. They will be anonymised so there is no identifiable or personal information. Any information entered into the app will be deleted immediately after the study.

POST-STUDY

Identify how, when, and where data will be stored, processed, and destroyed

If the Study Characteristic M.1 applies, provide this information in the **DPA Plan** as Appendix (iv) instead and do *not* provide explanation or information on this matter here

The questionnaire will be an online questionnaire which will be stored on secure University of Southampton servers until the end of the project, after which it will be deleted.

Appendix F

Questionnaire

Scenario

Imagine that you are a student who is stressed about an upcoming exam. Please use the app and answer the following questions as if you were that student.

On a scale of 1 to 5, how likely would you be to use the mobile app over a pen-and-paper worksheet?

Very Unlikely

1

2

3

4

5

Very Likely

Which of the following factors influenced your answer to the above question?

☐ Availability of phone vs paper worksheets

☐ Ease of typing on a phone keyboard

☐ Ease of storing and accessing completed exercises

☐ Earning points when completing the exercise on the app

☐ Being able to set notifications

☐ Other: _____

How clear did you find the 'Understanding the Situation' exercise?

1 2 3 4 5

Very Unclear ○ ○ ○ ○ ○ Very Clear

How useful did you find the 'Understanding the Situation' exercise?

1 2 3 4 5

Very Unuseful ○ ○ ○ ○ ○ Very useful

How clear did you find the 'Problem Solving' exercise?

1 2 3 4 5

Very Unclear ○ ○ ○ ○ ○ Very Clear

How useful did you find the 'Problem Solving' exercise?

1 2 3 4 5

Very Unuseful ○ ○ ○ ○ ○ Very Useful

How clear did you find the 'Thought Record' exercise?

1 2 3 4 5

Very Unclear ○ ○ ○ ○ ○ Very Clear

How useful did you find the 'Thought Record' exercise?

Very Unuseful 1 2 3 4 5 Very Useful

☐ ☐ ☐ ☐ ☐

Are there any features you found more useful than others?

Your answer _____

General questions

Consider your experience with the app as a whole and answer the following questions.

I thought the app was easy to use

Strongly Disagree 1 2 3 4 5 Strongly Agree

☐ ☐ ☐ ☐ ☐

I would imagine that most people would learn to use this app very quickly.

Strongly Disagree 1 2 3 4 5 Strongly Agree

☐ ☐ ☐ ☐ ☐

I felt confident using the app.

Strongly Disagree 1 2 3 4 5 Strongly Agree

☐ ☐ ☐ ☐ ☐

I found the various functions in this app were well integrated.

	1	2	3	4	5	
Strongly Disagree	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Strongly Agree

I think that I would like to use this system frequently.

	1	2	3	4	5	
Strongly Disagree	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Strongly Sgree

On a scale of 1 to 5 (1 being not at all and 5 being extremely) please rate how much the following made you want to keep using the app.

	1 - Not at all	2	3	4	5 - Extremely
Earning points for the sake of points	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Earning points in order to obtain collectiabies	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Daily bonus points	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Daily streak	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Do you have any other comments?

Your answer

Appendix G

Evaluation Results

On a scale of 1 to 5, how likely would you be to use the mobile app over a pen-and-paper worksheet?

13 responses




FIGURE G.1: Responses for question 1.

Which of the following factors influenced your answer to the above question?




FIGURE G.2: Responses for question 2.

How clear did you find the 'Understanding the Situation' exercise?

13 responses




FIGURE G.3: Responses for question 3.

How useful did you find the 'Understanding the Situation' exercise?

13 responses




FIGURE G.4: Responses for question 4.

How clear did you find the 'Problem Solving' exercise?

13 responses




FIGURE G.5: Responses for question 5.

How useful did you find the 'Problem Solving' exercise?

13 responses




FIGURE G.6: Responses for question 6.

How clear did you find the 'Thought Record' exercise?

13 responses




FIGURE G.7: Responses for question 7.




FIGURE G.8: Responses for question 8.

I found that the explanations before each task was really useful and helped me navigate the app
The question and writing is the most useful. Having already set questions really helps process your thoughts more than being stuck in a constant pain of overthinking.
all features were good imo
Notifications and points seem like they'd encourage me to use the app more often
I found record useful
Notifications to journal etc. Very Helpful
Record exercise was good but didn't really see the point of problem solving one
i like the blobs, they cute

TABLE G.1: Responses for question 9: Are there any features you found more useful than others?

I thought the app was easy to use

13 responses




FIGURE G.9: Responses for question 10.

I would imagine that most people would learn to use this app very quickly.

13 responses




FIGURE G.10: Responses for question 11.

I felt confident using the app.

13 responses




FIGURE G.11: Responses for question 12.

I found the various functions in this app were well integrated.

13 responses




FIGURE G.12: Responses for question 13.

I think that I would like to use this system frequently.



13 responses




FIGURE G.13: Responses for question 14.

On a scale of 1 to 5 (1 being not at all and 5 being extremely) please rate how much the following made you want to keep using the app.




FIGURE G.14: Responses for question 15.

It would have been interesting to see the progression of using the app for many days to be able to experience its many features, like the daily streak and notifications.
1 - The level up system is interesting. . . I think there are 2 sides of the coin with this. My first thought was that it just tells you how many issues you have, you come into realisation how much you are using the app to calm yourself down. This is can lead to people to think even more negatively of themselves. However it could also lead to people to think that they may require more help and actually get the little push to go and talk to a professional 2- Initially I thought the help section should be on the front screen when you open it rather than having to do extra actions to access it but now after some thoughts I realised it gives a lot of positive feedback as it doesn't just remind the user to seek professional help but rather actually gives them a chance to think of their own thought process. I would also add therapy services such as better help on the app.
Good touch on the emergency resources (advising to call 999) plus advising this isn't a substitute for therapy :)
Touch gestures became intuitive very quickly
I think this app is a fantastic idea and has a lot of potential! It might be helpful to include some built-in suggestions for feelings (e.g. https://www.glennttrigg.net/emotions-wheel/). Also, you might want to disable the back button once an exercise has been completed, otherwise it will go back to the exercise, which is a bit weird. (Also the collectibles are kinda terrifying lol)
I really like getting points and collectibles
The idea is good but the reliance on a big chunk of text to explain the exercise is not so good. It would have been better to spread the text throughout exercise so it is better to read. Personally I didnt rly care about collectables too. But the idea is good and has lots of promise!!

TABLE G.2: Responses to question 16: Do you have any other comments?

Appendix H

Project Management




FIGURE H.1: Initial project planning Gantt chart.

ID	MoSCoW	Description	Size
1.1	MUST	Implement 'Understanding a situation' exercise	3
1.2	MUST	Implement 'Problem Solving' exercise	3
1.3	MUST	Implement 'Thought Record' exercise	4
1.4	COULD	Implement CBT exercise menu	1




FIGURE H.2: Tasks and burndown chart for Sprint 1.

ID	MoSCoW	Description	Size
1.3	MUST	Implement 'Thought Record' exercise (carried over)	3
2.1	SHOULD	Store and view completed exercises	4
APP1	COULD	Sidebar menu navigation	2
5.1	MUST	Points for completing exercises	2




FIGURE H.3: Tasks and burndown chart for Sprint 2.

ID	MoSCoW	Description	Size
2.1	SHOULD	Store and view completed exercises (carried over)	4
5.1	MUST	Points for completing exercises (carried over)	2
3	COULD	Goals with notifications	4
6	MUST	Further support' screen	2




FIGURE H.4: Tasks and burndown chart for Sprint 3.

ID	MoSCoW	Description	Size
3	COULD	Goals with notifications (carried over)	4
5.2	MUST	Collectibles and stats page	4
4	COULD	Daily bonus points	2
APP2	COULD	Home screen	2
APP3	SHOULD	Replace placeholder text and images	1





FIGURE H.5: Tasks and burndown chart for Sprint 4.

Appendix I

Design Archive Table of Contents

COMP3200-source-code



The source code for the app can be found in the 'main' folder which can be navigated to by following the tree above. The rest of the files are automatically generated by GitHub and Android Studio.

Appendix J

Word Count

Total Words:	9998
Headers:	53
Math Inline:	0
Math Display:	0