


Note: Since we didn't understand what you exactly meant by "Delivering list of requirements" We did it both ways. One with requirements of the given project example and another with requirements that we have wrote. Even though we made the assignment separations for ourselves we always made it all together with idea sharing and brainstorming as a team.

Requirement Number	Description	Contributer Name
1	sign-up and sign-in feature	Halit
2	create a goal	Halit
3	see the list of goals	Yusuf
4	break goals down into achievable targets	Yusuf

Requirement Number	Description	Contributer Name
1	Brainstorming the website view.	Together
2	Background	Halit
3	Sign in & up css	Halit
4	Forms	Yusuf
5	Goal add Html	Yusuf
6	Goal page css	Halit

Even though we write who done what. We did everything together. So we cant exactly say that Yusuf made the home page or Halit made the signup page. We both worked together simultaneously and talked to each other about what to change or what to add.




Because the website is too simple and the functionalities are not came together yet we did with general relational logic.


For the further assignments we will deal with more in detalied solutions

With Best Regards


Home Page



Login Page



SignUp Page



Username

Password

Login

Name

Password

All needed fields

Goals Page

NAV BAR

Goal 1

X

delete goal

Goal 2

Add goal

Add goal Page

NAV BAR

Goal details

Specify Targets

Add new goal

Specify Targets

NAV BAR

Goal Details

Targets : Details

home.html

```
<!DOCTYPE html>

<html>

  <head>

    <style>

      body {

        background-color: rgb(188, 229, 242);
background-image: url('BackgroundImage.jpg');
background-repeat: no-repeat;
background-attachment: fixed;
background-size: cover;
text-align: center;

      }

      .navBar{

        margin-top: 20px;

font-size: 18px;
background-color: rgba(255, 255, 255, 0.1);
width: min content;
width: 300px;
margin: 1em auto;
padding: 1em;
align: center;

      }

      .navBar a{

        text-decoration: none;

color: #073D41;
font-weight: bold;
```



```
}  
.navBar a:visited{  
color: pink;  
}
```

```
.navBar a:active {  
color: red;  
}  
.navBar a:hover{  
color: white;  
}
```

```
        .chad{  
back  
        text-align: center;  
    }
```

```
.welcomeText{  
font-size: 25px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
    <div class= "menuWithImage">
```

```
<div class="chad">
```

```
    
```

```
    </div>
```

```
<nav class="navBar">
```

```
    <a href="home.html">Home</a> |
```

```

        <a href="signIn.html">Sign In</a> |
        <a href="signUp.html">Sign Up</a> |
        <a href="yourList.html">Your List</a>
    </nav>
</div>

    <div class="welcomeText">

        <p>

            Welcome to the Grindset Goal-Setting website!

        </p>
    </div>

<div class="Smart">
    
    <p style="color:white; font-size: 22px;">We shall never surrender!</p>
    <p style="color:white; font-size: 14px;">~Sir Winston Churchill</p>
</div>

</body>

</html>

```

Signin.html

```

<!DOCTYPE html>

<html>

    <head>

```

```
<style>

  body {

    background-color: rgb(188, 229, 242);
background-image: url('BackgroundImage.jpg');
background-repeat: no-repeat;
background-attachment: fixed;
background-size: cover;
text-align: center;
  }

  .loginBox{

    width: 150%;
    margin: auto;
margin-top: 55px;
    overflow: hidden;
    background: rgba(255, 255, 255, 0.24);
    border-radius: 5px;
    box-shadow: 0px 10px 34px -15px rgba(0, 0, 0, 0.24);
    max-width: 400px;
height: 500px;

  }

  .login{

    line-height: 1.5;
    font-weight: 400;
    font-family: "Lato", Arial, sans-serif;
    color: #000;
font-size: 28px;
```

```
margin-top: 35px;
```

```
}
```

```
.userNameBox{
```

```
    text-align: center;
```

```
    margin-bottom: 1rem;
```

```
}
```

```
.name{
```

```
    margin-bottom: 3px;
```

```
font-size: 22px;
```

```
}
```

```
.Button1 {
```

```
background-color: rgba(255, 255, 255, 0.24);
```

```
color: black;
```

```
text-align:center;
```

```
color: white;
```

```
cursor:pointer;
```

```
font-size: 16px;
```

```
transition-duration: 0.8s;
```

```
border: none;
```

```
width: 300px;
```

```
height: 40px;
```

```
margin-top: 10px;
```

```
}
```

```
.Button1:hover {  
background-color: #f44336;  
color: white;  
border-radius: 7px;  
}
```

```
.navBar{  
margin-top: 20px;  
font-size: 18px;  
background-color: rgba(255, 255, 255, 0.1);  
width: min content;  
width: 300px;  
margin: 1em auto;
```

```
padding: 1em;
```

```
align: center;
```

```
}
```

```
.navBar a{  
text-decoration: none;  
color: #073D41;  
font-weight: bolded;  
}
```

```
.navBar a:visited{  
color: pink;
```

```
}  
  
.navBar a:hover{  
color: white;  
}  
  
.navBar a:active {  
color: red;  
}  
  
.passwordInput{  
text-align:center;  
font-size: 16px;  
width: 340px;  
height: 40px;  
margin-bottom: 25px;  
}  
  
.usernameInput{  
text-align:center;  
font-size: 16px;  
width: 340px;  
height: 40px;  
margin-bottom: 25px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<nav class= "navBar">

  <a href="home.html">Home</a> |
  <a href="signIn.html">Sign In</a> |
  <a href="signUp.html">Sign Up</a> |
  <a href="yourList.html">Your List</a>

</nav>
```

```
<div class="loginBox">

  <div class="logInName">

    <h3 class="logIn">Login to your account!</h3>

  </div>

  <div class="userNameBox">

    <div class="name">

      <label>Username</label>

    </div>

    <div>

      <input type="text" class="usernameInput" placeholder="enter your username">

    </div>

  </div>

  <div class="userNameBox">

    <div class="name">

      <label>Password</label>

    </div>

    <div>

      <input type="password" class= "passwordInput" placeholder="enter your password">

    </div>

  </div>
```

```
<a href="yourList.html"><button class="Button1">Log In</button> </a>
```

```
</div>
```

```
</body>
```

```
</html>
```

Singup.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<link rel="stylesheet" href="StyleSheet.css">
```

```
<style>
```

```
body {
```

```
background-color: rgb(188, 229, 242);
```

```
background-image: url('BackgroundImage.jpg');
```

```
background-repeat: no-repeat;
```

```
background-attachment: fixed;
```

```
background-size: cover;
```

```
}
```

```
.header{
```

```
overflow: hidden;
```

```
padding: 10px 5px;
```

```
border-radius: 6px;
```



```
}  
.header a {  
    text-align: center;  
    float: left;  
    color: gray;  
    padding: 8px;  
    text-decoration: none; /*To make it not underlined. */  
    font-size: 28px;  
    line-height: 30px;  
    border-radius: 6px;  
}
```

```
.header a.logo {  
    font-size: 25px;  
    font-weight: bold;  
}
```

```
.header a:hover {  
    background-color: #ddd;  
    color: black;  
}
```

```
.header a.active {  
    background-color: dodgerblue;  
    color: white;  
}
```

```
input[type=text], input[type=password], input[type=email] {  
    width: 95%;  
    padding: 15px;  
    margin: 5px 0 22px 3px;  
    display: inline-block;  
    border: none;  
    background: #f1f1f1;  
}  
  
input[type=radio]{  
    display:table-column-group  
}  
  
.submitButton{  
    margin-top: 20px;  
}
```

```
.navigator{  
font-size: 18px;  
background-color: rgba(255, 255, 255, 0.1);  
width: 18%;  
margin: 1em auto;  
padding: 1em;  
align-self: center  
  
}  
  
.navigator a{  
    text-decoration: none;
```

```
color: #073D41;
font-weight: bolded;
}
```

```
.navigator a:visited{
color: pink;
}
```

```
.navigator a:active {
color: red;
}
```

```
.navigator a:hover{
color: white;
}
```

```
        .formFillPlace{
            margin: auto;
            width: auto;
max-width: 800px;
color: white;
background-color: rgba(0, 0, 0, 0.351);
            padding: 15px;
            font-weight: bolded;
            font-size: 18px;
            border: 3px;
border-color:rgba(0, 0, 0, 0.351);
            border-radius: 10px;
        }
```

```
.formFillPlace b{  
    padding: 5px;  
font-weight: normal;  
    }
```

```
.button {  
background-color: #4CAF50;  
border: none;  
color: white;  
text-align: center;  
text-decoration: none;  
display: inline-block;  
transition-duration: 0.8s;  
font-size: 16px;  
margin: 4px 2px;  
cursor: pointer;  
}
```

```
.submitButton {  
margin-top: 20px;  
background-color: rgba(255, 255, 255, 0.24);  
color: black;  
width: 200px;  
height: 30px;  
text-align:center;  
color: white;  
}
```

```
.submitButton:hover {
```

```
background-color: #f44336;
color: white;
border-radius: 7px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<nav class="navigator">
```

```
<a href="home.html" >Home</a> |
```

```
<a href="signIn.html">Sign In</a> |
```

```
<a href="signUp.html" >Sign Up</a> |
```

```
<a href="yourList.html">Your List</a>
```

```
</nav>
```

```
<form>
```

```
<div class="formFillPlace">
```

```
<label for="Username">
```

```
<hr style="visibility:hidden;" />
```

```
<b>Username</b>
```

```
</label>
```

```
<br>
```

```
<input type="text" placeholder="username (userID)" name="username" required="">
```

```
<br>
```

```
<label for="Password">
```

```
        <b>Password</b>
    <br>
    </label>
    <input type="password" placeholder="password" name="password" required="">
```

```

    <br>
    <label for="Name">
        <b>Name</b>
    <br>
    </label>
    <input type="text" placeholder="your name and surname" name="name" required="">
    <br>
    <label for="Address">
        <b>Address</b>
    <br>
    </label>
    <input type="text" placeholder="eg: Mekelweg 4, Delft" name="Address" required="">
    <br>
    <label for="Country">
        <b>Country</b>
    <br>
    </label>
    <input type="text" placeholder="eg: Netherlands" name="Country" required="">
    <br>
    <label for="ZipCode">
```

```
        <b>Zip Code</b>

<br>

    </label>

    <input type="text" placeholder="eg: 1234 AD" name="" required="">

<br>

<label for="Language">

    <b>Language</b>

<br>

</label>

    <input type="text" placeholder="eg: English, Dutch..." name="" required="">

<br>

    <label for="Email">

        <b>Email</b>

<br>

    </label>

    <input type="email" placeholder="eg: example@gmail.com" name="" required="">

<br>

    <label for="Gender">

        <b>Gender</b>

<br>

    </label>

    <input type="radio" class="male" name="Gender" required="">

    <label for="male">Male</label>

    <input type="radio" class="female" name="Gender" required="">

    <label for="female">Female</label>

    <input type="radio" class="other" name="Gender" required="">

    <label for="other">Non-binary</label><br>

<a href="yourList.html"><button class="button submitButton">Submit</button></p>

</div>
```

```
</form>
```

```
</body>
```

```
</html>
```

Yourlist.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<style>
```

```
body {
```

```
background-color: rgb(188, 229, 242);
```

```
background-image: url('BackgroundImage.jpg');
```

```
background-repeat: no-repeat;
```

```
background-attachment: fixed;
```

```
background-size: cover;
```

```
text-align: center;
```

```
}
```

```
.navBar{
```

```
margin-top: 20px;
```

```
font-size: 18px;
```

```
background-color: rgba(255, 255, 255, 0.1);
```

```
width: min content;
```

```
width: 300px;
```



```
margin: 1em auto;
```

```
padding: 1em;
```

```
align-self: center;
```

```
}
```

```
.navBar a{
```

```
    text-decoration: none;
```

```
color: #073D41;
```

```
font-weight: bolded;
```

```
}
```

```
.navBar a:visited{
```

```
color: pink;
```

```
}
```

```
.navBar a:active {
```

```
color: red;
```

```
}
```

```
.navBar a:hover{
```

```
color: white;
```

```
}
```

```
    .goalBox{
```

```
        padding: 3px;
```

```
        border: 3px solid rgba(0, 0, 0, 0.341);
```

```
background: rgba(255, 255, 255, 0.24);
```

```
border-radius: 15px;
```

```
}
```

```
.CurrentGoals{
```

```
margin: auto;
```

```
width: 50%;
```

```
padding: 5px;
align-self: center;
width: 30%;
    border-radius: 10px;
    margin-bottom: 3px;
background: rgba(255, 255, 255, 0.24);
text-align: left;

}
```

```
.button {

border: none;
color: white;
text-align: center;
text-decoration: none;
display: inline-block;
transition-duration: 0.8s;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
align-self: center;
}

.Button1 {
margin-top: 10px;
background-color: rgba(255, 255, 255, 0.24);
color: black;
width: 300px;
height: 40px;
```

```
text-align:center;
color: white;
cursor:pointer;
font-size: 16px;
```

```
}
```

```
.Button1:hover {
background-color: #f44336;
color: white;
border-radius: 7px;
}
```

```
        #delButton{
float: right;
border-radius: 7px;
width: auto;
background-color: rgba(222, 77, 77, 0.799);
}
```

```
        .delItem{
border-radius: 7px;
float: right;
margin-bottom: 30px;
}
```

```
        .delItem2{
border-radius: 7px;
float: right;
margin-bottom: 30px;
}
```

```
.logo{
text-align: center;
}
button{
background-color: rgba(169, 43, 215, 0.341);
border: #000;
border-radius: 2px;
width: 60px;
}

#targetButton{
margin-top: 10%;
margin-bottom: 2%;
background-color: rgba(145, 99, 243, 0.228);
color: black;
width: 100%;
height: 10%;
text-align:center;
color: white;
cursor:pointer;
font-size: 14px;
border-radius: 4px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<nav class="navBar">
```

```
<a href="home.html">Home</a> |
```

```
<a href="signIn.html">Sign In</a> |
```

```

<a href="signUp.html">Sign Up</a> |
<a href="yourList.html">Your List</a>

</nav>

<div class="List">
  <div class="CurrentGoals">
    <div class="goalBox">
      <table>
<div class="delItem">
      <button id="delButton" type="button">x</button>
    </div>
    <tr>
      <td><h3 style="text-align: left; margin-top: 0; margin-bottom: 2px;">Take your
pills!</h3></td>
    </tr>
  </table>

  <table>
    <tr>
      <th>Description:</th>
      <td>I need to take my pills every day</td>
    </tr>
    <tr>
      <th>Measurement:</th>
      <td>One at 9:00 AM, one at 9:00 PM</td>
    </tr>
    <tr>
      <td>Person:</td>

```

```

        <td>Me</td>
    </tr>
    <tr>
        <td>Result:</td>
        <td>-</td>
    </tr>
    <tr>
        <td>Deadline:</td>
        <td>-</td>
    </tr>
</table>
<div class="targetButtonBox">
    <a href="targets.html"><button id="targetButton">Specify into Targets</button></a>
</div>

</div>
</div>
<div class="CurrentGoals">
    <div class="goalBox">
        <table>
<div class="delItem2">
            <button id="delButton" type="button">x</button>
        </div>
        <tr>
            <td><h3 style="text-align: left; margin-top: 0; margin-bottom: 2px;">Pass The
Calculus</h3></td>
        </tr>
    </table>

```

```
<table>

<tr>

  <th>Description:</th>

  <td>I need to pass calculus course</td>

</tr>

<tr>

  <th>Measurement:</th>

  <td>Get at least 5.8</td>

</tr>

<tr>

  <td>Person:</td>

  <td>Me</td>

</tr>

<tr>

  <td>Result:</td>

  <td>5 Credits and a happy life</td>

</tr>

<tr>

  <td>Deadline:</td>

  <td>19-02-2023</td>

</tr>

</table>

<div class="targetButtonBox">

  <a href="targets.html"><button id="targetButton">Specify into Targets</button></a>

</div>

</div>

</div>
```

```
        <br>
        <a href="addNewGoal.html"><button class= "button Button1"type="button">Input the New
Goal</button> </a>

    </div>

</body>
</html>
```

Addnewgoal.html

```
<!DOCTYPE html>
<html>
    <head>

        <style>
            body {
                background-color: rgb(188, 229, 242);
                background-image: url('BackgroundImage.jpg');
                background-repeat: no-repeat;
                background-attachment: fixed;
                background-size: cover;
            }
        .navBar{
            margin-top: 20px;
            font-size: 18px;
```



```
background-color: rgba(255, 255, 255, 0.1);
```

```
width: min content;
```

```
width: 300px;
```

```
margin: 1em auto;
```

```
padding: 1em;
```

```
align: center;
```

```
}
```

```
.navBar a{
```

```
    text-decoration: none;
```

```
color: #073D41;
```

```
font-weight: bolded;
```

```
}
```

```
.navBar a:visited{
```

```
color: pink;
```

```
}
```

```
.navBar a:active {
```

```
color: red;
```

```
}
```

```
.navBar a:hover{
```

```
color: white;
```

```
}
```

```
    .goalBox{
```

```
        width: 100%px;
```

```
        padding: 1px;
```

```
        margin: 0;
```

```
    }
```

```
    .button{
```

```
        background-color: #4CAF50;
border: none;
color: white;
text-align: center;
text-decoration: none;
display: inline-block;
transition-duration: 0.8s;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
    }
.AddButton:hover {
background-color: #f44336;
color: white;
border-radius: 7px;
}
.AddButton{
margin-top: 10px;
margin-bottom: 40px;
background-color: rgba(255, 255, 255, 0.24);
color: black;
width: 200px;
height: 30px;
text-align:center;
color: white;
}
```

```
.inputField{
    margin: auto;
```

```
margin-top:10px;
```

```
}
```

```
input[type=text], input[type=password], input[type=email] {
```

```
width: 95%;
```

```
padding: 15px;
```

```
margin: 5px 0 22px 3px;
```

```
display: inline-block;
```

```
border: none;
```

```
background: #f1f1f1;
```

```
}
```

```
label{
```

```
font-weight: 700;
```

```
}
```

```
.goal{
```

```
padding: 10px;
```

```
}
```

```
.List{
```

```
margin: auto;
```

```
width: auto;
```

```
max-width: 800px;
```

```
color: white;
```

```
background-color: rgba(0, 0, 0, 0.351);
```

```
padding: 5px;
```

```
font-weight: bolded;
```

```
font-size: 18px;
```

```
align: left;
```

```
border: 3px;
```

```
border-color:rgba(0, 0, 0, 0.351);
```

```

        border-radius: 10px;
    }

</style>
</head>
<body>
    <nav class="navBar">
        <a href="home.html">Home</a> |
        <a href="signIn.html">Sign In</a> |
        <a href="signUp.html">Sign Up</a> |
        <a href="yourList.html">Your List</a>

    </nav>

    <div class="List">
        <div class="CurrentGoals">
            <div class="goalBox">
                <div class="goal">
                    <label>Goal title</label>
                    <div class="inputField">
                        <input type="text" placeholder="Enter a goal title">
                    </div>
                </div>
            </div>
            <div class="goal">
                <label>(S)et a specific goal</label>
                <div class="inputField">
                    <input type="text" placeholder="It should not be vague">
                </div>
            </div>
            <div class="goal">
                <label>(M)easure it!</label>
                <div class="inputField">

```

```

        <input type="text" placeholder="Suggest an indicator of progress">
    </div>
</div>
<div class="goal">
    <label>(A)ssign it!</label>
    <div class="inputField">
        <input type="text" placeholder="Specify who will do it">
    </div>
</div>
<div class="goal">
    <label>(R)ealistic</label>
    <div class="inputField">
        <input type="text" style="margin-bottom: 7px;" placeholder="State what results can
realistically be achieved, given available resources">
    </div>
</div>
<div class="goal">
    <label>(T)ime bound</label>
    <div class="inputField">
        <input type="date" placeholder="">
    </div>
</div>
</div>
</div>
</div>
<br>
<a href="yourList.html"><button class="button AddButton">Add new goal</button> </a>

</div>

```

```
</body>
</html>
```

Targets.html

```
<!DOCTYPE html>
<html>
  <head>

    <style>
      body {
        background-color: rgb(188, 229, 242);
        background-image: url('BackgroundImage.jpg');
        background-repeat: no-repeat;
        background-attachment: fixed;
        background-size: cover;
        text-align: center;
      }
    .navBar{
      margin-top: 20px;
      font-size: 18px;
      background-color: rgba(255, 255, 255, 0.1);
      width: min content;
      width: 300px;
      margin: 1em auto;
      padding: 1em;
      align-self: center;
```

```
    }

.navBar a{
    text-decoration: none;
    color: #073D41;
    font-weight: bolded;
}

.navBar a:visited{
    color: pink;
}

.navBar a:active {
    color: red;
}

.navBar a:hover{
    color: white;
}

.goalBox{
    width: 100%;
    padding: 3px;
    border: 3px solid rgba(0, 0, 0, 0.341);
background: rgba(255, 255, 255, 0.24);
border-radius: 15px;
}

.CurrentGoals{
margin: auto;
width: 50%;
padding: 5px;
align-self: center;
width: 60%;
```

```
        border-radius: 10px;
        margin-bottom: 3px;
background: rgba(255, 255, 255, 0.24);
text-align: left;

}
```

```
.button {

border: none;
color: white;
text-align: center;
text-decoration: none;
display: inline-block;
transition-duration: 0.8s;
font-size: 16px;
margin: 4px 2px;
cursor: pointer;
align-self: center;
}
```

```
.Button1 {
margin-top: 10px;
background-color: rgba(255, 255, 255, 0.24);
color: black;
width: 300px;
height: 40px;
text-align:center;
color: white;
cursor:pointer;
}
```



```
font-size: 16px;
```

```
}
```

```
.Button1:hover {
```

```
background-color: #f44336;
```

```
color: white;
```

```
border-radius: 7px;
```

```
}
```

```
    #delButton{
```

```
float: right;
```

```
border-radius: 7px;
```

```
width: auto;
```

```
background-color: rgba(222, 77, 77, 0.799);
```

```
    }
```

```
    .delItem{
```

```
border-radius: 7px;
```

```
float: right;
```

```
margin-bottom: 30px;
```

```
    }
```

```
    .delItem2{
```

```
border-radius: 7px;
```

```
float: right;
```

```
margin-bottom: 30px;
```

```
    }
```

```
.logo{
```

```
text-align: center;
```

```
}
```

```
button{  
background-color: rgba(169, 43, 215, 0.341);  
border: #000;  
border-radius: 2px;  
width: 60px;  
}
```

```
    #targetButton{  
        margin-top: 10%;  
        margin-bottom: 2%;  
background-color: rgba(145, 99, 243, 0.228);  
color: black;  
width: 100%;  
height: 10%;  
text-align:center;  
color: white;  
cursor:pointer;  
font-size: 14px;  
        border-radius: 4px;  
    }
```

```
    #table1{  
        border-collapse: collapse;  
        border: 1px solid;  
    }
```

```
</style>
```

```
</head>
```

```

<body>

  <nav class="navBar">

    <a href="home.html">Home</a> |
    <a href="signIn.html">Sign In</a> |
    <a href="signUp.html">Sign Up</a> |
    <a href="yourList.html">Your List</a>

  </nav>

  <div class="List">

    <div>

      Now break your goal into small achievable targets!

    </div>

    <div class="CurrentGoals">

      <div class="goalBox">

        <table>
<div class="delItem2">
          <button id="delButton" type="button">x</button>
        </div>
        <tr>
          <td><h3 style= "text-align: left; margin-top: 0; margin-bottom: 2px;">Pass The
Calculus</h3></td>
        </tr>

      </table>

      <table>
        <tr>
          <th>Description:</th>
          <td>I need to pass calculus course</td>
        </tr>

```

```
<tr>

  <th>Measurement:</th>

  <td>Get at least 5.8</td>

</tr>

<tr>

  <td>Person:</td>

  <td>Me</td>

</tr>

<tr>

  <td>Result:</td>

  <td>5 Credits and a happy life</td>

</tr>

<tr>

  <td>Deadline:</td>

  <td>19-02-2023</td>

</tr>
```

```
</table>

<hr>

<table id="table1">

  <tr>

    <th style="border: 1px solid;"> </th>

    <th style="border: 1px solid;"> Description </th>

    <th style="border: 1px solid;"> Done? </th>

  </tr>

  <tr>

    <td style="border: 1px solid;">Target 1</td>

    <td style="border: 1px solid;">Finish all lectures</td>
```

```

        <td style="border: 1px solid;"> <input type="checkbox"> </td>
    </tr>
    <tr>
        <td style="border: 1px solid;">Target 2</td>
        <td style="border: 1px solid;"> <input type="text" placeholder="Enter a target"> </td>
        <td style="border: 1px solid;"> <input type="checkbox"> </td>
    </tr>
    <tr>
        <td style="border: 1px solid;">Target 3</td>
        <td style="border: 1px solid;"> Make at least this much exams:<input id="numericBox"
type="number"> </td>
        <td style="border: 1px solid;"> <input type="checkbox"> </td>
    </tr>
    <tr>
        <td style="border: 1px solid;">Target 4</td>
        <td style="border: 1px solid;"> Make a summary at least before::<input
id="numericBox" type="date"> </td>
        <td style="border: 1px solid;"> <input type="checkbox"> </td>
    </tr>
</table>
</div>
</div>

<br>
<a href="addNewGoal.html"><button class= "button Button1"type="button">Save</button>
</a>

</div>

```

</body>

</html>